

JOHN DEERE ATTACHMENTS



JOHN DEERE



ADD ONE
TO DO MORE



ATTN

325G

DEERE

JOHN DEERE

⚠ DANGER
Keep all hands and feet clear of the PTO shafts, auger shafts, and other rotating parts.
No operator should be near the PTO shafts.

PR

INSTANT PRODUCTIVITY
JUST ADD
ATTACHMENTS.



100+

*MODELS OF JOHN DEERE
ATTACHMENTS*



KEY

SS Skid Steer
CWL Compact Wheel Loader

CEX Compact Excavator
CTL Compact Track Loader

See pages 16–19 for the complete list of available attachments and vehicle compatibilities.

MASTERS OF MULTITASKING.

BUILT-IN VERSATILITY

To get more productivity from your skid steer, compact track loader, compact wheel loader, or compact excavator, hook-up one of the many easy-to-use attachments. The ever-expanding lineup includes more than 100 models, so you're sure to find the right tool for the job. They're compatible with many comparable brands of machines, too. What's more, each is backed by legendary John Deere parts, service, and warranty coverage. Add an attachment, and watch your productivity instantly increase.

1. Quik-Tatch™

With the universal, self-cleaning Quik-Tatch easy-attachment system, you can go from bucket to grapple to whatever in no time flat. Quik-Tatch attachments, Quik-Tatch productivity. That's the John Deere attachment lineup.

SS **CWL** **CTL**



2. Angle-Tatch

Attaching to the Quik-Tatch coupler for attachment tilt up to 14 degrees left or right, Angle-Tatch enables buckets, blades, and other non-hydraulic attachments to rotate for more precise grading and leveling without leaving the seat of the machine.

SS **CWL** **CTL**



Hydraulic Hammers

Redesigned to deliver two to three times more blows per minute (BPMs) than previous models, and with 30-percent fewer parts than either competitive or previous models, these hammers keep working where others won't.

SS **CEX** **CTL**





KEY

SS Skid Steer

CEX Compact Excavator

CWL Compact Wheel Loader

CTL Compact Track Loader

See pages 16–19 for the complete list of available attachments and vehicle compatibilities.

GROW YOUR PRODUCTIVITY.

FLEXIBILITY COMES STANDARD

John Deere attachments are designed to optimize performance and productivity. Their heavy-duty construction delivers maximum uptime and long life — whether you're hoisting hay bales, digging ditches, rooting out rocks, or managing vegetation. What's more, these attachments are compatible among a number of machines throughout the John Deere Compact Construction Equipment lineup, letting you increase utilization in a wide variety of tasks.

Rotary Cutters

RE models are designed to maintain brush on embankments, over fences, along rail rights-of-way, and in ditches and other difficult-to-reach places.

CEX



1. Scrap Grapples

Two independent-action hydraulic-powered grapples pick up and grip different-sized objects. Ample grapple opening enables large payloads for work on scrap-handling, recycling-center, disaster-cleanup, and jobsite-cleanup projects.

SS CWL CTL

3. engcon® Tiltrotators

Enable attachments to rotate 360 degrees around the axis and tilt up to 45 degrees side to side — great for working on tight, challenging jobsites.

CEX

2. Root Rakes

Designed for land clearing, ground leveling, and moving materials away from obstructions with minimal site disturbance. Weld-on “D” ring helps speed a wide variety of jobsite tasks.

SS CWL CTL

4. Rotary Cutters


Double-edge blades, fast blade-tip speed, and tapered side-discharge chute enable RC, RS, and RX models to deliver clean cutting and maximum material shredding.

SS CTL

GET MORE DONE.

AND THEY'RE EASY TO USE

Compatible with multiple machines. Intuitive controls. Numerous configurations. Our attachments lineup offers it all. Hydraulic-driven tools such as trenchers and cold planers are available in both standard- and high-flow variations, giving you exactly what you need to get more done — or undone. When it's productivity you want, it's a John Deere attachment you need.



1. Mulching Heads

Knife-style cutting teeth in a spiral-tooth pattern on ME36 and ME50* models help clear standing or felled trees and brush along fencerows, roadsides, waterways, and other hard-to-access areas.

CEX

**ME50 is compatible on mid-size 75 and 85 P-Tier Excavators.*

2. Bale Hugger/Bale Spears

Bale hugger lifts, moves, and stacks round or rectangular bales up to a 2,400-pound load. Lift-and-carry-capable bale spears feature low-profile designs for unrestricted visibility to the attachment.

SS CWL CTL

3. Buckets

Numerous multipurpose, construction, dirt, foundry, utility, tooth, rock, grading-heel, light-material, and rollout buckets are available in varying widths and capacities.

SS CWL CTL

4. Vibratory Rollers

Powerful compactor produces up to 9,370 pounds of easy-to-control force. Choose the width and compaction force you need in padded or sheepsfoot configurations.

SS CWL CTL

5. Level Best® Box Blades

From laser-grading parking lots to rebuilding golf-course tees, these grade-control-ready box blades come in three widths, allowing operators to improve efficiency when leveling terrain.

SS CTL

6. Mulching Head

60-inch-wide rotor and 30 double carbide-tipped teeth help the MH60D shred woody materials into mulch in just minutes and remove underbrush and up to 8-inch trees and 12-inch stumps.

SS CTL

KEY

SS Skid Steer

CEX Compact Excavator

CWL Compact Wheel Loader

CTL Compact Track Loader

See pages 16–19 for the complete list of available attachments and vehicle compatibilities.

Cold Planers

Robust new compact cold planers are powered by industry-leading Wirtgen Group milling machine and cutting technology. Exclusive Tilt Float/Tilt Lock feature makes them ideal for everything from repairing parking lots to cleaning around larger milling machines.

SS CTL



KEY

SS Skid Steer

CEX Compact Excavator

CWL Compact Wheel Loader

CTL Compact Track Loader

See pages 16–19 for the complete list of available attachments and vehicle compatibilities.

WE BACK IT UP. HERE FOR YOU

Any attachment can help you do more. But only our attachments are backed by nearly 2,000 John Deere Compact Construction Equipment dealer locations, extensive parts inventories at 10 North American parts depots, and a one-year unlimited-hour warranty. When it comes to providing the uptime and response you need, we dig deeper.





Pallet Forks

Available in lengths of 42, 48, and 60 inches, our pallet forks feature a brick-guard design for protection against load damage and skid-resistant steps on both sides of the attachment frame.

SS CWL CTL



1. Power Rakes

Perfect for seedbed or site prep, power rakes feature exclusive forward and backward operation. Adjustable end plates provide box-scraper double-duty performance.

SS CTL

2. Augers

With reverse rotation for quick back-outs, durably constructed augers are designed to boost operational efficiency while minimizing component stress.

SS CWL CTL CEX

3. High-Torque Stump Shredder

Removes stumps from 8 to 28 inches in diameter in a single pass and shreds material without the dangerous flying debris of conventional stump grinders.

SS CTL

4. Nursery Forks

Firmly grasp and effortlessly transport large rocks, light boulders, and balled and burlapped landscape stock up to 44 inches in diameter.

SS CWL CTL

5. Rock Grapples

High grapple forces, wide grapple capacities, and weld-in serrated cutting edges make rock grapples ideal for tasks such as land clearing, jobsite cleanup, and brush removal.

SS CWL CTL

MAKE THE MOST OF YOUR INVESTMENT YEAR-ROUND.

READY IN ANY WEATHER

Don't let the weather dampen your plans. Equipped with any of these John Deere attachments, neither rain nor snow nor wind will keep you from the swift completion of your duties. What's more, these foul-weather friends will expand the year-round opportunities for your machines, helping make the most of your investment.



1. Snow Pushers

Quickly and efficiently remove large accumulations of snow from sidewalks, parking lots, and driveways. Optional pullback edge is ideal for work in confined areas and around obstructions.

SS CWL CTL

2. Brooms

Angle and pick-up styles are available. Heavy-duty, high-torque, bidirectional motors promote long-term dependability.

SS CWL CTL

3. Snow/Utility/V-Blades

Blade angles hydraulically 30 degrees right or left. Trip springs protect vehicle from sudden impacts. Easy-to-adjust skid shoes and replaceable 0.5-inch-thick cutting edges are standard; rubber edges are available.

SS CWL CTL

KEY

SS Skid Steer

CEX Compact Excavator

CWL Compact Wheel Loader

CTL Compact Track Loader

See pages 16–19 for the complete list of available attachments and vehicle compatibilities.



Snow Blowers

Five new models are designed to capably tackle winter's worst ranging from normal duty to high and compacted accumulations. Floating hitch enables unparalleled ground contact across uneven surfaces. Optional back drag optimizes snow removal close to walls, garage doors, and other objects.

SS CWL CTL

KEY

SS Skid Steer

CEX Compact Excavator

CWL Compact Wheel Loader

CTL Compact Track Loader

See pages 16–19 for the complete list of available attachments and vehicle compatibilities.



Trenchers

Choose 36-, 48-, and 60-inch digging depths and high- and low-flow versions. Trencher design eases entrance and exit from the operator's station.

SS CTL

AT HOME ON THE RANGE ... OR THE FARM OR THE JOBSITE.

The places you run your compact fleet can be pretty varied. That's why you need attachments that can meet a variety of applications. Whether you need to shape some scenery, work your spread, or clear the land, we've got the equipment to help you do all that — and more.



1. Plate Compactors

Designed for trench, slope, and excavation compaction, plate compactors are available in widths from 13 to 24 inches.

CEX

3. Rotary Tillers

Rotary tillers feature rugged construction, heavy-duty tines, and a tilling depth to 6 inches. Bidirectional forward-and-reverse operation increases productivity.

SS CTL

2. Dozer Blades

Durable dozer blades come standard equipped with reversible cutting edges and skid shoes for long-term durability. Power-angle-tilt lets you make adjustments on the go.

SS CTL

4. Steel Tracks

Self-cleaning design reduces ground pressure and helps improve traction and flotation in soft, muddy, or loose conditions. Smooths the ride over hard ground and gravel, too.

SS

JOHN DEERE ATTACHMENTS COMPATIBILITY

	Skid Steers						Compact Track Loaders				Compact Excavators						Compact Wheel Loaders				
	316GR	318G	320G	324G	330G	332G	317G	325G	331G	333G	17 P-Tier	26 P-Tier	30 P-Tier	35 P-Tier	50 P-Tier	60 P-Tier	184 G-Tier*	204 G-Tier*	244 P-Tier*	304 G-Tier*	324 P-Tier*
Angle-Tatch																					
AT14	*	*	*	*	*	*	*	*	*	*							*	*	*	*	*
Augers																					
PA15B	*	*					*			*		*	*				*	*	*	*	*
PA30B	*	*					*			*		*	*		*		*	*	*	*	*
PA40					•HF	•HF				•HF	•HF								•HF		•HF
Bale Hugger																					
AH80	*	*	*	*	*	*	*	*	*	*							*	*	*	*	*
Bale Spears																					
AB21	*	*	*	*	*	*	*	*	*	*							*	*	*	*	*
AB31	*	*	*	*	*	*	*	*	*	*							*	*	*	*	*
AB32	*	*	*	*	*	*	*	*	*	*							*	*	*	*	*
AB42	*	*	*	*	*	*	*	*	*	*							*	*	*	*	*
AB43	*	*	*	*	*	*	*	*	*	*							*	*	*	*	*
Brooms, Angle																					
BA72C	*	*	*	*	*	*	*	*	*												
BAB4C			*	*	*	*	*	*	*								*	*	*	*	*
BA96C					*	*				*	*						*	*	*	*	*
Brooms, Pick-Up																					
BP72C	*	*	*	*	*	*	*	*	*	*											
BP84C	*	*	*	*	*	*	*	*	*	*											
BR60C	*	*	*	*	*	*	*	*	*	*											
BR72C	*	*	*	*	*	*	*	*	*	*							*	*		*	*
BR84C			*	*	*	*	*	*	*	*							*	*	*	*	*
Buckets																					
Construction 66 in. / w/ Edge			*	*																	
Construction 72 in. / w/ Edge		*	*	*	*		*	*													
Construction 78 in. (HD) / w/ Edge			*	*	*	*		*	*	*							*	*	*	*	*
Construction 84 in. (HD) / w/ Edge			*	*	*	*		*	*	*							*	*	*	*	*
Construction 90 in. (SD) / w/ Serrated Edge						*				*											
Dirt 56 in. / w/ Edge	*	*																			
Dirt 56 in. w/ Teeth	*	*					*														
Dirt 60 in. / w/ Edge	*	*																			
Dirt 60 in. w/ Teeth	*	*	*				*														
Dirt 66 in. / w/ Edge	*	*	*	*																	
Dirt 66 in. w/ Teeth	*	*	*	*			*														
Foundry 66 in.	*	*	*	*			*														
Foundry 72 in.		*	*	*	*		*	*													
Foundry 78 in. (HD)			*	*	*	*		*	*	*											
Grading Heel 60 in. / w/ Teeth	*	*																			
Grading Heel 66 in. / w/ Teeth	*	*	*	*			*														
Grading Heel 72 in. / w/ Teeth		*	*	*			*	*													
Grading Heel 78 in. (HD) / w/ Teeth			*	*	*	*		*	*	*											
Light Material 90 in.					*	*				*	*						*	*	*	*	*

JOHN DEERE ATTACHMENTS COMPATIBILITY

	Skid Steers						Compact Track Loaders				Compact Excavators						Compact Wheel Loaders					
	316GR	318G	320G	324G	330G	332G	317G	325G	331G	333G	17 P-Tier	26 P-Tier	30 P-Tier	35 P-Tier	50 P-Tier	60 P-Tier	184 G-Tier*	204 G-Tier*	244 P-Tier*	304 G-Tier*	324 P-Tier*	
Buckets (continued)																						
Multipurpose 66 in.	•	•	•	•			•															
Multipurpose 72 in.		•	•	•	•		•	•														
Multipurpose 78 in.			•	•	•	•	•	•	•													
Multipurpose 84 in.					•	•		•	•	•												
Rock 66 in.	•	•	•	•			•															
Rock 75 in.			•	•	•	•	•	•	•													
Rock 84 in.			•	•	•	•		•	•	•												
Rollout 72 in. (RB72)	•	•	•	•			•	•														
Rollout 84 in. (RB84)			•	•	•	•		•	•	•							•	•	•	•	•	•
Rollout 96 in. (RB96)					•	•			•	•							•	•	•	•	•	•
Tooth 60 in.	•	•																				
Tooth 66 in.	•	•	•	•			•															
Tooth 72 in.		•	•	•			•	•														
Tooth 78 in. (HD)			•	•	•	•		•	•	•							•	•	•	•	•	•
Tooth 84 in. (HD)			•	•	•	•		•	•	•							•	•	•	•	•	•
Tooth 90 in. (SD)						•			•													
Utility 66 in. / w/ Edge	•	•	•																			
Utility 72 in. / w/ Edge		•	•	•			•	•														
Utility 78 in. (HD) / w/ Edge			•	•	•	•		•	•	•							•	•	•	•	•	•
Utility 84 in. (HD) / w/ Edge					•	•			•	•							•	•	•	•	•	•
Cold Planers																						
CP18G			•HF	•HF	•HF	•HF		•HF	•HF	•HF												
CP24G			•HF	•HF	•HF	•HF		•HF	•HF	•HF												
CP30G					•HF	•HF			•HF	•HF												
Dozer Blades																						
DB84		•	•	•			•	•														
DB96					•	•			•	•												
engcon® Tiltrotators																						
EC204													•	•	•							
EC206															•	•						
Grapples, Rock																						
GR66B	•	•					•															
GR72B	•	•	•	•	•	•	•	•														
GR78B			•	•	•	•		•	•	•												
GR84B									•	•	•						•	•	•	•	•	•
Grapples, Scrap																						
GS66B	•	•					•															
GS72B		•	•	•	•	•	•	•														
GS78B			•	•	•	•		•	•	•							•	•	•	•	•	•
GS84B			•	•	•	•		•	•	•							•	•	•	•	•	•
Hydraulic Hammers																						
HH20C											•	•	•	•								
HH40C	•	•	•	•			•	■			•	•	•	•								
HH60C	■	■	•	•	•	■	■	•	■	■			•	•	•							
HH80C			■	■	•	•		•	•	•				•	•							
Level Best® Box Blades																						
PD72	•	•					•															
PD84		•	•	•	•	•	•	•	•	•												
PD96			•	•	•	•		•	•	•												

JOHN DEERE ATTACHMENTS COMPATIBILITY

	Skid Steers						Compact Track Loaders				Compact Excavators						Compact Wheel Loaders					
	316GR	318G	320G	324G	330G	332G	317G	325G	331G	333G	17 P-Tier	26 P-Tier	30 P-Tier	35 P-Tier	50 P-Tier	60 P-Tier	184 G-Tier*	204 G-Tier*	244 P-Tier*	304 G-Tier*	324 P-Tier*	
Mulching Heads																						
ME36																						
ME50 [†]																						
MH60D					•HF	•HF				•HF	•HF											
Nursery Forks																						
NF44	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Pallet Forks, Heavy Duty																						
P45	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
P60	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Pallet Forks, Severe Duty																						
PF45					•	•				•	•						•	•	•	•	•	•
PF60					•	•				•	•						•	•	•	•	•	•
Plate Compactors																						
PC4																						
PC7																						
PC10 [‡]																						
Power Rakes																						
PR60	•	•																				
PR72B	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PR84B			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PR96B			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Root Rakes																						
RR72		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
RR78			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
RR84					•	•				•	•	•	•	•	•	•	•	•	•	•	•	•
Rotary Cutters																						
RC60B	•	•	•	•						•	•	•	•	•	•	•	•	•	•	•	•	•
RC72B		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
RC78B					•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
RE40																						
RE50																						
RS72					•HF	•HF				•HF	•HF											
RX72					•HF	•HF				•HF	•HF											
RX84					•HF	•HF				•HF	•HF											
Rotary Tillers																						
RT52		•	•	•	•	•				•	•	•	•	•	•	•	•	•	•	•	•	•
RT66		•	•	•	•	•				•	•	•	•	•	•	•	•	•	•	•	•	•

[†]ME50 Mulching Head is compatible with mid-size 75 and 85 P-Tier Excavators.

[‡]PC10 Plate Compactor is compatible with 310 G-Tier, 310 P-Tier, 320 P-Tier, and 410 P-Tier Backhoe Loaders.

JOHN DEERE ATTACHMENTS COMPATIBILITY

	Skid Steers						Compact Track Loaders				Compact Excavators						Compact Wheel Loaders				
	316GR	318G	320G	324G	330G	332G	317G	325G	331G	333G	17 P-Tier	26 P-Tier	30 P-Tier	35 P-Tier	50 P-Tier	60 P-Tier	184 G-Tier*	204 G-Tier*	244 P-Tier*	304 G-Tier*	324 P-Tier*
Snow Blowers																					
SB72E	•	•	•	•			•	•									•	•		•	
SB84E	•	•	•	•			•	•									•	•	•	•	•
SB72M			•HF	•HF				•HF													
SB84M			•HF	•HF	•HF	•HF		•HF	•HF	•HF									•HF		•HF
SB84S					•HF	•HF			•HF	•HF											•HF
Snow Pushers																					
SP8C	•	•	•	•	•	•	•	•	•	•							•	•	•	•	•
SP10C					•	•			•	•							•	•	•	•	•
Snow/Utility Blades																					
BL68	•	•					•														
BL7B	•	•	•	•	•	•	•	•	•	•											
BL8B		•	•	•	•	•	•	•	•	•											
BL9B			•	•	•	•		•	•	•							•	•	•	•	•
BL10B					•	•		•	•	•							•	•	•	•	•
Snow/Utility V-Blades																					
BV6	•	•																			
BV8		•	•	•	•	•	•	•	•	•							•	•	•	•	•
BV9		•	•	•	•	•	•	•	•	•							•	•	•	•	•
Steel Tracks																					
10-in. Heavy Duty (HD) Tires	•	•	•	•																	
12-in. HD Tires			•	•	•																
14-in. HD Tires					•	•															
Stump Shredder, High-Torque																					
SS30			•	•	•	•		•	•	•											
Trenchers																					
TC36	•	•	•	•			•	•													
TC48	•	•	•	•			•	•													
TR36B	•	•	•	•	•	•	•	•	•	•											
TR48B	•	•	•	•	•	•	•	•	•	•											
TR60B			•HF	•HF	•HF	•HF		•HF	•HF	•HF											
Vibratory Rollers																					
VR66C Smooth Drum	•WT	•WT	•WT	•WT	•	•	•WT	•	•	•											
VR73C Smooth Drum					•	•	•WT	•	•	•											
VR84C Smooth Drum					•	•		•	•	•											
VR66C Sheepsfoot Drum	•WT	•WT	•WT	•WT	•	•	•WT	•	•	•											•
VR73C Sheepsfoot Drum					•	•	•WT	•	•	•											



DKAPPOCCE (23-10)



JOHN DEERE