

REPLACEMENT PARTS GUIDE

7500A E-Cut™ Hybrid Fairway Mower

ENGINE

ENGINE OIL FILTER
[M806419](#)
Change every 250 hours.

ENGINE OIL
[TY26669](#) (PLUS-50™ II 10W-30)
(WITHOUT FILTER - 4.8 L (5.1 qt))
(WITH FILTER - 5.3 L (5.6 qt))
Change every 250 hours.

FUEL FILTER
[MIU800645](#) (NON-TIER 4)
[MIU803127](#) (TIER 4)
Change every 500 hours.

AIR FILTER
[RE68048](#) (PRIMARY)
[RE68049](#) (SECONDARY)
Change every 500 hours.

JOHN DEERE MULTI - PURPOSE SD POLYUREA GREASE
[TY6341](#) (FOR MACHINE AND LIFT ARMS)
JOHN DEERE SPECIAL PURPOSE GOLF AND TURF CUTTING UNIT GREASE
[TY25083](#) (FOR CUTTING UNIT AND CUTTING UNIT ATTACHMENTS)
Change as Required.

GREASE GUN
[TY26183](#)

V-BELT
[TCU38089](#) (NON-TIER 4) (LGTH = 1475 mm, TK = 12 mm, WIDTH = 11 mm)
[TCU30780](#) (TIER 4) (LGTH = 1425 mm, TK = 12 mm, WIDTH = 11 mm)

FUEL SEPARATOR ELEMENT
[MIU802421](#) (TIER 4)
Change every 500 hours.

TRANSMISSION

HYDRAULIC FILTER
[UC33371](#)
Change after 50/ 750 hours/ Annually.



ELECTRICAL

IGNITION KEY
[AUC12681](#)

ROTARY SWITCH
[TCA22740](#) (S/N: -040000)
[AUC18708](#) (S/N: 040001-)

BATTERY
[TY27806B](#) (12V) (FOR CANADA AND USA)
[MCYP340PE](#) (12V)
(NOT FOR CANADA AND USA)

VOLTAGE REGULATOR
[TCA19440](#)

THERMOSTAT
[M811034](#)
Change every 2000 hours/ 2 years.

WATER TEMP SWITCH
[CH15516](#)

V-BELT
[TCU36012](#) (ALTERNATOR) (LGTH = 1520 mm, TK = 4.6 mm, WIDTH = 28.45 mm)

FUEL AND AIR

FUEL TANK FILLER CAP
[LVA18519](#)

DIESEL PARTICULATE FILTER
[MIU803232](#) (ELEMENT) (TIER 4)



REPLACEMENT PARTS GUIDE

7500A E-Cut™ Hybrid Reel Cutting Unit

REEL CUTTING UNIT


ADJUSTER
 [TCU24328](#) (REAR REEL CUTTING UNIT, HEIGHT OF CUT)

STATIONARY KNIFE
 [UC23562](#) (FAIRWAY HIGH CUT (22 INCH, HEIGHT OF CUT = 7.6 mm))
[UC28156](#) (FAIRWAY LOW CUT, 22 INCH, HEIGHT OF CUT = 4.8 mm)
[UC18873](#) (STANDARD (22 INCH, HEIGHT OF CUT = 3.2 mm))
[UC18869](#) (TOURNAMENT (22 INCH, HEIGHT OF CUT = 2.5 mm))
[UC28163](#) (LOW CUT (22 INCH, HEIGHT OF CUT = 2.0 mm))
[TCU36165](#) (FAIRWAY LOW CUT (22 INCH, HEIGHT OF CUT = 2.0 mm))
[ET11066](#) (STANDARD HARDENED STEEL (22 INCH, HEIGHT OF CUT = 3.2 mm))


SYNCHRONOUS BELT
 [TCU32422](#) (LGTH = 375 mm, WIDTH = 11 mm)


MOWER REEL
 [TCA19350](#) (7 BLADE, 22 INCH)
[TCA19351](#) (11 BLADE, 22 INCH)
[TCA23621](#) (14 BLADE, 22 INCH)

BRACKET
 [UC16109](#) (LH (IF USING FTC / GTC)
 RH (IF NO FTC / GTC))
 [UC18211](#) (RH (IF USING FTC / GTC)
 LH (IF NO FTC / GTC))



VERTICAL CUTTING UNIT

SHAFT
 [TCA19344](#)

ADJUSTER
 [AUC13598](#) (REAR VERTICAL CUTTING UNIT, HEIGHT OF CUT)

REPLACEMENT PARTS GUIDE

7500A E-Cut™ Hybrid Reel Cutting Unit

REEL CUTTING UNIT

SCRAPER

- [MT2340](#) (CENTER GROOVED ROLLER SCRAPER)
- [MT2341](#) (4-TEETH GROOVED ROLLER SCRAPER)
- [MT5159](#) (RH END GROOVED ROLLER SCRAPER)
- [MT2369](#) (SMOOTH ROLLER SCRAPER)
- [MT5158](#) (LH END GROOVED ROLLER SCRAPER)
- [MT2342](#) (RH 3-TEETH GROOVED ROLLER SCRAPER)
- [TCU27038](#) (GROOVED ROLLER SCRAPER)
- [BM22995](#) (SMOOTH ROLLER SCRAPER, 2 INCH)
- [TCA19547](#) (MACHINE GROOVED ROLLER SCRAPER, 2 INCH)
- [BM23002](#) (GROOVED ROLLER SCRAPER, 3 INCH)
- [BUC10113](#) (SMOOTH SCRAPER FRONT, 2 INCH)
- [BUC10112](#) (SMOOTH SCRAPER, 2 INCH)

KNIFE

- [MT2624](#) (FAIRWAY TENDER CONDITIONER)
- [ET14707](#) (GREENS TENDER CONDITIONER)

BRUSH

- [UC14649](#) (FRONT ROTARY DENSE BRUSH, 22 INCH)
- [UC14646](#) (FRONT ROTARY TURF BRUSH, 22 INCH)
- [TCU38853](#) (REAR ROLLER BRUSH, 22 INCH)

GRASS CATCHERS

- [BTC10719](#) (HIGH CAPACITY GRASS CATCHER KIT, 22 INCH)
- [BTC10718](#) (LOW CAPACITY GRASS CATCHER, 22 INCH)
- [BTC10408](#) (REAR GRASS CATCHER KIT WITH HANDLE, 22 INCH)
- [BTC11038](#) (LOW CAPACITY REAR GRASS CATCHER KIT, 22 INCH)
- [BTC10909](#) (HIGH CAPACITY FRONT GRASS CATCHER KIT, 22 INCH)

ROLLER

- [BM24202](#) (HOLLOW SMOOTH ROLLER KIT, 2 INCH X 22 INCH)
- [BM18480](#) (HOLLOW REEL ROLLER KIT, 22 INCH X 2 INCH)
- [BM18711](#) (FRONT ROLLER KIT, 2 INCH)
- [BM19821](#) (MACHINED SPIRAL ROLLER, 2 INCH DIAMETER)
- [BE23416](#) (GROOVED ROLLER KIT) (GROOVED SECTION = 571 mm)
- [BM18481](#) (GROOVED ROLLER KIT) (GROOVED SECTION = 591 mm)
- [TCU24519](#) (RELIEVED GROOVED ROLLER KIT)
- [BM18712](#) (EXTENDED GROOVED FRONT ROLLER)
- [AMT2967](#) (SMOOTH ROLLER KIT)
- [BM25317](#) (HEAVY DUTY GROOVED DISC FRONT ROLLER KIT, 3 INCH)
- [BM19817](#) (SPIRAL GROOVED FRONT ROLLER, 3 INCH)
- [AMT1286](#) (SPIRAL ROLLER WITH GROOVED END CAPS, 3 INCH)
- [BTC10281](#) (RELIEVED SHORT GROOVED ROLLER KIT, 18 INCH)
- [BM23566](#) (RELIEVED SPIRAL GROOVED ROLLER KIT, 2 INCH)
- [BM26408](#) (GROOVED ROLLER KIT, 22X 2.5 INCH)

