

# REPLACEMENT PARTS GUIDE

## Z930M EFI ZTrak™ M Series Mower

### ENGINE



#### OIL FILTER

[AM125424](#)

Change every 100 Hrs.



#### ENGINE OIL

[TY22029](#) (Turf-Gard™ - 10W-30) (With Filter)  
(2.36 L (2.5 qt))

Change every 100 Hrs.



#### AIR FILTER

[M131802](#) (PRIMARY)

Change every 300 Hrs.

[M131803](#) (SECONDARY)

Change every 500 Hrs.



Multi-Purpose SD Polyurea Grease  
[TY6341](#)

#### GREASE GUN

[TY26518](#)

Change As Required.



#### FUEL FILTER

[UC16183](#)

Change every 300 Hrs.



#### SPARK PLUG

[MIU11020](#)

Change every 1000 Hrs.



### ELECTRICAL



#### IGNITION SWITCH

[TCA22740](#) (S/N (- 030000))

[AUC15805](#) (S/N ( 030001-))



#### HEADLIGHT BULB

[AM118013](#) (37.5 W)



#### IGNITION KEY

[AUC12681](#)



#### BATTERY

[TY25221B](#) (12 V) (FOR CANADA AND USA)

[MCYP340PF](#) (12 V) (NOT FOR CANADA AND USA)

### FUEL & AIR



#### FILLER CAP

[TCA23672](#) (S/N (- 060000))

[AUC11638](#) (S/N ( 060001-))



#### MUFFLER

[TCA21571](#)

### TRANSMISSION/ HYDRAULIC



#### HYDRAULIC OIL FILTER

[MIA881446](#)

Change every 500 Hrs After 300 hour Initial Break In





#### TRACTION DRIVE BELT


[TCU34299](#) (LGTH = 1803.9 mm,  
WIDTH = 16 mm)


# REPLACEMENT PARTS GUIDE


## Z930M EFI with 60 inch Deck

 **MOWER BLADE**  
[TCU15881](#) (HIGH LIFT)  
[UC15158](#) (HIGH LIFT SELF SHARPENING)  
[M128485](#) (STANDARD LIFT)  
[M133381](#) (LOW LIFT)

 **ROLLER**  
[TCU34060](#)












 **GAGE WHEELS**  
[UC28193](#)



 **V BELT**  
[TCU35604](#) (LGTH = 4635 mm, TK = 18 mm,  
WIDTH = 14 mm)

# REPLACEMENT PARTS GUIDE

## Z930M EFI with 60 inch Mulch On Demand™ Deck

	<b>MOWER BLADE</b>
	<a href="#">TCU15881</a> (HIGH LIFT)
	<a href="#">UC15158</a> (HIGH LIFT SELF SHARPENING)
	<a href="#">M128485</a> (STANDARD LIFT)
	<a href="#">M133381</a> (LOW LIFT)
	<b>MULCH BLADE</b>
	<a href="#">M168223</a>
	<b>ROLLER</b>
	<a href="#">TCU34060</a>



	<b>GAUGE WHEELS</b>
	<a href="#">UC28193</a>
	<b>V BELT</b>
	<a href="#">TCU35604</a> (LGTH = 4635 mm, TK = 18 mm, WIDTH = 14 mm)