

# JOHN DEERE ATTACHMENTS



JOHN DEERE



*ADD ONE  
TO DO MORE*



ATTN

*INSTANT PRODUCTIVITY*  
**JUST ADD**  
**ATTACHMENTS.**



**100+**

*MODELS OF JOHN DEERE  
ATTACHMENTS*



## KEY

**SS** Skid Steer  
**CWL** Compact Wheel Loader

**CEX** Compact Excavator  
**CTL** Compact Track Loader

See pages 16–19 for the complete list of available attachments and vehicle compatibilities.

# MASTERS OF MULTITASKING. BUILT-IN VERSATILITY

To get more productivity from your skid steer, compact track loader (CTL), compact wheel loader, or compact excavator, hook-up one of the many easy-to-use attachments. The ever-expanding lineup includes more than 100 models, so you're sure to find the right tool for the job. They're compatible with many comparable brands of machines, too. What's more, each is backed by legendary John Deere parts, service, and warranty coverage. Add an attachment, and watch your productivity instantly increase.

### 1. Quik-Tatch™

With the universal, self-cleaning Quik-Tatch easy-attachment system, you can go from bucket to grapple to whatever in no time flat. Quik-Tatch attachments, Quik-Tatch productivity. That's the John Deere attachment lineup.

**SS** **CWL** **CTL**



### 2. Angle-Tatch

Attaching to the Quik-Tatch coupler for attachment tilt up to 14 degrees left or right, Angle-Tatch enables buckets, blades, and other non-hydraulic attachments to rotate for more precise grading and leveling without leaving the seat of the machine.

**SS** **CWL** **CTL**



### Hydraulic Hammers

More blows per minute and 30-percent fewer parts than competitive or previous models help keep these hammers working where others won't.

**SS** **CEX** **CTL**





## KEY

**SS** Skid Steer

**CEX** Compact Excavator

**CWL** Compact Wheel Loader

**CTL** Compact Track Loader

See pages 16–19 for the complete list of available attachments and vehicle compatibilities.


# GROW YOUR PRODUCTIVITY. FLEXIBILITY COMES STANDARD

John Deere attachments are designed to optimize performance and productivity. Their heavy-duty construction delivers maximum uptime and long life — whether you're hoisting hay bales, digging ditches, rooting out rocks, or managing vegetation. What's more, these attachments are compatible among a number of machines throughout the John Deere Compact Construction Equipment lineup, letting you increase utilization in a wide variety of tasks.

### Rotary Cutters

New RE models are designed to maintain brush on embankments, over fences, along rail rights-of-way, and in ditches and other difficult-to-reach places.

**CEX**



### 1. Side-Discharge Buckets

Spread sand, sawdust, or straw in livestock stalls; backfill gravel into trenches; or precisely place landscape mulch.

SS CTL

### 3. Scrap Grapples

Two independent-action hydraulic-powered grapples pick up and grip different-sized objects. Ample grapple opening enables large payloads.

SS CWL CTL

### 5. engcon® Tiltrotators

Enable attachments to rotate 360 degrees around the axis and tilt up to 45 degrees side to side. Great for working in tight, challenging jobsites.

CEX

### 2. Material/Manure Scrapers

Effortlessly push or scrape manure, mud, light snow, or other wet or sloppy materials. Rubber edges are ideal for cleanup on hard surfaces.

SS CWL CTL

### 4. Root Rakes

Designed for land clearing, ground leveling, and moving materials away from obstructions with minimal site disturbance. Weld-on "D" ring helps speed a wide variety of jobsite tasks.

SS CWL CTL

### 6. Rotary Cutters



Double-edge blades, fast blade-tip speed, and tapered side-discharge chute enable RC, RS, and RX models to deliver clean cutting and maximum material shredding.

SS CTL

# GET MORE DONE.

## AND THEY'RE EASY TO USE

Compatible with multiple machines. Intuitive controls. Numerous configurations. Our attachments lineup offers it all. Hydraulic-driven tools such as trenchers and cold planers are available in both standard- and high-flow variations, giving you exactly what you need to get more work done — or undone. When it's productivity you want, it's a John Deere attachment you need.



### 1. Cold Planers

Ideal for street repairs, leveling uneven pavement, cutting drainage in parking lots, and cleaning around larger milling machines.

SS CWL CTL

### 2. Bale Hugger/Bale Spears

Bale hugger lifts, moves, and stacks round or rectangular bales up to a 2,400-pound load. Lift-and-carry-capable bale spears feature low-profile designs for unrestricted visibility to the attachment.

SS CWL CTL

### 3. Buckets

Numerous multipurpose, construction, dirt, foundry, utility, tooth, rock, grading-heel, light-material, and rollout buckets are available in varying widths and capacities.

SS CWL CTL

### 4. Vibratory Rollers

Powerful compactor produces up to 9,370 pounds of easy-to-control force. Choose the width and compaction force you need in padded-foot or sheeps-foot configurations.

SS CWL CTL

### 5. Level Best® Box Blades

From laser-grading parking lots to rebuilding golf-course tees, these grade-control-ready box blades come in three widths, allowing operators to improve efficiency when leveling terrain.

SS CTL

### 6. Mulching Head

60-inch-wide rotor and 30 double carbide-tipped teeth help the MH60D shred woody materials into mulch in just minutes and remove underbrush and up to 8-inch trees and 12-inch stumps.

SS CTL



## KEY

SS Skid Steer

CEX Compact Excavator

CWL Compact Wheel Loader

CTL Compact Track Loader

See pages 16–19 for the complete list of available attachments and vehicle compatibilities.



### Mulching Heads

Knife-style cutting teeth in a spiral-tooth pattern on new ME36 and ME50\* models help clear standing or felled trees and brush along fencerows, roadsides, waterways, and other hard-to-access areas.

CEX

*\*ME50 is compatible on midsize 75G and 85G Excavators.*

## KEY

**SS** Skid Steer

**CEX** Compact Excavator

**CWL** Compact Wheel Loader

**CTL** Compact Track Loader

*See pages 16–19 for the complete list of available attachments and vehicle compatibilities.*

# WE BACK IT UP. HERE FOR YOU

Any attachment can help you do more. But only our attachments are backed by nearly 2,000 John Deere Compact Construction Equipment dealer locations, extensive parts inventories at 10 North American parts depots, and a one-year unlimited-hour warranty. When it comes to providing the uptime and response you need, we dig deeper.






### Pallet Forks

Available in lengths of 42, 48, and 60 inches, our pallet forks feature a brick-guard design for protection against load damage.

SS CWL CTL



#### 1. Power Rakes

Perfect for seedbed or site prep, power rakes feature exclusive forward and backward operation. Adjustable end plates provide box-scraper-like performance.

SS CTL

#### 3. Roller Level

Provides unobstructed visibility and total control for contouring, grading, cutting, and smoothing flat or significantly sloped terrain. Use either front or rear cutting edge or both to spread loose materials or scrap hard-pack without cutting the base.

SS CTL

#### 5. High-Torque Stump Shredder

Removes stumps from 8 to 28 inches in diameter in a single pass and shreds material without the dangerous flying debris of conventional stump grinders.

SS CTL

#### 2. Augers

Planetary-drive augers offer reverse rotation for quick back-outs, plus a variety of bit styles and diameters.

SS CWL CTL CEX

#### 4. Nursery Forks

Firmly grasp and effortlessly transport large rocks, light boulders, and balled and burlapped landscape stock up to 44 inches in diameter.

SS CWL CTL

#### 6. Rock Grapples

High grapple forces, wide grapple capacities, and weld-in serrated cutting edges make rock grapples ideal for tasks such as land clearing, jobsite cleanup, and brush removal.

SS CWL CTL

# MAKE THE MOST OF YOUR INVESTMENT YEAR-ROUND.

## READY IN ANY WEATHER

Don't let the weather dampen your plans. Equipped with any of these John Deere attachments, neither rain nor snow nor wind will keep you from the swift completion of your duties. What's more, these foul-weather friends will expand the year-round opportunities for your machines, helping make the most of your investment.



### 1. Snow Pushers

Quickly and efficiently remove large accumulations of snow from sidewalks, parking lots, and driveways. Optional pullback edge is ideal for work in confined areas and around obstructions.

SS CWL CTL

### 2. Brooms


Angle and pickup styles are available. Heavy-duty high-torque drive motors promote long-term dependability.

SS CWL CTL

### 3. Snow/Utility/V-Blades

Blade angles hydraulically 30 degrees right or left. Trip springs protect vehicle from sudden impacts. Easy-to-adjust skid shoes and replaceable 0.5-inch-thick cutting edges are standard; rubber edges are available.

SS CWL CTL



## KEY

SS Skid Steer

CEX Compact Excavator

CWL Compact Wheel Loader

CTL Compact Track Loader

See pages 16–19 for the complete list of available attachments and vehicle compatibilities.



### Snow Blowers

Two-stage hydraulic blowers throw snow up to 45 feet. Simplified direct-drive hydraulic motor design eliminates chains and sprockets. Skid shoes adjust easily, and bolt-on wear-resistant tapered steel edges are simple to replace.

SS CWL CTL

## KEY

**SS** Skid Steer

**CEX** Compact Excavator

**CWL** Compact Wheel Loader

**CTL** Compact Track Loader

*See pages 16–19 for the complete list of available attachments and vehicle compatibilities.*



### Trenchers

Choose 36-, 48-, and 60-inch digging depths and high- and low-flow versions. Heavy-duty drive system eliminates chain reduction.

SS CTL

# AT HOME ON THE RANGE ... OR THE FARM OR THE JOBSITE.

The places you run your compact fleet can be pretty varied. That's why you need attachments that can meet a variety of applications. Whether you need to shape some scenery, work your spread, or clear the land, we've got the equipment to help you do all that — and more.



### 1. Plate Compactors

Designed for trench, slope, and excavation compaction, plate compactors are available in widths from 13 to 24 inches.

CEX

### 3. Rotary Tillers

Rotary tillers feature rugged construction, heavy-duty tines, and a tilling depth to 6 inches. Bidirectional operation increases productivity.

SS CTL

### 2. Dozer Blades

Durable dozer blades come standard equipped with reversible cutting edges and skid shoes for long-term durability. Power-angle-tilt lets you make adjustments on the go.

SS CTL

### 4. Steel Tracks

Self-cleaning design reduces ground pressure and helps improve traction and flotation in soft, muddy, or loose conditions. Smooths the ride over hard ground and gravel, too.

SS

# JOHN DEERE ATTACHMENTS COMPATIBILITY

	Skid Steers						Compact Track Loaders				Compact Excavators						Compact Wheel Loaders			
	316GR	318G	320G	324G	330G	332G	317G	325G	331G	333G	17G	26G	30G	35G	50G	60G	204L*	244L*	304L*	324L*
<b>Angle-Tatch</b>																				
AT14	•	•	•	•	•	•	•	•	•	•							•	•	•	•
<b>Augers</b>																				
PA15B	•	•					•				•	•	•	•						
PA30B	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	•
PA40					•HF	•HF			•HF	•HF								•HF		•HF
<b>Bale Hugger</b>																				
AH80	•	•	•	•	•	•	•	•	•	•							•	•	•	•
<b>Bale Spears</b>																				
AB21	•	•	•	•	•	•	•	•	•	•							•	•	•	•
AB31	•	•	•	•	•	•	•	•	•	•							•	•	•	•
AB32	•	•	•	•	•	•	•	•	•	•							•	•	•	•
AB42	•	•	•	•	•	•	•	•	•	•							•	•	•	•
AB43	•	•	•	•	•	•	•	•	•	•							•	•	•	•
<b>Brooms, Angle</b>																				
BA72C	•	•	•	•	•	•	•	•	•	•										
BAB4C			•	•	•	•	•	•	•	•							•	•	•	•
BA96C					•	•			•	•							•	•	•	•
<b>Brooms, Pickup</b>																				
BP72C	•	•	•	•	•	•	•	•	•	•										
BP84C	•	•	•	•	•	•	•	•	•	•										
BR60C	•	•	•	•	•	•	•	•	•	•										
BR72C	•	•	•	•	•	•	•	•	•	•							•		•	
BR84C			•	•	•	•	•	•	•	•							•	•	•	•
<b>Buckets</b>																				
Construction 66 in. / w/ Edge			•	•																
Construction 72 in. / w/ Edge		•	•	•	•		•	•												
Construction 78 in. (HD) / w/ Edge			•	•	•	•		•	•	•							•	•	•	•
Construction 84 in. (HD) / w/ Edge			•	•	•	•		•	•	•							•	•	•	•
Construction 90 in. (SD) / w/ Serrated Edge						•				•										
Dirt 56 in. / w/ Edge	•	•																		
Dirt 56 in. w/ Teeth	•	•					•													
Dirt 60 in. / w/ Edge	•	•																		
Dirt 60 in. w/ Teeth	•	•	•				•													
Dirt 66 in. / w/ Edge	•	•	•	•																
Dirt 66 in. w/ Teeth	•	•	•	•			•													
Foundry 66 in.	•	•	•	•			•													
Foundry 72 in.		•	•	•	•		•	•												
Foundry 78 in. (HD)			•	•	•	•	•	•	•	•										
Grading Heel 60 in. / w/ Teeth	•	•					•													
Grading Heel 66 in. / w/ Teeth	•	•	•	•			•													
Grading Heel 72 in. / w/ Teeth		•	•	•			•	•												
Grading Heel 78 in. (HD) / w/ Teeth			•	•	•	•	•	•	•											
Light Material 90 in.					•	•			•	•							•	•	•	•
Multipurpose 66 in.	•	•	•	•			•													
Multipurpose 72 in.		•	•	•	•		•	•												
Multipurpose 78 in.			•	•	•	•	•	•	•											
Multipurpose 84 in.					•	•		•	•	•										



# JOHN DEERE ATTACHMENTS COMPATIBILITY

	Skid Steers						Compact Track Loaders				Compact Excavators						Compact Wheel Loaders			
	316GR	318G	320G	324G	330G	332G	317G	325G	331G	333G	17G	26G	30G	35G	50G	60G	204L*	244L*	304L*	324L*
<b>Buckets (continued)</b>																				
Rock 66 in.	•	•	•	•			•													
Rock 75 in.			•	•	•	•	•	•	•											
Rock 84 in.			•	•	•	•		•	•											
Rollout 72 in. (RB72)	•	•	•	•			•	•												
Rollout 84 in. (RB84)			•	•	•	•		•	•								•	•	•	•
Rollout 96 in. (RB96)						•	•		•								•	•	•	•
Tooth 60 in.	•	•																		
Tooth 66 in.	•	•	•	•			•													
Tooth 72 in.		•	•	•			•	•												
Tooth 78 in. (HD)			•	•	•	•		•	•	•							•	•	•	•
Tooth 84 in. (HD)			•	•	•	•		•	•	•							•	•	•	•
Tooth 90 in. (SD)						•			•											
Utility 66 in. / w/ Edge	•	•	•																	
Utility 72 in. / w/ Edge		•	•	•			•	•												
Utility 78 in. (HD) / w/ Edge			•	•	•	•		•	•	•							•	•	•	•
Utility 84 in. (HD) / w/ Edge					•	•			•	•							•	•	•	•
<b>Side-Discharge Buckets</b>																				
SA60	•	•	•	•			•	•												
SA72				•	•	•														
SD72	•	•	•	•			•	•												
SD84			•	•	•	•		•	•	•										
<b>Cold Planers</b>																				
CP12D	•	•	•	•			•	•									•	•	•	•
CP18E				•HF	•HF	•HF			•HF	•HF										•HF
CP24E					•HF	•HF			•HF	•HF										•HF
CP30E					•HF	•HF			•HF	•HF										
<b>engcon® Tiltrotators</b>																				
EC204												•	•	•						
EC206														•	•					
<b>Dozer Blades</b>																				
DB84		•	•	•			•	•												
DB96					•	•			•	•										
<b>Grapples, Rock</b>																				
GR72B	•	•	•	•	•	•	•	•												
GR84B					•	•		•	•	•							•	•	•	•
<b>Grapples, Scrap</b>																				
GS66B	•	•					•													
GS72B		•	•	•	•	•	•	•												
GS78B			•	•	•	•		•	•	•							•	•	•	•
GS84B			•	•	•	•		•	•	•							•	•	•	•
<b>Hydraulic Hammers</b>																				
HH20C											•	•	•	•						
HH40C	•	•	•	•			•	•			•	•	•	•						
HH60C	•	•	•	•	•	•	•	•	•	•			•	•	•					
HH80C			•	•	•	•		•	•	•				•	•					
<b>Level Best® Box Blades</b>																				
PD72	•	•					•													
PD84		•	•	•	•	•	•	•	•	•										
PD96			•	•	•	•		•	•	•										

# JOHN DEERE ATTACHMENTS COMPATIBILITY

	Skid Steers						Compact Track Loaders				Compact Excavators						Compact Wheel Loaders			
	316GR	318G	320G	324G	330G	332G	317G	325G	331G	333G	17G	26G	30G	35G	50G	60G	204L*	244L*	304L*	324L*
<b>Material/Manure Scrapers</b>																				
MS60	•	•																		
MS72	•	•	•	•			•													
MS84			•	•	•	•	•	•	•								•	•	•	•
MS96			•	•	•	•		•	•								•	•	•	•
<b>Mulching Heads</b>																				
ME36															•	•				
ME50																				
MH60D					•HF	•HF			•HF	•HF										
<b>Nursery Forks</b>																				
NF44	•	•	•	•	•	•	•	•	•								•	•	•	•
<b>Pallet Forks, Class 2</b>																				
45-in.-Wide Frame / 42-in. Tines – 4,000 lb.	•	•	•	•			•	•												
45-in.-Wide Frame / 48-in. Tines – 4,000 lb.	•	•	•	•			•	•												
45-in.-Wide Frame / 42-in. Tines – 5,500 lb.	•	•	•	•	•	•	•	•	•											
45-in.-Wide Frame / 48-in. Tines – 5,500 lb.	•	•	•	•	•	•	•	•	•											
45-in.-Wide Frame / 48-in. Tines – 6,200 lb.			•	•	•	•	•	•	•								•	•	•	•
60-in.-Wide Frame / 48-in. Tines – 6,200 lb.			•	•	•	•	•	•	•								•	•	•	•
<b>Pallet Forks, Classes 3 and 3B</b>																				
45-in.-Wide Frame / 48-in. Tines – 9,900 lb.					•	•			•	•										
45-in.-Wide Frame / 60-in. Tines – 9,900 lb.					•	•			•	•										
60-in.-Wide Frame / 48 in. Tines – 9,900 lb.					•	•			•	•										
60-in.-Wide Frame/ 60-in. Tines – 9,900 lb.					•	•			•	•										
<b>Plate Compactors</b>																				
PC4												•	•	•						
PC7														•	•					
PC10															•					
<b>Power Rakes</b>																				
PR60	•	•					•	•												
PR72B	•	•	•	•	•	•	•	•												
PR84B			•	•	•	•	•	•	•											
PR96B			•	•	•	•		•	•											
<b>Roller Level</b>																				
RL84					•	•	•	•	•											
<b>Root Rakes</b>																				
RR72		•	•	•	•		•	•									•		•	
RR78			•	•	•	•	•	•	•								•	•	•	•
RR84					•	•		•	•								•	•	•	•
<b>Rotary Cutters</b>																				
RE40													•							
RE50														•	•					
RC60B	•	•	•	•				•												
RC72B	•	•	•	•	•	•	•	•	•											
RC78B					•	•	•	•	•											
RS72					•HF	•HF			•HF	•HF										
RX72					•HF	•HF			•HF	•HF										
RX84					•HF	•HF			•HF	•HF										

# JOHN DEERE ATTACHMENTS COMPATIBILITY

	Skid Steers						Compact Track Loaders				Compact Excavators						Compact Wheel Loaders			
	316GR	318G	320G	324G	330G	332G	317G	325G	331G	333G	17G	26G	30G	35G	50G	60G	204L*	244L*	304L*	324L*
<b>Rotary Tillers</b>																				
RT52		•	•	•	•	•		•	•	•										
RT66		•	•	•	•	•		•	•	•										
<b>Snow Blowers</b>																				
SB60B	•	•					•													
SB72B	•	•	•	•			•	•									•		•	
SB78B			•	•	•	•		•	•	•								•		•
SB84B					•	•		•	•	•								•		
SB72D			•HF	•HF				•HF												
SB78D			•HF	•HF				•HF										•HF		•HF
SB84D					•HF	•HF			•HF	•HF										•HF
SB84H					•HF	•HF			•HF	•HF										•HF
<b>Snow Pushers</b>																				
SP8C	•	•	•	•	•	•	•	•	•	•							•	•	•	•
SP10C					•	•			•	•							•	•	•	•
<b>Snow/Utility Blades</b>																				
BL68	•	•					•													
BL7B	•	•	•	•	•	•	•	•	•	•										
BL8B		•	•	•	•	•	•	•	•	•										
BL9B			•	•	•	•	•	•	•	•							•	•	•	•
BL10B					•	•		•	•	•							•	•	•	•
<b>Snow/Utility V-Blades</b>																				
BV6	•	•																		
BV8		•	•	•	•	•	•	•	•	•							•	•	•	•
BV9		•	•	•	•	•	•	•	•	•							•	•	•	•
<b>Steel Tracks</b>																				
10-in. Heavy Duty (HD) Tires	•	•	•	•																
12-in. HD Tires			•	•	•															
14-in. HD Tires					•	•														
<b>Stump Shredder, High-Torque</b>																				
SS30			•	•	•	•		•	•	•										
<b>Trenchers</b>																				
TR36B	•	•	•	•	•	•	•	•	•	•										
TR48B	•	•	•	•	•	•	•	•	•	•										
TR60B			•HF	•HF	•HF	•HF		•HF	•HF	•HF										
TC36	•	•	•	•			•	•												
TC48	•	•	•	•			•	•												
<b>Vibratory Rollers</b>																				
VR66C Smooth Drum	•WT	•WT	•WT	•WT	•	•	•WT	•	•	•										
VR73C Smooth Drum					•	•	•WT	•	•	•										
VR84C Smooth Drum					•	•		•	•	•										
VR66C Sheepsfoot Drum	•WT	•WT	•WT	•WT	•	•	•WT	•	•	•										
VR73C Sheepsfoot Drum					•	•	•WT	•	•	•										



GET ATTACHED  
**QUICKLY**  
WITH JOHN DEERE FINANCE.

With John Deere attachments, you've got plenty of choices. And we can hook you up with the right financing, too. From flexible rates to flexible payments, our solutions are as varied as the products they support.

*Contact your John Deere dealer today and find out just how easy it is to get attached to the tools you need to make the most of your operation.*



**JOHN DEERE**

JohnDeere.com

This literature has been compiled for worldwide circulation. While general information, pictures, and descriptions are provided, some illustrations and text may include finance, credit, insurance, product options, and accessories NOT AVAILABLE in all regions. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specifications, design, and price of products described in this literature without notice.

