### **5090E Utility Tractor** Equipment for Base Machine

ENGINE:

90 (67.1 kW) 97/68/EC Engine Horsepower @ 2400 RPM\* 75 (55.6 kW) PTO Horsepower @ 2400 RPM\* 4 Cylinder Turbocharged John Deere PowerTech PWL Diesel Engine EPA Final Tier 4 Emissions Compliant 276 C.I.D. (4.5 L) High Pressure Common Rail Oil Cooler Dry Type Air Cleaner with Safety Element Underhood Muffler with Vertical Exhaust Stack Anti-Freeze Water Separator Bowl Hand and Foot Throttle Key Engine Shut Off Fan Finger Guard Fuel Cooler 30 U.S. Gallon (113.6 L) Fuel Tank Capacity 2.5 U.S. Gallon (9.5 L) DEF Tank Capacity TRANSMISSION: PowrReverser Transmission LH Electrohydraulic (EH) Directional Reverser Integrated Park Position Differential Lock Neutral Start Safety Switch Wet Traction Clutch

FRONT AXLE AND TIRES: Mechanical Front Wheel Drive (4 Wheel Drive) Front Axle Electro-hydraulic MFWD Engagement Planetary Final Drives 8-Position Steel Front Wheels

REAR AXLE AND TIRES: Flanged Rear Axle Planetary Final Drives 8-Position Steel Rear Wheels

STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting Dual Stage Brakes

HYDRAULICS: Open Center Hydraulic System Tandem Gear Pump 22.5 GPM (85.1 LPM) Maximum Total Flow Steering Pump 6.6 GPM (24.9 LPM) Implement Pump 15.9 GPM (60.1 LPM) Hydraulic Oil Cooler Dual Rear SCV Control Valve

Description

POWER TAKE-OFF SHAFT: Independent 540 RPM/540E Rear PTO Shaft Electro-hydraulic PTO engagement @ 2400 Rated Engine RPM Economy PTO setting for 540 PTO RPM @ 1716 Engine RPM Wet PTO Clutch Operator Presence Safety Warning - PTO Safety Start Switch Flip Up PTO Shield ROCKSHAFT, HITCH AND DRAWBAR: Telescopic Draft Links with Category II Balls Adjustable Sway Bars Adjustable Straight Drawbar

Top Link Draft Sensing INSTRUMENTATION: LCD Instrument Cluster Electric Fuel Gauge Electric DEF Gauge Tachometer Hour Meter Oil Pressure Indicator Light Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light High Beam Indicator Light HTO Engagement Indicator Light MFWD Engagement Indicator Light

ELECTRICAL: 12-Volt Electrical System One Battery - 950 CCA\*\* with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket 90 Amp Alternator

LIGHTS: Two Front Halogen Headlights Two Turn/Warning Lights Single Rear Work Light

MISCELLANEOUS: SMV Emblem Tilt-Up Hood Side-Mounted Toolbox

\* Manufacturer's Rating \*\* Cold Cranking Amps

Attachment Code Identifier List Price Suggested USD (\$)

Select One Code From Each Required Category

#### **BASE MACHINE**

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

# 5090E Utility Tractor Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
004011/		BASE MACHINEContinued	50.004.00
08A0LV		5090E Utility Tractor	50,091.00
		OPERATOR'S MANUAL	
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Operators Manual and Decal Kit	Same Price
0437		Spanish Operators Manual and Decal Kit	Same Price
		TRANSMISSION	
1381		12F/12R PowrReverser Transmission - 540/540E	In Base Price
1383		24F/12R PowrReverser Transmission - 540/540E	1,475.00
		OPERATOR'S STATION	
2000		Open Operator Station Fixed Open Operator Station Tilt/ Telescopic Steering Column 2 post Foldable Roll- Over Protection Structure (ROPS) Adjustable seat with Armrests and seatbelt Speedometer Cup Holder Deluxe Floor Mat Plexiglass Debris / Air Deflectors with Grab Handles	In Base Price
2050		Standard Cab Left Side Door Air Conditioning Cup Holders Radio/CD Ready (Antenna Cable, Two Speakers, and Wiring Harness) Front Windshield Wiper 120 Amp Alternator Two Front Halogen Headlights Six Turn/Warning Lights Two Rear Work Lights Two Front Work Lights	9,117.00
		SEAT	
2110		Mechanical Suspension Seat Available on OOS and Cab Tractors.	In Base Price
2120		Air Suspension Seat Available on Cab Tractors only.	710.00
		EXHAUST	
3020		Vertical Exhaust Available on Open Operator Station Tractors only.	In Base Price
3025		Deluxe Cornerpost Exhaust Available on Cab Tractors only.	503.00

### **REAR SELECTIVE CONTROL VALVES**

## 5090E Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3320		REAR SELECTIVE CONTROL VALVESContinued Dual Stackable Rear SCV's with Lever Control	In Base Price
3330		<ul> <li>Triple Stackable Rear Deluxe SCV's with Lever Control Features:</li> <li>Three selectable detent positions on #1 valve (auto kickout, continuous flow, or no detent)</li> <li>Float position on EACH valve</li> <li>Flow priority to #1 valve</li> <li>Pressure compensated flow control for running hydraulic motors on #1 valve.</li> </ul>	853.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid Valves Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.	In Base Price
3420		Dual Stackable Mid Valves with Joystick Control <i>Recommended for applications WITH front loaders</i> .	1,242.00
		REAR WHEELS AND TIRES	
5121		16.9 - 30 ln. 6PR R1 Bias Requires Code 6111.	-395.00
5911		18.4 - 30 In. 8PR R1 Bias Requires Code 6701.	In Base Price
5914		19.5L - 24 In. 10PR R4 Bias Requires Code 6114.	-418.00
5133		460/85R30 (18.4R30) R1W Radial Requires code 6203 (Firestone).	1,610.00
5180		420/85R30 (16.9R30) R1W Radial Requires code 6180 (Michelin).	1,527.00
		FRONT WHEELS AND TIRES	
		See Loader Section of the Sales Manual for Front Tire/Loader Compatibility Information.	
6111		11.2 - 24 In. 6PR R1 Bias	-283.00
6114		12.5/80 - 18 In. 6PR I3 (R4 Type) Bias	-753.00
6701		12.4 - 24 In. 8PR R1 Bias	In Base Price
6203		320/85R24 (12.4R24) R1W Radial <i>Firestone Brand</i>	812.00
6180		280/85R24 (11.2R24) R1W Radial Michelin Brand	712.00

FRONT AXLE

Michelin Brand

6040

MFWD (4 Wheel Drive)

In Base Price

# 5090E Utility Tractor Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT AXLEContinued	
8912		<b>FRONT LOADER PREPARATION PACKAGES</b> Loader Preparation Package Hydraulic hoses and hydraulic connections still need to be ordered with loader. Loader Preparation Package only compatible with 520M and 540M loaders (previously the H240 and H260). Includes loader mounting frames and hood guard.	1,618.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AL80126	Cab Equipment Rear Mirror Mechanical Cab Compatible Only.	180.40
	AL80127	Rear Mirror Mechanical Cab Compatible Only.	180.40
	DZ102076	Cold Weather Packages Engine Block Heater (110V)	108.37
	AL156778	<b>Front Axle</b> Hub Extension 60mm, Front, Tread Adjustment Fits MFWD and Rear Axles. Only for axles with 10.82 diameter bolt holes. Tread Setting Should Not exceed 80 In. for Maximum Load Applications.	694.10
	LVB25776	<b>Front Fenders</b> Fixed Front Fender Mounting brackets and hardware kit - (MFWD) without loader <i>Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.</i>	836.00
	AL180328	Front Fenders 320 mm (12.6 ln) Wide (MFWD) Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	75.64
	AL180330	Front Fenders 370 mm (14.6 ln.) Wide (MFWD) Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not Compatible with Loaders.	89.13
	AL180327	Front Fenders 420 mm (16.5 ln.) Wide (MFWD) Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	100.26
	BW16765	Hood Guards Hood Guard	424.60
	BSJ10105	<b>Hydraulics</b> 3rd Function Mid Hydraulic Control Valve Kit (Converting Dual Mid to Triple Mid) Only for tractors already equipped with Dual Mid Hydraulics. Fits all FT4 5E 4 Cyl. Tractors that already have dual mid SCVs installed.	1,815.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BSJ10110	<b>ATTACHMENTS FOR FIELD CONVERSIONContinued</b> 3rd Rear SCV (Upgrade from 2 rear SCV) For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features: - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	974.60
	BSJ10109	Dual Mid Hydraulic Control Valve Kit with Joystick Control Recommended for applications WITH Front Loaders.	1,417.90
	BSJ10194	Power Beyond Coupler Kit for 5E 4 Cylinder FT4 Tractors Requires, at least, two rear Hydraulic Control Valves. For Hydraulic Motor Applications, Order Code 3330 or BSJ10110 Triple Rear Deluxe Hydraulic Control Valve with Pressure Compensated Flow Control is Recommended. Order Separately.	469.70
	LVB25720	<b>Lighting</b> Auxiliary work light kit (2 lights) <i>Cab Tractors Only. Compatible at Front or Rear of Cab.</i>	151.80
	RE244176	Beacon Light Kit Open Operator Station only. (Code 2000 and 2005).	245.66
	BLV10120	Beacon light kit Cab tractors only	237.60
	BSJ10325	LED HEADLIGHTS	288.20
	BSJ10478	Lighting LED ROPS mounted rear work lights	221.10
	LVB25547	Lighting Equipment Auxiliary Rear Work Light Kit (1 Light) Open Station Only.	63.80
	RE554568	Miscellaneous 120 Amp Alternator	743.88
	AH104259	Ash Tray Cab only.	65.64
	LVB25785	Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	828.30
	LVB25783	Canopy mounting kit Canopy ordered separately.	74.80
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I One required.	13.87
	AR60937	Cigarette Lighter Cab only.	13.94
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	16.72

# 5090E Utility Tractor Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BSJ10163	ATTACHMENTS FOR FIELD CONVERSIONContinued Floodlamp/Work Lights, LED, (4 Lights) Cab Only. Use for Front or Rear. Compatible with 5085E, 5100E, 5085M, 5075M, 5090M, 5100M, 5115M, 5100MH CAB Models.	442.20
	BRE10151	Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	356.40
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	123.20
	R262449	Front Weight Support, 187 Lbs Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.	400.58
	BSJ10125	Instructional Seat Kit, CAB only	614.90
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	LVB25727	PowrReverser modulation control kit For 12x12 PR Tractors Only.	156.20
	RE567557	Radio - AM/FM, Bosch (Standard) Cab Only. (Not Satellite Capable)	473.76
	L154683	Rear Axle 1.2 in. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	184.69
	L154682	Rear Axle 1.6 in. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	216.57
	L154684	Rear Axle 4.4 in. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	305.70
	RE244177	Rear View Mirror Mounting Kit OOS Requires AL80127 and/or AL80126. OOS Only. Kit contains support plates and hardware for one rear view mirror. Mirror not included.	33.07
	RE19428	Safety Chain Support Kit	158.04
	AL71345	Security Door Lock Kit	196.90
	AL203265	Service Horn	41.13
	R213907	Weight, rear wheel - 43.09 kg (95 lb) Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel. Starter bolts not included in this kit. R183851 bolt, quantity 8, needed	147.40
	BLV10173	Wiper and washer, rear	345.40
	BLV10370	<b>Miscellaneous</b> 540/1000-rpm power take-off (PTO) kit Converting from 540/540E to 540/1000. Also backwards compatible with 5E 4 cylinder and 5EN tractors starting MY2012 with green chassis.	1,568.60

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	LVB25728	ATTACHMENTS FOR FIELD CONVERSIONContinued Backup Alarm Kit	170.50
	R133359	Drawbar - Offset	310.00
	R196191	Drawbar - Straight Heavy-Duty	337.34
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	279.47
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	282.28
	BSJ10278	Horizontal Side Exhaust 5085E and 5100E Only.	2,301.20
	BSJ10264	Right Hand Door Kit (CAB ONLY)	292.60
	LVB26096	Single Horn Kit	51.70
	BW15741	Stationary fenders (QuikTach) For Tractors with Loader Installed.	586.30
	LVB24983	<b>Operator's Station</b> Air Seat Suspension Kit (Cab Only) <i>Kit contains seat suspension to change mechanical to air suspension. Kit does NOT include a seat.</i>	727.10
	LVB25334	Canopy - Standard Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	476.30
	BRE10015	Cell Phone Mount Kit	62.70
	RE566705	Dual USB Charger Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices.	25.96
	RE68495	Power Strip with Six Outlets	56.28
	BRE10152	Self - Leveling Cup Holder Keep your favorite beverage within reach and prevent from spilling. Cab models only.	61.60
	LVB25714	Rear Fenders Rear fender extension Cab Tractors only.	221.10
	LVB25066	Rear fender extension kit with work lights Open Station Tractors only.	465.30
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2	580.37

5090E Utility Tractor Continued

THIS PAGE INTENTIONALLY LEFT BLANK

### 5100E Utility Tractor Equipment for Base Machine

ENGINE: 100 (74.6 kW) 97/68/EC Engine Horsepower @ 2400 RPM\* 85 (62.5 kW) PTO Horsepower @ 2400 RPM\* 4 Cylinder Turbocharged John Deere PowerTech PWL Diesel Engine EPA Final Tier 4 Emissions Compliant 276 C.I.D. (4.5 L) High Pressure Common Rail Oil Cooler Dry Type Air Cleaner with Safety Element Underhood Muffler with Vertical Exhaust Stack Anti-Freeze Water Separator Hand and Foot Throttle Key Engine Shut Off Fan Finger Guard Fuel Cooler 30 U.S. Gallon (113.6 L) Fuel Tank Capacity 2.5 U.S. Gallon (9.5 L) DEF Tank Capacity TRANSMISSION: PowrReverser Transmission LH Electrohydraulic (EH) Directional Reverser Integrated Park Position Differential Lock Neutral Start Safety Switch Wet Traction Clutch FRONT AXLE AND TIRES: Mechanical Front Wheel Drive (4 Wheel Drive) Front Axle Electro-hydraulic MFWD Engagement Planetary Final Drives 8-Position Steel Front Wheels REAR AXLE AND TIRES: Flanged Rear Axle Planetary Final Drives 8-Position Steel Rear Wheels STEERING AND BRAKES: Hydrostatic Power Steering Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting HYDRAULICS: Open Center Hydraulic System Tandem Gear Pump 22.5 GPM (85.1 LPM) Maximum Total Flow Steering Pump 6.6 GPM (24.9 LPM) Implement Pump 15.9 GPM (60.1 LPM) Hydraulic Oil Cooler

POWER TAKE-OFF SHAFT: Independent 540 RPM/540E Rear PTO Shaft

Dual Rear SCV Control Valve

Identifier

Electro-hydraulic PTO engagement @ 2400 Rated Engine RPM Economy PTO setting for 540 PTO RPM @ 1716 Engine RPM Wet PTO Clutch Operator Presence Safety Warning - PTO Safety Start Switch Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR: Telescopic Draft Links with Category II Balls Adjustable Sway Chains Adjustable Straight Drawbar Top Link Draft Sensing

INSTRUMENTATION: LCD Instrument Cluster Electric Fuel Gauge Electric DEF Gauge Tachometer Hour Meter Oil Pressure Indicator Light Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Turn Signal Indicator Light High Beam Indicator Light PTO Engagement Indicator Light MFWD Engagement Indicator Light

ELECTRICAL: 12-Volt Electrical System One Battery - 950 CCA\*\* with 180 Minute Reserve Capacity 7-Pin ASAE Outlet Socket 90 Amp Alternator

LIGHTS: Two Front Halogen Headlights Two Turn/Warning Lights Single Rear Work Light

MISCELLANEOUS: SMV Emblem Tilt-Up Hood Side-Mounted Toolbox

\* Manufacturer's Rating \*\* Cold Cranking Amps

Attachment Description

List Price Suggested USD (\$)

#### Select One Code From Each Required Category

#### **BASE MACHINE**

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

697BLV

Code

5100E Utility Tractor

#### 52,210.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		BASE MACHINEContinued	
		OPERATOR'S MANUAL	
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Operators Manual and Decal Kit	Same Price
0437		Spanish Operators Manual and Decal Kit	Same Price
		TRANSMISSION	
1381		12F/12R PowrReverser Transmission - 540/540E	In Base Price
1383		24F/12R PowrReverser Transmission - 540/540E	1,475.00
		OPERATOR'S STATION	
2000		Open Operator Station Fixed Open Operator Station Tilt/ Telescopic Steering Column 2 post Foldable Roll- Over Protection Structure (ROPS) Adjustable seat with Armrests and seatbelt Speedometer Cup Holder Deluxe Floor Mat Plexiglass Debris / Air Deflectors with Grab Handles	In Base Price
2050		Standard Cab Left Side Door Air Conditioning Cup Holders Radio/CD Ready (Antenna Cable,Two Speakers, and Wiring Harness) Front Windshield Wiper 120 Amp Alternator Two Front Halogen Headlights Six Turn/Warning Lights Two Rear Work Lights Two Front Work Lights	9,117.00
		SEAT	
2110		Mechanical Suspension Seat Available on OOS and Cab Tractors.	In Base Price
2120		Air Suspension Seat Available on Cab Tractors only.	710.00
		EXHAUST	
3020		Vertical Exhaust Available on Open Operator Station Tractors only.	In Base Price
3025		Deluxe Cornerpost Exhaust Available on Cab Tractors only.	503.00
		REAR SELECTIVE CONTROL VALVES	

## 5100E Utility Tractor

Continued

	Attachment		List Price Suggested
Code	Identifier		USD (\$)
3320		REAR SELECTIVE CONTROL VALVESContinued Dual Stackable Rear SCV's with Lever Control	In Base Price
3330		Triple Stackable Rear Deluxe SCV's with Lever Control Features: - Three selectable detent positions on #1 valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve.	853.00
		MID SELECTIVE CONTROL VALVES	
3400		Less Mid Valves Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.	In Base Price
3420		Dual Stackable Mid Valves with Joystick Control <i>Recommended for applications WITH front loaders</i> .	1,242.00
		REAR WHEELS AND TIRES	
5121		16.9 - 30 In. 6PR R1 Bias Requires Code 6111.	-395.00
5911		18.4 - 30 In. 8PR R1 Bias Requires Code 6701.	In Base Price
5914		19.5L - 24 In. 10PR R4 Bias Requires Code 6114.	-418.00
5133		460/85R30 (18.4R30) R1W Radial Requires code 6203 (Firestone).	1,610.00
5180		420/85R30 (16.9R30) R1W Radial Requires code 6180 (Michelin).	1,527.00
		FRONT WHEELS AND TIRES	
		See Loader Section of the Sales Manual for Front Tire/Loader Compatibility Information.	
6111		11.2 - 24 In. 6PR R1 Bias	-283.00
6114		12.5/80 - 18 In. 6PR I3 (R4 Type) Bias	-753.00
6701		12.4 - 24 In. 8PR R1 Bias	In Base Price
6203		320/85R24 (12.4R24) R1W Radial <i>Firestone Brand</i>	812.00
6180		280/85R24 (11.2R24) R1W Radial Michelin Brand	712.00

FRONT AXLE

Michelin Brand

6040

MFWD (4 Wheel Drive)

In Base Price

# 5100E Utility Tractor Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT AXLEContinued	
8912		<b>FRONT LOADER PREPARATION PACKAGES</b> Loader Preparation Package Hydraulic hoses and hydraulic connections still need to be ordered with loader. Loader Preparation Package only compatible with 520M and 540M loaders (previously the H240 and H260). Includes loader mounting frames and hood guard.	1,618.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AL80126	Cab Equipment Rear Mirror Mechanical Cab Compatible Only.	180.40
	AL80127	Rear Mirror Mechanical Cab Compatible Only.	180.40
	DZ102076	Cold Weather Packages Engine Block Heater (110V)	108.37
	AL156778	<b>Front Axle</b> Hub Extension 60mm, Front, Tread Adjustment Fits MFWD and Rear Axles. Only for axles with 10.82 diameter bolt holes. Tread Setting Should Not exceed 80 In. for Maximum Load Applications.	694.10
	LVB25776	<b>Front Fenders</b> Fixed Front Fender Mounting brackets and hardware kit - (MFWD) without loader <i>Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.</i>	836.00
	AL180328	Front Fenders 320 mm (12.6 ln) Wide (MFWD) Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	75.64
	AL180330	Front Fenders 370 mm (14.6 ln.) Wide (MFWD) Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not Compatible with Loaders.	89.13
	AL180327	Front Fenders 420 mm (16.5 ln.) Wide (MFWD) Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately. Not compatible with Loaders or HI-CROP Tractors.	100.26
	BW16765	Hood Guards Hood Guard	424.60
	BSJ10105	<b>Hydraulics</b> 3rd Function Mid Hydraulic Control Valve Kit (Converting Dual Mid to Triple Mid) Only for tractors already equipped with Dual Mid Hydraulics. Fits all FT4 5E 4 Cyl. Tractors that already have dual mid SCVs installed.	1,815.00

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BSJ10110	<b>ATTACHMENTS FOR FIELD CONVERSIONContinued</b> 3rd Rear SCV (Upgrade from 2 rear SCV) For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features: - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	974.60
	BSJ10109	Dual Mid Hydraulic Control Valve Kit with Joystick Control Recommended for applications WITH Front Loaders.	1,417.90
	BSJ10194	Power Beyond Coupler Kit for 5E 4 Cylinder FT4 Tractors Requires, at least, two rear Hydraulic Control Valves. For Hydraulic Motor Applications, Order Code 3330 or BSJ10110 Triple Rear Deluxe Hydraulic Control Valve with Pressure Compensated Flow Control is Recommended. Order Separately.	469.70
	LVB25720	<b>Lighting</b> Auxiliary work light kit (2 lights) <i>Cab Tractors Only. Compatible at Front or Rear of Cab.</i>	151.80
	RE244176	Beacon Light Kit Open Operator Station only. (Code 2000 and 2005).	245.66
	BLV10120	Beacon light kit Cab tractors only	237.60
	BSJ10325	LED HEADLIGHTS	288.20
	BSJ10478	Lighting LED ROPS mounted rear work lights	221.10
	LVB25547	Lighting Equipment Auxiliary Rear Work Light Kit (1 Light) Open Station Only.	63.80
	RE554568	Miscellaneous 120 Amp Alternator	743.88
	AH104259	Ash Tray Cab only.	65.64
	LVB25785	Canopy - Deluxe Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	828.30
	LVB25783	Canopy mounting kit Canopy ordered separately.	74.80
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I One required.	13.87
	AR60937	Cigarette Lighter Cab only.	13.94
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	16.72

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BSJ10163	ATTACHMENTS FOR FIELD CONVERSIONContinued Floodlamp/Work Lights, LED, (4 Lights) Cab Only. Use for Front or Rear. Compatible with 5085E, 5100E, 5085M, 5075M, 5090M, 5100M, 5115M, 5100MH CAB Models.	442.20
	BRE10151	Front Utility Box Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.	356.40
	BRE10153	Front Utility Box Bracket Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.	123.20
	R262449	Front Weight Support, 187 Lbs Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.	400.58
	BSJ10125	Instructional Seat Kit, CAB only	614.90
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	LVB25727	PowrReverser modulation control kit For 12x12 PR Tractors Only.	156.20
	RE567557	Radio - AM/FM, Bosch (Standard) Cab Only. (Not Satellite Capable)	473.76
	L154683	Rear Axle 1.2 in. Extension (30 mm) Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.	184.69
	L154682	Rear Axle 1.6 in. Extension (40 mm) Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.	216.57
	L154684	Rear Axle 4.4 in. Extension (111 mm) Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.	305.70
	RE244177	Rear View Mirror Mounting Kit OOS Requires AL80127 and/or AL80126. OOS Only. Kit contains support plates and hardware for one rear view mirror. Mirror not included.	33.07
	RE19428	Safety Chain Support Kit	158.04
	AL71345	Security Door Lock Kit	196.90
	AL203265	Service Horn	41.13
	R213907	Weight, rear wheel - 43.09 kg (95 lb) Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel. Starter bolts not included in this kit. R183851 bolt, quantity 8, needed	147.40
	BLV10173	Wiper and washer, rear	345.40
	BLV10370	<b>Miscellaneous</b> 540/1000-rpm power take-off (PTO) kit Converting from 540/540E to 540/1000. Also backwards compatible with 5E 4 cylinder and 5EN tractors starting MY2012 with green chassis.	1,568.60

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	LVB25728	ATTACHMENTS FOR FIELD CONVERSIONContinued Backup Alarm Kit	170.50
	R133359	Drawbar - Offset	310.00
	R196191	Drawbar - Straight Heavy-Duty	337.34
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	279.47
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	282.28
	BSJ10278	Horizontal Side Exhaust 5085E and 5100E Only.	2,301.20
	BSJ10264	Right Hand Door Kit (CAB ONLY)	292.60
	LVB26096	Single Horn Kit	51.70
	BW15741	Stationary fenders (QuikTach) For Tractors with Loader Installed.	586.30
	LVB24983	<b>Operator's Station</b> Air Seat Suspension Kit (Cab Only) <i>Kit contains seat suspension to change mechanical to air suspension. Kit does NOT include a seat.</i>	727.10
	LVB25334	Canopy - Standard Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.	476.30
	BRE10015	Cell Phone Mount Kit	62.70
	RE566705	Dual USB Charger Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices.	25.96
	RE68495	Power Strip with Six Outlets	56.28
	BRE10152	Self - Leveling Cup Holder Keep your favorite beverage within reach and prevent from spilling. Cab models only.	61.60
	LVB25714	Rear Fenders Rear fender extension Cab Tractors only.	221.10
	LVB25066	Rear fender extension kit with work lights Open Station Tractors only.	465.30
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2	580.37

5100E Utility Tractor Continued

THIS PAGE INTENTIONALLY LEFT BLANK