

**JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS**

**2500B PrecisionCut Gas Riding Greens Mower
Equipment for Base Machine**

<p>ENGINE: 21.0 HP (15.7 kW). Tested in accordance with SAE J1995. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information. Twin cylinder Gas with Overhead Valves Full Pressure Lubrication Liquid Cooled Single Fuel Tank with 7.9 US gallon (30 L) capacity</p> <p>CHASSIS: Offset Cutting Unit Design 2-post SAE J21294 ROPS with seat belts Double Upstops for Front Cutting Units Storage Compartment behind</p>	<p>Operator</p> <p>HYDRAULICS: Directed mounted hydraulic pumps Hydrostatic traction drive Single reel pump Quik-Tatch Hydraulic reel motors Micro-Lap backlapping valve with reel speed control and pressure compensation U-Shaped Hydraulic Reservoir Hydraulic Oil Cooler</p> <p>ELECTRICAL: White Box controller Sit-on-Seat Diagnostics BCI Group 40 Maintenance Free Battery</p> <p>OPERATOR STATION: Command Arm Operator Controls One Touch Hand Operated Lift / Lower Joystick Four Function LED Warning</p>	<p>Monitor with Hour Meter Hand Operated Mow / Transport Lever Hand Operated Engine Throttle Lever Dual Traction Pedals Foot actuated 5-Position Adjustable Tilt Steering Column Integrated Cup Holder and Radio Holder</p> <p>STEERING AND BRAKES: Hydrostatic Power Steering Disc Brakes Foot Operated Parking Brake</p>
--	--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, NC

1208TC		2500B PrecisionCut Gas Riding Greens Mower	36,265.00
--------	--	--	-----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)	In Base Price
------	--	---	---------------

WHEELS AND TIRES

1022		Smooth Tires and Wheels (20x10.00-10, 2-ply)	No Added Cost
1023		Turf Guard Traction Tires and Wheels (20x10.00-10, 2-ply)	31.00
1024		Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	In Base Price
1040		Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	No Added Cost
1043		Smooth Tires and Wheels (18x10.5-10, 4-ply)	31.00
1149		Less Wheels and Tires	-477.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
DRIVE SYSTEM			
1190		Two-Wheel Drive (2WD) <i>Dealer installed</i>	In Base Price
1192		Rear Wheel Assist - Traditional Parallel System <i>Less aggressive on fine turf, especially during turns</i> <i>Parallel circuit design</i> <i>Dealer installed</i>	2,496.00
1193		Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i> <i>Dealer installed</i>	2,599.00
REEL CUTTING UNITS			
<i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units</i> <i>22-in. (55.9 cm) Cutting Width per Cutting Unit</i> <i>62-in. (157.5 cm) Total Width of Cut</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>			
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	-261.00
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	In Base Price
1212		Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i>	-75.00
1214		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	687.00
1290		Less Cutting Units	-7,116.00
REEL FRONT ROLLERS			
<i>55.9 cm (22-in.) Standard Width Rollers</i>			
1300		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	In Base Price
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	-204.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	No Added Cost
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	531.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers	363.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...			
<i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>			
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	363.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	24.00
1390		Less Front Rollers	-711.00
<hr/>			
REEL REAR ROLLERS			
<i>55.9 cm (22-in.) Standard Width Rollers</i>			
1601		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	165.00
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	In Base Price
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	567.00
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	567.00
1690		Less Rear Rollers	-507.00
<hr/>			
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	In Base Price
1403		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	234.00
1408		Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	No Added Cost
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	-189.00
<hr/>			
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS			
3200		Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	In Base Price
3201		Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches. Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher</i>	810.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS Continued...			
<i>includes Bail System.</i>			
3202		Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System. 50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	-117.00
3210		Less Cutting Unit Yokes and Grass Catchers	-1,475.00
SEAT			
2009		Standard Seat	In Base Price
2010		Deluxe Suspension Seat with Left Side Armrest	365.00
2090		Less Seat	-448.00
REEL CUTTING UNITS			
9803		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>Complete Set of 3 0.078-in (2 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	7,116.00
9804		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>Complete Set of 3 0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	6,855.00
9818		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>Complete Set of 3 0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	7,803.00
VERTICAL CUTTING UNITS			
9121		Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3 27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm). Less Motors and Counterweights.</i>	7,041.00
FAIRWAY TENDER CONDITIONER			
9738		Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	1,488.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
9743		FAIRWAY TENDER CONDITIONER Continued... FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	3,828.00
9742		GREENS TENDER CONDITIONER Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	861.00
9751		FRONT TURF BRUSHES Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	624.00
9801		Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	624.00
9750		REAR ROLLER POWER BRUSHES Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	1,179.00
9791		Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	432.00
9756		ROLLER SCRAPERS Smooth Roller Scrapers (Cable style) <i>Set of 3 for either Front or Rear Rollers.</i>	45.00
9849		(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	105.00
9850		(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	78.00
9805		MISCELLANEOUS Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	86.00
9770		MISCELLANEOUS Hydraulic Oil Leak Detector	1,416.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
	TCU36165	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	73.61
	MT7351	Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	40.27

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
ET17534		Bedknife, 2.5mm Tournament	35.61
ET17533		Bedknife, 3.2 mm Standard	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	36.41
		Drive System	
BTC11007		Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 17 and prior 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	2,780.93
BUC10272		Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	2,780.93
BUC10269		Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	2,670.71
TCB11167		Third-Wheel Assist Kit (Parallel Circuit) <i>For MY 17 and Prior 2500 Riding Greens Mowers.. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	2,670.71
		Fairway Tender Conditioner	
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	530.71
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	1,365.31
		Front Turf Brushes	
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
		Grass Catchers	
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	155.16

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>2 needed for complete machine for 2500's Weight Transfer System.</i>	187.26
BTC10726		55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>2 needed for complete machine for 2500's.</i>	187.26
BM24900		Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units <i>2 Needed for complete machine 2500's.</i>	72.76
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel. One kit required per grass catcher.</i>	9.63
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	166.91
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	156.21
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	51.36
		Greens Tender Conditioner	
BTC10783		(1) 45.7 cm (18-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	283.56
BTC10778		(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	307.09
		Lighting	
BM19746		Light Kit, Front <i>Mounting Hardware and Wiring with Two Front Mounted Lights.</i>	266.43
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	57.79
		Miscellaneous	
BM23080		Cutting Unit Top Shield Extension (Set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	92.01
BTC10686		Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	143.39
AMT2978		Height of Cut Gauge Bar	90.44
BUC10429		Hydraulic Leak Detector Kit	1,515.11
		Rear Roller Power Brushes	
BTC10834		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	154.09

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53
TCB11356		Reel Cutting Unit Attaching Yokes and Grass Catchers Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	889.17
BUC10223		Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	622.74
BUC10224		Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	610.97
BM22762		Reel Cutting Unit Counter Weights (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	67.41
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
BM25338		Reel Cutting Units (1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,783.07
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,538.04
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,444.96
BUC10113		Roller Scrapers (1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	27.81
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	37.46

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	16.06
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	34.50
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	159.43
		Rollers	
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	364.87
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06
BM18712		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	253.59
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	253.59
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	253.59
BM18711		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	239.69
BM18480		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	180.83
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	442.99
		Seat	
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	164.46
BTC10758		Seat, Deluxe Suspension with Armrests	869.91
BTC10757		Seat, Standard	479.36
		Vertical Cutting Units	
BM25129		(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	2,511.29

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Wheels and Tires			
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth 2-ply Rated	497.56
BUC10575		Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	543.56
BUC10621		Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	510.39
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	510.39
BUC10620		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	510.39
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	543.56

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower
Equipment for Base Machine

ENGINE:
3-cylinder Diesel
Liquid Cooled
Single Fuel Tank with 7.9 US
gallon (30 L) capacity

CHASSIS:
Offset Cutting Unit Design
2-post SAE J21294 ROPS with seat
belts
Double Upstops for Front Cutting
Units

HYDRAULICS:
Directed mounted hydraulic pumps
Hydrostatic traction drive
Single reel pump
Quik-Tatch Hydraulic reel motors
Micro-Lap backlapping valve with
reel speed control and pressure

compensation
U-Shaped Hydraulic Reservoir
Hydraulic Oil Cooler

ELECTRICAL:
White Box controller
Sit-on-Seat Diagnostics
BCI Group 40 Maintenance Free
Battery
OPERATOR STATION:
Command Arm Operator Controls
One Touch Hand Operated Lift /
Lower Joystick
Four Function LED Warning
Monitor with Hour Meter
Hand Operated Mow / Transport
Lever
Hand Operated Engine Throttle
Lever
Dual Traction Pedals

Foot actuated 5-Position
Adjustable Tilt Steering Column
Integrated Cup Holder and Radio
Holder
Storage Compartment built into
Fuel tank

STEERING AND BRAKES:
Hydrostatic Power Steering
Disc Brakes
Foot Operated Parking Brake

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, NC

1187TC		2500B PrecisionCut Diesel Riding Greens Mower <i>19.6 HP (14.6kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.</i> <i>EPA Tier 4 Compliant</i>	42,789.00
--------	--	--	-----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)	In Base Price
------	--	---	---------------

WHEELS AND TIRES

1022		Smooth Tires and Wheels (20x10.00-10, 2-ply)	No Added Cost
1023		Turf Guard Traction Tires and Wheels (20x10.00-10, 2-ply)	31.00
1024		Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	In Base Price
1040		Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	No Added Cost
1043		Smooth Tires and Wheels (18x10.5-10, 4-ply)	31.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
WHEELS AND TIRES Continued...			
1149		Less Wheels and Tires	-477.00
DRIVE SYSTEM			
1190		Two-Wheel Drive (2WD) <i>Dealer installed</i>	In Base Price
1192		Rear Wheel Assist - Traditional Parallel System <i>Less aggressive on fine turf, especially during turns</i> <i>Parallel circuit design</i> <i>Dealer installed</i>	2,496.00
1193		Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i> <i>Dealer installed</i>	2,599.00
REEL CUTTING UNITS			
<p><i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units</i> <i>22-in. (55.9 cm) Cutting Width per Cutting Unit</i> <i>62-in. (157.5 cm) Total Width of Cut</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i></p>			
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	-261.00
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	In Base Price
1212		Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i>	-75.00
1214		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	687.00
1290		Less Cutting Units	-7,116.00
REEL FRONT ROLLERS			
<i>55.9 cm (22-in.) Standard Width Rollers</i>			
1300		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	In Base Price
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	-204.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...			
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	531.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	363.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	363.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	24.00
1390		Less Front Rollers	-711.00
REEL REAR ROLLERS			
<i>55.9 cm (22-in.) Standard Width Rollers</i>			
1601		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	165.00
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	In Base Price
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	567.00
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	567.00
1690		Less Rear Rollers	-507.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	In Base Price
1403		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	234.00
1408		Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	No Added Cost
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	-189.00
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS			
3200		Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS Continued...			
3201		Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches. Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	810.00
3202		Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System. 50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	-117.00
3210		Less Cutting Unit Yokes and Grass Catchers	-1,475.00
SEAT			
2009		Standard Seat	In Base Price
2010		Deluxe Suspension Seat with Left Side Armrest	365.00
2090		Less Seat	-448.00
REEL CUTTING UNITS			
9803		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>Complete Set of 3 0.078-in (2 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	7,116.00
9804		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>Complete Set of 3 0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	6,855.00
9818		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>Complete Set of 3 0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	7,803.00
VERTICAL CUTTING UNITS			
9121		Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3 27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm). Less Motors and Counterweights.</i>	7,041.00

FAIRWAY TENDER CONDITIONER

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FAIRWAY TENDER CONDITIONER Continued...			
9738		Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	1,488.00
9743		FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	3,828.00
GREENS TENDER CONDITIONER			
9742		Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	861.00
FRONT TURF BRUSHES			
9751		Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	624.00
9801		Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	624.00
REAR ROLLER POWER BRUSHES			
9750		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	1,179.00
9791		Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	432.00
ROLLER SCRAPERS			
9756		Smooth Roller Scrapers (Cable style) <i>Set of 3 for either Front or Rear Rollers.</i>	45.00
9849		(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	105.00
9850		(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	78.00
MISCELLANEOUS			
9805		Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	86.00
MISCELLANEOUS			
9769		Greens Mower Storage and Convenience Kit <i>Contains Storage Area Pad and Elastic Storage Retainer.</i>	81.00
9770		Hydraulic Oil Leak Detector	1,416.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	73.61
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	40.27
ET17534		Bedknife, 2.5mm Tournament	35.61
ET17533		Bedknife, 3.2 mm Standard	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	36.41
Drive System			
BTC11007		Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 17 and prior 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	2,780.93
BUC10272		Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	2,780.93
BUC10269		Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	2,670.71
TCB11167		Third-Wheel Assist Kit (Parallel Circuit) <i>For MY 17 and Prior 2500 Riding Greens Mowers.. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	2,670.71
Engine			
TCA19916		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	233.12
Fairway Tender Conditioner			
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	530.71
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	1,365.31

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Front Turf Brushes			
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
Grass Catchers			
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	155.16
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>2 needed for complete machine for 2500's Weight Transfer System.</i>	187.26
BTC10726		55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>2 needed for complete machine for 2500's.</i>	187.26
BM24900		Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units <i>2 Needed for complete machine 2500's.</i>	72.76
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel. One kit required per grass catcher.</i>	9.63
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	166.91
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	156.21
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	51.36
Greens Tender Conditioner			
BTC10783		(1) 45.7 cm (18-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	283.56
BTC10778		(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	307.09
Lighting			
BM19746		Light Kit, Front <i>Mounting Hardware and Wiring with Two Front Mounted Lights.</i>	266.43
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	57.79
Miscellaneous			
BM23080		Cutting Unit Top Shield Extension (Set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	92.01

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM19744		Dew Whip Holder Bracket <i>Fits Diesel RGM ONLY.</i>	68.49
BTC10686		Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	143.39
BM19739		Greens Mower Convenience Kit <i>For Diesel Models ONLY; Contains Storage Area Pad and Elastic Storage Retainer.</i>	86.67
AMT2978		Height of Cut Gauge Bar	90.44
BUC10429		Hydraulic Leak Detector Kit	1,515.11
		Rear Roller Power Brushes	
BTC10834		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	154.09
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53
		Reel Cutting Unit Attaching Yokes and Grass Catchers	
TCB11356		Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	889.17
BUC10223		Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	622.74
BUC10224		Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	610.97
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	67.41
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Reel Cutting Units			
BM25338		(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,783.07
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,538.04
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,444.96
Roller Scrapers			
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	27.81
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	37.46
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	16.06
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	34.50
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	159.43
Rollers			
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	364.87
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06
BM18712		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	253.59
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	253.59
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	253.59
BM18711		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	239.69
BM18480		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	180.83

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	442.99
		Seat	
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	164.46
BTC10758		Seat, Deluxe Suspension with Armrests	869.91
BTC10757		Seat, Standard	479.36
		Vertical Cutting Units	
BM25129		(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	2,511.29
		Wheels and Tires	
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth 2-ply Rated	497.56
BUC10575		Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	543.56
BUC10621		Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	510.39
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	510.39
BUC10620		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	510.39
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	543.56

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Equipment for Base Machine

ENGINE:

21.0 HP (15.7 kW). Tested in accordance with SAE J1995. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.
Twin cylinder Gas with Overhead Valves
Full Pressure Lubrication
Liquid Cooled
Single Fuel Tank with 7.9 US gallon (30 L) capacity
Up to 30% Fuel Savings at reduced engine throttle (2250 rpm)

Units

Storage Compartment behind Operator

HYDRAULICS:

Directed mounted hydraulic pumps
Hydrostatic traction drive
U-Shaped Hydraulic Reservoir
Hydraulic Oil Cooler

ELECTRICAL:

White Box controller
Sit-on-Seat Diagnostics
On-Board Reel Circuit
Diagnostics
BCI Group 40 Maintenance Free Battery
Brushless Electric Reel Motors
48-Volt, 100-amp Alternator
Reel Switch Box for Reel Speed and Direction Control

Four Function LED Warning Monitor with Hour Meter
Hand Operated Mow / Transport Lever
Hand Operated Engine Throttle Lever
Reduced Engine RPM notch
Dual Traction Pedals
Foot actuated 5-Position Adjustable Tilt Steering Column
Integrated Cup Holder and Radio Holder

STEERING AND BRAKES:
Hydrostatic Power Steering
Disc Brakes
Foot Operated Parking Brake

CHASSIS:

Offset Cutting Unit Design
2-post SAE J21294 ROPS with seat belts
Double Upstops for Front Cutting

OPERATOR STATION:

Command Arm Operator Controls
One Touch Hand Operated Lift / Lower Joystick

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, NC

1218TC	2500E E-Cut Hybrid Gas Riding Greens Mower	38,259.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

OPERATOR'S MANUAL

0443	All Other Countries (English / Spanish)	In Base Price
------	---	---------------

WHEELS AND TIRES

1022	Smooth Tires and Wheels (20x10.00-10, 2-ply)	No Added Cost
1023	Turf Guard Traction Tires and Wheels (20x10.00-10, 2-ply)	31.00
1024	Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	In Base Price
1040	Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	No Added Cost
1043	Smooth Tires and Wheels (18x10.5-10, 4-ply)	31.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
WHEELS AND TIRES Continued...			
1149		Less Wheels and Tires	-477.00
DRIVE SYSTEM			
1190		Two-Wheel Drive (2WD) <i>Dealer installed</i>	In Base Price
1192		Rear Wheel Assist - Traditional Parallel System <i>Less aggressive on fine turf, especially during turns</i> <i>Parallel circuit design</i> <i>Dealer installed</i>	2,496.00
1193		Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i> <i>Dealer installed</i>	2,599.00
REEL CUTTING UNITS			
<i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units</i> <i>22-in. (55.9 cm) Cutting Width per Cutting Unit</i> <i>62-in. (157.5 cm) Total Width of Cut</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>			
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	-261.00
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	In Base Price
1212		Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i>	-75.00
1214		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	687.00
1290		Less Cutting Units	-7,116.00
REEL FRONT ROLLERS			
<i>55.9 cm (22-in.) Standard Width Rollers</i>			
1300		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	In Base Price
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	-204.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...			
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	531.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	363.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	363.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	24.00
1390		Less Front Rollers	-711.00
<hr/>			
REEL REAR ROLLERS			
<i>55.9 cm (22-in.) Standard Width Rollers</i>			
1601		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	165.00
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	In Base Price
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	567.00
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	567.00
1690		Less Rear Rollers	-507.00
<hr/>			
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	In Base Price
1403		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	234.00
1408		Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	No Added Cost
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	-189.00
<hr/>			
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS			
3200		Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS Continued...			
3201		Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches. Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	810.00
3202		Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System. 50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	-117.00
3210		Less Cutting Unit Yokes and Grass Catchers	-1,475.00
SEAT			
2009		Standard Seat	In Base Price
2010		Deluxe Suspension Seat with Left Side Armrest	365.00
2090		Less Seat	-448.00
REEL CUTTING UNITS			
9803		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>Complete Set of 3 0.078-in (2 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	7,116.00
9804		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>Complete Set of 3 0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	6,855.00
9818		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>Complete Set of 3 0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	7,803.00
VERTICAL CUTTING UNITS			
9121		Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3 27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm). Less Motors and Counterweights.</i>	7,041.00

FAIRWAY TENDER CONDITIONER

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FAIRWAY TENDER CONDITIONER Continued...			
9738		Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	1,488.00
9743		FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	3,828.00
GREENS TENDER CONDITIONER			
9742		Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	861.00
FRONT TURF BRUSHES			
9751		Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	624.00
9801		Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	624.00
REAR ROLLER POWER BRUSHES			
9750		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	1,179.00
9791		Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	432.00
ROLLER SCRAPERS			
9756		Smooth Roller Scrapers (Cable style) <i>Set of 3 for either Front or Rear Rollers.</i>	45.00
9849		(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	105.00
9850		(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	78.00
MISCELLANEOUS			
9805		Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	86.00
MISCELLANEOUS			
9770		Hydraulic Oil Leak Detector	1,416.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Bedknives			
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	73.61
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	40.27
ET17534		Bedknife, 2.5mm Tournament	35.61
ET17533		Bedknife, 3.2 mm Standard	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	36.41
Drive System			
BTC11007		Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 17 and prior 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	2,780.93
BUC10272		Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	2,780.93
BUC10269		Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	2,670.71
TCB11167		Third-Wheel Assist Kit (Parallel Circuit) <i>For MY 17 and Prior 2500 Riding Greens Mowers.. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	2,670.71
Fairway Tender Conditioner			
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	530.71
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	1,365.31
Front Turf Brushes			
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
		Grass Catchers	
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	155.16
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>2 needed for complete machine for 2500's Weight Transfer System.</i>	187.26
BTC10726		55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>2 needed for complete machine for 2500's.</i>	187.26
BM24900		Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units <i>2 Needed for complete machine 2500's.</i>	72.76
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel. One kit required per grass catcher.</i>	9.63
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	166.91
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	156.21
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	51.36
		Greens Tender Conditioner	
BTC10783		(1) 45.7 cm (18-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	283.56
BTC10778		(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	307.09
		Lighting	
BM19746		Light Kit, Front <i>Mounting Hardware and Wiring with Two Front Mounted Lights.</i>	266.43
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	57.79
		Miscellaneous	
BM23080		Cutting Unit Top Shield Extension (Set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	92.01
BTC10686		Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	143.39
AMT2978		Height of Cut Gauge Bar	90.44
BUC10429		Hydraulic Leak Detector Kit	1,515.11

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Rear Roller Power Brushes	
BTC10834		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	154.09
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53
Reel Cutting Unit Attaching Yokes and Grass Catchers			
TCB11356		Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	889.17
BUC10223		Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	622.74
BUC10224		Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	610.97
Reel Cutting Unit Counter Weights			
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	67.41
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
Reel Cutting Units			
BM25338		(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,783.07
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,538.04
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,444.96
Roller Scrapers			
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	27.81

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	37.46
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	16.06
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	34.50
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	159.43
		Rollers	
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	364.87
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06
BM18712		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	253.59
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	253.59
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	253.59
BM18711		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	239.69
BM18480		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	180.83
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	442.99
		Seat	
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	164.46
BTC10758		Seat, Deluxe Suspension with Armrests	869.91
BTC10757		Seat, Standard	479.36

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Vertical Cutting Units			
BM25129		(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	2,511.29
Wheels and Tires			
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth 2-ply Rated	497.56
BUC10575		Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	543.56
BUC10621		Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	510.39
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	510.39
BUC10620		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	510.39
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	543.56

**JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS**

**2500E E-Cut Hybrid Diesel Riding Greens Mower
Equipment for Base Machine**

<p>ENGINE: 3-cylinder Diesel Liquid Cooled Single Fuel Tank with 7.9 US gallon (30 L) capacity Up to 30% Fuel Savings at reduced engine throttle (2250 rpm)</p> <p>CHASSIS: Offset Cutting Unit Design 2-post SAE J21294 ROPS with seat belts Double Upstops for Front Cutting Units</p> <p>HYDRAULICS: Directed mounted hydraulic pumps Hydrostatic traction drive U-Shaped Hydraulic Reservoir Hydraulic Oil Cooler</p> <p>ELECTRICAL:</p>	<p>White Box controller Sit-on-Seat Diagnostics On-Board Reel Circuit Diagnostics BCI Group 40 Maintenance Free Battery Brushless Electric Reel Motors 48-Volt, 100-amp Alternator Reel Switch Box for Reel Speed and Direction Control</p> <p>OPERATOR STATION: Command Arm Operator Controls One Touch Hand Operated Lift / Lower Joystick Four Function LED Warning Monitor with Hour Meter Hand Operated Mow / Transport Lever Hand Operated Engine Throttle Lever Reduced Engine RPM notch Dual Traction Pedals</p>	<p>Foot actuated 5-Position Adjustable Tilt Steering Column Integrated Cup Holder and Radio Holder Storage Compartment built into Fuel tank</p> <p>STEERING AND BRAKES: Hydrostatic Power Steering Disc Brakes Foot Operated Parking Brake</p>
--	---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, NC

1197TC		2500E E-Cut Hybrid Diesel Riding Greens Mower <i>19.6 HP (14.6kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information. EPA Tier 4 Compliant</i>	44,775.00
--------	--	--	-----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)	In Base Price
------	--	---	---------------

WHEELS AND TIRES

1022		Smooth Tires and Wheels (20x10.00-10, 2-ply)	No Added Cost
1023		Turf Guard Traction Tires and Wheels (20x10.00-10, 2-ply)	31.00
1024		Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	In Base Price
1040		Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4-ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	No Added Cost
1043		Smooth Tires and Wheels (18x10.5-10, 4-ply)	31.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
WHEELS AND TIRES Continued...			
1149		Less Wheels and Tires	-477.00
DRIVE SYSTEM			
1190		Two-Wheel Drive (2WD) <i>Dealer installed</i>	In Base Price
1192		Rear Wheel Assist - Traditional Parallel System <i>Less aggressive on fine turf, especially during turns</i> <i>Parallel circuit design</i> <i>Dealer installed</i>	2,496.00
1193		Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i> <i>Dealer installed</i>	2,599.00
REEL CUTTING UNITS			
<p><i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units</i> <i>22-in. (55.9 cm) Cutting Width per Cutting Unit</i> <i>62-in. (157.5 cm) Total Width of Cut</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i></p>			
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	-261.00
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	In Base Price
1212		Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i>	-75.00
1214		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	687.00
1290		Less Cutting Units	-7,116.00
REEL FRONT ROLLERS			
<i>55.9 cm (22-in.) Standard Width Rollers</i>			
1300		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	In Base Price
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	-204.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	No Added Cost

**JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS**

**2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...			
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	531.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	363.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	363.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	24.00
1390		Less Front Rollers	-711.00
REEL REAR ROLLERS			
<i>55.9 cm (22-in.) Standard Width Rollers</i>			
1601		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	165.00
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	In Base Price
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	567.00
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	567.00
1690		Less Rear Rollers	-507.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	In Base Price
1403		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	234.00
1408		Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	No Added Cost
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	-189.00
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS			
3200		Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS Continued...			
3201		Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches. Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	810.00
3202		Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System. 50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	-117.00
3210		Less Cutting Unit Yokes and Grass Catchers	-1,475.00
SEAT			
2009		Standard Seat	In Base Price
2010		Deluxe Suspension Seat with Left Side Armrest	365.00
2090		Less Seat	-448.00
REEL CUTTING UNITS			
9803		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>Complete Set of 3 0.078-in (2 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	7,116.00
9804		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>Complete Set of 3 0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	6,855.00
9818		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>Complete Set of 3 0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	7,803.00
VERTICAL CUTTING UNITS			
9121		Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3 27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm). Less Motors and Counterweights.</i>	7,041.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FAIRWAY TENDER CONDITIONER			
9738		Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	1,488.00
9743		FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	3,828.00
GREENS TENDER CONDITIONER			
9742		Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	861.00
FRONT TURF BRUSHES			
9751		Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	624.00
9801		Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	624.00
REAR ROLLER POWER BRUSHES			
9750		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	1,179.00
9791		Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	432.00
ROLLER SCRAPERS			
9756		Smooth Roller Scrapers (Cable style) <i>Set of 3 for either Front or Rear Rollers.</i>	45.00
9849		(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	105.00
9850		(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	78.00
MISCELLANEOUS			
9805		Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	86.00
MISCELLANEOUS			
9769		Greens Mower Storage and Convenience Kit <i>Contains Storage Area Pad and Elastic Storage Retainer.</i>	81.00
9770		Hydraulic Oil Leak Detector	1,416.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	73.61
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	40.27
ET17534		Bedknife, 2.5mm Tournament	35.61
ET17533		Bedknife, 3.2 mm Standard	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	36.41
Drive System			
BTC11007		Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 17 and prior 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	2,780.93
BUC10272		Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers. Series Parallel Circuit. Most aggressive traction system.</i>	2,780.93
BUC10269		Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	2,670.71
TCB11167		Third-Wheel Assist Kit (Parallel Circuit) <i>For MY 17 and Prior 2500 Riding Greens Mowers.. Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	2,670.71
Engine			
TCA19916		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	233.12
Fairway Tender Conditioner			
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	530.71
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	1,365.31

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Front Turf Brushes			
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
Grass Catchers			
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	155.16
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>2 needed for complete machine for 2500's Weight Transfer System.</i>	187.26
BTC10726		55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>2 needed for complete machine for 2500's.</i>	187.26
BM24900		Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units <i>2 Needed for complete machine 2500's.</i>	72.76
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel. One kit required per grass catcher.</i>	9.63
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	166.91
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	156.21
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	51.36
Greens Tender Conditioner			
BTC10783		(1) 45.7 cm (18-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	283.56
BTC10778		(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	307.09
Lighting			
BM19746		Light Kit, Front <i>Mounting Hardware and Wiring with Two Front Mounted Lights.</i>	266.43
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	57.79
Miscellaneous			
BM23080		Cutting Unit Top Shield Extension (Set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	92.01

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM19744		Dew Whip Holder Bracket <i>Fits Diesel RGM ONLY.</i>	68.49
BTC10686		Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	143.39
BM19739		Greens Mower Convenience Kit <i>For Diesel Models ONLY; Contains Storage Area Pad and Elastic Storage Retainer.</i>	86.67
AMT2978		Height of Cut Gauge Bar	90.44
BUC10429		Hydraulic Leak Detector Kit	1,515.11
		Rear Roller Power Brushes	
BTC10834		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	154.09
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53
		Reel Cutting Unit Attaching Yokes and Grass Catchers	
TCB11356		Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	889.17
BUC10223		Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	622.74
BUC10224		Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	610.97
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	67.41
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Reel Cutting Units			
BM25338		(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,783.07
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,538.04
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,444.96
Roller Scrapers			
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	27.81
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	37.46
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	16.06
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	34.50
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	159.43
Rollers			
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	364.87
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06
BM18712		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	253.59
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	253.59
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	253.59
BM18711		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	239.69
BM18480		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	180.83

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	442.99
		Seat	
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	164.46
BTC10758		Seat, Deluxe Suspension with Armrests	869.91
BTC10757		Seat, Standard	479.36
		Vertical Cutting Units	
BM25129		(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	2,511.29
		Wheels and Tires	
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth 2-ply Rated	497.56
BUC10575		Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	543.56
BUC10621		Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	510.39
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	510.39
BUC10620		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	510.39
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	543.56

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower
Equipment for Base Machine

ENGINE:
19.6 HP (14.6 kW) per SAE J1995
- Engine hp is provided by the engine manufacturer for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.
3-cylinder IDI Diesel Engine
Liquid Cooled
7.4 US Gallon (28 L) Fuel Capacity

CHASSIS:
2-post SAE J21294 ROPS with Seat Belts

HYDRAULICS:
U-shaped Hydraulic Reservoir

Hydrostatic Traction Drive
Hydraulic Reel Motors
Single Reel Pump
Micro-lap Backlapping Valves with Reel Speed Control and Pressure Compensation
Oil Cooler
GRIP All-Wheel Drive Traction System

ELECTRICAL:
White Box controller with On Board Diagnostics
Sit-On-Seat Diagnostics
BCI Group 40 Maintenance Free Battery

OPERATOR STATION:
Dual traction pedals
Four Function LED Warning

Monitor with Hour Meter
One Touch Hand Operated Lift / Lower Joystick
Hand Operated Engine Throttle Lever
Hand Operated Mow / Transport Lever

STEERING AND BRAKES:
Hydrostatic Power Steering
Hand Operated Parking Brake

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1225TC	2653B PrecisionCut Trim and Surrounds Mower	26,335.00
--------	---	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

OPERATOR'S MANUAL

0443	All Other Countries (English / Spanish)	In Base Price
------	---	---------------

WHEELS AND TIRES

1145	20x12-10 Turf Trac Front Tires with 20x10-8 Turf Trac Rear Tire	275.00
1146	20x10-10 Multi Trac Front Tires with 20x10-8 Turf Trac Rear Tire	375.00
1147	20x10-10 Ribbed Front Tires with 20x10-8 Turf Trac Rear Tire	375.00
1149	Less Front Wheels and Tires <i>20x10-8 Turf Trac Rear Tire will still be included in crate with machine.</i>	In Base Price

REEL CUTTING UNITS

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...			
26 Inch QA7 Cutting Units			
<i>66 cm (26-in.) Width per cutting unit</i>			
<i>182.9 cm (72-in.) Total Width of Cut</i>			
<i>17.8 cm (7-in.) Diameter Cutting Units</i>			
<i>6.3 mm (0.248-in.) Tournament Bedknife</i>			
<i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>			
<i>Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments</i>			
<i>Includes Lift Arms and Yokes</i>			
1204		Quick Adjust 7 (QA7) 5-blade 66 cm (26-in.) Cutting Units	7,867.00
1206		Quick Adjust 7 (QA7) 8-blade 66 cm (26-in.) Cutting Units	8,335.00
1218		Quick Adjust 7 (QA7) 10-blade 66 cm (26-in.) Cutting Units	8,500.00
30 Inch QA7 Cutting Units			
<i>76.2 cm (30-in.) Width per cutting unit</i>			
<i>213.4 cm (84-in.) Total Width of Cut</i>			
<i>17.8 cm (7-in.) Diameter Cutting Units</i>			
<i>15.8 mm (0.622-in.) Standard Bedknife</i>			
<i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>			
<i>Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments</i>			
<i>Includes Lift Arms and Yokes</i>			
1205		Quick Adjust 7 (QA7) 5-blade 76.2 cm (30-in.) Cutting Units	9,154.00
1207		Quick Adjust 7 (QA7) 8-blade 76.2 cm (30-in.) Cutting Units	9,742.00
1290		Less Cutting Units, Front Lift Arms, and Yokes	In Base Price
<hr/>			
REEL FRONT ROLLERS			
26 Inch Front Rollers			
1315		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	1,008.00
1316		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	1,164.00
1317		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	1,371.00
30 Inch Front Rollers			
1318		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	1,434.00
1319		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	1,590.00
1320		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	1,797.00
1390		Less Front Rollers	In Base Price
<hr/>			
REEL CUTTING UNIT COUNTER WEIGHTS			
1402		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i> <i>Required for all 76.2 cm (30-in.) cutting units.</i>	189.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued...			
1404		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</i>	423.00
1409		Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</i>	189.00
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</i>	In Base Price
<hr/>			
SEAT			
2009		Standard Seat	448.00
2010		Deluxe Suspension Seat with Armrest	813.00
2090		Less Seat	In Base Price
<hr/>			
GRASS CATCHERS			
9736		Grass Catchers and Mounting Hardware for 66 cm (26-in.) QA7 Cutting Units <i>Front mounted grass catchers for front cutting units, rear mounted grass catcher for rear cutting unit. Not compatible with Rear Roller Power Brush. Not compatible with 76.2 cm (30-in.) cutting units.</i>	1,274.00
<hr/>			
FAIRWAY TENDER CONDITIONER			
9741		Fairway Tender Conditioner Shaft and Blades, 66 cm (26-in.) <i>Set of 3. Requires code 9744 (FTC Gear Drive). Not compatible with 76.2 cm (30-in.) cutting units.</i>	1,590.00
9744		FTC Gear Drive <i>Set of 3. Requires code 9741 (Fairway Tender Conditioner Shaft and Blades). Not compatible with 76.2 cm (30-in.) cutting units.</i>	3,828.00
<hr/>			
REAR ROLLER POWER BRUSHES			
9747		Rear Roller Power Brushes <i>Set of 3. Requires Code 9749 (Rear Roller Power Brush Drive). Not compatible with Grass Catchers. Not compatible with 76.2 cm (30-in.) cutting units.</i>	537.00
9749		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9747 (Rear Roller Power Brushes). Not compatible with Grass Catchers. Not compatible with 76.2 cm (30-in.) cutting units.</i>	1,179.00
<hr/>			
ROLLER SCRAPERS			
9757		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts.</i>	144.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ROLLER SCRAPERS Continued...			
<i>Not compatible with Rear Roller Power Brushes.</i>			
9759		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts.</i>	447.00
9760		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts. Not compatible with FTCs.</i>	411.00
9762		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts.</i>	195.00
9835		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers for Vertical Cutting Units <i>Set of 3, Front and Rear.</i>	360.00
REEL CUTTING UNITS			
9807		66 cm (26-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	7,323.00
9808		76.2 cm (30-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	8,409.00
9832		66 cm (26-in.) Quick Adjust 7 (QA7) Vertical Cutting Units <i>Complete set of 3. Includes Front Rollers and Yokes. Less Motors and Counterweights.</i>	6,387.00
9844		66 cm (26-in.) Quick Adjust 7 (QA7) 10-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	7,488.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
ET17752		Bedknife, 15.8 mm Standard for 66 cm (26-in.) QA7 Cutting Units	40.16
MT1973		Bedknife, 15.8 mm Standard for 76.2 cm (30-in.) QA7 Cutting Units	48.24
MT6949		Bedknife, 6.3 mm Tournament for 66 cm (26-in.) QA7 Cutting Units	47.11
UC11472		Bedknife, 6.3 mm Tournament for 76.2 cm (30-in.) QA7 Cutting Units	107.40
TCU34070		Bedknife, 6.3 mm with Hardened Insert, Less Aggressive for 66 cm (26-in.) QA7 Cutting Units	146.09
Cutting Units			
BUC10070		(1) Quick-Adjust 7 (QA7) 10-Blade 660.4 mm (26-in.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,611.87
BM24123		(1) Quick-Adjust 7 (QA7) 5-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,444.96

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM24125		(1) Quick-Adjust 7 (QA7) 5-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,789.49
BUC10072		(1) Quick-Adjust 7 (QA7) 660.4 mm (26-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less yoke, motor, and counterweight.</i>	2,064.03
BM24124		(1) Quick-Adjust 7 (QA7) 8-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,611.87
BM24126		(1) Quick-Adjust 7 (QA7) 8-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,999.21
		Fairway Tender Conditioner	
BTC10781		(1) 66 cm (26-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	567.10
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10781 FTC Shaft Kit. Not compatible with previous FTC Kits.</i>	1,365.31
		Grass Catchers	
BM22759		(1) 660.4-mm (26-in.) Grass Catcher for QA7 Cutting Units <i>Grass catchers mount to front of cutting unit on front cutting units, and to rear of cutting unit on rear cutting unit. Requires BM22760 Mounting Hardware Kit. 1 Kit required per grass catcher. Not compatible with Rear Roller Power Brushes. Requires BM18185 Orifice Kit.</i>	349.89
BM18185		Grass Catcher Orifice <i>1 Kit Required for installation of Grass Catchers on 2653B. Not required on 7200/7200A.</i>	39.59
BM22760		Mounting Hardware for 660.4 mm (26-in.) Grass Catcher <i>Includes parts to install grass catchers on a complete 2653B or 7200/7200A.</i>	273.91
		Lighting	
TCB11065		Light Bracket Kit, Front <i>Required to Mount BM19746 Front Light Kit.</i>	96.30
BM19746		Light Kit, Front <i>Wiring with Two Front Mounted Lights. Requires TCB11065 Light Bracket Kit.</i>	266.43
		Miscellaneous	
TCU13823		Height of Cut Gauge Bar	97.44
		Rear Roller Power Brushes	
BTC10836		(1) 66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives. Not compatible with Grass Catchers.</i>	191.53

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10836 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53
		Reel Cutting Unit Attaching Yokes	
BM22764		(1) Conversion Mounting Kit 2009 machine to old cutting ESP cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	74.90
BM22763		(1) Conversion Mounting Kit old machine to new Quick-Adjust 7 (QA7) Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	77.04
TCB11353		(2) Front Lift Arms for 2653B PrecisionCut with 660.4 mm (26-in.) QA7 Cutting Units	440.84
TCB11355		(2) Front Lift Arms for 2653B PrecisionCut with 762 mm (30-in.) QA7 Cutting Units	613.11
TCB11374		(3) Front Yokes for 660.4 mm (26-in.) QA7 Cutting Units	642.00
TCB11373		(3) Front Yokes for 762 mm (30-in.) QA7 Cutting Units	813.20
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or FTC Kits.</i>	67.41
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	67.41
BM22721		(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	150.87
		Roller Scrapers	
BUC10110		(1) 660.4 mm (26-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit</i>	64.20
BM23005		(1) 660.4 mm (26-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC). 1 required per cutting unit.</i>	146.59
BM23004		(1) 762 mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>1 required per cutting unit.</i>	159.43
BM17683		660.4 mm (26-in.) Smooth Roller Scrapers <i>Complete set of 3. Requires (3) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	154.09
BM18440		762 mm (30-in.) Smooth Roller Scrapers <i>Complete set of 3. Requires (3) TCA19587 from parts.</i>	208.66

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Rollers			
BUC10076		(1) 660.4 mm (26-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	64.20
BM25318		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	260.50
BM17671		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	359.51
BM19818		(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	488.99
BM25319		(1) 762 mm (30-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	567.10
BM18439		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	511.46
BM19819		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	640.93
Seat			
AM117680		Arm Rest Kit	278.16
BTC10758		Seat, Deluxe Suspension with Armrests	869.91
BTC10757		Seat, Standard	479.36

**JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS**

**7200A PrecisionCut Trim and Surrounds Mower
Equipment for Base Machine**

3-Cylinder 21.2 HP (15.8 kw)
Diesel Engine eHydro Electronic
Controlled Hydrostatic Drive
(Three) Independent Wheel Motors
GRIP All-Wheel Drive (AWD) Width
On Demand 68-in (173 cm) ; 72-In
(183 cm) Reach Trimming System
with Maximum 14 in. (38 cm) or
20 in. (50.8 cm) Shift Outside
Front Tire with 26 in. (66 cm)
or 30 in. (76 cm) Power Steering
with Straight Track Steering
Cylinder Internal Wet Disc

Brakes (Two) 24x12-12 Turf Trac
Front Drive Tires (One) 24x12-12
Multi Trac Rear Drive Tire
Deluxe Suspension Seat with
Retractable Seatbelt TechControl
Display with built in Machine
Settings Controls and Electrical
Diagnostics One-Touch Lift and
Lower Joystick Control Foot
Activated Tilt Steering Column
(Three) Hydraulic Motors (Three)
QA7 26 in. Cutting Units 2-Post
Roll Over Protection Structure

Command Arm Operator Controls 12
gal. Fuel Capacity John Deere
Golf Operator Videos and All
Products Safety Video DVD Set

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1761TC	7200A PrecisionCut Trim and Surrounds Mower	40,895.00
--------	---	-----------

DESTINATION

001A	United States and Canada	In Base Price
0195	Mexico	No Added Cost

OPERATOR'S MANUAL

0443	All Other Countries	In Base Price
------	---------------------	---------------

REEL CUTTING UNITS

26 Inch QA7 Cutting Units
Includes Front Lift Arms and Yokes.

1204	(3) QA7 Five Blade 26 in. Cutting Units <i>QA7 7 in. (17.8 cm) Diameter Reels including 26 in. Lift arms and 26 in. Yokes.</i>	-468.00
1206	(3) QA7 Eight Blade 26 in. Cutting Units with 6.3 mm bedknife <i>QA7 7 in. (17.8 cm) Diameter Reels including 26 in. Lift arms and 26 in. Yokes.</i>	In Base Price
1218	(3) QA7 Ten Blade 26 in. Cutting Units with 6.3 mm bedknife <i>QA7 7 in. (17.8 cm) Diameter Reels including 26 in. Lift arms and 26 in. Yokes</i>	165.00

30 Inch QA7 Cutting Units
Includes Front Lift Arms and Yokes.

1205	(3) QA7 Five Blade 30 in. Cutting Units <i>QA7 7 in. (17.8 cm) Diameter Reels including 30 in. Lift arms and 30 in. Yokes.</i>	836.00
1207	(3) QA7 Eight Blade 30 in. Cutting Units <i>QA7 7 in. (17.8 cm) Diameter Reels including 30 in. Lift arms and 30 in. Yokes.</i>	1,424.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1290		REEL CUTTING UNITS Continued... Less Cutting Units, Front Lift Arms, and Yokes	-8,434.00
REEL FRONT ROLLERS			
26 Inch Front Rollers			
1315		(3) 3 in. (7.6 cm) Diameter Heavy-Duty Smooth Solid Front Rollers	-156.00
1316		(3) 3 in. (7.6 cm) Diameter Heavy-Duty Grooved Disc Front Rollers	In Base Price
1317		(3) 3 in. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps	207.00
30 Inch Front Rollers			
1318		(3) 3 in. (7.6 cm) Diameter Heavy-Duty Smooth Solid Front Rollers	270.00
1319		(3) 3 in. (7.6 cm) Diameter Heavy-Duty Grooved Disc Front Rollers	426.00
1390		Less Front Rollers	-1,164.00
1320		(3) 3 in. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End	633.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1402		(3) Cutting Unit only Counter Weight Kit <i>Needed for all 30 in. Cutting units and if not installing Rear Roller Power Brush or Greens Tender Conditioner (GTC) Kits on 26 in. Cutting Unit.</i>	In Base Price
1404		(3) Cutting Unit Brush only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26 in. Cutting Unit.</i>	234.00
1409		(3) Fairway Tender Conditioner (FTC) and Greens Tender Conditioner (GTC) only Counter Weight Kit <i>Needed if only installing FTC on 26 in. Cutting Unit.</i>	No Added Cost
1490		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and Fairway Tender Conditioner (FTC) Kit installed on 26 in. Cutting Unit.</i>	-189.00
GRASS CATCHERS			
9736		Grass Catchers with Mounting Hardware for 26 in. Cutting Unit (Set of Three) <i>Not Compatible if Rear Roller Power Brush Installed.</i>	1,237.00
FAIRWAY TENDER CONDITIONER			
9741		(3) QA7 26 in. Fairway Tender Conditioner Shaft and Blades <i>Requires FTC gear drive.</i>	1,590.00
9744		(3) QA7 FTC Gear Drive <i>Requires FTC shaft and blades</i>	3,828.00
REAR ROLLER POWER BRUSHES			
9747		(3) QA7 26 in. Rear Roller Power Brush	537.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REAR ROLLER POWER BRUSHES Continued...			
<i>Requires order rear roller power brush drive. Not Compatible with Grass Catchers.</i>			
9749		(3) QA7 26 in. Rear Roller Power Brush Drive <i>Requires order Rear roller Power Brush. Not compatible with Grass Catchers.</i>	1,179.00
ROLLER SCRAPERS			
9759		(3) 30 in. 3 in. Diameter Heavy-Duty Grooved Roller Scrapers	447.00
9757		26 in. Smooth Roller Scrapers (Set of Three) <i>Requires (Three) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	144.00
9760		(3) 26 in. 3 in. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i>	411.00
9762		30 in. Smooth Roller Scrapers (Set of Three) <i>Requires (Three) TCA19587 from Parts.</i>	195.00
9835		26 In. (66 cm) Smooth Roller Scrapers for Vertical Cutting Units (Set of Three, Front and Rear)	360.00
REEL CUTTING UNITS			
9807		(3) 26 in. 8 Blade QA7 less front rollers	7,323.00
9808		(3) 30 in. 8 Blade QA7 less front rollers	8,409.00
9832		(3) 26 In. (66 cm) Vertical Cutting Units with Front Rollers, Rear Rollers and Yokes, Less Motor	6,387.00
9844		(3) 26 in. 10 Blade QA7 less front rollers	7,488.00
LIGHTING			
9766		Light Kit	292.00
MISCELLANEOUS			
9767		Joystick Kit	1,038.00
9764		Canopy	572.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
ET17752		Bedknife, 15.8 mm Standard for 66 cm (26-in.) QA7 Cutting Units	40.16
MT1973		Bedknife, 15.8 mm Standard for 76.2 cm (30-in.) QA7 Cutting Units	48.24
MT6949		Bedknife, 6.3 mm Tournament for 66 cm (26-in.) QA7 Cutting Units	47.11
UC11472		Bedknife, 6.3 mm Tournament for 76.2 cm (30-in.) QA7 Cutting Units	107.40
TCU34070		Bedknife, 6.3 mm with Hardened Insert, Less Aggressive for 66 cm (26-in.) QA7 Cutting Units	146.09
Cutting Units			

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10070		(1) Quick-Adjust 7 (QA7) 10-Blade 660.4 mm (26-in.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,611.87
BM24123		(1) Quick-Adjust 7 (QA7) 5-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,444.96
BM24125		(1) Quick-Adjust 7 (QA7) 5-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,789.49
BUC10072		(1) Quick-Adjust 7 (QA7) 660.4 mm (26-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less yoke, motor, and counterweight.</i>	2,064.03
BM24124		(1) Quick-Adjust 7 (QA7) 8-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,611.87
BM24126		(1) Quick-Adjust 7 (QA7) 8-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,999.21
		Fairway Tender Conditioner	
BTC10781		(1) 66 cm (26-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	567.10
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10781 FTC Shaft Kit. Not compatible with previous FTC Kits.</i>	1,365.31
		Grass Catchers	
BM22759		(1) 660.4-mm (26-in.) Grass Catcher for QA7 Cutting Units <i>Grass catchers mount to front of cutting unit on front cutting units, and to rear of cutting unit on rear cutting unit. Requires BM22760 Mounting Hardware Kit. 1 Kit required per grass catcher. Not compatible with Rear Roller Power Brushes.</i>	349.89
BM22760		Mounting Hardware for 660.4 mm (26-in.) Grass Catcher <i>Includes parts to install grass catchers on a complete 2653B or 7200/7200A.</i>	273.91
		Lighting	
BTC10347		Light Kit	312.44
		Miscellaneous	
BTC10338		Canopy	612.04
TCU13823		Height of Cut Gauge Bar	97.44
BTC10393		Joystick Kit	1,110.66

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Rear Roller Power Brushes	
BTC10836		(1) 66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives. Not compatible with Grass Catchers.</i>	191.53
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10836 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53
		Reel Cutting Unit Attaching Yokes	
TCB11476		(2) Front Lift Arms for 660.4 mm (26-in.) QA7 Cutting Units	546.77
TCB11477		(2) Front Lift Arms for 762 mm (30-in.) QA7 Cutting Units	737.23
TCB11374		(3) Front Yokes for 660.4 mm (26-in.) QA7 Cutting Units	642.00
TCB11373		(3) Front Yokes for 762 mm (30-in.) QA7 Cutting Units	813.20
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or FTC Kits.</i>	67.41
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	67.41
BM22721		(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	150.87
		Roller Scrapers	
BUC10110		(1) 660.4 mm (26-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit</i>	64.20
BM23005		(1) 660.4 mm (26-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC). 1 required per cutting unit.</i>	146.59
BM23004		(1) 762 mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>1 required per cutting unit.</i>	159.43
BM17683		660.4 mm (26-in.) Smooth Roller Scrapers <i>Complete set of 3. Requires (3) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	154.09
BM18440		762 mm (30-in.) Smooth Roller Scrapers <i>Complete set of 3. Requires (3) TCA19587 from parts.</i>	208.66

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Rollers	
BUC10076		(1) 660.4 mm (26-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	64.20
BM25318		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	260.50
BM17671		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	359.51
BM19818		(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	488.99
BM25319		(1) 762 mm (30-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	567.10
BM18439		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	511.46
BM19819		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	640.93

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Equipment for Base Machine

<p>ENGINE: Gross Engine HP 41.6 (31 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control</p>	<p>Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL: 3 Front Work Lights CUTTING UNITS: 100 In. (2.54 m) Cutting Width (5) QA5 7 Blade 22 In. (55.9 cm) Cutting Units with SpeedLink Height of Cut Adjustment System 5 In. (12.7 cm) Diameter Reels with Heavy Section Reel Blades</p>	<p>Adjustable Bedknife with Notch System 2 In. (5.1 cm) Diameter Machined Grooved Solid Front rollers 2 In. (5.1 cm) Diameter Hollow Smooth Rear rollers Rear Cutting Unit Attaching Point Quick-Tatch Cutting Units WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
---	--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1513TC	7500A PrecisionCut Fairway Mower	66,595.00
--------	----------------------------------	-----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other Countries	No Added Cost

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1290	Less Cutting Units 55.9 cm (22-in.) QA5 Cutting Units <i>55.9 cm (22-in.) Width per cutting unit</i> <i>254 cm (100-in.) Total Width of Cut</i> <i>12.7 cm (5-in.) Diameter Cutting Units</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i>	-11,425.00
1201	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife</i> <i>Less Front and Rear Rollers</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1203		REEL CUTTING UNITS Continued... Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable Low Cut bedknife Less Front and Rear Rollers</i>	435.00
REEL FRONT ROLLERS			
1390		Less Front Rollers 55.9 cm (22-in.) Front Rollers <i>55.9 cm (22-in.) Standard Width Rollers</i>	-1,185.00
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	-340.00
1303		50.8 mm (2-in.) Diameter Spiral Grooved Rollers	305.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	In Base Price
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	520.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps <i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	885.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	605.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	605.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	40.00
REEL REAR ROLLERS			
1690		Less Rear Rollers 55.9 cm (22-in.) Rear Rollers	-845.00
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	In Base Price
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	945.00
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	945.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	In Base Price
1402		QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	390.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued...			
1404		QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	No Added Cost
1408		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	-315.00
FAIRWAY TENDER CONDITIONER			
9737		(5) QA5 22" Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	2,480.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	6,380.00
GRASS CATCHERS			
9827		(3) FRONT Grass Catchers and Mounting Brackets <i>Note: Order code is for FRONT 3 cutting units only; Must also order Code 9828 OR 9829 for complete machine.</i>	1,014.00
9828		(2) REAR Grass Catchers and Mounting Brackets <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	676.00
9829		(2) REAR Grass Catcher Bail Kit and Grass Catchers <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	654.00
REAR ROLLER POWER BRUSHES			
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	1,965.00
9791		(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	720.00
FRONT TURF BRUSHES			
9751		(5) 22 In. Front Rotary Turf Brush <i>Brush can be used in place of using FTC/GTC Shaft and Blades Kit.</i>	1,040.00
MISCELLANEOUS			
9752		Hydraulic Down Pressure Kit <i>Additional valve added to machine to increase down pressure cutting units.</i>	941.00
ROLLER SCRAPERS			
9756		(5) 22 In. Smooth Roller Scrapers	75.00
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.)	175.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ROLLER SCRAPERS Continued...	
		Smooth Rear Rollers	
9850		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	130.00
		VERTICAL CUTTING UNITS	
9122		(5) Vertical Cutting Units with Front and Rear Rollers Less Motors	11,735.00
		REEL CUTTING UNITS	
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	11,860.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	11,425.00
		TRACTION DRIVE UNIT	
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	4,707.00
		MISCELLANEOUS	
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	572.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	785.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	73.61
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	40.27
ET17534		Bedknife, 2.5mm Tournament	35.61
ET17533		Bedknife, 3.2 mm Standard	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	36.41
		Drive System	
BTC10391		Four-Wheel Drive (4WD) Conversion Kit <i>Install harnesses TCA25300 and TCA25301 from parts per DTAC Solution 99986 for E-Cut Hybrid ONLY Serial numbers below ITC750AUTEE010120 or ITC750AVTEE0101260.</i>	5,036.49
		Engine	
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	196.10
		Fairway Tender Conditioner	

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	530.71
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	1,365.31
		Front Turf Brushes	
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
		Grass Catchers	
BTC10909		(1) 558.8 mm (22-in.) Front Grass Catcher for QA5 Cutting Units (Latch System) <i>3 needed for front on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	191.53
BTC10501		(1) 558.8 mm (22-in.) Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catchers BTC10408.</i>	200.09
BTC11038		(1) 558.8 mm (22-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear locations on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	191.53
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	155.16
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	187.26
BTC10605		Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	118.77
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	195.81

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10194		Front Wing Latch Kit for QA5 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position for Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units. 1 kit includes parts for both wing cutting units.</i>	307.09
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BTC11011		Left Hand Catcher Latch <i>2 needed for front grass catchers and 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	170.13
BTC11010		Right Hand Catcher Latch <i>1 needed for front grass catchers 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	170.13
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations. 3 required.</i>	51.36
BTC10778		Greens Tender Conditioner (1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	307.09
BTC10924		Miscellaneous Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	839.96
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	612.04
TCU13823		Height of Cut Gauge Bar	97.44
BTC10346		Hydraulic Down Pressure Kit	1,006.87
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	50.00
BM24372		Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	69.56
BTC10834		Rear Roller Power Brushes (1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	154.09
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53
BM22762		Reel Cutting Unit Counter Weights (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
		Reel Cutting Units	
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,538.04
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,444.96
		Roller Scrapers	
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	27.81
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	37.46
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	16.06
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	34.50
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	159.43
		Rollers	
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	364.87
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06
BM24202		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	180.83

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	253.59
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	253.59
BM19821		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	318.86
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	442.99
		Vertical Cutting Units	
BM25129		(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	2,511.29

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower
Equipment for Base Machine

<p>ENGINE: Gross Engine HP 41.6 (31 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control</p>	<p>Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL: 3 Front Work Lights On-Board Electric Backlapping with Adjustable Reel Speed control Five Electric Reel Motors CUTTING UNITS: 100 In. (2.54 m) Cutting Width (5) QA5 7 Blade 22 In. (55.9 cm) Cutting Units with SpeedLink Height of Cut Adjustment System 5 In. (12.7 cm) Diameter Reels with Heavy Section Reel Blades</p>	<p>Adjustable Bedknife with Notch System 2 In. (5.1 cm) Diameter Machined Grooved Solid Front rollers 2 In. (5.1 cm) Diameter Hollow Smooth Rear rollers Rear Cutting Unit Attaching Point Quick-Tatch Cutting Units WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
---	---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1783TC	7500A E-Cut Hybrid Fairway Mower	69,979.00
--------	----------------------------------	-----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other Countries	No Added Cost

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1290	Less Cutting Units 55.9 cm (22-in.) QA5 Cutting Units <i>55.9 cm (22-in.) Width per cutting unit</i> <i>254 cm (100-in.) Total Width of Cut</i> <i>12.7 cm (5-in.) Diameter Cutting Units</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i>	-11,425.00
1201	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife</i> Less Front and Rear Rollers	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1203		REEL CUTTING UNITS Continued... Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable Low Cut bedknife Less Front and Rear Rollers</i>	435.00
REEL FRONT ROLLERS			
1390		Less Front Rollers 55.9 cm (22-in.) Front Rollers <i>55.9 cm (22-in.) Standard Width Rollers</i>	-1,185.00
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	-340.00
1303		50.8 mm (2-in.) Diameter Spiral Grooved Rollers	305.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	In Base Price
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	520.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps <i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	885.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	605.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	605.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	40.00
REEL REAR ROLLERS			
1690		Less Rear Rollers 55.9 cm (22-in.) Rear Rollers	-845.00
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	In Base Price
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	945.00
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	945.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	In Base Price
1402		QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	390.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued...			
1404		QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	No Added Cost
1408		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	-315.00
FAIRWAY TENDER CONDITIONER			
9737		(5) QA5 22" Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	2,480.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	6,380.00
GRASS CATCHERS			
9827		(3) FRONT Grass Catchers and Mounting Brackets <i>Note: Order code is for FRONT 3 cutting units only; Must also order Code 9828 OR 9829 for complete machine.</i>	1,014.00
9828		(2) REAR Grass Catchers and Mounting Brackets <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	676.00
9829		(2) REAR Grass Catcher Bail Kit and Grass Catchers <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	654.00
REAR ROLLER POWER BRUSHES			
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	1,965.00
9791		(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	720.00
FRONT TURF BRUSHES			
9751		(5) 22 In. Front Rotary Turf Brush <i>Brush can be used in place of using FTC/GTC Shaft and Blades Kit.</i>	1,040.00
MISCELLANEOUS			
9752		Hydraulic Down Pressure Kit <i>Additional valve added to machine to increase down pressure cutting units.</i>	941.00
ROLLER SCRAPERS			
9756		(5) 22 In. Smooth Roller Scrapers	75.00
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.)	175.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ROLLER SCRAPERS Continued...			
Smooth Rear Rollers			
9850		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	130.00
REEL CUTTING UNITS			
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	11,860.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	11,425.00
TRACTION DRIVE UNIT			
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit. E-Cut Hybrid ONLY Serial numbers below 010126 order and install Harnesses TCA25300 and TCA25301 from parts per DTAC Solution 99986.</i>	4,707.00
MISCELLANEOUS			
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	572.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	785.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	73.61
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	40.27
ET17534		Bedknife, 2.5mm Tournament	35.61
ET17533		Bedknife, 3.2 mm Standard	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	36.41
Drive System			
BTC10391		Four-Wheel Drive (4WD) Conversion Kit	5,036.49
Engine			
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	196.10
Fairway Tender Conditioner			
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	530.71

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	1,365.31
		Front Turf Brushes	
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
		Grass Catchers	
BTC10909		(1) 558.8 mm (22-in.) Front Grass Catcher for QA5 Cutting Units (Latch System) <i>3 needed for front on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	191.53
BTC10501		(1) 558.8 mm (22-in.) Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catchers BTC10408.</i>	200.09
BTC11038		(1) 558.8 mm (22-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear locations on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	191.53
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	155.16
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	187.26
BTC10605		Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	118.77
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	195.81
BTC10194		Front Wing Latch Kit for QA5 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position for Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units. 1 kit includes parts for both wing cutting units.</i>	307.09

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BTC11011		Left Hand Catcher Latch <i>2 needed for front grass catchers and 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	170.13
BTC11010		Right Hand Catcher Latch <i>1 needed for front grass catchers 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	170.13
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations. 3 required.</i>	51.36
BTC10778		Greens Tender Conditioner (1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	307.09
BTC10924		Miscellaneous Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	839.96
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	612.04
TCU13823		Height of Cut Gauge Bar	97.44
BTC10346		Hydraulic Down Pressure Kit	1,006.87
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	50.00
BM24372		Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	69.56
BTC10834		Rear Roller Power Brushes (1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	154.09
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
		Reel Cutting Units	
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,538.04
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,444.96
		Roller Scrapers	
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	27.81
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	37.46
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	16.06
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	34.50
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	159.43
		Rollers	
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	364.87
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06
BM24202		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	180.83
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	253.59
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	253.59

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM19821		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	318.86
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	442.99

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Equipment for Base Machine

<p>ENGINE: Gross Engine HP 41.6 (31 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control</p>	<p>Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL: 3 Front Work Lights CUTTING UNITS: 100 In. (2.54 m) Cutting Width (5) QA7 8 Blade 22 In. (55.9 cm)Cutting Units with SpeedLink Height of Cut Adjustment System 7 In. (17.8 cm) Diameter Reels Reel to Bedknife Adjustment</p>	<p>with Notch System 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Roller 3 In. (7.6 cm) Diameter Smooth Rear Roller Rear Cutting Unit Attaching Point Quick-Tatch Cutting Units WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
---	--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1423TC	7700A PrecisionCut Fairway Mower	70,319.00
--------	----------------------------------	-----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other Countries	No Added Cost

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1290	Less Cutting Units 55.9 cm (22-in.) QA7 Cutting Units <i>55.9 cm (22-in.) Width per cutting unit</i> <i>254 cm (100-in.) Total Width of Cut</i> <i>17.8 cm (7-in.) Diameter Cutting Units</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i> <i>Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>76.2 mm (3-in.) Diameter Wide Tube / Hollow Smooth Rear Roller</i>	-13,880.00
1208	Quick Adjust 7 (QA7) 8-blade Cutting Units <i>0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife</i> <i>Less Front Rollers</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1209		REEL CUTTING UNITS Continued... Quick Adjust 7 (QA7) 10-blade Cutting Units <i>0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife Less Front Rollers</i>	275.00
REEL FRONT ROLLERS			
1390		Less Front Rollers 55.9 cm (22-in.) Front Rollers <i>55.9 cm (22-in.) Standard Width Rollers</i>	-1,705.00
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	In Base Price
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	365.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1401		QA7 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	In Base Price
1403		QA7 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	390.00
1406		QA7 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	No Added Cost
1408		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	-315.00
TRACTION DRIVE UNIT			
1190		2WD Traction Unit	In Base Price
1191		Factory Installed 4WD Traction Unit	4,592.00
FAIRWAY TENDER CONDITIONER			
9739		(5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires QA7 FTC Gear Drive.</i>	2,700.00
9744		(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	6,380.00
GRASS CATCHERS			
9734		(5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch	1,330.00
REAR ROLLER POWER BRUSHES			
9746		(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	720.00
9749		(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	1,965.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ROLLER SCRAPERS			
9754		(5) 22 In. 3 In. Diameter Heavy Duty Grooved Disc Roller Scrapers	745.00
9756		(5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i>	215.00
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	175.00
9851		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA7 Verticutters with 50.8 mm (2-in.) Smooth Front Rollers	295.00
VERTICAL CUTTING UNITS			
9123		(5) QA7 Vertical Cutting Units with Front and Rear Rollers Less Motors	9,620.00
REEL CUTTING UNITS			
9806		(5) 10-blade QA7 Cutting Units LESS Front Roller	14,155.00
9807		(5) 8-blade QA7 Cutting Units LESS Front Roller	13,880.00
TRACTION DRIVE UNIT			
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	4,707.00
MISCELLANEOUS			
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	572.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	785.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
ET17751		Bedknife, 12 mm Fairway High Cut	40.40
TCU32581		Bedknife, 6.3 mm Tournament with Hardened Insert, Less Aggressive	95.03
MT1928		Bedknife, 9.5 mm Fairway Low Cut	41.39
Drive System			
BTC10391		Four-Wheel Drive (4WD) Conversion Kit	5,036.49
Engine			
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	196.10
Fairway Tender Conditioner			
BTC10782		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	577.80

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10782 FTC Shaft Kit. Not compatible with previous FTC Shaft Kits.</i>	1,365.31
		Grass Catchers	
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	187.26
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	195.81
TCB11414		Front Wing Latch Kit for QA7 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position on Fairway Mowers with QA7 Cutting Units. 1 Kit includes parts for both wing cutting units.</i>	238.61
		Miscellaneous	
BTC10924		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	839.96
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	612.04
BM22756		Grass Catcher Mounting Kit (set of 5) for QA7 Cutting Units	222.56
TCU13823		Height of Cut Gauge Bar	97.44
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	50.00
		Rear Roller Power Brushes	
BTC10835		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	154.09
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10835 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Reel Cutting Unit Attaching Yokes	
BM22764		(1) Conversion Mounting Kit 2009 machine to old cutting ESP cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	74.90
BM22763		(1) Conversion Mounting Kit old machine to new Quick-Adjust 7 (QA7) Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	77.04
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
BM22721		(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
		Reel Cutting Units	
BM24122		(1) Quick Adjust 7 (QA7) 10-Blade 558.8-mm (22-in.) Cutting Unit with 6.3 mm bedknife with hardened insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	3,029.17
BM24121		(1) Quick Adjust 7 (QA7) 8-Blade 558.8-mm (22 In.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	2,970.31
		Roller Scrapers	
BUC10114		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA7 Verticutter with 50.8 mm (2-in.) Smooth Front Roller	63.13
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	37.46
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	159.43
BM17684		(5) 558.8 mm (22-in.) Smooth Roller Scrapers for QA7 Cutting Units <i>Requires (5) TCA19587 from parts.</i>	230.06
		Rollers	
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller	364.87
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps	442.99
		Vertical Cutting Units	
BM22461		(1) Quick-Adjust 7 (QA7) 558.8-mm (22-in.) Vertical Cutting Unit with Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	2,058.69

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower
Equipment for Base Machine

ENGINE:
Gross Engine HP 41.6 (31 kW)
Three Cylinder Turbo Tier 4
Diesel Engine
B20 Compatible
TRANSMISSION:
eHydro Electronic controlled
Servo Hydrostatic Drive with
AutoPedal
Three Wheel Drive
Internal Wet Disc Brakes
OPERATOR STATION:
Command Arm with Operator
Controls
Full Suspension Seat with
Armrest and Retractable Seat
Belt
TechControl Display with built
in Machine Settings, Controls,
and Electrical Diagnostics
One-Touch Lift/Lower cutting
unit Joystick control
Rear Cutting Unit Attaching

Point
Foot Activated Tilt Steering
Column
2-Post Roll Over Protection
Structure
HYDRAULICS:
Power Steering with Double
acting steering cylinder
Hydraulic Down Pressure with
mechanical On/Off adjustability
CUTTING UNITS:
80 In. (2.03 m) Cutting Width
(5) QA5 11 Blade 18 In. (45.7
cm) Cutting Units with SpeedLink
Height of Cut Adjustment System
5 In. (12.7 cm) Diameter Reels
with Heavy Section Reel Blades
Adjustable Bedknife with Notch
System
2 In. (5.1 cm) Diameter Machined
Grooved Solid Front Rollers
2 In. (5.1 cm) Diameter Hollow
Smooth Rear Rollers

Quick-Tatch Cutting Units
ELECTRICAL:
3 Front Work Lights
On-Board Electric Backlapping
with Adjustable Reel Speed
control
Five Electric Reel Motors

WHEELS AND TIRES:
24x13 -12 Smooth Front Drive
Tires
24x13 -12 Smooth Rear Steer Tire

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1773TC		8000A E-Cut Hybrid Fairway Mower	65,019.00
--------	--	----------------------------------	-----------

DESTINATION

001A		United States and Canada	In Base Price
001D		Other Countries	No Added Cost

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)	In Base Price
------	--	---------------------------------------	---------------

REEL CUTTING UNITS

1290		Less Cutting Units 45.7 cm (18-in.) QA5 Cutting Units <i>45.7 cm (18-in.) Width per cutting unit</i> <i>203.2 cm (80-in.) Total Width of Cut</i> <i>12.7 cm (5-in.) Diameter Cutting Units</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i>	-12,430.00
1200		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife</i> <i>Less Front and Rear Rollers</i>	-1,290.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1202		REEL CUTTING UNITS Continued... Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable Low Cut bedknife Less Front and Rear Rollers</i>	In Base Price
REEL FRONT ROLLERS			
1390		Less Front Rollers 45.7 cm (18-in.) Front Rollers <i>45.7 cm (18-in.) Standard Width Rollers</i>	-1,025.00
1309		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers	No Added Cost
1310		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	In Base Price
1311		50.8 mm (2-in.) Diameter Spiral Grooved Rollers	845.00
1312		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	845.00
1321		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1621) on the rear of the cutting unit.</i>	845.00
1322		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	-180.00
1326		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1619) on the rear of the cutting unit.</i>	465.00
REEL REAR ROLLERS			
1690		Less Rear Rollers 45.7 cm (18-in.) Rear Rollers	-845.00
1619		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1326) on the front of the cutting unit.</i>	645.00
1621		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1321) on the front of the cutting unit.</i>	1,025.00
1622		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	In Base Price
1402		QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	390.00
1404		QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	No Added Cost
1408		Less Cutting Unit Counterweights	-315.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued...			
<i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>			
FAIRWAY TENDER CONDITIONER			
9740		(5) QA5 18" Fairway Tender Conditioners Shaft (FTC) and Blades <i>Requires QA5 GTC/FTC Gear Drive. Not compatible with 3 In roller option.</i>	2,480.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	6,380.00
GRASS CATCHERS			
9834		(3) FRONT Grass Catchers and Mounting Brackets (2) REAR Grass Catcher Bail Kits and Grass Catchers <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i>	1,798.00
REAR ROLLER POWER BRUSHES			
9745		(5) QA5 18 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	720.00
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	1,965.00
ROLLER SCRAPERS			
9755		(5) 18 In. Smooth Roller Scrapers	75.00
9758		(5) 18 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers <i>Not compatible with Fairway Tender Conditioner option 9740.</i>	655.00
9848		(5) 45.7 cm (18-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	130.00
REEL CUTTING UNITS			
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	12,430.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	11,140.00
MISCELLANEOUS			
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	572.00
ATTACHMENTS FOR FIELD CONVERSION			
		Bedknives	
TCU36878		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	73.61
MT7350		Bedknife, 2.0 mm Ultra Low-Cut, Less Aggressive	39.71
MT4846		Bedknife, 2.5 mm Tournament	39.92

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCU25299		Bedknife, 4.8 mm Fairway Low Cut	35.63
TCU31422		Bedknife, Hi-cut Fairway 7.6 mm	82.02
		Engine	
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	196.10
		Fairway Tender Conditioner	
BTC10780		(1) 45.7 cm (18-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	530.71
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting units requires BTC10783 GTC Shaft Kit, BTC10780 FTC Shaft Kit, BTC10774 Front Rotary Brush Kit, or BTC10776 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	1,365.31
		Front Turf Brushes	
BTC10774		(1) 45.7 cm (18-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
BTC10776		(1) 45.7 cm (18-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
		Grass Catchers	
BTC10406		(1) 457.2 (18-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10405.</i>	162.64
BTC11039		(1) 457.2 mm (18-in.) Front Grass Catcher for QA5 Cutting Units <i>3 needed for front on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011</i>	191.53
BTC10717		(1) 457.2-mm (18-in.) Front Grass Catcher with large paddle clip <i>3 required for complete machine. Also requires (3) Grass Catcher Side Plate Insert Kits (BM24199).</i>	204.37
BTC10405		(1) 457.2-mm (18-in.) Rear Grass Catcher Bail System <i>Requires 2 for complete machine & rear grass catchers with handles BTC10406.</i>	256.80
BTC10605		Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	118.77
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC11011		Left Hand Catcher Latch <i>2 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units and not compatible for rear locations.</i>	170.13
BTC11010		Right Hand Catcher Latch <i>1 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units and not compatible for rear locations.</i>	170.13
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 45.7 cm (18-in.) QA5 cutting units, used only in front cutting unit locations. 3 required.</i>	51.36
BTC10783		Greens Tender Conditioner (1) 45.7 cm (18-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	283.56
BTC10338		Miscellaneous Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	612.04
TCU13823		Height of Cut Gauge Bar	97.44
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	50.00
BM24372		Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	69.56
TCU25388		UltraTrac Fairway Mower Tire <i>For installation on front position of 8000 and 8000A E-Cut Hybrid Fairway Mowers.</i>	410.51
BTC10833		Rear Roller Power Brushes (1) 45.7 cm (18-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	154.09
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting Units requires BTC10833 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53
BM22762		Reel Cutting Unit Counter Weights (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
		Reel Cutting Units	
BM25126		(1) Quick Adjust 5 (QA5) 11-Blade 457.2-mm (18-in.) Cutting Unit with 2.0-mm hardened bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,660.01
BM25125		(1) Quick Adjust 5 (QA5) 7-Blade 457.2-mm (18-in.) Heavy Section Cutting Unit with adjustable 4.8-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,383.96
		Roller Scrapers	
BUC10428		(1) 45.7 cm (18-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	27.81
BM23015		(1) 457.2-mm (18-in.) Smooth Roller Scraper <i>Adjustable cable design.</i>	16.06
TCA19585		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Grooved Roller Scraper <i>Need to order 5 for completed machine.</i>	11.95
BM23014		(1) 457.2-mm (18-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners.</i>	140.17
		Rollers	
TCA19509		(1) 45.72 cm (18 in.) x 7.6 cm (3 in.) Diameter Hollow Smooth Roller <i>Not compatible with Fairway Tender Conditioners (FTC) when used as a front roller.</i>	292.53
BM25316		(1) 457.2 mm (18 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting units if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	390.56
BM22868		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Grooved Roller	219.36
BM24204		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	180.83
BM20561		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Roller	219.36
BTC10281		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	400.19
BM23567		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	318.86
BM22879		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Spiral Grooved Roller with Spiral End Caps	400.19

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower
Equipment for Base Machine

<p>ENGINE: Gross Engine HP 55.6 (41.6 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control</p>	<p>Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL: 3 Front Work Lights CUTTING UNITS: 100 In. (2.54 m) Cutting Width (5) QA7 8 Blade 22 In. (55.9 cm)Cutting Units with SpeedLink Height of Cut Adjustment System 7 In. (17.8 cm) Diameter Reels Reel to Bedknife Adjustment</p>	<p>with Notch System 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Roller 3 In. (7.6 cm) Diameter Smooth Rear Roller Rear Cutting Unit Attaching Point Quick-Tatch Cutting Units WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
---	--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1523TC	8700A PrecisionCut Fairway Mower	75,649.00
--------	----------------------------------	-----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other Countries	No Added Cost

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1290	Less Cutting Units 55.9 cm (22-in.) QA7 Cutting Units <i>55.9 cm (22-in.) Width per cutting unit</i> <i>254 cm (100-in.) Total Width of Cut</i> <i>17.8 cm (7-in.) Diameter Cutting Units</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i> <i>Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>76.2 mm (3-in.) Diameter Wide Tube / Hollow Smooth Rear Roller</i>	-13,880.00
1208	Quick Adjust 7 (QA7) 8-blade Cutting Units <i>0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife</i> <i>Less Front Rollers</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1209		REEL CUTTING UNITS Continued... Quick Adjust 7 (QA7) 10-blade Cutting Units <i>0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife Less Front Rollers</i>	275.00
REEL FRONT ROLLERS			
1390		Less Front Rollers 55.9 cm (22-in.) Front Rollers <i>55.9 cm (22-in.) Standard Width Rollers</i>	-1,705.00
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	In Base Price
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	365.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1401		QA7 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	In Base Price
1403		QA7 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	390.00
1406		QA7 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	No Added Cost
1408		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	-315.00
FAIRWAY TENDER CONDITIONER			
9739		(5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires QA7 FTC Gear Drive.</i>	2,700.00
9744		(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	6,380.00
GRASS CATCHERS			
9734		(5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch	1,330.00
REAR ROLLER POWER BRUSHES			
9746		(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	720.00
9749		(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	1,965.00
ROLLER SCRAPERS			
9754		(5) 22 In. 3 In. Diameter Heavy Duty Grooved Disc Roller Scrapers	745.00
9756		(5) 22 In. Smooth Roller Scrapers	215.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ROLLER SCRAPERS Continued...			
<i>Requires (5) TCA19587 from parts.</i>			
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	175.00
9851		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA7 Verticutters with 50.8 mm (2-in.) Smooth Front Rollers	295.00
VERTICAL CUTTING UNITS			
9123		(5) QA7 Vertical Cutting Units with Front and Rear Rollers Less Motors	9,620.00
REEL CUTTING UNITS			
9806		(5) 10-blade QA7 Cutting Units LESS Front Roller	14,155.00
9807		(5) 8-blade QA7 Cutting Units LESS Front Roller	13,880.00
TRACTION DRIVE UNIT			
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	4,707.00
MISCELLANEOUS			
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	572.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
ET17751		Bedknife, 12 mm Fairway High Cut	40.40
TCU32581		Bedknife, 6.3 mm Tournament with Hardened Insert, Less Aggressive	95.03
MT1928		Bedknife, 9.5 mm Fairway Low Cut	41.39
Drive System			
BTC10391		Four-Wheel Drive (4WD) Conversion Kit	5,036.49
Engine			
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	196.10
Fairway Tender Conditioner			
BTC10782		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	577.80
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10782 FTC Shaft Kit. Not compatible with previous FTC Shaft Kits.</i>	1,365.31
		Grass Catchers	
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	187.26
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	195.81
TCB11414		Front Wing Latch Kit for QA7 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position on Fairway Mowers with QA7 Cutting Units. 1 Kit includes parts for both wing cutting units.</i>	238.61
		Miscellaneous	
BTC10924		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	839.96
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	612.04
BM22756		Grass Catcher Mounting Kit (set of 5) for QA7 Cutting Units	222.56
TCU13823		Height of Cut Gauge Bar	97.44
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	50.00
		Rear Roller Power Brushes	
BTC10835		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	154.09
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10835 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53
		Reel Cutting Unit Attaching Yokes	
BM22764		(1) Conversion Mounting Kit 2009 machine to old cutting ESP cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	74.90
BM22763		(1) Conversion Mounting Kit old machine to new Quick-Adjust 7 (QA7) Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	77.04

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
BM22721		(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
		Reel Cutting Units	
BM24122		(1) Quick Adjust 7 (QA7) 10-Blade 558.8-mm (22-in.) Cutting Unit with 6.3 mm bedknife with hardened insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	3,029.17
BM24121		(1) Quick Adjust 7 (QA7) 8-Blade 558.8-mm (22 In.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	2,970.31
		Roller Scrapers	
BUC10114		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA7 Verticutter with 50.8 mm (2-in.) Smooth Front Roller	63.13
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	37.46
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	159.43
BM17684		(5) 558.8 mm (22-in.) Smooth Roller Scrapers for QA7 Cutting Units <i>Requires (5) TCA19587 from parts.</i>	230.06
		Rollers	
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller	364.87
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps	442.99
		Vertical Cutting Units	
BM22461		(1) Quick-Adjust 7 (QA7) 558.8-mm (22-in.) Vertical Cutting Unit with Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	2,058.69

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 3.3 m (130-in.)
Equipment for Base Machine

ENGINE:
55.6 HP (41.6 kW) - Engine hp is provided by the engine manufacturer for comparison purposes only. Actual operating hp will be less. Refer to engine manufacturer's website for additional information.
Four Cylinder, Turbo-Charged Diesel Engine
EPA Tier 4 Compliant
B20 Compatible

CHASSIS:
2-Post SAE J21294 ROPS with seat belts
Rear Cutting Unit Attaching Point

HYDRAULICS:
eHydro Electronic controlled Servo Hydrostatic Drive with

AutoPedal
GRIP All-Wheel Drive Traction System (4WD)
Five Hydraulic Reel Motors with Quick Removal Feature
On-Board Backlapping with Pressure Compensation and Adjustable Reel Speed control

OPERATOR STATION:
Command Arm with Operator Controls with Power Charging Port
TechControl Display with built in Machine Setting Controls and Electrical Diagnostics
Foot Activated Tilt Steering Column
One-Touch Lift/Lower cutting unit Joystick control
Air Ride Suspension Seat with Armrest and Retractable Seat

Belt
3 Front Work Lights
STEERING AND BRAKES:
Power Steering with Double acting steering cylinder
Internal Wet Disc Brakes
Electronically Actuated Parking Brake

WHEELS AND TIRES:
26.5x14-12 Turf Drive Tires
20x10-8 Turf Steer Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1556TC		8900A PrecisionCut Large Area Reel Mower (Tier 4) 3.3 m (130-in.)	96,995.00
--------	--	---	-----------

DESTINATION

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)	In Base Price
------	--	---------------------------------------	---------------

REEL CUTTING UNITS

1290		Less Cutting Units and Rear Yokes <i>Includes Yokes for Front 3 Cutting Units</i>	-14,345.00
------	--	--	------------

30 Inch QA7 Cutting Units

*76.2 cm (30-in.) Width per Cutting Unit
3.3 m (130-in.) Width of Cut
17.8 cm (7-in.) Diameter Cutting Units
15.8 mm (0.622-in.) Tournament Bedknife
Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution
Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments
Includes Cutting Unit Yokes*

1205		Quick Adjust 7 (QA7) 5-blade 76.2 cm (30-in.) Cutting Units	-980.00
1207		Quick Adjust 7 (QA7) 8-blade 76.2 cm (30-in.) Cutting Units	In Base Price

REEL FRONT ROLLERS

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 3.3 m (130-in.)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REEL FRONT ROLLERS Continued...	
1390		Less Front Rollers	-2,650.00
		30 Inch Front Rollers	
1318		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	-260.00
1319		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	In Base Price
1329		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	345.00
<hr/>			
		REEL CUTTING UNIT COUNTER WEIGHTS	
1402		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i>	In Base Price
<hr/>			
		REEL CUTTING UNITS	
9808		76.2 cm (30-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units <i>Complete set of 5. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	14,015.00
		ROLLER SCRAPERS	
9759		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 5. Requires (5) TCA19587 from parts.</i>	745.00
9762		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Provides 2 of kit BM18440 (sets of 3) scraper for a total of 6. Requires TCA19587 from parts for each scraper.</i>	390.00
		MISCELLANEOUS	
9833		76.2 cm (30-in.) Quick Adjust 7 (QA7) Vertical Cutting Units <i>Complete set of 5. Includes Front Rollers and Yokes. Less Motors and Counterweights.</i>	11,900.00
9836		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers for Vertical Cutting Units <i>Set of 5, Front and Rear.</i>	650.00
		MISCELLANEOUS	
9764		Canopy	572.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
MT1973		Bedknife, 15.8 mm Standard for 76.2 cm (30-in.) QA7 Cutting Units	48.24
UC11472		Bedknife, 6.3 mm Tournament for 76.2 cm (30-in.) QA7 Cutting Units	107.40

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 3.3 m (130-in.)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Cutting Units			
BM24125		(1) Quick-Adjust 7 (QA7) 5-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,789.49
BM24126		(1) Quick-Adjust 7 (QA7) 8-Blade 762-mm (30-in.) Cutting Unit with 15.8 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,999.21
Miscellaneous			
BTC10338		Canopy	612.04
TCU13823		Height of Cut Gauge Bar	97.44
Reel Cutting Unit Counter Weights			
BM22762		(1) Cutting Unit ONLY Counter Weight Kit	67.41
Roller Scrapers			
BUC10077		(1) 762 mm (30-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	69.56
BUC10111		(1) 762 mm (30-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit</i>	69.56
BM23004		(1) 762 mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>1 required per cutting unit.</i>	159.43
BM18440		762 mm (30-in.) Smooth Roller Scrapers <i>Complete set of 3, will require 2 sets for a complete machine. Requires (3) TCA19587 from parts.</i>	208.66
Rollers			
BM25319		(1) 762 mm (30-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	567.10
BM18439		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	511.46
BM19819		(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	640.93
Vertical Cutting Units			
BUC10073		(1) Quick-Adjust 7 (QA7) 762 mm (30-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less yoke, motor, and counterweight.</i>	2,370.06

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)
Equipment for Base Machine

ENGINE:
55.6 HP (41.6 kW) - Engine hp is provided by the engine manufacturer for comparison purposes only. Actual operating hp will be less. Refer to engine manufacturer's website for additional information.
Four Cylinder, Turbo-Charged Diesel Engine
EPA Tier 4 Compliant
B20 Compatible

CHASSIS:
2-Post SAE J21294 ROPS with seat belts
Rear Cutting Unit Attaching Point

HYDRAULICS:
eHydro Electronic controlled Servo Hydrostatic Drive with

AutoPedal
GRIP All-Wheel Drive Traction System (4WD)
Five Hydraulic Reel Motors with Quick Removal Feature
On-Board Backlapping with Pressure Compensation and Adjustable Reel Speed control

OPERATOR STATION:
Command Arm with Operator Controls with Power Charging Port
TechControl Display with built in Machine Setting Controls and Electrical Diagnostics
Foot Activated Tilt Steering Column
One-Touch Lift/Lower cutting unit Joystick control
Air Ride Suspension Seat with Armrest and Retractable Seat

Belt
3 Front Work Lights
STEERING AND BRAKES:
Power Steering with Double acting steering cylinder
Internal Wet Disc Brakes
Electronically Actuated Parking Brake

WHEELS AND TIRES:
26.5x14-12 Turf Drive Tires
20x10-8 Turf Steer Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1555TC	8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)	94,815.00
--------	---	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1290	Less Cutting Units and Rear Yokes <i>Includes Yokes for Front 3 Cutting Units</i>	-12,485.00
------	--	------------

26 Inch QA7 Cutting Units
66 cm (26-in.) Width per Cutting Unit
2.9 m (114-in.) Width of Cut
17.8 cm (7-in.) Diameter Cutting Units
6.3 mm (0.248-in.) Tournament Bedknife
Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution
Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments
Includes Cutting Unit Yokes

1204	Quick Adjust 7 (QA7) 5-blade 66 cm (26-in.) Cutting Units	-780.00
1206	Quick Adjust 7 (QA7) 8-blade 66 cm (26-in.) Cutting Units	In Base Price
1218	Quick Adjust 7 (QA7) 10-blade 66 cm (26-in.) Cutting Units	275.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL FRONT ROLLERS			
1390		Less Front Rollers	-1,940.00
		26 Inch Front Rollers	
1315		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	-260.00
1316		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	In Base Price
1317		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	345.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1402		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i>	In Base Price
1404		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i>	390.00
1409		Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTCs on 66 cm (26-in.) cutting units.</i>	No Added Cost
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTCs and Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i>	-315.00
FAIRWAY TENDER CONDITIONER			
9741		Fairway Tender Conditioner Shaft and Blades, 66 cm (26-in.) <i>Set of 5. Requires code 9744 (FTC Gear Drive).</i>	2,650.00
9744		FTC Gear Drive <i>Set of 5. Requires code 9741 (Fairway Tender Conditioner Shaft and Blades).</i>	6,380.00
GRASS CATCHERS			
9736		Grass Catchers with Mounting Hardware for QA7 26 In. (66.04 cm) Cutting Units <i>Includes Grass catchers, mounting hardware and wing latch kit</i>	1,718.00
REAR ROLLER POWER BRUSHES			
9747		Rear Roller Power Brushes <i>Set of 5. Requires Code 9749 (Rear Roller Power Brush Drive).</i>	895.00
9749		Rear Roller Power Brush Drive <i>Set of 5. Requires Code 9747 (Rear Roller Power Brushes).</i>	1,965.00
REEL CUTTING UNITS			
9807		66 cm (26-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units <i>Complete set of 5. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	12,205.00
9844		66 cm (26-in.) Quick Adjust 7 (QA7) 10-blade Cutting Units <i>Complete set of 5.</i>	12,480.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...			
<i>Less Front Rollers, Motors, Counterweights, and Yokes.</i>			
ROLLER SCRAPERS			
9760		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 5. Requires (5) TCA19587 from parts. Not compatible with FTCs.</i>	685.00
9757		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Provides 2 of kit BM17383 (sets of 3 scrapers) for a total of 6. Requires TCA19587 from parts for each individual scraper. Not compatible with Rear Roller Power Brush installed.</i>	288.00
MISCELLANEOUS			
9832		66 cm (26-in.) Quick Adjust 7 (QA7) Vertical Cutting Units <i>Complete set of 5. Includes Front Rollers and Yokes. Less Motors and Counterweights.</i>	10,345.00
9835		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers for Vertical Cutting Units <i>Set of 5, Front and Rear.</i>	600.00
MISCELLANEOUS			
9764		Canopy	572.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
ET17752		Bedknife, 15.8 mm Standard for 66 cm (26-in.) QA7 Cutting Units	40.16
MT6949		Bedknife, 6.3 mm Tournament for 66 cm (26-in.) QA7 Cutting Units	47.11
TCU34070		Bedknife, 6.3 mm with Hardened Insert, Less Aggressive for 66 cm (26-in.) QA7 Cutting Units	146.09
Cutting Units			
BUC10070		(1) Quick-Adjust 7 (QA7) 10-Blade 660.4 mm (26-in.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,611.87
BM24123		(1) Quick-Adjust 7 (QA7) 5-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,444.96
BUC10072		(1) Quick-Adjust 7 (QA7) 660.4 mm (26-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less Yoke, Motor, and Counterweight</i>	2,064.03
BM24124		(1) Quick-Adjust 7 (QA7) 8-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,611.87

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
BTC10781		Fairway Tender Conditioner (1) 66 cm (26-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	567.10
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10781 FTC Shaft Kit. Not compatible with previous FTC Kits.</i>	1,365.31
Grass Catchers			
BUC10106		(1) 660.4 mm (26-in.) Grass Catcher with Paddle Clip and Mounting Hardware <i>5 required for complete machine. Also requires TCB11414 QA7 Wing Latch Kit to secure grass catchers to wing cutting units when raised in transport position.</i>	319.93
TCB11414		Front Wing Latch Kit for QA7 Cutting Units <i>Secures grass catchers to wing cutting units when raised into the transport position.</i>	238.61
Miscellaneous			
BTC10338		Canopy	612.04
TCU13823		Height of Cut Gauge Bar	97.44
Rear Roller Power Brushes			
BTC10836		(1) 66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	191.53
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10836 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53
Reel Cutting Unit Counter Weights			
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or FTC Kits.</i>	67.41
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	67.41
BM22721		(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	150.87
Roller Scrapers			

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10110		(1) 660.4 mm (26-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	64.20
BM23005		(1) 660.4 mm (26-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC). 1 required per cutting unit.</i>	146.59
BM17683		660.4 mm (26-in.) Smooth Roller Scrapers <i>Complete set of 3, will need 2 sets for a complete machine. Requires (5) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	154.09
		Rollers	
BUC10076		(1) 660.4 mm (26-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	64.20
BM25318		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	260.50
BM17671		(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	359.51
BM19818		(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	488.99

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6080A PrecisionCut Fairway Mower
Equipment for Base Machine

<p>ENGINE: Three Cylinder Diesel Engine Indirect Injection Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive Three Wheel Drive GRIP All-Wheel Drive Traction System</p> <p>Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Mechanically Controlled Throttle</p> <p>Full Suspension Seat with Armrest and Retractable Seat Belt</p>	<p>TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics</p> <p>One-Touch Lift/Lower cutting unit Joystick control</p> <p>Foot Activated Tilt Steering Column</p> <p>2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder</p> <p>On-Board Backlapping with Adjustable Reel Speed control</p> <p>Single Reel Circuit</p> <p>Five Hydraulic Reel Motors with Quick Removal Feature</p> <p>Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL:</p>	<p>3 Front Work Lights</p> <p>12-volt Power Port</p> <p>CUTTING UNITS: 80 In. (2.03 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES: Three Wheel Configuration 24x13-12 Smooth Drive and Steering Tires</p>
--	--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

Fuquay-Varina, North Carolina

1560TC		6080A PrecisionCut Fairway Mower <i>EPA Final Tier 4 Compliant B20 Compatible 24.7 HP (18.4 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.</i>	36,368.00
--------	--	---	-----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)	In Base Price
------	--	---------------------------------------	---------------

REEL CUTTING UNITS

1290		Less Cutting Units 45.7 cm (18-in.) QA5 Cutting Units <i>45.7 cm (18-in.) Width per cutting unit 203.2 cm (80-in.) Total Width of Cut 12.7 cm (5-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i>	In Base Price
1200		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers</i>	11,640.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6080A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1202		REEL CUTTING UNITS Continued... Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable Low Cut bedknife Less Front and Rear Rollers</i>	12,990.00
REEL FRONT ROLLERS			
1390		Less Front Rollers 45.7 cm (18-in.) Front Rollers <i>45.7 cm (18-in.) Standard Width Rollers</i>	In Base Price
1309		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers	835.00
1310		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	835.00
1311		50.8 mm (2-in.) Diameter Spiral Grooved Rollers	1,870.00
1312		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	1,825.00
1321		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1621) on the rear of the cutting unit.</i>	1,870.00
1322		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	595.00
1326		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1619) on the rear of the cutting unit.</i>	1,490.00
REEL REAR ROLLERS			
1690		Less Rear Rollers 45.7 cm (18-in.) Rear Rollers	In Base Price
1619		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1326) on the front of the cutting unit.</i>	1,490.00
1621		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1321) on the front of the cutting unit.</i>	1,870.00
1622		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	595.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	330.00
1402		QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	735.00
1404		QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	330.00
1408		Less Cutting Unit Counterweights	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6080A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued...			
<i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>			
FAIRWAY TENDER CONDITIONER			
9740		(5) QA5 18" Fairway Tender Conditioners Shaft (FTC) and Blades <i>Requires QA5 GTC/FTC Gear Drive. Not compatible with 3 In roller option.</i>	2,590.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	6,665.00
GRASS CATCHERS			
9834		(3) FRONT Grass Catchers and Mounting Brackets (2) REAR Grass Catcher Bail Kits and Grass Catchers <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i>	1,879.00
REAR ROLLER POWER BRUSHES			
9745		(5) QA5 18 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	750.00
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	2,055.00
ROLLER SCRAPERS			
9755		(5) 18 In. Smooth Roller Scrapers	80.00
9758		(5) 18 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers <i>Not compatible with Fairway Tender Conditioner option 9740.</i>	685.00
9848		(5) 45.7 cm (18-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	135.00
REEL CUTTING UNITS			
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	12,990.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	11,640.00
MISCELLANEOUS			
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	598.00
ATTACHMENTS FOR FIELD CONVERSION			
		Bedknives	
TCU36878		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	73.61
MT7350		Bedknife, 2.0 mm Ultra Low-Cut, Less Aggressive	39.71
MT4846		Bedknife, 2.5 mm Tournament	39.92

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6080A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCU25299		Bedknife, 4.8 mm Fairway Low Cut	35.63
TCU31422		Bedknife, Hi-cut Fairway 7.6 mm	82.02
		Engine	
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	196.10
		Fairway Tender Conditioner	
BTC10780		(1) 45.7 cm (18-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	530.71
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting units requires BTC10783 GTC Shaft Kit, BTC10780 FTC Shaft Kit, BTC10774 Front Rotary Brush Kit, or BTC10776 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	1,365.31
		Front Turf Brushes	
BTC10774		(1) 45.7 cm (18-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
BTC10776		(1) 45.7 cm (18-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
		Grass Catchers	
BTC10406		(1) 457.2 (18-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10405.</i>	162.64
BTC11039		(1) 457.2 mm (18-in.) Front Grass Catcher for QA5 Cutting Units <i>3 needed for front on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011</i>	191.53
BTC10717		(1) 457.2-mm (18-in.) Front Grass Catcher with large paddle clip <i>3 required for complete machine. Also requires (3) Grass Catcher Side Plate Insert Kits (BM24199).</i>	204.37
BTC10405		(1) 457.2-mm (18-in.) Rear Grass Catcher Bail System <i>Requires 2 for complete machine & rear grass catchers with handles BTC10406.</i>	256.80
BTC10605		Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	118.77
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6080A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC11011		Left Hand Catcher Latch <i>2 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units and not compatible for rear locations.</i>	170.13
BTC11010		Right Hand Catcher Latch <i>1 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units and not compatible for rear locations.</i>	170.13
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 45.7 cm (18-in.) QA5 cutting units, used only in front cutting unit locations. 3 required.</i>	51.36
BTC10783		Greens Tender Conditioner (1) 45.7 cm (18-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	283.56
BTC10338		Miscellaneous Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	612.04
TCU13823		Height of Cut Gauge Bar	97.44
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	50.00
BM24372		Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	69.56
TCU25388		UltraTrac Fairway Mower Tire <i>For installation on front position of 8000 and 8000A E-Cut Hybrid Fairway Mowers.</i>	410.51
BTC10833		Rear Roller Power Brushes (1) 45.7 cm (18-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	154.09
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting Units requires BTC10833 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53
BM22762		Reel Cutting Unit Counter Weights (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6080A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
		Reel Cutting Units	
BM25126		(1) Quick Adjust 5 (QA5) 11-Blade 457.2-mm (18-in.) Cutting Unit with 2.0-mm hardened bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,660.01
BM25125		(1) Quick Adjust 5 (QA5) 7-Blade 457.2-mm (18-in.) Heavy Section Cutting Unit with adjustable 4.8-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,383.96
		Roller Scrapers	
BUC10428		(1) 45.7 cm (18-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	27.81
BM23015		(1) 457.2-mm (18-in.) Smooth Roller Scraper <i>Adjustable cable design.</i>	16.06
TCA19585		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Grooved Roller Scraper <i>Need to order 5 for completed machine.</i>	11.95
BM23014		(1) 457.2-mm (18-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners.</i>	140.17
		Rollers	
TCA19509		(1) 45.72 cm (18 in.) x 7.6 cm (3 in.) Diameter Hollow Smooth Roller <i>Not compatible with Fairway Tender Conditioners (FTC) when used as a front roller.</i>	292.53
BM25316		(1) 457.2 mm (18 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting units if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	390.56
BM22868		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Grooved Roller	219.36
BM24204		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	180.83
BM20561		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Roller	219.36
BTC10281		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	400.19
BM23567		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	318.86
BM22879		(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Spiral Grooved Roller with Spiral End Caps	400.19

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6500A PrecisionCut Fairway Mower
Equipment for Base Machine

ENGINE: Three Cylinder Diesel Engine Indirect Injection Liquid Cooled with Centrifugal Pump TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive Three Wheel Drive GRIP All-Wheel Drive Traction System Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Mechanically Controlled Throttle Full Suspension Seat with Armrest and Retractable Seat Belt	TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Single Reel Circuit Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL:	3 Front Work Lights 12-volt Power Port CUTTING UNITS: 100 In. (2.54 m) Cutting Width Rear Cutting Unit Attaching Point Yokes WHEELS AND TIRES: Three Wheel Configuration 26.5x14-12 Smooth Drive Tires 24x13-12 Smooth Steering Tire
---	--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

Fuquay-Varina, North Carolina

1570TC		6500A PrecisionCut Fairway Mower <i>EPA Final Tier 4 Compliant B20 Compatible 24.7 HP (18.4 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information</i>	43,082.00
--------	--	--	-----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

OPERATOR'S MANUAL

0443		All Other countries (English/Spanish)	In Base Price
------	--	---------------------------------------	---------------

REEL CUTTING UNITS

1290		Less Cutting Units 55.9 cm (22-in.) QA5 Cutting Units <i>55.9 cm (22-in.) Width per cutting unit 254 cm (100-in.) Total Width of Cut 12.7 cm (5-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i>	In Base Price
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers</i>	11,940.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6500A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1203		REEL CUTTING UNITS Continued... Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable Low Cut bedknife Less Front and Rear Rollers</i>	12,395.00
REEL FRONT ROLLERS			
1390		Less Front Rollers 55.9 cm (22-in.) Front Rollers <i>55.9 cm (22-in.) Standard Width Rollers</i>	In Base Price
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	845.00
1303		50.8 mm (2-in.) Diameter Spiral Grooved Rollers	1,490.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	835.00
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	1,275.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps <i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	2,070.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	1,790.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	1,790.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	1,225.00
REEL REAR ROLLERS			
1690		Less Rear Rollers 55.9 cm (22-in.) Rear Rollers	In Base Price
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	845.00
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	1,790.00
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	1,790.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	330.00
1402		QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	735.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued...			
1404		QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	330.00
1408		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
FAIRWAY TENDER CONDITIONER			
9737		(5) QA5 22" Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	2,590.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	6,665.00
GRASS CATCHERS			
9827		(3) FRONT Grass Catchers and Mounting Brackets <i>Note: Order code is for FRONT 3 cutting units only; Must also order Code 9828 OR 9829 for complete machine.</i>	1,059.00
9828		(2) REAR Grass Catchers and Mounting Brackets <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	706.00
9829		(2) REAR Grass Catcher Bail Kit and Grass Catchers <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	694.00
REAR ROLLER POWER BRUSHES			
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	2,055.00
9791		(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	750.00
FRONT TURF BRUSHES			
9751		(5) 22 In. Front Rotary Turf Brush <i>Brush can be used in place of using FTC/GTC Shaft and Blades Kit.</i>	1,085.00
MISCELLANEOUS			
9752		Hydraulic Down Pressure Kit <i>Additional valve added to machine to increase down pressure cutting units.</i>	4,915.00
ROLLER SCRAPERS			
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	185.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6500A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ROLLER SCRAPERS Continued...	
9850		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	135.00
		REEL CUTTING UNITS	
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	12,395.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	11,940.00
		MISCELLANEOUS	
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	598.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	820.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
TCU36165		Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	73.61
MT7351		Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	40.27
ET17534		Bedknife, 2.5mm Tournament	35.61
ET17533		Bedknife, 3.2 mm Standard	34.75
ET11066		Bedknife, 3.2 mm with Hardened Insert	35.45
ET17532		Bedknife, 4.8 mm Fairway Low Cut	34.83
ET17767		Bedknife, 7.6 mm Fairway Hi-Cut	36.41
		Engine	
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	196.10
		Fairway Tender Conditioner	
BTC10779		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	530.71
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6500A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10760		(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	1,365.31
		Front Turf Brushes	
BTC10773		(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
BTC10775		(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	222.56
		Grass Catchers	
BTC10909		(1) 558.8 mm (22-in.) Front Grass Catcher for QA5 Cutting Units (Latch System) <i>3 needed for front on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	191.53
BTC10501		(1) 558.8 mm (22-in.) Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catchers BTC10408.</i>	200.09
BTC11038		(1) 558.8 mm (22-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear locations on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	191.53
BTC10408		(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	155.16
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	187.26
BTC10605		Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	118.77
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	195.81
BTC10194		Front Wing Latch Kit for QA5 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position for Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units. 1 kit includes parts for both wing cutting units.</i>	307.09
BM23910		Grass Catcher Lip Extension for QA5 Cutting Units <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BTC11011		Left Hand Catcher Latch <i>2 needed for front grass catchers and 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	170.13

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6500A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC11010		Right Hand Catcher Latch <i>1 needed for front grass catchers 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	170.13
BM24199		Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations. 3 required.</i>	51.36
BTC10778		Greens Tender Conditioner (1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	307.09
BTC10924		Miscellaneous Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	839.96
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	612.04
TCU13823		Height of Cut Gauge Bar	97.44
BTC10346		Hydraulic Down Pressure Kit	1,006.87
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	50.00
BM24372		Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	69.56
BTC10834		Rear Roller Power Brushes (1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	154.09
BTC10767		(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53
BM22762		Reel Cutting Unit Counter Weights (1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22705		(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
		Reel Cutting Units	
BM25128		(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,538.04
BM25127		(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	2,444.96
		Roller Scrapers	
BUC10113		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	27.81
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	37.46
BM22995		(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	16.06
TCA19547		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	34.50
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	159.43
		Rollers	
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	364.87
BM23566		(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06
BM24202		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	180.83
BE23416		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	253.59
BM18481		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	253.59
BM19821		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	318.86
BTC10267		(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	442.99

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6700A PrecisionCut Fairway Mower
Equipment for Base Machine

<p>ENGINE: Three Cylinder Diesel Engine Indirect Injection Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive Three Wheel Drive GRIP All-Wheel Drive Traction System</p> <p>Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Mechanically Controlled Throttle</p> <p>Full Suspension Seat with Armrest and Retractable Seat Belt</p>	<p>TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics</p> <p>One-Touch Lift/Lower cutting unit Joystick control</p> <p>Foot Activated Tilt Steering Column</p> <p>2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder</p> <p>On-Board Backlapping with Adjustable Reel Speed control</p> <p>Single Reel Circuit</p> <p>Five Hydraulic Reel Motors with Quick Removal Feature</p> <p>Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL:</p>	<p>3 Front Work Lights</p> <p>12-volt Power Port</p> <p>CUTTING UNITS: 100 In. (2.54 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES: Three Wheel Configuration 26.5x14-12 Smooth Drive Tires 24x13-12 Smooth Steering Tire</p>
--	--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

Fuquay-Varina, North Carolina

1580TC	6700A PrecisionCut Fairway Mower <i>EPA Final Tier 4 Compliant B20 Compatible 24.7 HP (18.4 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information</i>	47,755.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1290	Less Cutting Units 55.9 cm (22-in.) QA7 Cutting Units <i>55.9 cm (22-in.) Width per cutting unit 254 cm (100-in.) Total Width of Cut 17.8 cm (7-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments 76.2 mm (3-in.) Diameter Wide Tube / Hollow Smooth Rear Roller</i>	In Base Price
1208	Quick Adjust 7 (QA7) 8-blade Cutting Units <i>0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife Less Front Rollers</i>	14,505.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6700A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1209		REEL CUTTING UNITS Continued... Quick Adjust 7 (QA7) 10-blade Cutting Units <i>0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife Less Front Rollers</i>	14,790.00
REEL FRONT ROLLERS			
1390		Less Front Rollers 55.9 cm (22-in.) Front Rollers <i>55.9 cm (22-in.) Standard Width Rollers</i>	In Base Price
1305		76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	1,275.00
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	2,070.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1401		QA7 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	330.00
1403		QA7 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	735.00
1406		QA7 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	330.00
1408		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
FAIRWAY TENDER CONDITIONER			
9739		(5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires QA7 FTC Gear Drive.</i>	2,820.00
9744		(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	6,665.00
GRASS CATCHERS			
9734		(5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch	1,389.00
9852		(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System for QA7 Cutting Units	1,765.00
REAR ROLLER POWER BRUSHES			
9746		(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	750.00
9749		(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	2,055.00
ROLLER SCRAPERS			

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6700A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ROLLER SCRAPERS Continued...			
9754		(5) 22 In. 3 In. Diameter Heavy Duty Grooved Disc Roller Scrapers	780.00
9756		(5) 22 In. Smooth Roller Scrapers <i>Spring-loaded scraper design. Requires (5) TCA19587 from parts.</i>	1,125.00
9849		(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	185.00
9851		(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA7 Verticutters with 50.8 mm (2-in.) Smooth Front Rollers	310.00
REEL CUTTING UNITS			
9806		(5) 10-blade QA7 Cutting Units LESS Front Roller	14,790.00
9807		(5) 8-blade QA7 Cutting Units LESS Front Roller	14,505.00
MISCELLANEOUS			
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	598.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	820.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
ET17751		Bedknife, 12 mm Fairway High Cut	40.40
TCU32581		Bedknife, 6.3 mm Tournament with Hardened Insert, Less Aggressive	95.03
MT1928		Bedknife, 9.5 mm Fairway Low Cut	41.39
Engine			
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	196.10
Fairway Tender Conditioner			
BTC10782		(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	577.80
BUC10283		(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	84.53
BTC10759		(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10782 FTC Shaft Kit. Not compatible with previous FTC Shaft Kits.</i>	1,365.31

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6700A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Grass Catchers			
BTC10718		(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	187.26
BTC10719		Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	195.81
TCB11414		Front Wing Latch Kit for QA7 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position on Fairway Mowers with QA7 Cutting Units. 1 Kit includes parts for both wing cutting units.</i>	238.61
Miscellaneous			
BTC10924		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat</i>	839.96
MT3983		Bedknife, 6.3 mm Low-Cut	44.28
BTC10338		Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	612.04
BM22756		Grass Catcher Mounting Kit (set of 5) for QA7 Cutting Units	222.56
TCU13823		Height of Cut Gauge Bar	97.44
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	50.00
Rear Roller Power Brushes			
BTC10835		(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	154.09
BTC10768		(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10835 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	420.51
BUC10268		(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	84.53
Reel Cutting Unit Attaching Yokes			
BM22764		(1) Conversion Mounting Kit 2009 machine to old cutting ESP cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	74.90
BM22763		(1) Conversion Mounting Kit old machine to new Quick-Adjust 7 (QA7) Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	77.04
Reel Cutting Unit Counter Weights			
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

6700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22704		(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
BM22721		(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
		Reel Cutting Units	
BM24122		(1) Quick Adjust 7 (QA7) 10-Blade 558.8-mm (22-in.) Cutting Unit with 6.3 mm bedknife with hardened insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	3,029.17
BM24121		(1) Quick Adjust 7 (QA7) 8-Blade 558.8-mm (22 In.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	2,970.31
		Roller Scrapers	
BUC10114		(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA7 Verticutter with 50.8 mm (2-in.) Smooth Front Roller	63.13
BUC10112		(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	37.46
BM23002		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	159.43
BM17684		(5) 558.8 mm (22-in.) Smooth Roller Scrapers for QA7 Cutting Units <i>Requires (5) TCA19587 from parts.</i>	230.06
		Rollers	
BM26408		(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller	262.16
BM25317		(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller	364.87
BM19817		(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps	442.99