

MISSOURI - Department of Conservation Agricultural Tractor Rental Contract

Contract Number:	CC170556001
Contract Period:	February 10, 2017 – March 31, 2020
Eligibility:	Missouri Department of Conservation and members of the state's Cooperative Procurement Program .

Quotes and Purchase Orders:

To obtain a quote, contact your local [John Deere Dealer](#). Submit your purchase order to your dealer. The John Deere Dealer will submit the purchase order to John Deere's Government Sales office.

All purchase orders must show Deere & Company as the vendor and reference the contract number.

Contract Details

Quotes	Quotes are valid for 30 days from the creation date of the quote OR until the contract expires, <u>whichever occurs first</u> . All quotes created in JDQ2 have creation and expiration dates in the upper right hand corner of the first quote page for your convenience.
Allied - Non-John Deere Equipment	None.
Credit Cards	Allowed.
Special Delivery Obligations	None.
Fees	The contract allows an optional hauling fee per loaded mile of \$3. See Price Structure below for details.
Financing	Not allowed on this contract.

Multiple Unit Discount	None.
Non-contract John Deere Equipment	Not allowed on this contract.
Rental	<p>Allowed.</p> <p><u>Rental Period</u> The minimum rental is 300 hours. The maximum rental period is 12 months. Please see the Price Structure below for the rental rates.</p> <p><u>Mandatory Minimum Specs for Line Items 001 to 009</u></p> <p>Tractor: Four (4) Wheel Drive</p> <p>Engine: 140 PTO HP minimum</p> <p>Transmission: Direct drive power shift</p> <p>Tires: Standard Tires for machine and equipped with rear duals</p> <p>Weights: Standard weights for size and type machine to facilitate safe, efficient operation</p> <p>Hydraulics: Shall be equipped with three hydraulic remotes capable of operating a variety of standard farming equipment such as a, disk, planter, rotary mower, field cultivator, etc.</p> <p>Cab: Fully enclosed with heater, air conditioner, rear view mirror and radio</p> <p><u>Mandatory Minimum Specs for Line Items 010 to 018</u></p> <p>Tractor: Four (4) Wheel Drive</p> <p>Engine: 140 PTO HP minimum</p> <p>Transmission: Direct drive power shift</p> <p>Tires: Standard Tires for machine and equipped with rear duals</p> <p>Weights: Standard weights for size and type machine to facilitate safe, efficient operation</p> <p>Hydraulics: Shall be equipped with three hydraulic remotes capable of operating a variety of standard farming equipment such as a, disk, planter, rotary mower, field cultivator, etc.</p> <p>Cab: Fully enclosed with heater, air conditioner, rear view mirror and radio</p> <p>Loader: Shall be equipped with a standard duty loader</p>

Mandatory Minimum Specs for Line Items 019 to 027

Tractor: Four (4) Wheel Drive

Engine: 130 PTO HP minimum

Transmission: Direct drive power shift

Tires: Standard Tires for machine

Weights: Standard weights for size and type machine to facilitate safe, efficient operation

Hydraulics: Shall be equipped with three hydraulic remotes capable of operating a variety of standard farming equipment such as a, disk, planter, rotary mower, field cultivator, etc.

Cab: Fully enclosed with heater, air conditioner, rear view mirror and radio

Mandatory Minimum Specs for Line Items 028 to 036

Tractor: Four (4) Wheel Drive

Engine: 130 PTO HP minimum

Transmission: Direct drive power shift

Tires: Standard Tires for machine

Weights: Standard weights for size and type machine to facilitate safe, efficient operation

Hydraulics: Shall be equipped with three hydraulic remotes capable of operating a variety of standard farming equipment such as a, disk, planter, rotary mower, field cultivator, etc.

Cab: Fully enclosed with heater, air conditioner, rear view mirror and radio

Loader: Shall be equipped with a standard duty loader

Mandatory Minimum Specs for Line Items 037 to 045

Tractor: Four (4) wheel drive

Engine: 120 PTO HP minimum

Transmission: Direct drive power shift

Tires: Standard tires for machine and equipped with rear duals

Weights: Standard weights for size and type machine to facilitate safe, efficient operation

Hydraulics: Shall be equipped with three hydraulic remotes capable of operating a variety of standard farming equipment such as a, disk, planter, rotary mower, field cultivator, etc.

Cab: Fully enclosed with heater, air conditioner, rear view mirror and radio

Mandatory Minimum Specs for Line Items 046 to 054

Tractor: Four (4) wheel drive

Engine: 120 PTO HP minimum

Transmission: Direct drive power shift

Tires: Standard tires for machine and equipped with rear duals

Weights: Standard weights for size and type machine to facilitate safe, efficient operation

Hydraulics: Shall be equipped with three hydraulic remotes capable of operating a variety of standard farming equipment such as a, disk, planter, rotary mower, field cultivator, etc.

Cab: Fully enclosed with heater, air conditioner, rear view mirror and radio

Loader: Shall be equipped with standard duty loader

Mandatory Minimum Specs for Line Items 056, 059-062

Tractor: Four (4) wheel drive

Engine: 105 PTO HP minimum

Transmission: Direct drive power shift (partial)

Tires: Standard Tires for machine

Weights: Standard weights for size and type machine to facilitate safe, efficient operation

Hydraulics: Shall be equipped with three hydraulic remotes capable of operating a variety of standard farming equipment such as a, disk, planter, rotary mower, field cultivator, etc.

Cab: Fully enclosed with heater, air conditioner, rear view mirror and radio

Mandatory Minimum Specs for Line Items 064 to 072

Tractor: Four (4) wheel drive

Engine: 105 PTO HP minimum

Transmission: Direct drive power shift (partial)

Tires: Standard Tires for machine

Weights: Standard weights for size and type machine to facilitate safe, efficient operation

Hydraulics: Shall be equipped with three hydraulic remotes capable of operating a variety of standard farming equipment such as a, disk, planter, rotary mower, field cultivator, etc.

Cab: Fully enclosed with heater, air conditioner, rear view mirror and radio

Loader: Must be equipped with a standard duty loader

Mandatory Minimum Specs for Line Items 073 to 081

Tractor: Two (2) wheel-drive equipped with front wheel assist

Engine: 95 PTO HP minimum

Transmission: Direct drive power shift

Tires: Standard Tires for machine

Weights: Standard weights for size and type machine to facilitate safe, efficient operation

Hydraulics: Shall be equipped with three hydraulic remotes capable of operating a variety of standard farming equipment such as a, disk, planter, rotary mower, field cultivator, etc.

Cab: Fully enclosed with heater, air conditioner, rear view mirror and radio

Mandatory Minimum Specs for Line Items 082 to 090

Tractor: Two (2) Wheel Drive Equipped with Front Wheel Assist

Engine: 95 PTO HP minimum

Transmission: Direct drive power shift

Tires: Standard Tires for machine

Weights: Standard weights for size and type machine to facilitate safe, efficient operation

Hydraulics: Shall be equipped with three hydraulic remotes capable of operating a variety of standard farming equipment such as a, disk, planter, rotary mower, field cultivator, etc.

Cab: Fully enclosed with heater, air conditioner, rear view mirror and radio

Loader: Must be equipped with a standard duty loader

Mandatory Minimum Specs for Line Items 091 to 099

Tractor: Two (2) Wheel Drive Equipped with Front Wheel Assist

Engine: 72 PTO HP minimum

Transmission: Direct drive power shift (partial)

Tires: Standard Tires for machine

Weights: Standard weights for size and type machine to facilitate safe, efficient operation

Hydraulics: Shall be equipped with three hydraulic remotes capable of operating a variety of standard farming equipment such as a, disk, planter, rotary mower, field cultivator, etc.

Cab: Fully enclosed with heater, air conditioner, rear view mirror and radio

Mandatory Minimum Specs for Line Items 100 to 108

Tractor: Two (2) Wheel Drive Equipped with Front Wheel Assist

Engine: 72 PTO HP minimum

Transmission: Direct drive power shift (partial)

Tires: Standard Tires for machine

Weights: Standard weights for size and type machine to facilitate safe, efficient operation

Hydraulics: Shall be equipped with three hydraulic remotes capable of operating a variety of standard farming equipment such as a, disk, planter, rotary mower, field cultivator, etc.

Cab: Fully enclosed with heater, air conditioner, rear view mirror and radio

Loader: Shall be equipped with a standard duty loader

Mandatory Minimum Specs for Line Items 109 to 117

Tractor: Two (2) Wheel Drive Equipped with Front Wheel Assist

Engine: 55 PTO HP minimum

Transmission: Direct drive power shift (partial)

Tires: Standard Tires for machine

Weights: Standard weights for size and type machine to facilitate safe, efficient operation

Hydraulics: Shall be equipped with three hydraulic remotes capable of operating a variety of standard farming equipment such as a, disk, planter, rotary mower, field cultivator, etc.

Cab: Fully enclosed with heater, air conditioner, rear view mirror and radio

Mandatory Minimum Specs for Line Items 118 to 126

	<p>Tractor: Two (2) Wheel Drive Equipped with Front Wheel Assist</p> <p>Engine: 55 PTO HP minimum</p> <p>Transmission: Direct drive power shift (partial)</p> <p>Tires: Standard Tires for machine</p> <p>Weights: Standard weights for size and type machine to facilitate safe, efficient operation</p> <p>Hydraulics: Shall be equipped with three hydraulic remotes capable of operating a variety of standard farming equipment such as a, disk, planter, rotary mower, field cultivator, etc.</p> <p>Cab: Fully enclosed with heater, air conditioner, rear view mirror and radio</p> <p>Loader: Shall be equipped with a standard duty loader</p>
Substitutions	John Deere must seek written approval from the state prior to substituting
Trade-ins	Not allowed on this contract.
Demo	Not allowed on this contract.
Miscellaneous	None.
Delivery Obligations	None.
Payment Remittance Information	<p>Remit to Address: Deere & Company Ag & Turf CBD & Government Sales 21748 Network Place Chicago, IL 60673-1217</p>

Price Structure

ITEM NUMBER	MODEL	RATE
001 - 008	6175R, 6175M Tractors	\$18.49 / HR
009	Price per loaded mile for delivering tractor to state agency location	\$3
010 - 017	6175R Tractor with H360 Loader 6175M Tractor with H360 Loader	\$20.49 / HR
018	Price per loaded mile for delivering tractor to state agency location	\$3
019 - 026	6175R, 6175M Tractors	\$18.49 / HR
027	Price per loaded mile for delivering tractor to state agency location	\$3
028 - 035	6175R Tractor with H360 Loader 6175M Tractor with H360 Loader	\$20.49 / HR
036	Price per loaded mile for delivering tractor to state agency location	\$3
037 - 044	6155R, 6155M Tractors	\$18.24 / HR
045	Price per loaded mile for delivering tractor to state agency location	\$3
046-053	6155R with 640R Loader 6155M with 640R Loader	\$20.24 / HR
054	Price per loaded mile for delivering tractor to state agency location	\$3
056, 059 - 062	6145M, 6145R Tractors	\$17.98 / HR
063	Price per loaded mile for delivering tractor to state agency location	\$3

064 - 071	6145R with 640R Loader 6145M with 640R Loader	\$19.98 / HR
072	Price per loaded mile for delivering tractor to state agency location	\$3
073 - 080	6130R, 6130M, 6120M, 5115M Tractors	\$15.98 / HR
081	Price per loaded mile for delivering tractor to state agency location	\$3
082 - 089	6120M, 6130M 6130R 5115M H310, 520M, 540M, 540R, 620R, 640R Loaders	\$17.98 / HR
090	Price per loaded mile for delivering tractor to state agency location	\$3
091 - 098	6120R, 6110R, 6110M, 5090M, 5100M, 5100E Tractors	\$15.78 / HR
099	Price per loaded mile for delivering tractor to state agency location	\$3
100 - 107	5090M, 5100M, 5100E, 6110R, 6120R, 6110M H310, 520M, 540M, 540R, 620R, 640R Loaders	\$17.78 / HR
108	Price per loaded mile for delivering tractor to state agency location	\$3
109 - 116	5075M, 5085E, 5075E Tractors	\$14.78 / HR
117	Price per loaded mile for delivering tractor to state agency location	\$3
118 - 125	5075M, 5075E, 5085E 520M, 540M, 540R Loaders	\$16.78 / HR
126	Price per loaded mile for delivering tractor to state agency location	\$3

Contract updates

February 13, 2020 – Changed contract end date from 9Feb2020 to 31Mar2020. No other changes made.

January 28, 2019 – Changed contract end date from 9Feb2019 to 9Feb2020. No other changes made.

February 7, 2018 - Added models 6110M, 6110R, 6120R to lines 100-107. Added 5075E to lines 118-125. Added 5090M to lines 91-108. Removed 5085M from lines 109-116. Rental rates were not changed.

December 5, 2017 - Removed H240 and H260 loaders and added 520M, 540M and 540R loaders.