

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Base (MY16)
 Equipment for Base Machine

ENGINE:
 570cc, 16 HP (12 kW)*
 4-cycle, 2 cylinder, gas,
 dynamically tuned carburetor
 Air cooled
 Full pressure lubrication
 Replaceable single dry-type
 element air cleaner with remote
 intake
 Inductive coil ignition
 Spark-arresting muffler

ELECTRICAL:
 Electric start
 16 amp regulated stator type
 alternator
 340 CCA battery
 Two 37.5 watt halogen headlights
 (1) 12V power outlet
 Available brake light kit

TRANSAXLE/TRANSMISSION:
 Continuously Variable
 Transmission (CVT) with full
 clutch enclosure
 H, L, N, R transaxle with
 lockable rear differential
 Operator selectable 4WD
 Limited slip front differential
 28 mph (45 kph) maximum forward
 speed
 Large diameter half shafts with
 TPE boots

BRAKES:
 Front and rear hydraulic disk
 brakes with large 196mm
 stainless steel rotors
 Foot-operated park brake

STEERING/SUSPENSION:
 Rack and Pinion Steering
 12.3 ft. (3.75m) Turning Circle
 Independent front dual A-arm

suspension with anti-roll bar; 8
 in. (203mm) of travel
 Independent rear H-arm
 suspension with camber link; 8
 in. (203mm) of travel

FRAME:
 Robotically welded high-strength
 steel frame
 Integrated 2 in. (50mm) rear
 receiver
 Optional 2 in. (50mm) front
 receiver with recovery loops

**OCCUPANT PROTECTIVE STRUCTURE
 (OPS):**
 OSR (Occupant Side Retention)
 Nets standard
 1.75 In. (44.4 mm) steel tubular
 overhead structure
 Passenger handhold
 SAE J2194 & OSHA ROPS Certified

OPERATOR STATION:
 2 occupant capacity bench seat
 3-point seat belts
 Hip restraint bars for driver
 and passenger
 Sealed glove box
 Sealed storage compartment under
 hood
 Two cup holders in dash
 Fuel sight gauge
 Instrument cluster with hour
 meter and seat belt reminder

DIMENSIONS:
 113 in. (2.9m) long x 56.5 in.
 (1.4m) wide x 73.5 in. (1.9m)
 high
 Front tread centers: 48 in.
 (1.2m)
 Rear tread centers: 46 in.
 (1.16m)

Wheelbase: 72.8 in. (1.8m)
 Ground Clearance: 10.5 in.
 (267mm)
WEIGHT/CAPACITIES:
 Weight (including fuel/fluids):
 1270 lbs. (576 kg.)
 Payload Capacity: 800 lbs. (363
 kg.)
 Towing Capacity: 1,100 lbs.
 (499 kg.)
 4.9 Gallon (18.5L) fuel tank

CARGO BOX:
 Material: High-density
 composite
 Dimensions: 32.3 In. (82cm)
 Long x 47.6 In. (121cm) Wide x
 11.7 In. (29.7cm) Deep
 Volume: 8.9 cu. ft (0.25 cu.m)
 Capacity: 400 Lbs (181 kg)
 Dump: 2-sided manual release
 with optional power lift
 Tailgate: Hinged, one-handed
 operation, tool-less removal

MISCELLANEOUS:
 Safety and Operational DVD
 Operator's Manual

*Engine HP is Provided by the
 Engine Manufacturer to be Used
 for Comparison Purposes Only,
 Actual Operating HP will be
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5380M		PR15 - XUV560 Base (MY16) <i>Base Machine Suggested List Price Does Not Include 550 USD Destination Charge.</i>	8,139.00
-------	--	--	----------

DESTINATION

001A		US / CANADA	In Base Price
------	--	-------------	---------------

COLOR

2500		Green and Yellow	In Base Price
------	--	------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
WHEELS WITH TIRES			
1000		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 in. Yellow steel wheels	In Base Price
1002		25 in. Ancla M-T Extreme Terrain Tires (4 Ply) on 12 in. Yellow steel wheels	In Base Price
SEATS			
2006		Bench Seat - Yellow	In Base Price
CARGO BOX LIFT			
3100		Manual Lift	In Base Price
OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)			
4000		OPS with OSR nets	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Ag Management Solutions:	
BM25411		AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
		Cabs/Roofs/Windshields:	
BM25259		Abrasion Resistant Half Windshield	264.29
BM25261		Abrasion Resistant Poly Rear Window <i>Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.</i>	355.24
BM26000		Canvas Rear Panel <i>Compatible with poly roof, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	202.23
BM25999		Canvas Roof / Rear Panel <i>Includes one piece roof / rear panel. Compatible with poly doors, full flip-out windshield. NOT compatible with glass windshield.</i>	352.03
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23376		Glass Windshield w/ Wiper	739.37
BM24737		OPS Side Mirrors	188.31
BM24796		Poly Cab Door Side Mirrors	169.06
BM24817		Poly Cab Doors <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	2,125.01
BM25014		Poly Rear Panel <i>Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.</i>	520.01

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23397	Poly Roof - Black	357.39
	BM23396	Rear Metal Screen <i>Includes headrests.</i>	297.46
	LP37050	Soft Cab - Black <i>Requires front windshield. Available through Order Zone.</i>	219.99
	LP37046	Soft Roof - Black <i>Available through Order Zone.</i>	32.99
	BM25103	Windshield Washer Kit	302.81
		Cargo Box Options / Storage:	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM25960	Cargo Box Power Lift	813.20
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49
		Carts / Hitches:	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73
		Custom & High Performance:	
	BM23438	High Capacity Alternator <i>55 Amps.</i>	725.46
	BM25923	Seat-Belt Comfort Strap (2)	92.01
	BM23933	Sport Steering Wheel	209.71
	BM23379	Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
		Hunting / Camo:	
	LP49226	Gun Mount Kit <i>Includes 2 Gun Boot VI. Available through Order Zone.</i>	479.00
	LP37041	Vehicle Cover - Transportable (Camo) <i>Available through Order Zone.</i>	179.95
		Lights / Signals:	
	BM23369	Backup Alarm	104.86
	BM24013	Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
	BM24100	Brake and Tail Light Kit	56.71
	BM25619	Brush Guard Light Harness Kit <i>Required with LED light kits.</i>	117.70
	BM25620	Front OPS/Roof Light Harness Kit <i>Required with LED light kits. Also requires OPS Switch Bank.</i>	85.60
	BM23442	Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
	BM24108	Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
	BM23370	Horn Kit	98.44

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25704		LED Driving Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	428.00
BM25705		LED Work Lights <i>Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.</i>	342.40
BM24090		Long Range Light Kit <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for brushguard mounting.</i>	199.01
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
BM25731		Rear OPS/Roof Light Harness Kit <i>Required with LED light kits. Also requires OPS Switch Bank.</i>	85.60
BM23367		Turn Signal Kit <i>Includes flashers, turn signals (front & rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
BRE10015		Operator Environment: Cell Phone Mount Kit	60.50
BM25148		OPS Rear View Mirror	86.67
BM23309		Protection: CV Guards <i>Aluminum.</i>	151.94
BM23368		Floor Mat	81.31
BM23365		Front Brushguard	341.33
BM23394		Front Fender Guards <i>Requires Front Brushguard</i>	188.31
BM24095		Full Underbody Skid Plate	165.86
BM23362		Rear Bumper	200.09
LP37036		Vehicle Cover - Black <i>Available through Order Zone.</i>	78.99
LP37040		Vehicle Cover - Transportable (Black)	144.99
LP39965		Sprayers / Pressure Washers: 25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
LP22885		HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95
LP39963		HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95
LP22884		HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
LP22911		HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		Spreaders:	
LP49056		3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
LP49055		3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
LP53513		Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00
		Winch:	
BM26248		WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	597.06
BM21392		Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81
BM26249		Winch Mounting Kit (for non winch ready vehicles) <i>Only power steering models come winch ready. Required to mount WARN 3500 lb winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	201.16

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 S4 Base (MY16)
 Equipment for Base Machine

<p>ENGINE: 570cc, 16 HP (12 kW)* 4-cycle, 2 cylinder, gas, dynamically tuned carburetor Air cooled Full pressure lubrication Replaceable single dry-type element air cleaner with remote intake Inductive coil ignition Spark-arresting muffler</p> <p>ELECTRICAL: Electric start 16 Amp regulated stator type alternator 340 CCA battery Two 37.5 watt halogen headlights (1) 12V power outlet Available brake light kit</p> <p>TRANSAXLE/TRANSMISSION: Continuously Variable Transmission (CVT) with full clutch enclosure H, L, N, R transaxle with lockable rear differential Operator selectable 4WD Limited slip front differential 28 mph (45 kph) maximum forward speed Large diameter half shafts with TPE boots</p> <p>BRAKES: Front and rear hydraulic disk brakes with large 196mm stainless steel rotors Foot-operated park brake</p> <p>STEERING/SUSPENSION: Rack and Pinion Steering 19.7 ft. (6.0m) Turning Circle Independent front dual A-arm suspension with anti-roll bar; 8 in. (203mm) of travel Independent rear H-arm</p>	<p>suspension with camber link; 8 in. (203mm) of travel</p> <p>FRAME: Robotically welded high-strength steel frame Integrated 2 in. (50mm) rear receiver Optional 2 in. (50mm) front receiver with recovery loops</p> <p>OCCUPANT PROTECTIVE STRUCTURE (OPS): OSR (Occupant Side Retention) Nets standard 1.75 In. (44.4 mm) steel tubular overhead structure Passenger handhold SAE J2194 & OSHA ROPS Certified</p> <p>OPERATOR STATION: 4 occupant capacity bench seats 3-point seat belts Hip restraint bars for driver and passengers Sealed glove box Sealed storage compartment under hood Optional sealed storage compartment under seat Two cup holders in dash Fuel sight gauge Instrument cluster with hour meter and seat belt reminder</p> <p>DIMENSIONS: 144 in. (3.7m) long x 56.5 in. (1.4m) wide x 73.5 in. (1.9m) high Front tread centers: 48 in. (1.2m) Rear tread centers: 46 in. (1.16m) Wheelbase: 108 in. (2.7m) Ground Clearance: 9.3 in. (236mm)</p> <p>WEIGHT/CAPACITIES:</p>	<p>Weight (including fuel/fluids): 1497 lbs. (679 kg.) Payload Capacity: 1200 lbs. (544 kg.) Towing Capacity: 1,100 lbs. (499 kg.) 4.9 Gallon (18.5L) fuel tank</p> <p>CARGO BOX: Material: High-density composite Dimensions: 32.3 In. (82cm) Long x 47.6 In. (121cm) Wide x 11.7 In. (29.7cm) Deep Volume: 8.9 cu. ft (0.25 cu.m) Capacity: 400 Lbs (181 kg) Dump: 2-sided manual release with optional power lift Tailgate: Hinged, one-handed operation, toolless removal</p> <p>CONVERTIBLE CARGO RACK: 23.5 in. (59.7 cm.) Long x 38.8 in. (98.6 cm) Wide x 8.1 in. (20.6 cm) Deep 4.3 cu. ft (0.12 cu.m) Capacity 200 Lbs (90.7 kg) Rack Capacity</p> <p>MISCELLANEOUS: Safety and Operational DVD Operator's Manual</p> <p><i>*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less.</i></p>
--	---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin

5390M	PR15 - XUV560 S4 Base (MY16) <i>Base Machine Suggested List Price Does Not Include 650 USD Destination Charge.</i>	9,739.00
-------	---	----------

DESTINATION

001A	US / CANADA	In Base Price
------	-------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
COLOR			
2500		Green and Yellow	In Base Price
WHEELS WITH TIRES			
1000		25 in. Terra Hawk All Terrain Tires (4 PR) on 12 in. Yellow steel wheels	In Base Price
SEATS			
2022		Bench Seat Front/Rear - Yellow	In Base Price
CARGO BOX LIFT			
3100		Manual Lift	In Base Price
OCCUPANT PROTECTIVE STRUCTURE (OPS) / OCCUPANT SIDE RETENTION (OSR)			
4000		OPS with OSR nets	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Ag Management Solutions:	
BM25411		AMS Integration Kit <i>Compatible with poly roof, or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600, or GreenStar 3 2630 display.</i>	452.61
		Cabs/Roofs/Windshields:	
BM25259		Abrasion Resistant Half Windshield	264.29
BM26000		Canvas Rear Panel <i>Compatible with poly roof, poly doors. Installed with full windshield will help keep dust out of operator station.</i>	202.23
BM23373		Full Abrasion Resistant Flip-out Windshield	551.06
BM23376		Glass Windshield w/ Wiper	739.37
BM24737		OPS Side Mirrors	188.31
BM24796		Poly Cab Door Side Mirrors	169.06
BM24818		Poly Cab Doors - S4 <i>Includes left and right doors. Requires full windshield, OPS rear panel, and poly roof to complete poly cab.</i>	3,905.50
BM25015		Poly Rear Panel (S4) <i>Can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab. Installed with full windshield will help keep dust out of operator station.</i>	564.96
BM23398		Poly Roof - Black (S4)	543.56
LP37052		Soft Cab (S4) - Black <i>Requires front windshield. Available through Order Zone.</i>	339.99
LP37048		Soft Roof (S4) - Black <i>Available through Order Zone.</i>	43.99

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM25103	Windshield Washer Kit	302.81
		Cargo Box Options / Storage:	
	BM23849	5 Gallon Pail Holder <i>Cargo box rails required.</i>	40.66
	BM23371	Box Mat	121.99
	BM25960	Cargo Box Power Lift	813.20
	BM23526	Cargo Box Rails	116.63
	BM23384	Cargo Box Wall Extensions <i>Requires cargo box rails. Not compatible with poly cab.</i>	349.89
	BM23360	Front Rack <i>Requires Front Brushguard for mounting.</i>	257.87
	BM24200	Glove Box Lock	12.84
	LP37044	OPS Overhead Organizer - Black <i>Available through Order Zone.</i>	65.99
	LP46485	Ratcheting Rhino Grip <i>Requires cargo box rails. Available through Order Zone.</i>	57.49
	LP25929	Rhino Grip XL - Double <i>Requires cargo box rails. Available through Order Zone.</i>	63.24
	LP25928	Rhino Grip XL - Single <i>Requires cargo box rails. Available through Order Zone.</i>	34.49
	BM23385	Tire Rack <i>Requires cargo box rails.</i>	221.49
	BM26307	Underseat Storage	111.29
		Carts / Hitches:	
	LPPCT10LXATV	10AT Cart <i>Available through Order Zone.</i>	579.00
	LPPCT17ATJD	17AT Cart <i>Available through Order Zone.</i>	799.00
	BM23363	2" Front Receiver Hitch and Recovery Loops	116.63
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
	PM05201	Ball Mount - 2 in. (51mm)	11.80
	BM22290	Drawbar - 2 in. (51mm)	41.73

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Custom & High Performance:	
BM23438		High Capacity Alternator <i>55 Amps.</i>	725.46
BM25923		Seat-Belt Comfort Strap (2)	92.01
BM23933		Sport Steering Wheel	209.71
BM23379		Stereo and Speaker Kit <i>Includes mounting kit only; must choose one of the following three head units to have complete stereo:</i> <i>Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130)</i> <i>Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630)</i> <i>Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC)</i> <i>Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.</i>	669.81
		Hunting / Camo:	
LP37039		Vehicle Cover (S4) - Camo <i>Available through Order Zone.</i>	129.95
LP37043		Vehicle Cover (S4) - Transportable (Camo) <i>Available through Order Zone.</i>	189.95
		Lights / Signals:	
BM23369		Backup Alarm	104.86
BM24013		Beacon Light <i>Requires OPS Switch Bank. Can be mounted on brake/taillight bracket, or on OPS poly roof.</i>	313.51
BM24100		Brake and Tail Light Kit	56.71
BM25619		Brush Guard Light Harness Kit <i>Required with LED light kits.</i>	117.70
BM25620		Front OPS/Roof Light Harness Kit <i>Required with LED light kits. Also requires OPS Switch Bank.</i>	85.60
BM23442		Hella HID Sport Driving Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	967.29
BM24108		Hella Performance Spot Lights <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for bumper mounting.</i>	355.24
BM23370		Horn Kit	98.44
BM25704		LED Driving Lights <i>Can be installed on brushguard, OPS and roof (front or rear).</i> <i>Requires OPS Switch Bank for OPS or roof mounting.</i> <i>Requires necessary Light Harness Kit based on desired light mounting location.</i>	428.00
BM25705		LED Work Lights <i>Can be installed on brushguard, OPS and roof (front or rear).</i> <i>Requires OPS Switch Bank for OPS or roof mounting.</i> <i>Requires necessary Light Harness Kit based on desired light mounting location.</i>	342.40

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM24090		Long Range Light Kit <i>Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brushguard for brushguard mounting.</i>	199.01
BM24273		Mid-Range Light Kit (rear S4 Only) <i>Requires OPS Switch Bank. Compatible with OPS Poly Roofs, or on the OPS alone.</i>	127.33
BM24089		OPS Switch Bank <i>Accommodates up to three separate OPS accessory kits.</i>	71.69
BM25621		Rear OPS/Roof Light Harness Kit (S4) <i>Required with LED light kits. Also requires OPS Switch Bank.</i>	85.60
BM23367		Turn Signal Kit <i>Includes flashers, turn signals (front & rear), and back-up lights. Requires OPS Poly Roof for installation.</i>	402.31
		Operator Environment:	
BRE10015		Cell Phone Mount Kit	60.50
BM25148		OPS Rear View Mirror	86.67
		Protection:	
BM23309		CV Guards <i>Aluminum.</i>	151.94
BM23884		Floor Mat - S4 <i>Front and rear mats.</i>	165.86
BM23365		Front Brushguard	341.33
BM23394		Front Fender Guards <i>Requires Front Brushguard</i>	188.31
BM23362		Rear Bumper	200.09
LP37038		Vehicle Cover (S4) - Black <i>Available through Order Zone.</i>	92.99
LP37042		Vehicle Cover (S4) - Transportable (Black) <i>Available through Order Zone.</i>	163.99
		Sprayers / Pressure Washers:	
LP39965		25 Gallon Bed Sprayer <i>Available through Order Zone.</i>	524.95
LP39964		45 Gallon Bed Sprayer <i>Available through Order Zone.</i>	599.95
LP39098		45 Gallon High Performance Bed Sprayer <i>Available through Order Zone.</i>	789.95
LP20485		45 Gallon Tow-Behind Sprayer <i>Available through Order Zone.</i>	624.95
LP22885		HP 150 in. Precision Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	239.95

JOHN DEERE TURF & UTILITY PRODUCTS
MID-SIZE CROSSOVER UTILITY VEHICLES AND EQUIPMENT

PR15 - XUV560 S4 Base (MY16)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP39963	HP 45 Gallon Sprayer - Tow Behind <i>Available through Order Zone.</i>	714.95
	LP22884	HP Boomless Nozzles <i>Compatible with HP sprayers. Available through Order Zone.</i>	145.95
	LP22911	HP Standard Gator Boom <i>Compatible with HP sprayers. Available through Order Zone.</i>	64.95
		Spreaders:	
	LP49056	3 cu. ft. Fertilizer Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	1,199.00
	LP49055	3 cu. ft. Salt Spreader <i>Requires spreader hitch and controls. Available through Order Zone.</i>	849.00
	LP53513	Spreader Hitch and Controls <i>Required with salt and fertilizer spreader. Available through Order Zone.</i>	549.00
		Winch:	
	BM26248	WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	597.06
	BM21392	Winch Accessories Kit <i>Accessory kit includes 1/2" shackle, 9,000 lbs. maximum capacity snatch block, (2) 1"x8' tree trunk protectors.</i>	134.81
	BM25587	Winch Mounting Kit - S4 (S4 non winch ready vehicles) <i>Only power steering models come winch ready. Required to mount WARN 3,500 lb S4 winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	201.16

JOHN DEERE TURF & UTILITY PRODUCTS
UTILITY VEHICLES AND EQUIPMENT

Standard-Duty 66 In. Front Blade
(XUV 550, XUV550 S4, XUV 560, XUV 560 S4, XUV 590i, XUV 590i S4, RSX 850i, RSX860i)
Equipment for Base Machine

66 In Wide Straight Blade
Five-Position Manual Angling
Two Adjusting Skid Shoes
Trip Protection
Replaceable Cutting Edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8018M		Standard-Duty 66 In. Front Blade (XUV 550, XUV550 S4, XUV 560, XUV 560 S4, XUV 590i, XUV 590i S4, RSX 850i, RSX860i) <i>Includes Front Blade, Lift Arms, and Lift Components. A winch is needed for blade lift operations and 2 in. front receiver hitch with recovery loops needed for mounting. RSX 850i/860i also requires Blade Mount Adapter Kit.</i>	1,129.00
-------	--	--	----------

DESTINATION

001A		US/Canada	In Base Price
001C		Australia/New Zealand	Same Price
001B		Europe	Same Price
0195		Mexico	Same Price
001D		All Other Countries	Same Price

LIFT FRAME KITS

3153		Blade Mount Adapter Kit <i>Required on RSX850i/860i, not required on XUV550, XUV550 S4, XUV560, XUV560 S4, XUV590i, XUV590i S4.</i>	190.00
3160		Less Blade Mount Adapter Kit	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

BM23029	Blades:	Plow Markers	40.66
BM23363	Carts / Hitches:	2" Front Receiver Hitch and Recovery Loops	116.63
BM24723	Winch:	WARN ProVantage 3500 lb Winch <i>Requires winch mounting kit.</i>	597.06
BM24019		Warn Winch (3,000 lbs) - S4 <i>Requires 2 In. Front Receiver Hitch with Recovery Loops for mounting.</i>	880.61

JOHN DEERE TURF & UTILITY PRODUCTS
UTILITY VEHICLES AND EQUIPMENT

Standard-Duty 66 In. Front Blade
(XUV 550, XUV550 S4, XUV 560, XUV 560 S4, XUV 590i, XUV 590i S4, RSX 850i,
RSX860i)

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM25079	Winch Mounting Kit (for non winch ready vehicles) <i>Requires WARN ProVantage 3500 lb Winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.</i>	185.11