

Why **preventive care** is important



Preventing disease, and detecting disease early if it occurs, are important to living a healthy life. And, the better your health, the lower your health care costs are likely to be. Following these guidelines, along with the advice of your doctor, can help you stay healthy. Talk to your doctor about your specific health questions and concerns, and follow his or her recommendations. If you'd like more information on preventive care, visit www.preventiveservices.ahrq.gov.

Guidelines for maintaining your health

Screening: Children ages 0 to 18 years

Age	Screening Test	Frequency
Newborn	Newborn screening (PKU, sickle cell, hemoglobinopathies, hypothyroidism)	During newborn period
Birth-2 months	Head circumference	At each well-child visit
Birth-2 years	Length and weight	At each well-child visit
2-18 years	Height and weight	At each well-child visit
3-4 years	Eye screening	Once
Younger than 5 years	Dental	At each well-child visit

Range of recommended ages

Catch-up immunization

Certain high-risk groups

Immunization schedule: children ages 0 to 6 years*

Vaccine	Birth	1 month	2 months	4 months	6 months	12 months	15 months	18 months	19-23 months	2-3 years	4-6 years	
Hepatitis B	HepB	HepB							HepB Series			
Rotavirus			Rota	Rota	Rota							
Diphtheria, Tetanus, Pertussis			DTaP	DTaP	DTaP		DTaP				DTaP	
Haemophilus influenzae type b			Hib	Hib	Hib	Hib		Hib				
Pneumococcal			PCV	PCV	PCV	PCV				PCV		
Inactivated Poliovirus			IPV	IPV	IPV						IPV	
Influenza					Influenza (yearly)							
Measles, Mumps, Rubella						MMR					MMR	
Varicella						Varicella					Varicella	
Hepatitis A						HepA (2 doses)				HepA Series		
Meningococcal										MPSV4		

Immunization schedule: children ages 7 to 18 years*

Vaccine	7-10 years	11-12 year assessment	13-14 years	15 years	16-18 years	
Tetanus, Diphtheria, Pertussis		Tdap	Tdap			
Human Papillomavirus (for females only)		HPV (3 doses)	HPV Series			
Meningococcal	MCV4	MCV4		MCV4		
Pneumococcal	PPV					
Influenza	Influenza (yearly)					
Hepatitis A	HepA Series					
Hepatitis B	HepB Series					
Inactivated Poliovirus	IPV Series					
Measles, Mumps, Rubella	MMR Series					
Varicella	Varicella Series					

* SOURCE: *Recommended Childhood and Adolescent Immunization Schedule — United States, 2006*, MMWR™, Morbidity and Mortality Weekly Report, Vol 54, No MM51;0, Centers for Disease Control and Prevention, Department of Health and Human Services.

Preventive care guidelines: adults over age 18

Range of recommended ages

Years of Age	18	25	30	35	40	45	50	55	60	65	70	75
--------------	----	----	----	----	----	----	----	----	----	----	----	----

SCREENING

Blood Pressure, Height, and Weight	At each preventive visit											
Obesity	At each visit											
Cholesterol								Men: Every 5 years				
								Women: Every 5 years				
Cervical cancer screening	Annually beginning at age 18 or age of sexual activity, and every three years after three consecutive normal tests											
Chlamydia/Gonorrhea												
Mammography								Women: every one to two years				
Colorectal Cancer*								Depends on y\test				
Osteoporosis												At age 65
Alcohol Use, Depression	Periodically											
Vision, Hearing												Periodically

IMMUNIZATION

Tetanus-Diphtheria (Td/Tdap)	Every 10 years											
Varicella (VZV)	Susceptibles only-two doses											
Measles, Mumps, Rubella (MMR)	Persons not already immune											
Pneumococcal												One dose
Influenza												Yearly
Hepatitis B/Hepatitis A	Persons at risk											
Meningococcal	For certain high-risk groups**											
Human Papillomavirus (HPV)	One dose											

Upper age limits should be individualized for each patient

* See www.preventiveservices.ahrq.gov for U.S. Preventive Services Task Force recommendations on colorectal cancer screening and other clinical preventive services.

** High risk is defined as adults who have terminal complement deficiencies, had their spleen removed, their spleen does not function or they have medical, occupation, lifestyle or other indications such as college freshmen living in dormitory or other group living conditions.

Individual health plans vary in preventive coverage. Generally, your plan should cover immunizations recommended by the Advisory Committee on Immunization Practices (ACIP) and published by the Centers for Disease Control and Prevention. For complete immunization guidelines, visit www.cdc.gov/nip.

Insurance coverage provided by or through United HealthCare Insurance Company or its affiliates. Administrative services provided by United HealthCare Insurance Company, United HealthCare Services, Inc. or their affiliates. Health Plan coverage provided by or through a UnitedHealthcare company.

For informational purposes only. UnitedHealthcare does not diagnose problems or recommend specific treatment. The information provided in this document is not a substitute for your physician's care. Services and medical technologies referenced herein may not be covered under your plan or be available in all state or for all groups.

100-6807 9/07 ©2007 United HealthCare Services, Inc.

