

REPLACEMENT PARTS GUIDE

Z915B ZTrak™ B Series Mower

ENGINE



OIL FILTER
[AM125424](#)
 Every 100 hours



ENGINE OIL
[TY22029](#) (Turf-Gard™ II 10W-30)
 (With Filter - 1.9 L (2.0 qt))
 Every 100 hours.



AIR FILTER
[M131802](#) (PRIMARY)
 Every 300 hours
[M131803](#) (SECONDARY)
 Every 500 hours



Multi-Purpose SD Polyurea Grease
[TY6341](#)
GREASE GUN
[TY26518](#)
 Change As Required.



FUEL FILTER
[AM116304](#) (USE WITH AUC15202)
[UC16183](#) (USE WITH MIA12649)
 Every 300 hours or annually.



SPARK PLUG
[MIU11020](#)



ELECTRICAL



IGNITION SWITCH
[TCA22740](#) (S/N (- 070000))
[AUC18708](#) (S/N (070001-))



HEAD LIGHT BULB
[AM118013](#) (37.5 W)



IGNITION KEY
[AUC12681](#)



BATTERY
[TY25221B](#) (12 V) (FOR CANADA AND USA)
[MCYP340PE](#) (12 V) (NOT FOR CANADA AND USA)

FUEL & AIR



FILLER CAP
[TCA23672](#)



MUFFLER
[TCA21567](#)

TRANSMISSION/ HYDRAULIC



HYDRAULIC OIL FILTER
[MIA881446](#)
 Change every 500 Hrs After 300 hour Initial Break In



TRACTION DRIVE BELT
[TCU34299](#) (LGTH = 1803.9 mm,
 WIDTH = 16 mm)

REPLACEMENT PARTS GUIDE

Z915B with 48 inch Deck

MOWER BLADE

[M136194](#) (STANDARD LIFT)

[TCU18678](#) (LOW LIFT)

[TCU30315](#) (HIGH LIFT)

[UC15159](#) (HIGH LIFT SELF SHARPENING)




MULCH KIT

[M136185](#) (MULCH BLADE)



ROLLER

[TCU34060](#)



GAUGE WHEELS

[UC28193](#)






V BELT


[TCU30510](#) (LGTH = 4119 mm,
WIDTH = 14 mm)





REPLACEMENT PARTS GUIDE

Z915B with 54 inch Deck








	MOWER BLADE TCU30316 (STANDARD LIFT) TCU30317 (HIGH LIFT)
	MULCH KIT M135334
	ROLLER TCU34060






	GAGE WHEELS UC28193
	V BELT TCU31132 (LGTH = 4337 mm, WIDTH = 14 mm)

REPLACEMENT PARTS GUIDE

Z915B with 60 inch Deck

	MOWER BLADE
	M128485 (STANDARD LIFT)
	TCU15881 (HIGH LIFT)
	UC15158 (HIGH LIFT SELF SHARPENING)
	M133381 (LOW LIFT)
	MULCH BLADE
	M168223
	ROLLER
	TCU34060



	GAGE WHEELS
	UC28193
	V BELT
	TCU35604 (LGTH = 4635 mm, WIDTH = 14 mm)