

Frontier Inline Bale Wrappers



LW1166 • LW1266



We've got bales covered

Quality silage bales demand quality wrapping. The affordable Frontier Inline Bale Wrappers provides a dependable seal that keeps bales protected from harsh weather and preserves nutrients for ideal livestock feed. With two models to choose from – the LW1166 and LW1266 – Frontier offers a reliable solution for better bale keeping.

Whether you're looking to shield bales from harsh weather, or you want to maintain their rich nutrients, these easy-to-use wrappers provide a strong, long-lasting seal each time. The LW1166 is ideal for round bales up to 66 inches in diameter. Or check out the LW1266. It also handles round bales up to 66 inches in diameter, but makes quick work of square bales up to 5-feet 6-inches in length as well. The LW1266 is perfect for large commercial operators and larger dairy producers.

Both models feature a fast wrapping time of 120 bales per hour. Plus, the versatile Inline Bale Wrappers are baler-friendly, allowing you to adjust the cycle limits to match your baler. A film sensor shutdown switch signals you to reload film so that no bale is left uncovered. And the bale push system completes the job, easily unloading the last wrapped bale.

The Frontier Inline Bale Wrappers are sold and supported by John Deere dealers, the most trusted name in farm, ranch and lawn equipment. To help you select the right Inline Bale Wrapper model for your hay operations, talk to your local John Deere dealer, your exclusive source of Frontier Equipment.

U.S.A. www.BuyFrontier.com
Canada www.BuyFrontier.ca

Airtight wrapping of up to 120 silage bales per hour... that's faster production, greater nutrient value.




Get your hay operation "in line"

You've mowed, you've raked, and you've baled. Now it's time to make sure all of your hard work doesn't go to waste. With the Frontier Inline Bale Wrappers, you can seal silage bales thoroughly so they don't spoil. Use single- or twin-wrapping to give you the coverage you need.



Two available models

Choose the LW1166 for superior coverage of round bales up to 66 inches in diameter. It offers a high-volume wrapping capacity of up to 120 bales per hour, helping you get more done in a day. Or for greater versatility, go with the LW1266 (shown above). It provides the same great wrapping speed, but tackles both your 66-inch diameter round bales and 5-foot 6-inch square bales.



A durable roller bed lets you push off bales fast and easy (top middle and right). And a quick-start rear deck (LW1166 only) helps you create a line of bales with no air pockets, reducing hay spoilage. Guide rollers (standard on LW1166; optional on LW1266) keep each bale centered on the roller bed when wrapping on a slope.

Film loading is a simple one-man process (top left). Just position the hoop to access the film brackets, secure the hoop in place with the locking latch, load the wrapping film, run the film through the pretensioners, and finally, tie the film off when you're ready to wrap. The pretensioners (lower middle) provide a 55% film stretch, which activates the adhesive to give you the best possible seal. When it's time to reload, a convenient film sensor switch (lower right) shuts down the machine.

You can judge a healthier bale by its cover

Once you're fully loaded, it's time to move your bales...safely. The BC11 Series features a low-profile design to provide you with exceptional rear vision, ensuring a clear line of sight behind the implement. It also allows you to keep the loading arm in plain view throughout the loading cycle.



Adjustable cycle switches (highlighted left above) allow you to vary the set points to match your baler. Simply slide the switches into the desired position at the beginning of each wrapping cycle. The electric-start 13 horsepower gas engine supplies power to the hydraulic pump during operation. The folding hitch (middle above) telescopes for easy hook-up to your tractor during transport, and conveniently folds away for operation. A centrally located control box (right above) operates all of the wrapper's hydraulic functions including steering, hoop speed, and final-bale-push-off.



Both the LW1166 and LW1266 feature a durable two-ring hoop (top left) that provides balanced rotation when wrapping. Below the wrapper, a high-traction drive wheel connects to a treaded hoop (lower left) to offer you consistent wrapping performance. And a safety cage interlock switch (lower right) shuts down the implement instantly if the wrapper's sliding doors are moved during operation.



The Frontier In-line Bale Wrappers come fully equipped with an integrated bale push system (top left). No extra parts needed, and only minimal labor necessary. The bale push drives bales through the hoop during the wrapping process, and extends to push the last bale into position. A final-bale-push-off bar (top right) moves the machine forward as the bales slide off the roller bed, preventing the need to pull the bale wrapper out from under the bales, which can damage the secure wrapping. Self-propelled power drive (lower left) allows you to move the bale wrapper around the field with ease. Available in single or dual options, you can line the bale wrapper up to place your bales wherever you want.



Whether you're out in the field before dawn or past dusk, work more efficiently with lights.



On the LW1266 model, the optional power jack keeps the bed level to start wrapping, preventing air pockets in the line. It then lowers the rear bed to the ground for continuous wrapping as each bale is pushed off.



Get twice as much wrapping with a twin wrap kit. Double wrapping helps reduce puncturing when working with straw or dry hay.



The convenient remote steering and shutdown controller makes wrapping bales a true one-man operation. It allows you to manage the functions of the bale wrapper's operator box from up to 100 feet, so you can sit comfortably in your tractor seat, prepping more bales for rapping.

FRONTIER™ Frontier Inline Bale Wrappers Better protection. Better bales.

Specifications

| Model Number | LW1166 | LW1266 |
|----------------------------|---|---|
| Bale capacity | 5 ft. 6 in. (1.7 m) Round | 5 ft. 6 in. (1.7 m) Round; or 3 ft. x 3 ft. x 5 ft. 6 in. (0.9 x 0.9 x 1.7 m) square |
| Power | 13 HP Honda | 13 HP Honda |
| Electric Start | Standard | Standard |
| Alternator | 18 Amp | 18 Amp |
| Hydraulics | Self-contained | Self-contained |
| Controls | Electric over hydraulic | Electric over hydraulic |
| Shipping length | 16 ft. 5 in. (5.0 m) | 16 ft. 5 in. (5.0 m) |
| Total length | 18 ft. (5.5 m) | 25 ft. 5 in. (7.75 m) |
| Width | 9 ft. (2.7 m) | 9 ft. (2.7 m) |
| Height | 9 ft. (2.7 m) | 9 ft. (2.7 m) |
| Weight | 5,000 lb. (2,268 kg) | 5,250 lb. (2,381 kg) |
| Tires | (2) 11L-15 Front (2) 27 x 10.5 Traction tires | (4) 11L-15 |
| Hydraulic power drive | Optional | Optional |
| Film tensioner (stretcher) | (2) 30 in. (76.2 cm) Aluminum 55% stretch | (2) 30 in. (76.2 cm) Aluminum 55% stretch |
| Lifting | Quick start deck adjust | Hydraulic lift jack (optional) |
| Brakes (compactor) | – | Adjustable pressure valve |
| Steering | Electric over hydraulic | Electric over hydraulic |
| Bale alignment | Fixed bale guides | Adjustable bale guides |
| Bale guide rollers | Standard | Optional |
| Hydraulic tail gate | – | Standard |
| Emergency stop | Stop button | Stop button |
| Wrapping capacity | 120 bales/hr | 120 bales/hr |
| Hoop speed | Adjustable flow control valve | Adjustable flow control valve |
| Transport lights | Standard | Standard |
| Options Options | Remote steering/shutdown, night working light, hydraulic power drive, twin wrap kit, 20 HP engine | Remote steering/shutdown, night working light, hydraulic power drive, twin wrap kit, quick start power jack, 20 HP engine |

Note: models/items may not be exactly as shown.



Field trip

Frontier Inline Bale Wrappers are easily transported to the field. Just attach the adjustable hitch to your tractor, and you're off. Ready to work? The hitch conveniently folds when it's time to wrap bales. Fold it out again to reposition the implement anywhere in your field.

All in a day's work

Don't adjust your schedule. With a quick wrapping capacity of 120 bales per hour, the Frontier Inline Bale Wrappers let you stay on the go. An optional remote speeds up the job even more, allowing you to load bales while simultaneously wrapping – all from the comfort of your tractor seat.



Run it down the line

However many bales, however long the line. Frontier Inline Bale Wrappers allow you to stretch out wrapped bales for acres. Maybe your chores call for five bales at a time. Or is it ten? No matter the amount, you still get the same great seal around every bale.



This literature has been compiled for worldwide circulation. While general information, pictures and descriptions are provided, some illustrations and text may include finance, credit, insurance, and product options/accessories available at an additional cost that may not be available in all regions. CONTACT YOUR LOCAL JOHN DEERE DEALER FOR DETAILS. Frontier Equipment reserves the right to change specifications and design of products described in this literature without notice. John Deere, the leaping deer symbol, and John Deere's green and yellow trade dress are the trademarks of Deere & Company. Copyright 2016, Frontier Equipment

U.S.A. www.BuyFrontier.com
Canada www.BuyFrontier.ca