

REPLACEMENT PARTS GUIDE

5M Series Tractor - 5100M

CAB

FRESH AIR FILTER

[RE198488](#)

[R198887](#)

[SJ14011](#) (ACTIVATED CARBON AIR FILTER)

Clean for every 600 Hrs.

RECIRCULATION AIR FILTER

[RE195491](#) (AIR FILTER, A/C)

[SJ14288](#) (ACTIVATED CARBON AIR FILTER)

[SJ14011](#) (ACTIVATED CARBON AIR FILTER)

Clean for every 600Hrs or Annually.

HYDRAULIC

HYDRAULIC FILTER

[SJ11784](#)

Change for first 100Hrs and for Every 500Hrs.

ENGINE

OIL FILTER

[RE530203](#) (ENGINE OIL FILTER)

[RE504836](#)

[DZ105796](#) (OPEN CRANK CASE VENTILATION FILTER)

[DZ105100](#) (2992 VENTILATING SYSTEM)

Change for first 100 Hrs and for every 500Hrs.

PRIMARY FUEL FILTER

[RE544391](#) (35 HC FUEL FILTER)

[RE546108](#)

[RE541922](#) (PRE FILTER)

[RE544390](#) (81 BJ PRIMARY FILTER)

Replace the fuel filter for every 500Hrs.

FINAL FUEL FILTER

[RE544394](#)

[RE547747](#) (EXHAUST FILTER)

[SE502520](#)

[RE568454](#)

Replace the fuel filter for every 500Hrs.

PRIMARY AIR FILTER

[SU20768](#) (AIR INTAKE CLEANER)

SECONDARY AIR FILTER

[RE253519](#)



JOHN DEERE

Genuine Parts and Service

CAPACITIES

5M Series Tractor - 5100M

CAPACITIES (Approximate):

Fuel Tank:

Open Operator Station142.7 L (37.7 gal)
Cab165.4 L (43.5 gal)

Cooling System:

Cool-Gard™ II

Open Operator Station13.5 L (3.6gal)
Cab22 L (5.8 gal)

Transmission and Hydraulic System:

Hy-Gard™

5100M.....39.5 L (10.4 gal)

Mechanical Front Wheel Drive (MFWD) Axle Housing: Hy-Gard™

5100M.....5.0 L (1.3 gal)

Mechanical Front Wheel Drive (MFWD) Hubs (Each): Hy-Gard™

5100M.....0.8 L (0.2 gal)

REPLACEMENT PARTS GUIDE

5M Series Tractor - 5100M

CAB

SEAT

- [AL201829](#) (ATTACHEMENT, SEAT MSG83)
- [AL179256](#) (ATTACHEMENT, SEAT MSG93)
- [RE251273](#) (SEAT, DELUX OSS)
- [AL204297](#) (ATTACHEMENT, BACKREST EXTENSION)
- [BLV10419](#) (ATTACHEMENT, INSTRUCTIONAL SEAT)
- [SJ39280](#)
- [AL207601](#) (INSTRUCTIONAL SEAT)



ENGINE

BELT DRIVE

- [SU22140](#) (FAN DRIVE, OOS)
- [SU23542](#) (FAN DRIVE, CAB)
- [SU24814](#) (OVERVIEW BELTS)
- [SU43998](#) (AIR BRAKE COMPRESSOR, OSS)
- [SU36511](#) (V BELT)



AXLE

TIE ROD

- [RE271437](#) (TIE ROD, STANDARD, HI CLERANCE)
- [RE271440](#) (TIE ROD END)
- [RE271441](#)
- [RE217616](#) (~~STEERING CYLINDER AND TIE ROD, FRONT AXLE, 2WD~~)
- [RE217817](#)



ENGINE



- CLUTCH DISK**
[RE283066](#) (LOW)
[SJ20988](#) (PTO CLUTCH)



- BRAKE DISK**
[RE264262](#)
remove



- ALTERNATOR**
[DZ123153](#) (~~SEC C3~~ 14V 90A)
[RE554568](#) (120 A)



- BATTERY**
[TY25879](#) (DRY CHARGED BATTERY)