

REPLACEMENT PARTS GUIDE

5105 and 5205 Series Tractors

HYDRAULIC



FILTER ELEMENT (5105, 5205) **[RE45864](#)**

Replace after 100 and 250 hours, and then every 1200 hours and as required.



ENGINE



FINAL FUEL FILTER **FILTER ELEMENT (5105, 5205)** **[RE60021](#)**

Replace every 500 hours and as required.



SECONDARY AIR FILTER **(5105, 5205)**

[RE68049](#)(0-511999)
[AP33331](#)(512000-)
[RE68049](#)(0-521999)
[AP33331](#)(522000-)



PRIMARY AIR FILTER **(5105, 5205)**

[RE68048](#)(-511999)
[AP33330](#)(512000-)
[RE68048](#)(0-521999)
[AP33330](#)(522000-)

Replace every year.



OIL FILTER **[T19044](#) (5105, 5205)**

Replace after 100 and 250 hours, and then after every 250 hours or every year.



JOHN DEERE
Genuine Parts and Service

CAPACITIES

5105 and 5205 Series Tractors

CAPACITIES (Approximate):

Fuel Tank:

5105 and 5205 Series Tractors 84.8 L (22.4 gal)

Crankcase including Filter Change:

5105 and 5205 Series Tractors 7.5 L (1.98 gal)

Cooling System:

5105 and 5205 Series Tractors 9.5 L (2.5 gal)

SyncReverser™ Transmission:

Grease Axle 32 L (8.4 gal)

Oil Axle 32 L (8.4 gal)

Mechanical Front Wheel Drive (MFWD) - If Equipped:

Wheel Hubs (Each) 0.7 L (0.18 gal)


Axle Housing 4.5 L (1.19 gal)

[Return to Filter Overview](#)

REPLACEMENT PARTS GUIDE

5105 and 5205 Series Tractors

ENGINE



CLUTCH DISK
[RE72925](#) (TRACTION)
[RE227648](#) (PTO)

1



BRAKE DISK
[AL119874](#)
[L116596](#)(ACTUATING DISK)
[R113948](#)(BRAKE DISK-
MFWD DIFFERENTIAL)

2



BATTERY
[TY24546](#)(DRY CHARGED
BATTERY - 925CC)

3



ALTERNATOR
[RE72915](#)

4



FAN BELT DRIVE
[R73784](#)
(LGTH1340*15.164mm)

5



CAB



SEAT
[RE72933](#)-(CUSHION)
[RE72938](#)
(SEAT SUSPENSION)

6

AXLE



TIE ROD
[R206539](#) (TIE ROD END)
[R206540](#)
[R208772](#)(TIE ROD (2WD)
WITH ADJUSTABLE
STEERING CYLINDER))
[R206541](#)(TIE ROD
ASSEMBLY)

7



JOHN DEERE
Genuine Parts and Service