

REPLACEMENT PARTS GUIDE

5M Series Tractor - 5085M

ENGINE



OIL FILTER

[DZ105796](#) (VENTILATING SYSTEM)
[DZ105100](#) (FILTER ELEMENT)
[RE504836](#) (OIL FILTER)
 Change for every 500 Hrs.



PRIMARY FUEL FILTER

[RE544391](#) (35 HC FUEL FILTER)
[RE526834](#)
[RE546108](#) 81 BJ PRIMARY FUEL FILTER)
[RE541922](#) (FILTER ELEMENT)
 Replace the fuel filters for every 500Hrs.



FINAL FUEL FILTER

[RE544394](#)
[RE547747](#) (DIESEL PARTICULATE FILTER)
[SE502520](#) (613 EXHAUST FILTER)
[RE568454](#) (EXHAUST FILTER)



PRIMARY AIR FILTER

[SU20768](#) (AIR INTAKE CLEANER)

SECONDARY AIR FILTER

[RE253519](#)



CAB



RECIRCULATION AIR FILTER

[RE195491](#) (AIR FILTER, A/C)
[SJ14288](#) (ACTIVATED CARBON AIR FILTER)
[SJ14011](#) (ACTIVATED CARBON AIR FILTER)
 Clean for every 600 Hrs.



FRESH AIR FILTER

[RE198488](#) (FRESH AIR FILTER HEATER)
[R198887](#) (FRESH AIR FILTER HEATER)
[SJ14010](#) (ACTIVATED CARBON AIR FILTER)
 Clean for every 600 Hrs.

HYDRAULIC



HYDRAULIC FILTER

[SJ11784](#) (HYDRAULIC OIL FILTER)
 Replace after first 100 hours then after every 600 hours.



JOHN DEERE
 Genuine Parts and Service

CLICK PART NUMBER TO BUY

*See operator's manual for additional details.

CAPACITIES

5M Series Tractor - 5085M

CAPACITIES (Approximate):

Fuel Tank:

Open Operator Station 153 L (40.4 gal)
Cab..... 177 L (46.8 gal)

Cooling System:

Cool-Gard™ II

Open Operator Station 15 L (4 gal)
Cab..... 15 L (4 gal)

Crankcase with Filter:

Plus-50™ II

..... 15 L (3.96 gal)

Transmission and Hydraulic System:

Hy-Gard™

5085M..... 53 L (14 gal)

Mechanical Front Wheel Drive (MFWD) Axle:

Hy-Gard™

Axle Housing 5 L (1.32 gal)
Wheel Hub (Each) 0.8 L (0.21 gal)

REPLACEMENT PARTS GUIDE


5M Series Tractor - 5085M

ENGINE



BRAKE DISK

[RE264262](#) (SERVICE BRAKE)



CLUTCH DISK

[RE283066](#) (CLUTCH, POWERREVERSER)
[SJ20988](#) (PTO CLUTCH)

BELT DRIVE



[SU22140](#) (LGTH=1687 mm)
[SU23542](#) (LGTH=2419 mm)
[SU24814](#) (LGTH=1109 mm)
[SU43998](#) (LGTH=1136 mm)
[SU36511](#) (LGTH=1731 mm)
[SU33366](#) (FAN DRIVE, OSS)

ALTERNATOR



[DZ123153](#) (14 V, 90 A)
[RE554568](#) (120 A)



CAB

SEAT



[AL201829](#) (ATTACHEMENT, SEAT MSG83)
[AL179256](#) (ATTACHEMENT, SEAT MSG93)
[RE251273](#) (SEAT, DELUX OSS)
[AL204297](#) (ATTACHEMENT, BACKREST EXTENSION)
[BLV10419](#) (ATTACHEMENT INSTRUCTIONAL SEAT)
[SJ39280](#) (INSTRUCTIONAL SEAT)
[AL207601](#) (INSTRUCTIONAL SEAT)
[SJ39922](#) (INSTRUCTIONAL SEAT CAB)

AXLE

TIE ROD



[RE271437](#) (ASSEMBLY, HI CLERANCE)
[RE271440](#) (BALL JOINT)
[RE271441](#) (90 DEGRRES)
[RE217616](#) (STEERING CYLINDER, 2WD)
[RE217817](#) (ROD END)



JOHN DEERE
Genuine Parts and Service