

REPLACEMENT PARTS GUIDE

6B Series - 1404 Tractor (China Edition)

CAB



FRESH AIR FILTER

[RE198488](#)

Service after every 250 hours.
Change as required.



RECIRCULATION AIR FILTER

[RE195491](#)
[SU41628](#)
[SU41628](#)

Clean after every 250 hours and
annually. Change as required.

HYDRAULIC



OIL FILTER

[SJ11792](#)

Replace after first 100 hours then
after every 500 hours.



ENGINE



OIL FILTER

[RE504836](#)

Replace after initial 100 hours
and every 250 hours.



PRIMARY FUEL FILTER

[RE546336](#)

FINAL FUEL FILTER

[RE544394](#)

Replace after every 500 hours.



WATER SEPARATOR

[N378886](#)

Replace after every 500 hours.



PRIMARY AIR FILTER

[AL172780](#)

SECONDARY AIR FILTER

[AL150288](#)

Replace after every 1000 hours or
annually whichever occurs first. Change
as required.



JOHN DEERE

Genuine Parts and Service

CLICK PART NUMBER TO BUY

*See operator's manual for additional details.

1404 For company use.

May 2022. Release Date.

CAPACITIES

6B Series - 1404 Tractor (China Edition)

CAPACITIES (Approximate):

Fuel Tank:

..... 255 L (67.36 gal)

**Crankcase including Filter Change:
Plus-50™ II**

..... 17 L (4.49 gal)

**Cooling System:
Cool-Gard™ II**

..... 23 L (6.08 gal)

**Transmission and Hydraulic System:
Hy-Gard™**

..... 60 L (15.65 gal)

**Mechanical Front Wheel Drive (MFWD) Axle Housing:
Hy-Gard™**

..... 5 L (1.32 gal)

**Mechanical Front Wheel Drive (MFWD) Hubs (Each):
Hy-Gard™**

..... 0.8 L (0.21 gal)


REPLACEMENT PARTS GUIDE

6B Series - 1404 Tractor (China Edition)



ENGINE

CLUTCH DISK



[YZ91139](#) (CLUTCH)
[4003725](#) (DISK SPRING) (- 512889)
[4003725](#) (DISK SPRING) (512890 -)

BRAKE DISK



[SU34458](#) (HAND BRAKE)
[AL160176](#) (MFWD)
[NF501851](#) (DIFFERENTIAL, MFWD, LITE PADDY)

ALTERNATOR



[AL166645](#) (14 V, 19 A)
[SJ24309](#) (90 A)

BATTERY



[SJ36671](#) (95 HP ENGINE)
[SJ19484](#) (WET CHARGED BATTERY)

FAN BELT DRIVE FAN



[L153280](#) (120 HP)
(W/ O A/C) (LGTH = 1910 mm)
[L111600](#) (W/ A/C) (LGTH = 2460 mm)

CAB

SEAT



[SJ31407](#) (W/ O ARM REST)
[SJ31428](#) (CUSHION) (BOTTOM)
[SJ31429](#) (CUSHION) (BACK)
[SJ20422](#) (W/ ARM REST)
[SJ29370](#) (CUSHION) (BOTTOM)
[SJ29371](#) (CUSHION) (BACK)
[SJ30176](#) (ARM REST KIT) (RH)
[SJ30175](#) (ARM REST KIT) (LH)
[SJ20423](#) (W/ O ARM REST)
[SJ29370](#) (CUSHION) (BOTTOM)
[SJ29371](#) CUSHION) (BACK)

AXLE

TIE ROD



[AL226443](#) (LITE PADDY) (MFWD)
[AL226445](#) (TIE ROD END) (MFWD)
[AL204774](#) (TIE ROD, MFWD)
[AL204776](#) (TIE ROD, MFWD)