

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5045E Utility Tractor  
Equipment for Base Machine**

**ENGINE:**

50 (37.2 kW) 97/68/EC Engine Horsepower @ 2100\*  
RPM

37 (27.5 kW) PTO Horsepower @ 2100 RPM  
3 Cylinder Turbocharged John Deere PowerTech  
Diesel Engine 179 C.I.D. (2.9L)  
EPA Final Tier 4 Compliant  
Dry Type Air Cleaner with Safety Element  
Underhood Muffler with Vertical Exhaust Stack  
Anti-Freeze  
Hand and Foot Throttles  
Key Engine Shutoff  
Fan Finger Guard  
Slide-out Cleaning Screen  
Heavy Duty Air Intake Pre-Heater  
Fuel Cooler  
19.6 U.S. Gallon (74 L) Fuel Tank Capacity

**TRANSMISSION:**  
Differential Lock  
Neutral Start Safety Switch

**REAR AXLE:**

Flanged Rear Axle  
Planetary Final Drives  
**STEERING AND BRAKES:**  
Hydrostatic Power Steering  
Hydraulically Actuated Wet Disk Brakes  
Self-Equalizing and Self-Adjusting  
**HYDRAULICS:**  
Open Center Hydraulic System  
Tandem Gear Pump 18.2 GPM (68.9 LPM) Maximum Total  
Flow

Steering Pump 6.8 GPM (25.7 LPM)  
Implement Pump 11.4 GPM (43.1 LPM)

**POWER TAKE OFF SHAFT:**  
Operator Presence Safety Warning PTO  
Flip Up PTO Shield  
Safety Start Switch

**ROCKSHAFT, HITCH AND DRAWBAR:**

Rear Rockshaft with Position Control, Draft  
Control, and Adjustable Rate of Drop  
3-Point (Category II) Hitch with Sway Bars  
Convertible to Category I  
Adjustable Drawbar

**INSTRUMENTATION:**  
Electric Fuel Gauge  
Tachometer/Hour Meter  
Oil Pressure Indicator Light  
Coolant Temperature Gauge  
Alternator Indicator Light  
Air Restriction Indicator Light  
Turn Signal Indicator Light  
High Beam Light  
PTO Engagement Light  
Digital Display - Hour Meter

**ELECTRICAL:**  
12-Volt Electrical System  
One Battery - 623 CCA\*\* with 145 Minute Reserve  
Capacity

40 Amp Alternator  
One Rear Work Light

**LIGHTS:**  
Two Front Halogen Headlights  
Two Turn/Flashing Warning Lights  
Two Tail Lights

**MISCELLANEOUS:**  
SMV Emblem  
Tilt-Up Hood  
Toolbox  
\* Manufacturer's Rating  
\*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

1726LV	5045E Utility Tractor	20,543.00
--------	-----------------------	-----------

**DESTINATION**

0202	United States	In Base Price
0184	Canada	No Added Cost
0205	French Quebec	No Added Cost

**OPERATOR'S MANUAL**

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5045E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL ...Continued...</b>			
<b>TRANSMISSION</b>			
1363		9F/3R SyncShuttle Transmission (TSS) 9F/3R Full Top Shaft Synchronized [TSS] Synchronized Speed Shifts Integrated Park Position Right Hand Shifted Speeds Left Hand Shifted Ranges Mechanical PTO engagement Fixed Draft Links	In Base Price
<b>LOADERS</b>			
1725		Loader Prep Package Includes loader mounting frames and hood guard. Compatible with 520M and H240 loader Requires code 3420 (Dual Mid Valves with Joystick Control) Hydraulic hoses and hydraulic connections still need to be ordered with loader.	1,454.00
1799		Less Loader Prep Package Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.	In Base Price
<b>OPERATOR'S STATION</b>			
2000		Open Operator Station Fixed Open Operator Station 2 Post Foldable Roll-Over Protection Structure (ROPS) Deluxe Adjustable Vinyl Seat with Retractable Seat Belt Beverage Holder Single Rear Work Light Floor Mat included when Option Code 1381 - PowrReverser Transmission selected	In Base Price
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid Valves Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments. Requires Code 6020 (2WD).	In Base Price
3420		Dual Mid Valves with Joystick Control Recommended for applications WITH front loaders. Requires Code 6040 (MFWD).	1,203.00
<b>REAR WHEELS AND TIRES</b>			
5101		14.9-28 In. 6PR R1 Bias 2WD requires Code 6102. MFWD requires Code 6101.	45.00
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias Requires code 6103.	1,111.00
5113		21.5L-16.1 In. 6PR R3 Bias	-329.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5045E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES ...Continued...</b>			
<i>2WD requires Code 6103. MFWD requires Code 6171.</i>			
5115		13.6-28 In. 6PR R1 Bias <i>2WD requires Code 6102. MFWD requires Code 6101.</i>	In Base Price
5184		16.9-24 In. 6PR R4 Bias <i>2WD requires Code 6113. MFWD requires Code 6133.</i>	-61.00
5185		16.9-28 In. 6PR R1 Bias <i>2WD requires Code 6102. MFWD requires Code 6101.</i>	310.00
5180		420/85R30 (16.9R30) R1W Radial <i>Requires option code 6180.</i>	2,379.00
<b>FRONT WHEELS AND TIRES</b>			
6102		7.50-16 In. 6PR F2 Bias <i>For option code 6020 (2WD)</i>	In Base Price
6103		27/12LL-15 In. 6PR Turf Special Bias <i>For option code 6020 (2WD)</i>	501.00
6113		11LL-15 In. 8PR F3 (Truck Type) Bias <i>For option code 6020 (2WD)</i>	116.00
6101		9.5-24 In. 6PR R1 Bias <i>For option code 6040 (MFWD)</i>	1,082.00
6133		12.5/80-18 In. 6PR I3(R4 Type) Bias <i>For option code 6040 (MFWD)</i>	748.00
6171		9.5-16 In. 6PR R3 Bias <i>For option code 6040 (MFWD)</i>	407.00
6180		280/85R24 (11.2R24) R1W Radial	2,169.00
<b>FRONT AXLE</b>			
6020		Two-Wheel Drive (2WD) <i>Requires Code 1363 (9F/3R SyncShuttle Transmission) Not available on cab models</i>	In Base Price
6040		Mechanical Front Wheel Drive (MFWD) <i>MFWD Mechanical Engagement Engagement Indicator Light on PowrReverser Transmission.</i>	5,482.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
LVB25547		<b>Lighting Equipment</b> Auxiliary Rear Work Light Kit (1 Light) <i>Open Station Only.</i>	66.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5045E Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
BSJ10262		<b>Mid Selective Control Valves</b> Mid-Mount Dual SCV with Joystick Control <i>Compatible with 5E 3 cylinder Cab and OOS Tractors with serials ending after HJ100101.</i>	1,460.80
BSJ10346		<b>Mid Selective Control Valves</b> Mid-Mount Dual SCV with 3rd Function Joystick Assembly <i>Compatible with 520M loaders only. To be used with loader diverter kit (ordered separately). For 5E 3 cyl tractors with serials ending after HJ100101.</i>	748.00
LVB25817		<b>Miscellaneous</b> Backup Alarm Kit <i>Compatible with open station 5E 3-Cyl configured with 9X3 transmission.</i>	167.20
BSJ10370		Creeper Conversion Kit <i>Compatible with FT4 5E 3 cylinder open operator station (OOS) tractors with 9X3 transmission only.</i>	885.50
R133359		Drawbar - Offset	275.33
RE39830		Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	285.60
RE39829		Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	288.49
BSJ10077		Horizontal Side Exhaust <i>5045E, 5055E, 5065E and 5075E Only.</i>	438.90
SJ11072		Left-Hand Telescopic Draft Link	389.40
SJ11073		Right Hand Telescopic Draft Link	389.40
LVB25926		Single Horn Kit <i>OOS tractors only</i>	52.80
BLV10921		<b>Miscellaneous</b> Backhoe Mounting Kit <i>For use on 485 backhoe in conjunction with FT4 5E 3 cylinder OOS tractors.</i>	2,361.70
LVB25785		Canopy - Deluxe <i>Requires BSJ10341 Canopy Mounting Bracket and Hardware Kit ordered separately. Open Station Tractors Only.</i>	853.60
T12553		Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i>	14.15
R66432		Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	17.42
BRE10151		Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5045E Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
BRE10153		Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
R262449		Front Weight Support, 187 Lbs <i>Requires (4) 19H3405 Cap Screws and (4) 12H236 Washers, ordered separately.</i>	409.40
AL113087		Lockable Fuel Tank	29.27
L154683		Rear Axle 1.2 in. Extension (30 mm) <i>Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately. Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
L154682		Rear Axle 1.6 in. Extension (40 mm) <i>Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
L154684		Rear Axle 4.4 in. Extension (111 mm) <i>Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
RE244177		Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. OOS Only. Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	36.84
R213907		Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel. Starter bolts not included in this kit. R183851 bolt, quantity 8, needed</i>	147.40
		<b>Open Operator's Station</b>	
BSJ10341		Canopy Mounting Kit	77.00
		<b>Operator's Station</b>	
LVB25334		Canopy - Standard <i>Requires BSJ10341 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	490.60
		<b>Rear Fenders</b>	
BSJ10303		Rear Fender Extension Kit without Work Lights <i>Open Station Tractors only.</i>	347.60
		<b>Rear Hitch</b>	
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	376.20
		<b>Rear Selective Control Valves</b>	
BSJ10287		Second Rear SCV with Detented Float and Lever Control <i>Compatible with 5E 3-Cylinder Open Station tractors.</i>	833.80
		<b>Three-Point Hitch</b>	
TY27545		Quik-Coupler, Economy, Category 2	580.37

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

---

**5045E Utility Tractor**  
Continued

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5055E Utility Tractor  
Equipment for Base Machine**

**ENGINE:**

59 (43.9 kW) 97/68/EC Engine Horsepower @ 2100\* RPM  
 41 (30.5 kW) PTO Horsepower @ 2100 ERPM  
 3 Cylinder Turbocharged John Deere PowerTech Diesel  
 Engine 179 C.I.D. (2.9L)  
 EPA Final Tier 4 Compliant  
 Dry Type Air Cleaner with Safety Element  
 Underhood Muffler with Vertical Exhaust Stack  
 Anti-Freeze  
 Hand and Foot Throttles  
 Key Engine Shutoff  
 Fan Finger Guard  
 Slide-out Cleaning Screen  
 Heavy Duty Air Intake Pre-Heater  
 Fuel Cooler  
 19.6 U.S. Gallon (74 L) Fuel Tank Capacity

**TRANSMISSION:**

Differential Lock  
 Neutral Start Safety Switch

**REAR AXLE:**

Flanged Rear Axle  
 Planetary Final Drives

**STEERING AND BRAKES:**

Hydrostatic Power Steering  
 Hydraulically Actuated Wet Disk Brakes  
 Self-Equalizing and Self-Adjusting

**HYDRAULICS:**

Open Center Hydraulic System  
 Tandem Gear Pump 18.2 GPM (68.9 LPM) Maximum Total  
 Flow  
 Steering Pump 6.8 GPM (25.7 LPM)  
 Implement Pump 11.4 GPM (43.1 LPM)

**POWER TAKE-OFF SHAFT:**

Operator Presence Safety Warning - PTO  
 Flip Up PTO Shield  
 Safety Start Switch

**ROCKSHAFT, HITCH AND DRAWBAR:**

Rear Rockshaft with Position Control, Draft  
 Control, and Adjustable Rate of Drop  
 3-Point (Category II) Hitch with Sway Bars -  
 Convertible to Category I  
 Adjustable Drawbar

**INSTRUMENTATION:**

Electric Fuel Gauge  
 Tachometer/Hour Meter  
 Oil Pressure Indicator Light  
 Coolant Temperature Gauge  
 Alternator Indicator Light  
 Air Restriction Indicator Light  
 Turn Signal Indicator Light  
 High Beam Light  
 PTO Engagement Light  
 Digital Display - Hour Meter

**ELECTRICAL:**

12-Volt Electrical System  
 One Battery - 623 CCA\*\* with 145 Minute Reserve  
 Capacity  
 40 Amp Alternator

**LIGHTS:**

Two Front Halogen Headlights  
 Two Turn/Flashing Warning Lights  
 Two Tail Lights

**MISCELLANEOUS:**

SMV Emblem  
 Tilt-Up Hood  
 Toolbox

\* Manufacturer's Rating

\*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

1736LV	5055E Utility Tractor	23,599.00
--------	-----------------------	-----------

**DESTINATION**

0202	United States	In Base Price
0184	Canada	No Added Cost
0205	French Quebec	No Added Cost

**OPERATOR'S MANUAL**

0409	English Operator's Manual and Decal Kit	In Base Price
------	---	---------------

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5055E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0413		<b>OPERATOR'S MANUAL ...Continued...</b> French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
<b>TRANSMISSION</b>			
1363		9F/3R SyncShuttle Transmission (TSS) 9F/3R Full Top Shaft Synchronized [TSS] Synchronized Speed Shifts Integrated Park Position Right Hand Shifted Speeds Left Hand Shifted Ranges Mechanical PTO engagement Fixed Draft Links Compatible with Code 2050 - Standard Cab is available on 5055E models ONLY. (Base Code 1736LV) Not compatible with Code 2050 - Standard Cab on 5065E and 5075E models. (Base Codes 1746LV and 1756LV)	In Base Price
1381		12F/12R PowrReverser Transmission - 540/540E (PR) Electrohydraulic (EH) Directional Reverser Wet Traction Clutch Wet PTO Clutch Neutral Start Safety Switch Electrohydraulic (EH) PTO engagement Economy-PTO/Standard PTO MFWD indicator light Digital ground speed indicator Digital PTO speed indicator Telescopic Draft Links Requires Code 6040 - MFWD.	2,773.00
<b>LOADERS</b>			
1725		Loader Prep Package Includes loader mounting frames and hood guard. Compatible with 520M and H240 loader Requires code 3420 (Dual Mid Valves with Joystick Control) Hydraulic hoses and hydraulic connections still need to be ordered with loader.	1,454.00
1799		Less Loader Prep Package Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.	In Base Price
<b>OPERATOR'S STATION</b>			
2000		Open Operator Station Fixed Open Operator Station 2 Post Foldable Roll-Over Protection Structure (ROPS) Deluxe Adjustable Vinyl Seat with Retractable Seat Belt Beverage Holder Single Rear Work Light Floor Mat included when Option Code 1381 - PowrReverser Transmission selected	In Base Price
2050		Standard Cab Left Side Door Air Conditioning Beverage Holder Cloth Mechanical Suspension Seat with Retractable Seat Belt	7,751.00



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5055E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S STATION ...Continued...</b>			
<i>Radio/CD Ready (Antenna Cable, Two Speakers, and Wiring Harness)</i>			
<i>Front Windshield Wiper</i>			
<i>Requires Code 6040 (MFWD).</i>			
<hr/>			
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid Valves <i>Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments. Requires Code 6020 (2WD).</i>	In Base Price
3420		Dual Mid Valves with Joystick Control <i>Recommended for applications WITH front loaders. Requires Code 6040 (MFWD).</i>	1,203.00
<hr/>			
<b>REAR WHEELS AND TIRES</b>			
5101		14.9-28 In. 6PR R1 Bias <i>2WD requires Code 6102. MFWD requires Code 6101.</i>	In Base Price
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias <i>Requires code 6103.</i>	1,066.00
5113		21.5L-16.1 In. 6PR R3 Bias <i>2WD requires Code 6103. MFWD requires Code 6171.</i>	-374.00
5184		16.9-24 In. 6PR R4 Bias <i>2WD requires Code 6113. MFWD requires Code 6133.</i>	-106.00
5185		16.9-28 In. 6PR R1 Bias <i>2WD requires Code 6102. MFWD requires Code 6101.</i>	265.00
5180		420/85R30 (16.9R30) R1W Radial <i>Requires option code 6180.</i>	2,334.00
<hr/>			
<b>FRONT WHEELS AND TIRES</b>			
6102		7.50-16 In. 6PR F2 Bias <i>For option code 6020 (2WD) Requires Code 2000 (Open Operator Station).</i>	In Base Price
6103		27/12LL-15 In. 6PR Turf Special Bias <i>For option code 6020 (2WD) Requires Code 2000 (Open Operator Station).</i>	501.00
6113		11LL-15 In. 8PR F3 (Truck Type) Bias <i>For option code 6020 (2WD) Requires Code 2000 (Open Operator Station).</i>	116.00
6101		9.5-24 In. 6PR R1 Bias <i>For option code 6040 (MFWD)</i>	1,082.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5055E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6133		<b>FRONT WHEELS AND TIRES ...Continued...</b> 12.5/80-18 In. 6PR I3(R4 Type) Bias <i>For option code 6040 (MFWD)</i>	748.00
6171		9.5-16 In. 6PR R3 Bias <i>For option code 6040 (MFWD)</i>	407.00
6180		280/85R24 (11.2R24) R1W Radial	2,169.00

**FRONT AXLE**

6020		Two-Wheel Drive (2WD) <i>Requires Code 1363 (9F/3R SyncShuttle Transmission)</i> <i>Not available on cab models</i>	In Base Price
6040		Mechanical Front Wheel Drive (MFWD) <i>MFWD Mechanical Engagement</i> <i>Engagement Indicator Light on PowrReverser Transmission.</i>	5,482.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Cab Equipment</b>		
AL80126	Rear Mirror Mechanical <i>Cab Compatible Only.</i>		188.10
AL80127	Rear Mirror Mechanical <i>Cab Compatible Only.</i>		188.10
	<b>Hydraulics</b>		
BSJ10345	Motor Control Kit <i>Compatible with 5E 3 cylinder tractors with serials ending after HJ100101.</i>		484.00
BLV10348	Second rear selective control valve (SCV) with detented float and lever control <i>Compatible with 5E Cab Tractors.</i>		833.80
	<b>Lighting</b>		
BLV10120	Beacon light kit <i>Cab tractors only</i>		244.20
	<b>Lighting Equipment</b>		
LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Open Station Only.</i>		66.00
	<b>Mid Selective Control Valves</b>		
BSJ10262	Mid-Mount Dual SCV with Joystick Control <i>Compatible with 5E 3 cylinder Cab and OOS Tractors with serials ending after HJ100101.</i>		1,460.80
	<b>Mid Selective Control Valves</b>		
BSJ10346	Mid-Mount Dual SCV with 3rd Function Joystick Assembly <i>Compatible with 520M loaders only. To be used with loader diverter kit (ordered separately).</i> <i>For 5E 3 cyl tractors with serials ending after HJ100101.</i>		748.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5055E Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
		<b>Miscellaneous</b>	
L113922		Antenna <i>All 5E Series Cab Tractors are "Radio Ready", including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately.</i>	25.90
LVB25728		Backup Alarm Kit <i>Compatible with 5E 3-Cyl Cab tractors and PR Open Station Tractors.</i>	176.00
LVB25817		Backup Alarm Kit <i>Compatible with open station 5E 3-Cyl configured with 9X3 transmission.</i>	167.20
BSJ10370		Creeper Conversion Kit <i>Compatible with FT4 5E 3 cylinder open operator station (OOS) tractors with 9X3 transmission only.</i>	885.50
BSJ10371		Creeper Conversion Kit <i>Compatible with FT4 5E 3 cylinder cab tractors with 9X3 transmission only.</i>	885.50
R133359		Drawbar - Offset	275.33
RE39830		Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	285.60
RE39829		Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	288.49
BSJ10077		Horizontal Side Exhaust <i>5045E, 5055E, 5065E and 5075E Only.</i>	438.90
SJ11072		Left-Hand Telescopic Draft Link	389.40
SJ11073		Right Hand Telescopic Draft Link	389.40
BLV10350		Right-hand door <i>Cab Only</i>	301.40
LVB25926		Single Horn Kit <i>OOS tractors only</i>	52.80
LVB26096		Single Horn Kit <i>CAB tractors only.</i>	52.80
		<b>Miscellaneous</b>	
BLV10921		Backhoe Mounting Kit <i>For use on 485 backhoe in conjunction with FT4 5E 3 cylinder OOS tractors.</i>	2,361.70
BLV10419		Cab Instructional Seat <i>For Cab Tractors only. Requires SJ20970 to be Ordered Separately.</i>	633.60
LVB25785		Canopy - Deluxe <i>Requires BSJ10341 Canopy Mounting Bracket and Hardware Kit ordered separately. Open Station Tractors Only.</i>	853.60
T12553		Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i>	14.15

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5055E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
AR60937		Cigarette Lighter <i>Cab only.</i>	14.24
R66432		Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	17.42
BRE10151		Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
BRE10153		Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
R262449		Front Weight Support, 187 Lbs <i>Requires (4) 19H3405 Cap Screws and (4) 12H236 Washers, ordered separately.</i>	409.40
AL113087		Lockable Fuel Tank	29.27
LVB25727		PowrReverser modulation control kit <i>For 12x12 PR Tractors Only.</i>	160.60
AT439279		Radio - AM/FM, Bosch (Premium) <i>Compatible with 5055E, 5065E and 5075E cab models only. Must order Antenna seperately (L113922).</i>	712.11
L154683		Rear Axle 1.2 in. Extension (30 mm) <i>Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately. Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
L154682		Rear Axle 1.6 in. Extension (40 mm) <i>Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
L154684		Rear Axle 4.4 in. Extension (111 mm) <i>Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
RE244177		Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. OOS Only. Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	36.84
R213907		Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel. Starter bolts not included in this kit. R183851 bolt, quantity 8, needed</i>	147.40
BLV10173		Wiper and washer, rear <i>Only cab tractors.</i>	355.30
		<b>Open Operator's Station</b>	
BSJ10341		Canopy Mounting Kit	77.00
		<b>Operator's Station</b>	
LVB25334		Canopy - Standard <i>Requires BSJ10341 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	490.60

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5055E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
	BRE10015	Cell Phone Mount Kit	67.10
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices.</i>	25.96
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	64.90
		<b>Rear Fenders</b>	
	LVB25714	Rear fender extension <i>Cab Tractors only.</i>	227.70
		<b>Rear Fenders</b>	
	BSJ10303	Rear Fender Extension Kit without Work Lights <i>Open Station Tractors only.</i>	347.60
		<b>Rear Hitch</b>	
	LVB25976	iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	376.20
		<b>Rear Selective Control Valves</b>	
	BSJ10287	Second Rear SCV with Detented Float and Lever Control <i>Compatible with 5E 3-Cylinder Open Station tractors.</i>	833.80
		<b>Three-Point Hitch</b>	
	TY27545	Quik-Coupler, Economy, Category 2	580.37

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

---

**5055E Utility Tractor**  
Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5065E Utility Tractor  
Equipment for Base Machine**

**ENGINE:**

67 (49.9 kW) 97/68/EC Engine Horsepower @ 2100 RPM\*  
 49 (36.5 kW) PTO Horsepower @ 2100 RPM\*  
 3 Cylinder Turbocharged John Deere PowerTech Diesel  
 Engine 179 C.I.D. (2.9L)  
 EPA Final Tier 4 Compliant  
 Dry Type Air Cleaner with Safety Element  
 Underhood Muffler with Vertical Exhaust Stack  
 Anti-Freeze  
 Hand and Foot Throttles  
 Key Engine Shutoff  
 Fan Finger Guard  
 Slide-out Cleaning Screen  
 Heavy Duty Air Intake Pre-Heater  
 Fuel Cooler  
 19.6 U.S. Gallon (74 L) Fuel Tank Capacity

**TRANSMISSION:**

Differential Lock  
 Neutral Start Safety Switch

**REAR AXLE:**

Flanged Rear Axle  
 Planetary Final Drives

**STEERING AND BRAKES:**

Hydrostatic Power Steering  
 Hydraulically Actuated Wet Disk Brakes  
 Self-Equalizing and Self-Adjusting

**HYDRAULICS:**

Open Center Hydraulic System  
 Tandem Gear Pump 18.2 GPM (68.8 LPM) Maximum Total  
 Flow:  
 Steering Pump 6.8 GPM (25.7 LPM)  
 Implement Pump 11.4 GPM (43.1 LPM)

**POWER TAKE OFF SHAFT:**

Operator Presence Safety Warning PTO  
 Flip Up PTO Shield  
 Safety Start Switch

**ROCKSHAFT, HITCH AND DRAWBAR:**

Rear Rockshaft with Position Control, Draft  
 Control, and Adjustable Rate of Drop  
 3-Point (Category II) Hitch with Sway Bars -  
 Convertible to Category I  
 Interchangeable Hitch Balls  
 Adjustable Drawbar

**INSTRUMENTATION:**

Electric Fuel Gauge  
 Tachometer/Hour Meter  
 Oil Pressure Indicator Light  
 Coolant Temperature Gauge  
 Alternator Indicator Light  
 Air Restriction Indicator Light  
 Turn Signal Indicator Light  
 High Beam Light  
 PTO Engagement Light  
 Digital Display - Hour Meter

**ELECTRICAL:**

12-Volt Electrical System  
 One Battery - 623 CCA\*\* with 145 Minute Reserve  
 Capacity  
 40 Amp Alternator

**LIGHTS:**

Two Front Halogen Headlights  
 Two Turn/Flashing Warning Lights  
 Two Tail Lights

**MISCELLANEOUS:**

SMV Emblem  
 Tilt-Up Hood  
 Fender Mounted Toolbox

\* Manufacturer's Rating

\*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

1746LV	5065E Utility Tractor	26,314.00
--------	-----------------------	-----------

**DESTINATION**

0202	United States	In Base Price
0184	Canada	No Added Cost
0205	French Quebec	No Added Cost

**OPERATOR'S MANUAL**

0409	English Operator's Manual and Decal Kit	In Base Price
------	---	---------------

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5065E Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0413		<b>OPERATOR'S MANUAL ...Continued...</b> French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost

**TRANSMISSION**

1363		9F/3R SyncShuttle Transmission (TSS) 9F/3R Full Top Shaft Synchronized [TSS] Synchronized Speed Shifts Integrated Park Position Right Hand Shifted Speeds Left Hand Shifted Ranges Mechanical PTO engagement Fixed Draft Links Compatible with Code 2050 - Standard Cab is available on 5055E models ONLY. (Base Code 1736LV) Not compatible with Code 2050 - Standard Cab on 5065E and 5075E models. (Base Codes 1746LV and 1756LV)	In Base Price
1381		12F/12R PowrReverser Transmission - 540/540E (PR) Electrohydraulic (EH) Directional Reverser Wet Traction Clutch Wet PTO Clutch Neutral Start Safety Switch Electrohydraulic (EH) PTO engagement Economy-PTO/Standard PTO MFWD indicator light Digital ground speed indicator Digital PTO speed indicator Telescopic Draft Links Requires Code 6040 - MFWD.	2,773.00

**LOADERS**

1725		Loader Prep Package Includes loader mounting frames and hood guard. Compatible with 520M and H240 loader Requires code 3420 (Dual Mid Valves with Joystick Control) Hydraulic hoses and hydraulic connections still need to be ordered with loader.	1,454.00
1799		Less Loader Prep Package Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.	In Base Price

**OPERATOR'S STATION**

2000		Open Operator Station Fixed Open Operator Station 2 Post Foldable Roll-Over Protection Structure (ROPS) Deluxe Adjustable Vinyl Seat with Retractable Seat Belt Beverage Holder Single Rear Work Light Floor Mat included when Option Code 1381 - PowrReverser Transmission selected	In Base Price
2050		Standard Cab Left Side Door Air Conditioning Beverage Holder Cloth Mechanical Suspension Seat with Retractable Seat Belt	7,751.00



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5065E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S STATION ...Continued...</b>			
<i>Radio/CD Ready (Antenna Cable, Two Speakers, and Wiring Harness)</i>			
<i>Front Windshield Wiper</i>			
<i>Requires Code 6040 (MFWD).</i>			
<hr/>			
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid Valves <i>Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments. Requires Code 6020 (2WD).</i>	In Base Price
3420		Dual Mid Valves with Joystick Control <i>Recommended for applications WITH front loaders. Requires Code 6040 (MFWD).</i>	1,203.00
<hr/>			
<b>REAR WHEELS AND TIRES</b>			
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias <i>Requires code 6103.</i>	801.00
5113		21.5L-16.1 In. 6PR R3 Bias <i>2WD requires Code 6103. MFWD requires Code 6171.</i>	-639.00
5184		16.9-24 In. 6PR R4 Bias <i>MFWD requires Code 6133.</i>	-371.00
5185		16.9-28 In. 6PR R1 Bias <i>2WD requires Code 6102. MFWD requires Code 6101.</i>	In Base Price
5180		420/85R30 (16.9R30) R1W Radial <i>Requires option code 6180.</i>	2,069.00
<hr/>			
<b>FRONT WHEELS AND TIRES</b>			
6102		7.50-16 In. 6PR F2 Bias <i>For option code 6020 (2WD) Requires Code 2000 (Open Operator Station).</i>	In Base Price
6103		27/12LL-15 In. 6PR Turf Special Bias <i>For option code 6020 (2WD) Requires Code 2000 (Open Operator Station).</i>	501.00
6101		9.5-24 In. 6PR R1 Bias <i>For option code 6040 (MFWD)</i>	1,082.00
6133		12.5/80-18 In. 6PR I3(R4 Type) Bias <i>For option code 6040 (MFWD)</i>	748.00
6171		9.5-16 In. 6PR R3 Bias <i>For option code 6040 (MFWD)</i>	407.00
6180		280/85R24 (11.2R24) R1W Radial	2,169.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5065E Utility Tractor**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>FRONT AXLE</b>			
6020		Two-Wheel Drive (2WD) <i>Requires Code 1363 (9F/3R SyncShuttle Transmission)</i> <i>Not available on cab models</i>	In Base Price
6040		Mechanical Front Wheel Drive (MFWD) <i>MFWD Mechanical Engagement</i> <i>Engagement Indicator Light on PowrReverser Transmission.</i>	5,482.00

**ATTACHMENTS FOR FIELD CONVERSION**

		<b>Cab Equipment</b>	
AL80126		Rear Mirror Mechanical <i>Cab Compatible Only.</i>	188.10
AL80127		Rear Mirror Mechanical <i>Cab Compatible Only.</i>	188.10
		<b>Hydraulics</b>	
BSJ10345		Motor Control Kit <i>Compatible with 5E 3 cylinder tractors with serials ending after HJ100101.</i>	484.00
BLV10348		Second rear selective control valve (SCV) with detented float and lever control <i>Compatible with 5E Cab Tractors.</i>	833.80
		<b>Lighting</b>	
BLV10120		Beacon light kit <i>Cab tractors only</i>	244.20
		<b>Lighting Equipment</b>	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Open Station Only.</i>	66.00
		<b>Mid Selective Control Valves</b>	
BSJ10262		Mid-Mount Dual SCV with Joystick Control <i>Compatible with 5E 3 cylinder Cab and OOS Tractors with serials ending after HJ100101.</i>	1,460.80
		<b>Mid Selective Control Valves</b>	
BSJ10346		Mid-Mount Dual SCV with 3rd Function Joystick Assembly <i>Compatible with 520M loaders only. To be used with loader diverter kit (ordered separately).</i> <i>For 5E 3 cyl tractors with serials ending after HJ100101.</i>	748.00
		<b>Miscellaneous</b>	
L113922		Antenna <i>All 5E Series Cab Tractors are "Radio Ready", including Radio Wiring Harness and Speakers as Standard Equipment.</i> <i>Requires Radio Ordered Separately.</i>	25.90
LVB25728		Backup Alarm Kit <i>Compatible with 5E 3-Cyl Cab tractors and PR Open Station Tractors.</i>	176.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5065E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
LVB25817		Backup Alarm Kit <i>Compatible with open station 5E 3-Cyl configured with 9X3 transmission.</i>	167.20
BSJ10370		Creeper Conversion Kit <i>Compatible with FT4 5E 3 cylinder open operator station (OOS) tractors with 9X3 transmission only.</i>	885.50
R133359		Drawbar - Offset	275.33
RE39830		Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	285.60
RE39829		Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	288.49
BSJ10077		Horizontal Side Exhaust <i>5045E, 5055E, 5065E and 5075E Only.</i>	438.90
SJ11072		Left-Hand Telescopic Draft Link	389.40
SJ11073		Right Hand Telescopic Draft Link	389.40
BLV10350		Right-hand door <i>Cab Only</i>	301.40
LVB25926		Single Horn Kit <i>OOS tractors only</i>	52.80
LVB26096		Single Horn Kit <i>CAB tractors only.</i>	52.80
		<b>Miscellaneous</b>	
BLV10921		Backhoe Mounting Kit <i>For use on 485 backhoe in conjunction with FT4 5E 3 cylinder OOS tractors.</i>	2,361.70
BLV10419		Cab Instructional Seat <i>For Cab Tractors only. Requires SJ20970 to be Ordered Separately.</i>	633.60
LVB25785		Canopy - Deluxe <i>Requires BSJ10341 Canopy Mounting Bracket and Hardware Kit ordered separately. Open Station Tractors Only.</i>	853.60
T12553		Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i>	14.15
AR60937		Cigarette Lighter <i>Cab only.</i>	14.24
R66432		Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	17.42
BRE10151		Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
BRE10153		Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5065E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
R262449		Front Weight Support, 187 Lbs <i>Requires (4) 19H3405 Cap Screws and (4) 12H236 Washers, ordered separately.</i>	409.40
AL113087		Lockable Fuel Tank	29.27
LVB25727		PowrReverser modulation control kit <i>For 12x12 PR Tractors Only.</i>	160.60
AT439279		Radio - AM/FM, Bosch (Premium) <i>Compatible with 5055E, 5065E and 5075E cab models only. Must order Antenna seperately (L113922).</i>	712.11
L154683		Rear Axle 1.2 in. Extension (30 mm) <i>Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately. Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
L154682		Rear Axle 1.6 in. Extension (40 mm) <i>Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
L154684		Rear Axle 4.4 in. Extension (111 mm) <i>Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
RE244177		Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. OOS Only. Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	36.84
R213907		Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel. Starter bolts not included in this kit. R183851 bolt, quantity 8, needed</i>	147.40
BLV10173		Wiper and washer, rear <i>Only cab tractors.</i>	355.30
BSJ10341		<b>Open Operator's Station</b> Canopy Mounting Kit	77.00
LVB25334		<b>Operator's Station</b> Canopy - Standard <i>Requires BSJ10341 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	490.60
BRE10015		Cell Phone Mount Kit	67.10
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices.</i>	25.96
BRE10152		Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	64.90

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5065E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
LVB25714		<b>Rear Fenders</b> Rear fender extension <i>Cab Tractors only.</i>	227.70
BSJ10303		<b>Rear Fenders</b> Rear Fender Extension Kit without Work Lights <i>Open Station Tractors only.</i>	347.60
LVB25976		<b>Rear Hitch</b> iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	376.20
BSJ10287		<b>Rear Selective Control Valves</b> Second Rear SCV with Detented Float and Lever Control <i>Compatible with 5E 3-Cylinder Open Station tractors.</i>	833.80
TY27545		<b>Three-Point Hitch</b> Quik-Coupler, Economy, Category 2	580.37

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

---

**5065E Utility Tractor**  
Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

**AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS**

**5075E Utility Tractor  
Equipment for Base Machine**

**ENGINE:**

73 (54.4 kW) 97/68/EC Engine Horsepower @ 2100 RPM\*  
 57 (42.5 kW) PTO Horsepower @ 2100 RPM\*  
 3 Cylinder Turbocharged  
 John Deere PowerTech Diesel Engine  
 EPA Final Tier 4 Compliant  
 179 C.I.D. (2.9L)  
 Dry Type Air Cleaner with Safety Element  
 Underhood Muffler with Vertical Exhaust Stack  
 Anti-Freeze  
 Hand and Foot Throttles  
 Key Engine Shutoff  
 Fan Finger Guard  
 Slide-out Cleaning Screen  
 Heavy Duty Air Intake Pre-Heater  
 Fuel Cooler  
 19.6 U.S. Gallon (74 L) Fuel Tank Capacity

**TRANSMISSION:**

Differential Lock  
 Neutral Start Safety Switch

**REAR AXLE:**

Flanged Rear Axle  
 Planetary Final Drives

**STEERING AND BRAKES:**

Hydrostatic Power Steering  
 Hydraulically Actuated Wet Disk Brakes  
 Self-Equalizing and Self-Adjusting

**HYDRAULICS:**

Open Center Hydraulic System  
 Tandem Gear Pump 18.2 GPM (68.8 LPM) Maximum Total  
 Flow  
 Steering Pump 6.8 GPM (25.7 LPM)  
 Implement Pump 11.4 GPM (43.1 LPM)

**POWER TAKE OFF SHAFT:**

Operator Presence Safety Warning PTO  
 Flip Up PTO Shield  
 Safety Start Switch

**ROCKSHAFT, HITCH AND DRAWBAR:**

Rear Rockshaft with Position Control, Draft  
 Control, and Adjustable Rate of Drop  
 3-Point (Category II) Hitch with Sway Bars -  
 Convertible to Category I  
 Interchangeable Hitch Balls  
 Adjustable Drawbar

**INSTRUMENTATION:**

Electric Fuel Gauge  
 Tachometer/Hour Meter  
 Oil Pressure Indicator Light  
 Coolant Temperature Gauge  
 Alternator Indicator Light  
 Air Restriction Indicator Light  
 Turn Signal Indicator Light  
 High Beam Light  
 PTO Engagement Light  
 Digital Display - Hour Meter

**ELECTRICAL:**

12-Volt Electrical System  
 One Battery - 623 CCA\*\* with 145 Minute Reserve  
 Capacity  
 40 Amp Alternator

**LIGHTS:**

Two Front Halogen Headlights  
 Two Turn/Flashing Warning Lights  
 Two Tail Lights

**MISCELLANEOUS:**

SMV Emblem  
 Tilt-Up Hood  
 Fender Mounted Toolbox

\* Manufacturer's Rating

\*\* Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

1756LV	5075E Utility Tractor	28,353.00
--------	-----------------------	-----------

**DESTINATION**

0202	United States	In Base Price
0184	Canada	No Added Cost
0205	French Quebec	No Added Cost

**OPERATOR'S MANUAL**

0409	English Operator's Manual and Decal Kit	In Base Price
------	---	---------------

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0413		<b>OPERATOR'S MANUAL ...Continued...</b> French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
<b>TRANSMISSION</b>			
1363		9F/3R SyncShuttle Transmission (TSS) 9F/3R Full Top Shaft Synchronized [TSS] Synchronized Speed Shifts Integrated Park Position Right Hand Shifted Speeds Left Hand Shifted Ranges Mechanical PTO engagement Fixed Draft Links Compatible with Code 2050 - Standard Cab is available on 5055E models ONLY. (Base Code 1736LV) Not compatible with Code 2050 - Standard Cab on 5065E and 5075E models. (Base Codes 1746LV and 1756LV)	In Base Price
1381		12F/12R PowrReverser Transmission - 540/540E (PR) Electrohydraulic (EH) Directional Reverser Wet Traction Clutch Wet PTO Clutch Neutral Start Safety Switch Electrohydraulic (EH) PTO engagement Economy-PTO/Standard PTO MFWD indicator light Digital ground speed indicator Digital PTO speed indicator Telescopic Draft Links Requires Code 6040 - MFWD.	2,773.00
<b>LOADERS</b>			
1725		Loader Prep Package Includes loader mounting frames and hood guard. Compatible with 520M and H240 loader Requires code 3420 (Dual Mid Valves with Joystick Control) Hydraulic hoses and hydraulic connections still need to be ordered with loader.	1,454.00
1799		Less Loader Prep Package Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.	In Base Price
<b>OPERATOR'S STATION</b>			
2000		Open Operator Station Fixed Open Operator Station 2 Post Foldable Roll-Over Protection Structure (ROPS) Deluxe Adjustable Vinyl Seat with Retractable Seat Belt Beverage Holder Single Rear Work Light Floor Mat included when Option Code 1381 - PowrReverser Transmission selected	In Base Price
2050		Standard Cab Left Side Door Air Conditioning Beverage Holder Cloth Mechanical Suspension Seat with Retractable Seat Belt	7,751.00



AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>OPERATOR'S STATION ...Continued...</b>			
<i>Radio/CD Ready (Antenna Cable, Two Speakers, and Wiring Harness)</i>			
<i>Front Windshield Wiper</i>			
<i>Requires Code 6040 (MFWD).</i>			
<hr/>			
<b>MID SELECTIVE CONTROL VALVES</b>			
3400		Less Mid Valves <i>Recommended for applications WITHOUT front loaders.</i> <i>Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.</i> <i>Requires Code 6020 (2WD).</i>	In Base Price
3420		Dual Mid Valves with Joystick Control <i>Recommended for applications WITH front loaders.</i> <i>Requires Code 6040 (MFWD).</i>	1,203.00
<hr/>			
<b>REAR WHEELS AND TIRES</b>			
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias <i>Requires code 6103.</i>	801.00
5113		21.5L-16.1 In. 6PR R3 Bias <i>2WD requires Code 6103.</i>	-639.00
5184		16.9-24 In. 6PR R4 Bias <i>MFWD requires Code 6133.</i>	-371.00
5185		16.9-28 In. 6PR R1 Bias <i>2WD requires Code 6102.</i> <i>MFWD requires Code 6101.</i>	In Base Price
5180		420/85R30 (16.9R30) R1W Radial <i>Requires option code 6180.</i>	2,069.00
<hr/>			
<b>FRONT WHEELS AND TIRES</b>			
6102		7.50-16 In. 6PR F2 Bias <i>For option code 6020 (2WD)</i> <i>Requires Code 2000 (Open Operator Station).</i>	In Base Price
6103		27/12LL-15 In. 6PR Turf Special Bias <i>For option code 6020 (2WD)</i> <i>Requires Code 2000 (Open Operator Station).</i>	501.00
6101		9.5-24 In. 6PR R1 Bias <i>For option code 6040 (MFWD)</i>	1,082.00
6133		12.5/80-18 In. 6PR I3(R4 Type) Bias <i>For option code 6040 (MFWD)</i>	748.00
6171		9.5-16 In. 6PR R3 Bias <i>For option code 6040 (MFWD)</i>	407.00
6180		280/85R24 (11.2R24) R1W Radial	2,169.00
<hr/>			
<b>FRONT AXLE</b>			

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6020		<b>FRONT AXLE ...Continued...</b> Two-Wheel Drive (2WD) <i>Requires Code 1363 (9F/3R SyncShuttle Transmission)</i> <i>Not available on cab models</i>	In Base Price
6040		Mechanical Front Wheel Drive (MFWD) <i>MFWD Mechanical Engagement</i> <i>Engagement Indicator Light on PowrReverser Transmission.</i>	5,482.00

**ATTACHMENTS FOR FIELD CONVERSION**

		<b>Cab Equipment</b>	
AL80126		Rear Mirror Mechanical <i>Cab Compatible Only.</i>	188.10
AL80127		Rear Mirror Mechanical <i>Cab Compatible Only.</i>	188.10
		<b>Hydraulics</b>	
BSJ10345		Motor Control Kit <i>Compatible with 5E 3 cylinder tractors with serials ending after HJ100101.</i>	484.00
BLV10348		Second rear selective control valve (SCV) with detented float and lever control <i>Compatible with 5E Cab Tractors.</i>	833.80
		<b>Lighting</b>	
BLV10120		Beacon light kit <i>Cab tractors only</i>	244.20
		<b>Lighting Equipment</b>	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Open Station Only.</i>	66.00
		<b>Mid Selective Control Valves</b>	
BSJ10262		Mid-Mount Dual SCV with Joystick Control <i>Compatible with 5E 3 cylinder Cab and OOS Tractors with serials ending after HJ100101.</i>	1,460.80
		<b>Mid Selective Control Valves</b>	
BSJ10346		Mid-Mount Dual SCV with 3rd Function Joystick Assembly <i>Compatible with 520M loaders only. To be used with loader diverter kit (ordered separately).</i> <i>For 5E 3 cyl tractors with serials ending after HJ100101.</i>	748.00
		<b>Miscellaneous</b>	
L113922		Antenna <i>All 5E Series Cab Tractors are "Radio Ready", including Radio Wiring Harness and Speakers as Standard Equipment.</i> <i>Requires Radio Ordered Separately.</i>	25.90
LVB25728		Backup Alarm Kit <i>Compatible with 5E 3-Cyl Cab tractors and PR Open Station Tractors.</i>	176.00

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
LVB25817		Backup Alarm Kit <i>Compatible with open station 5E 3-Cyl configured with 9X3 transmission.</i>	167.20
BSJ10370		Creeper Conversion Kit <i>Compatible with FT4 5E 3 cylinder open operator station (OOS) tractors with 9X3 transmission only.</i>	885.50
R133359		Drawbar - Offset	275.33
RE39830		Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	285.60
RE39829		Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	288.49
BSJ10077		Horizontal Side Exhaust <i>5045E, 5055E, 5065E and 5075E Only.</i>	438.90
SJ11072		Left-Hand Telescopic Draft Link	389.40
SJ11073		Right Hand Telescopic Draft Link	389.40
BLV10350		Right-hand door <i>Cab Only</i>	301.40
LVB25926		Single Horn Kit <i>OOS tractors only</i>	52.80
LVB26096		Single Horn Kit <i>CAB tractors only.</i>	52.80
		<b>Miscellaneous</b>	
BLV10921		Backhoe Mounting Kit <i>For use on 485 backhoe in conjunction with FT4 5E 3 cylinder OOS tractors.</i>	2,361.70
BLV10419		Cab Instructional Seat <i>For Cab Tractors only. Requires SJ20970 to be Ordered Separately.</i>	633.60
LVB25785		Canopy - Deluxe <i>Requires BSJ10341 Canopy Mounting Bracket and Hardware Kit ordered separately. Open Station Tractors Only.</i>	853.60
T12553		Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i>	14.15
AR60937		Cigarette Lighter <i>Cab only.</i>	14.24
R66432		Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	17.42
BRE10151		Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
BRE10153		Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>	
R262449		Front Weight Support, 187 Lbs <i>Requires (4) 19H3405 Cap Screws and (4) 12H236 Washers, ordered separately.</i>	409.40
AL113087		Lockable Fuel Tank	29.27
LVB25727		PowrReverser modulation control kit <i>For 12x12 PR Tractors Only.</i>	160.60
AT439279		Radio - AM/FM, Bosch (Premium) <i>Compatible with 5055E, 5065E and 5075E cab models only. Must order Antenna seperately (L113922).</i>	712.11
L154683		Rear Axle 1.2 in. Extension (30 mm) <i>Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately. Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
L154682		Rear Axle 1.6 in. Extension (40 mm) <i>Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
L154684		Rear Axle 4.4 in. Extension (111 mm) <i>Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
RE244177		Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. OOS Only. Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	36.84
R213907		Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel. Starter bolts not included in this kit. R183851 bolt, quantity 8, needed</i>	147.40
BLV10173		Wiper and washer, rear <i>Only cab tractors.</i>	355.30
BSJ10341		<b>Open Operator's Station</b> Canopy Mounting Kit	77.00
LVB25334		<b>Operator's Station</b> Canopy - Standard <i>Requires BSJ10341 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	490.60
BRE10015		Cell Phone Mount Kit	67.10
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices.</i>	25.96
BRE10152		Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	64.90

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

**5075E Utility Tractor**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b>			
LVB25714		<b>Rear Fenders</b> Rear fender extension <i>Cab Tractors only.</i>	227.70
BSJ10303		<b>Rear Fenders</b> Rear Fender Extension Kit without Work Lights <i>Open Station Tractors only.</i>	347.60
LVB25976		<b>Rear Hitch</b> iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	376.20
BSJ10287		<b>Rear Selective Control Valves</b> Second Rear SCV with Detented Float and Lever Control <i>Compatible with 5E 3-Cylinder Open Station tractors.</i>	833.80
TY27545		<b>Three-Point Hitch</b> Quik-Coupler, Economy, Category 2	580.37

AGRICULTURAL PRODUCTS  
JOHN DEERE TRACTORS

---

**5075E Utility Tractor**  
Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---