

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Equipment for Base Machine

ENGINE:

90 (67.1 kW) 97/68/EC Engine Horsepower @ 2400 RPM*
75 (55.6 kW) PTO Horsepower @ 2400 RPM*
4 Cylinder Turbocharged John Deere PowerTech PWL
Diesel Engine
EPA Final Tier 4 Emissions Compliant
276 C.I.D. (4.5 L) High Pressure Common Rail
Oil Cooler
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack
Anti-Freeze
Water Separator Bowl
Hand and Foot Throttle
Key Engine Shut Off
Fan Finger Guard
Fuel Cooler
30 U.S. Gallon (113.6 L) Fuel Tank Capacity
2.5 U.S. Gallon (9.5 L) DEF Tank Capacity

TRANSMISSION:

PowrReverser Transmission
LH Electrohydraulic (EH) Directional Reverser
Integrated Park Position
Differential Lock
Neutral Start Safety Switch
Wet Traction Clutch

FRONT AXLE AND TIRES:

Mechanical Front Wheel Drive (4 Wheel Drive) Front
Axle
Electro-hydraulic MFWD Engagement
Planetary Final Drives
8-Position Steel Front Wheels

REAR AXLE AND TIRES:

Flanged Rear Axle
Planetary Final Drives
8-Position Steel Rear Wheels

STEERING AND BRAKES:

Hydrostatic Power Steering
Hydraulic Wet Disk Brakes
Self-Equalizing and Self-Adjusting
Dual Stage Brakes

HYDRAULICS:

Open Center Hydraulic System
Tandem Gear Pump 22.5 GPM (85.1 LPM) Maximum Total
Flow
Steering Pump 6.6 GPM (24.9 LPM)
Implement Pump 15.9 GPM (60.1 LPM)
Hydraulic Oil Cooler
Dual Rear SCV Control Valve

POWER TAKE-OFF SHAFT:

Independent 540 RPM/540E
Rear PTO Shaft

Electro-hydraulic PTO engagement @ 2400 Rated
Engine RPM
Economy PTO setting for 540 PTO RPM @ 1716 Engine
RPM
Wet PTO Clutch
Operator Presence Safety
Warning - PTO
Safety Start Switch
Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR:

Telescopic Draft Links with Category II Balls
Adjustable Sway Bars
Adjustable Straight Drawbar
Top Link Draft Sensing

INSTRUMENTATION:

LCD Instrument Cluster
Electric Fuel Gauge
Electric DEF Gauge
Tachometer
Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Turn Signal Indicator Light
High Beam Indicator Light
PTO Engagement Indicator Light
MFWD Engagement Indicator Light

ELECTRICAL:

12-Volt Electrical System
One Battery - 950 CCA** with 180 Minute Reserve
Capacity
7-Pin ASAE Outlet Socket
90 Amp Alternator

LIGHTS:

Two Front Halogen Headlights
Two Turn/Warning Lights
Single Rear Work Light

MISCELLANEOUS:

SMV Emblem
Tilt-Up Hood
Side-Mounted Toolbox

* Manufacturer's Rating

** Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

*EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas;
Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington*

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
08A0LV		BASE MACHINE ...Continued... 5090E Utility Tractor	51,590.00
OPERATOR'S MANUAL			
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Operators Manual and Decal Kit	No Added Cost
0437		Spanish Operators Manual and Decal Kit	No Added Cost
TRANSMISSION			
1381		12F/12R PowrReverser Transmission - 540/540E	In Base Price
1383		24F/12R PowrReverser Transmission - 540/540E	1,519.00
OPERATOR'S STATION			
2000		Open Operator Station <i>Fixed Open Operator Station</i> <i>Tilt/ Telescopic Steering Column</i> <i>2 post Foldable Roll- Over Protection Structure (ROPS)</i> <i>Adjustable seat with Armrests and seatbelt</i> <i>Speedometer</i> <i>Cup Holder</i> <i>Deluxe Floor Mat</i> <i>Plexiglass Debris / Air Deflectors with Grab Handles</i>	In Base Price
2050		Standard Cab <i>Left Side Door</i> <i>Air Conditioning</i> <i>Tilt and Telescopic Steering Column</i> <i>Cup Holders</i> <i>Radio/CD Ready (Antenna Cable,Two Speakers, and Wiring Harness)</i> <i>Front Windshield Wiper</i> <i>120 Amp Alternator</i> <i>Two Front Halogen Headlights</i> <i>Six Turn/Warning Lights</i> <i>Two Rear Work Lights</i> <i>Two Front Work Lights</i>	9,391.00
SEAT			
2110		Mechanical Suspension Seat <i>Available on OOS and Cab Tractors.</i>	In Base Price
2120		Air Suspension Seat <i>Available on Cab Tractors only.</i>	731.00
EXHAUST			
3020		Vertical Exhaust <i>Available on Open Operator Station Tractors only.</i>	In Base Price
3025		Deluxe Cornerpost Exhaust <i>Available on Cab Tractors only.</i>	518.00

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REAR SELECTIVE CONTROL VALVES			
3320		Dual Stackable Rear SCV's with Lever Control	In Base Price
3330		Triple Stackable Rear Deluxe SCV's with Lever Control <i>Features:</i> - Three selectable detent positions on #1 valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve.	879.00
MID SELECTIVE CONTROL VALVES			
3400		Less Mid Valves <i>Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.</i>	In Base Price
3420		Dual Stackable Mid Valves with Joystick Control <i>Recommended for applications WITH front loaders.</i>	1,279.00
REAR WHEELS AND TIRES			
5121		16.9 - 30 In. 6PR R1 Bias <i>Requires Code 6111.</i>	-405.00
5911		18.4 - 30 In. 8PR R1 Bias <i>Requires Code 6701.</i>	In Base Price
5914		19.5L - 24 In. 10PR R4 Bias <i>Requires Code 6114.</i>	-427.00
5133		460/85R30 (18.4R30) R1W Radial <i>Requires code 6203 (Firestone).</i>	1,660.00
5180		420/85R30 (16.9R30) R1W Radial <i>Requires code 6180 (Michelin).</i>	1,575.00
FRONT WHEELS AND TIRES			
<i>See Loader Section of the Sales Manual for Front Tire/Loader Compatibility Information.</i>			
6111		11.2 - 24 In. 6PR R1 Bias	-290.00
6114		12.5/80 - 18 In. 6PR I3 (R4 Type) Bias	-775.00
6701		12.4 - 24 In. 8PR R1 Bias	In Base Price
6203		320/85R24 (12.4R24) R1W Radial <i>Firestone Brand</i>	843.00
6180		280/85R24 (11.2R24) R1W Radial <i>Michelin Brand</i>	735.00
FRONT AXLE			
6040		MFWD (4 Wheel Drive)	In Base Price

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT AXLE ...Continued...			
FRONT LOADER PREPARATION PACKAGES			
8912		Loader Preparation Package <i>Hydraulic hoses and hydraulic connections still need to be ordered with loader.</i> <i>Loader Preparation Package only compatible with 520M and 540M loaders (previously the H240 and H260).</i> <i>Includes loader mounting frames and hood guard.</i>	1,706.00
ATTACHMENTS FOR FIELD CONVERSION			
		Cab Equipment	
	AL80126	Rear Mirror Mechanical <i>Cab Compatible Only.</i>	188.10
	AL80127	Rear Mirror Mechanical <i>Cab Compatible Only.</i>	188.10
		Cold Weather Packages	
	DZ102076	Engine Block Heater (110V)	110.75
		Front Axle	
	AL156778	Hub Extension 60mm, Front, Tread Adjustment <i>Fits MFWD and Rear Axles. Only for axles with 10.82 diameter bolt holes.</i> <i>Tread Setting Should Not exceed 80 In. for Maximum Load Applications.</i>	721.60
		Front Fenders	
	LVB25776	Fixed Front Fender Mounting brackets and hardware kit - (MFWD) without loader <i>Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.</i>	861.30
	AL180328	Front Fenders 320 mm (12.6 In.) Wide (MFWD) <i>Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.</i> <i>Not compatible with Loaders or HI-CROP Tractors.</i>	83.47
	AL180330	Front Fenders 370 mm (14.6 In.) Wide (MFWD) <i>Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not Compatible with Loaders.</i>	98.38
	AL180327	Front Fenders 420 mm (16.5 In.) Wide (MFWD) <i>Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.</i> <i>Not compatible with Loaders or HI-CROP Tractors.</i>	110.66
		Hood Guards	
	BW16765	Hood Guard	440.00
		Hydraulics	
	BSJ10105	3rd Function Mid Hydraulic Control Valve Kit (Converting Dual Mid to Triple Mid) <i>Only for tractors already equipped with Dual Mid Hydraulics.</i> <i>Fits all FT4 5E 4 Cyl. Tractors that already have dual mid SCVs installed.</i>	1,870.00

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	BSJ10110	3rd Rear SCV (Upgrade from 2 rear SCV) <i>For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features: - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve</i>	1,004.30
	BSJ10109	Dual Mid Hydraulic Control Valve Kit with Joystick Control <i>Recommended for applications WITH Front Loaders.</i>	1,460.80
	BSJ10194	Power Beyond Coupler Kit for 5E 4 Cylinder FT4 Tractors <i>Requires, at least, two rear Hydraulic Control Valves. For Hydraulic Motor Applications, Order Code 3330 or BSJ10110 Triple Rear Deluxe Hydraulic Control Valve with Pressure Compensated Flow Control is Recommended. Order Separately.</i>	484.00
		Lighting	
	BSJ10478	LED ROPS mounted rear work lights	227.70
		Lighting	
	LVB25720	Auxiliary work light kit (2 lights) <i>Cab Tractors Only. Compatible at Front or Rear of Cab.</i>	156.20
	RE244176	Beacon Light Kit <i>Open Operator Station only. (Code 2000 and 2005).</i>	271.13
	BLV10120	Beacon light kit <i>Cab tractors only</i>	244.20
	BSJ10325	LED HEADLIGHTS	297.00
		Lighting Equipment	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Open Station Only.</i>	66.00
		Loader Mounted Fenders	
	BW15741	Stationary fenders (QuikTach) <i>For Tractors with Loader Installed.</i>	607.20
		Miscellaneous	
	BLV10370	540/1000-rpm power take-off (PTO) kit <i>Converting from 540/540E to 540/1000. Also backwards compatible with 5E 4 cylinder and 5EN tractors starting MY2012 with green chassis.</i>	1,615.90
	LVB25728	Backup Alarm Kit	176.00
	R133359	Drawbar - Offset	275.33
	R196191	Drawbar - Straight Heavy-Duty	372.34
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	285.60
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	288.49

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	BSJ10278	Horizontal Side Exhaust <i>5085E and 5100E Only.</i>	2,370.50
	BSJ10264	Right Hand Door Kit (CAB ONLY)	301.40
	LVB26096	Single Horn Kit	52.80
		Miscellaneous	
	RE554568	120 Amp Alternator	764.70
	AH104259	Ash Tray <i>Cab only.</i>	72.43
	LVB25785	Canopy - Deluxe <i>Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	853.60
	LVB25783	Canopy mounting kit <i>Canopy ordered separately.</i>	77.00
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i>	14.15
	AR60937	Cigarette Lighter <i>Cab only.</i>	14.24
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	17.42
	BSJ10163	Floodlamp/Work Lights, LED, (4 Lights) <i>Cab Only. Use for Front or Rear. Compatible with 5085E, 5100E, 5085M, 5075M, 5090M, 5100M, 5115M, 5100MH CAB Models.</i>	455.40
	BRE10151	Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
	BRE10153	Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
	R262449	Front Weight Support, 187 Lbs <i>Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.</i>	409.40
	BSJ10125	Instructional Seat Kit, CAB only	633.60
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	LVB25727	PowrReverser modulation control kit <i>For 12x12 PR Tractors Only.</i>	160.60
	RE567557	Radio - AM/FM, Bosch (Standard) <i>Cab Only. (Not Satellite Capable)</i>	473.76

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
L154683		Rear Axle 1.2 in. Extension (30 mm) <i>Two required.</i> <i>Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i> <i>Two required.</i> <i>Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
L154682		Rear Axle 1.6 in. Extension (40 mm) <i>Two required.</i> <i>Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
L154684		Rear Axle 4.4 in. Extension (111 mm) <i>Two required.</i> <i>Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
RE244177		Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. OOS Only.</i> <i>Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	36.84
RE19428		Safety Chain Support Kit	158.04
AL71345		Security Door Lock Kit	206.80
AL203265		Service Horn	41.13
R213907		Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel. Starter bolts not included in this kit. R183851 bolt, quantity 8, needed</i>	147.40
BLV10173		Wiper and washer, rear	355.30
		Operator's Station	
LVB24983		Air Seat Suspension Kit (Cab Only) <i>Kit contains seat suspension to change mechanical to air suspension. Kit does NOT include a seat.</i>	749.10
LVB25334		Canopy - Standard <i>Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	490.60
BRE10015		Cell Phone Mount Kit	67.10
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices.</i>	25.96
RE68495		Power Strip with Six Outlets	56.07
BRE10152		Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	64.90
		Rear Fenders	
LVB25714		Rear fender extension <i>Cab Tractors only.</i>	227.70
LVB25066		Rear fender extension kit with work lights <i>Open Station Tractors only.</i>	479.60

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
	TY27545	Three-Point Hitch Quik-Coupler, Economy, Category 2	580.37

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Equipment for Base Machine

ENGINE:

100 (74.6 kW) 97/68/EC Engine Horsepower @ 2400 RPM*
85 (62.5 kW) PTO Horsepower @ 2400 RPM*
4 Cylinder Turbocharged
John Deere PowerTech PWL Diesel Engine
EPA Final Tier 4 Emissions Compliant
276 C.I.D. (4.5 L) High Pressure Common Rail
Oil Cooler
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack
Anti-Freeze
Water Separator
Hand and Foot Throttle
Key Engine Shut Off
Fan Finger Guard
Fuel Cooler
30 U.S. Gallon (113.6 L) Fuel Tank Capacity
2.5 U.S. Gallon (9.5 L) DEF Tank Capacity

TRANSMISSION:

PowerReverser Transmission
LH Electrohydraulic (EH) Directional Reverser
Integrated Park Position
Differential Lock
Neutral Start Safety Switch
Wet Traction Clutch

FRONT AXLE AND TIRES:

Mechanical Front Wheel Drive
(4 Wheel Drive) Front Axle
Electro-hydraulic MFWD Engagement
Planetary Final Drives
8-Position Steel Front Wheels

REAR AXLE AND TIRES:

Flanged Rear Axle
Planetary Final Drives
8-Position Steel Rear Wheels

STEERING AND BRAKES:

Hydrostatic Power Steering
Hydraulic Wet Disk Brakes
Self-Equalizing and Self-Adjusting

HYDRAULICS:

Open Center Hydraulic System
Tandem Gear Pump 22.5 GPM
(85.1 LPM) Maximum Total Flow
Steering Pump 6.6 GPM (24.9 LPM)
Implement Pump 15.9 GPM (60.1 LPM)
Hydraulic Oil Cooler
Dual Rear SCV Control Valve

POWER TAKE-OFF SHAFT:

Independent 540 RPM/540E Rear PTO Shaft

Electro-hydraulic PTO engagement @ 2400 Rated

Engine RPM
Economy PTO setting for 540 PTO RPM @ 1716 Engine RPM
Wet PTO Clutch
Operator Presence Safety
Warning - PTO
Safety Start Switch
Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR:

Telescopic Draft Links with Category II Balls
Adjustable Sway Chains
Adjustable Straight Drawbar
Top Link Draft Sensing

INSTRUMENTATION:

LCD Instrument Cluster
Electric Fuel Gauge
Electric DEF Gauge
Tachometer
Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Turn Signal Indicator Light
High Beam Indicator Light
PTO Engagement Indicator Light
MFWD Engagement Indicator Light

ELECTRICAL:

12-Volt Electrical System
One Battery - 950 CCA** with 180 Minute Reserve Capacity
7-Pin ASAE Outlet Socket
90 Amp Alternator

LIGHTS:

Two Front Halogen Headlights
Two Turn/Warning Lights
Single Rear Work Light

MISCELLANEOUS:

SMV Emblem
Tilt-Up Hood
Side-Mounted Toolbox

* Manufacturer's Rating

** Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

697BLV

5100E Utility Tractor

53,776.00

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
BASE MACHINE ...Continued...			
OPERATOR'S MANUAL			
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Operators Manual and Decal Kit	No Added Cost
0437		Spanish Operators Manual and Decal Kit	No Added Cost
TRANSMISSION			
1381		12F/12R PowrReverser Transmission - 540/540E	In Base Price
1383		24F/12R PowrReverser Transmission - 540/540E	1,519.00
OPERATOR'S STATION			
2000		Open Operator Station <i>Fixed Open Operator Station</i> <i>Tilt/ Telescopic Steering Column</i> <i>2 post Foldable Roll- Over Protection Structure (ROPS)</i> <i>Adjustable seat with Armrests and seatbelt</i> <i>Speedometer</i> <i>Cup Holder</i> <i>Deluxe Floor Mat</i> <i>Plexiglass Debris / Air Deflectors with Grab Handles</i>	In Base Price
2050		Standard Cab <i>Left Side Door</i> <i>Air Conditioning</i> <i>Tilt and Telescopic Steering Column</i> <i>Cup Holders</i> <i>Radio/CD Ready (Antenna Cable,Two Speakers, and Wiring Harness)</i> <i>Front Windshield Wiper</i> <i>120 Amp Alternator</i> <i>Two Front Halogen Headlights</i> <i>Six Turn/Warning Lights</i> <i>Two Rear Work Lights</i> <i>Two Front Work Lights</i>	9,391.00
SEAT			
2110		Mechanical Suspension Seat <i>Available on OOS and Cab Tractors.</i>	In Base Price
2120		Air Suspension Seat <i>Available on Cab Tractors only.</i>	731.00
EXHAUST			
3020		Vertical Exhaust <i>Available on Open Operator Station Tractors only.</i>	In Base Price
3025		Deluxe Cornerpost Exhaust <i>Available on Cab Tractors only.</i>	518.00
REAR SELECTIVE CONTROL VALVES			

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3320		REAR SELECTIVE CONTROL VALVES ...Continued... Dual Stackable Rear SCV's with Lever Control	In Base Price
3330		Triple Stackable Rear Deluxe SCV's with Lever Control <i>Features:</i> - Three selectable detent positions on #1 valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve.	879.00
MID SELECTIVE CONTROL VALVES			
3400		Less Mid Valves <i>Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.</i>	In Base Price
3420		Dual Stackable Mid Valves with Joystick Control <i>Recommended for applications WITH front loaders.</i>	1,279.00
REAR WHEELS AND TIRES			
5121		16.9 - 30 In. 6PR R1 Bias <i>Requires Code 6111.</i>	-405.00
5911		18.4 - 30 In. 8PR R1 Bias <i>Requires Code 6701.</i>	In Base Price
5914		19.5L - 24 In. 10PR R4 Bias <i>Requires Code 6114.</i>	-427.00
5133		460/85R30 (18.4R30) R1W Radial <i>Requires code 6203 (Firestone).</i>	1,660.00
5180		420/85R30 (16.9R30) R1W Radial <i>Requires code 6180 (Michelin).</i>	1,575.00
FRONT WHEELS AND TIRES			
<i>See Loader Section of the Sales Manual for Front Tire/Loader Compatibility Information.</i>			
6111		11.2 - 24 In. 6PR R1 Bias	-290.00
6114		12.5/80 - 18 In. 6PR I3 (R4 Type) Bias	-775.00
6701		12.4 - 24 In. 8PR R1 Bias	In Base Price
6203		320/85R24 (12.4R24) R1W Radial <i>Firestone Brand</i>	843.00
6180		280/85R24 (11.2R24) R1W Radial <i>Michelin Brand</i>	735.00
FRONT AXLE			
6040		MFWD (4 Wheel Drive)	In Base Price

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT AXLE ...Continued...			
FRONT LOADER PREPARATION PACKAGES			
8912		Loader Preparation Package <i>Hydraulic hoses and hydraulic connections still need to be ordered with loader.</i> <i>Loader Preparation Package only compatible with 520M and 540M loaders (previously the H240 and H260).</i> <i>Includes loader mounting frames and hood guard.</i>	1,706.00
ATTACHMENTS FOR FIELD CONVERSION			
		Cab Equipment	
	AL80126	Rear Mirror Mechanical <i>Cab Compatible Only.</i>	188.10
	AL80127	Rear Mirror Mechanical <i>Cab Compatible Only.</i>	188.10
		Cold Weather Packages	
	DZ102076	Engine Block Heater (110V)	110.75
		Front Axle	
	AL156778	Hub Extension 60mm, Front, Tread Adjustment <i>Fits MFWD and Rear Axles. Only for axles with 10.82 diameter bolt holes.</i> <i>Tread Setting Should Not exceed 80 In. for Maximum Load Applications.</i>	721.60
		Front Fenders	
	LVB25776	Fixed Front Fender Mounting brackets and hardware kit - (MFWD) without loader <i>Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.</i>	861.30
	AL180328	Front Fenders 320 mm (12.6 In.) Wide (MFWD) <i>Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.</i> <i>Not compatible with Loaders or HI-CROP Tractors.</i>	83.47
	AL180330	Front Fenders 370 mm (14.6 In.) Wide (MFWD) <i>Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not Compatible with Loaders.</i>	98.38
	AL180327	Front Fenders 420 mm (16.5 In.) Wide (MFWD) <i>Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.</i> <i>Not compatible with Loaders or HI-CROP Tractors.</i>	110.66
		Hood Guards	
	BW16765	Hood Guard	440.00
		Hydraulics	
	BSJ10105	3rd Function Mid Hydraulic Control Valve Kit (Converting Dual Mid to Triple Mid) <i>Only for tractors already equipped with Dual Mid Hydraulics.</i> <i>Fits all FT4 5E 4 Cyl. Tractors that already have dual mid SCVs installed.</i>	1,870.00

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	BSJ10110	3rd Rear SCV (Upgrade from 2 rear SCV) <i>For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features: - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve</i>	1,004.30
	BSJ10109	Dual Mid Hydraulic Control Valve Kit with Joystick Control <i>Recommended for applications WITH Front Loaders.</i>	1,460.80
	BSJ10194	Power Beyond Coupler Kit for 5E 4 Cylinder FT4 Tractors <i>Requires, at least, two rear Hydraulic Control Valves. For Hydraulic Motor Applications, Order Code 3330 or BSJ10110 Triple Rear Deluxe Hydraulic Control Valve with Pressure Compensated Flow Control is Recommended. Order Separately.</i>	484.00
		Lighting	
	BSJ10478	LED ROPS mounted rear work lights	227.70
		Lighting	
	LVB25720	Auxiliary work light kit (2 lights) <i>Cab Tractors Only. Compatible at Front or Rear of Cab.</i>	156.20
	RE244176	Beacon Light Kit <i>Open Operator Station only. (Code 2000 and 2005).</i>	271.13
	BLV10120	Beacon light kit <i>Cab tractors only</i>	244.20
	BSJ10325	LED HEADLIGHTS	297.00
		Lighting Equipment	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Open Station Only.</i>	66.00
		Loader Mounted Fenders	
	BW15741	Stationary fenders (QuikTach) <i>For Tractors with Loader Installed.</i>	607.20
		Miscellaneous	
	BLV10370	540/1000-rpm power take-off (PTO) kit <i>Converting from 540/540E to 540/1000. Also backwards compatible with 5E 4 cylinder and 5EN tractors starting MY2012 with green chassis.</i>	1,615.90
	LVB25728	Backup Alarm Kit	176.00
	R133359	Drawbar - Offset	275.33
	R196191	Drawbar - Straight Heavy-Duty	372.34
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	285.60
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	288.49

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	BSJ10278	Horizontal Side Exhaust <i>5085E and 5100E Only.</i>	2,370.50
	BSJ10264	Right Hand Door Kit (CAB ONLY)	301.40
	LVB26096	Single Horn Kit	52.80
		Miscellaneous	
	RE554568	120 Amp Alternator	764.70
	AH104259	Ash Tray <i>Cab only.</i>	72.43
	LVB25785	Canopy - Deluxe <i>Includes Amber lights front and rear, hard liner and wiring harness. Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	853.60
	LVB25783	Canopy mounting kit <i>Canopy ordered separately.</i>	77.00
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i>	14.15
	AR60937	Cigarette Lighter <i>Cab only.</i>	14.24
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	17.42
	BSJ10163	Floodlamp/Work Lights, LED, (4 Lights) <i>Cab Only. Use for Front or Rear. Compatible with 5085E, 5100E, 5085M, 5075M, 5090M, 5100M, 5115M, 5100MH CAB Models.</i>	455.40
	BRE10151	Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
	BRE10153	Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
	R262449	Front Weight Support, 187 Lbs <i>Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.</i>	409.40
	BSJ10125	Instructional Seat Kit, CAB only	633.60
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	LVB25727	PowrReverser modulation control kit <i>For 12x12 PR Tractors Only.</i>	160.60
	RE567557	Radio - AM/FM, Bosch (Standard) <i>Cab Only. (Not Satellite Capable)</i>	473.76

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
L154683		Rear Axle 1.2 in. Extension (30 mm) <i>Two required.</i> <i>Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i> <i>Two required.</i> <i>Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
L154682		Rear Axle 1.6 in. Extension (40 mm) <i>Two required.</i> <i>Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
L154684		Rear Axle 4.4 in. Extension (111 mm) <i>Two required.</i> <i>Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
RE244177		Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. OOS Only.</i> <i>Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	36.84
RE19428		Safety Chain Support Kit	158.04
AL71345		Security Door Lock Kit	206.80
AL203265		Service Horn	41.13
R213907		Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel. Starter bolts not included in this kit. R183851 bolt, quantity 8, needed</i>	147.40
BLV10173		Wiper and washer, rear	355.30
		Operator's Station	
LVB24983		Air Seat Suspension Kit (Cab Only) <i>Kit contains seat suspension to change mechanical to air suspension. Kit does NOT include a seat.</i>	749.10
LVB25334		Canopy - Standard <i>Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	490.60
BRE10015		Cell Phone Mount Kit	67.10
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices.</i>	25.96
RE68495		Power Strip with Six Outlets	56.07
BRE10152		Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	64.90
		Rear Fenders	
LVB25714		Rear fender extension <i>Cab Tractors only.</i>	227.70
LVB25066		Rear fender extension kit with work lights <i>Open Station Tractors only.</i>	479.60

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
	TY27545	Three-Point Hitch Quik-Coupler, Economy, Category 2	580.37

AGRICULTURAL PRODUCTS

JOHN DEERE TRACTORS

5090EL Specialty Tractor

Equipment for Base Machine

ENGINE:

90 (67.1 kW) 97/68/EC Engine Horsepower @ 2400 RPM*
 75 (55.6 kW) PTO Horsepower @ 2400 RPM*
 4 Cylinder Turbocharged John Deere PowerTech PWL Diesel Engine
 EPA Final Tier 4 Emissions Compliant
 276 C.I.D. (4.5 L) High Pressure Common Rail Oil Cooler
 Dry Type Air Cleaner with Safety Element
 Anti-Freeze
 Water Separator Bowl
 Hand and Foot Throttle
 Key Engine Shut Off
 Fan Finger Guard
 Fuel Cooler
 30 U.S. Gallon (113.6 L) Fuel Tank Capacity
 2.5 U.S. Gallon (9.5 L) DEF Tank Capacity

TRANSMISSION:

PowerReverser Transmission
 LH Electrohydraulic (EH) Directional Reverser
 Integrated Park Position
 Differential Lock
 Neutral Start Safety Switch
 Wet Traction Clutch

FRONT AXLE AND TIRES:

Mechanical Front Wheel Drive (4 Wheel Drive) Front Axle
 Electro-hydraulic MFWD Engagement
 Planetary Final Drives
 8-Position Steel Front Wheels

REAR AXLE AND TIRES:

Flanged Rear Axle
 Planetary Final Drives
 8-Position Steel Rear Wheels

STEERING AND BRAKES:

Hydrostatic Power Steering
 Hydraulic Wet Disk, Dual Stage Brakes
 Self-Equalizing and Self-Adjusting

HYDRAULICS:

Open Center Hydraulic System
 Tandem Gear Pump 22.5 GPM (85.1 LPM) Maximum Total Flow
 Steering Pump 6.6 GPM (24.9 LPM)
 Implement Pump 15.9 GPM (60.1 LPM)
 Hydraulic Oil Cooler
 Dual Rear SCV Control Valve

POWER TAKE-OFF SHAFT:

Independent 540 RPM/540E

Rear PTO Shaft

Electro-hydraulic PTO engagement @ 2400 Rated Engine RPM
 Economy PTO setting for 540 PTO RPM @ 1716 Engine RPM
 Wet PTO Clutch
 Operator Presence Safety
 Warning - PTO
 Safety Start Switch
 Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR:

Telescopic Draft Links with Category II Balls
 Adjustable Sway Bars
 Adjustable Straight Drawbar
 Top Link Draft Sensing

INSTRUMENTATION:

LCD Instrument Cluster
 Electric Fuel Gauge
 Electric DEF Gauge
 Tachometer
 Hour Meter
 Oil Pressure Indicator Light
 Coolant Temperature Gauge
 Alternator Indicator Light
 Air Restriction Indicator Light
 Turn Signal Indicator Light
 High Beam Indicator Light
 PTO Engagement Indicator Light
 MFWD Engagement Indicator Light

ELECTRICAL:

12-Volt Electrical System
 One Battery - 950 CCA** with 180 Minute Reserve Capacity
 7-Pin ASAE Outlet Socket
 90 Amp Alternator

LIGHTS:

Two Front Halogen Headlights
 Two Turn/Warning Lights
 Single Rear Work Light

MISCELLANEOUS:

SMV Emblem
 Tilt-Up Hood

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

08E0LV	5090EL Specialty Tractor	53,728.00
--------	--------------------------	-----------

OPERATOR'S MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
------	--	---------------

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090EL Specialty Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0413		OPERATOR'S MANUAL ...Continued... French Operators Manual and Decal Kit	No Added Cost
0437		Spanish Operators Manual and Decal Kit	No Added Cost
TRANSMISSION			
1381		12F/12R PowrReverser Transmission - 540/540E	In Base Price
1383		24F/12R PowrReverser Transmission 540/540E	1,519.00
OPERATOR'S STATION			
2000		Fixed Open Operator Station Tilt/ Telescopic Steering Column 2 post Foldable Roll- Over Protection Structure (ROPS) Speedometer Cup Holder Deluxe Floor Mat Plexiglass Debris / Air Deflectors with Grab Handles	In Base Price
SEAT			
2110		Mechanical Suspension Seat Features 15 degree swivel	In Base Price
EXHAUST			
3010		Horizontal Side Exhaust	In Base Price
REAR SELECTIVE CONTROL VALVES			
3320		Dual Stackable Rear SCV's with Lever Control	In Base Price
3330		Triple Stackable Rear SCV's with Lever Control Features: - Three selectable detent positions on #1 valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve.	879.00
MID SELECTIVE CONTROL VALVES			
3400		Less Mid Valves Recommended for applications <i>WITHOUT</i> front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.	In Base Price
3420		Dual Stackable Mid Valves with Joystick Control Recommended for applications <i>WITH</i> front loaders.	1,279.00
REAR WHEELS AND TIRES			
5121		16.9-30 In. 6PR R1 Bias Requires Code 6111	No Added Cost
5914		19.5L - 24 In. 10PR R4 Bias	In Base Price

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090EL Specialty Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REAR WHEELS AND TIRES ...Continued...			
<i>Requires Code 6114</i>			
5175		480/65R24 R1 Radial <i>Requires Code 6175</i>	387.00
5180		420/85R30 (16.9R30) R1W Radial <i>Requires Code 6180</i>	2,002.00
FRONT WHEELS AND TIRES			
6111		11.2 - 24 In. 6PR R1 Bias	485.00
6114		12.5/80 - 18 In. 6PR I3 (R4 type) Bias	In Base Price
6175		12.5/80-18 10PR I3 Bias Titan	63.00
6180		280/85R24 (11.2R24) R1W Radial	1,510.00
FRONT AXLE			
6040		MFWD (4 Wheel Drive)	In Base Price
REAR FENDERS			
8022		Rear Fender Extensions <i>Adds an additional 8.8 inches (224mm) extension per fender</i>	248.00
8024		Rear Fender Extensions - Wide <i>Adds an additional 15.2 inches (385mm) extension per fender</i>	426.00
FRONT LOADER PREPARATION PACKAGES			
8912		Loader Preparation Package <i>Hydraulic hoses and hydraulic connections still need to be ordered with loader. Loader Preparation Package only compatible with 520M and 540M loaders. Includes loader mounting frames and hood guard.</i>	1,706.00
GUARDS			
8330		Guarding Package <i>Features guarding for fuel tank and steering line</i>	857.00
LIGHTING EQUIPMENT			
873A		Rear Work Lights - LED <i>Upgrades ROPS mounted rear work light from single Halogen to two LEDs</i>	181.00
ATTACHMENTS FOR FIELD CONVERSION			
DZ102076		Cold Weather Packages Engine Block Heater (110V)	110.75

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090EL Specialty Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
		Front Axle	
AL156778		Hub Extension 60mm, Front, Tread Adjustment <i>Fits MFWD and Rear Axles. Only for axles with 10.82 diameter bolt holes. Tread Setting Should Not exceed 80 In. for Maximum Load Applications.</i>	721.60
		Front Fenders	
BSJ10044		Rear Fender Extension Kit without Work Lights	347.60
		Fuel Tank	
BSJ10477		Shield kit, Fuel Tank	154.00
		Hood Guards	
BW16765		Hood Guard	440.00
		Hydraulics	
BSJ10105		3rd Function Mid Hydraulic Control Valve Kit (Converting Dual Mid to Triple Mid) <i>Only for tractors already equipped with Dual Mid Hydraulics. Fits all FT4 5E 4 Cyl. Tractors that already have dual mid SCVs installed.</i>	1,870.00
BSJ10110		3rd Rear SCV (Upgrade from 2 rear SCV) <i>For use with Tractors ALREADY equipped with Dual Rear Valves. Stackable design adds 3rd Function to existing Dual valves. Features: - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve</i>	1,004.30
BSJ10109		Dual Mid Hydraulic Control Valve Kit with Joystick Control <i>Recommended for applications WITH Front Loaders. Must also order (1) SU54208 and (1) 19M7866</i>	1,460.80
BSJ10194		Power Beyond Coupler Kit for 5E 4 Cylinder FT4 Tractors <i>Requires, at least, two rear Hydraulic Control Valves. For Hydraulic Motor Applications, Order Code 3330 or BSJ10110 Triple Rear Deluxe Hydraulic Control Valve with Pressure Compensated Flow Control is Recommended. Order Separately.</i>	484.00
		Lighting	
BSJ10478		LED ROPS mounted rear work lights	227.70
		Lighting	
BSJ10325		LED HEADLIGHTS	297.00
		Lighting Equipment	
LVB25547		Auxiliary Rear Work Light Kit (1 Light)	66.00
		Miscellaneous	
BLV10370		540/1000-rpm power take-off (PTO) kit <i>Converting from 540/540E to 540/1000. Also backwards compatible with 5E 4 cylinder and 5EN tractors starting MY2012 with green chassis.</i>	1,615.90

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090EL Specialty Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	LVB25728	Backup Alarm Kit	176.00
	R133359	Drawbar - Offset	275.33
	R196191	Drawbar - Straight Heavy-Duty	372.34
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	285.60
	LVB26096	Single Horn Kit	52.80
		Miscellaneous	
	RE554568	120 Amp Alternator	764.70
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i>	14.15
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	17.42
	BRE10151	Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
	BRE10153	Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
	R262449	Front Weight Support, 187 Lbs <i>Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.</i>	409.40
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	LVB25727	PowrReverser modulation control kit <i>For 12x12 PR Tractors Only.</i>	160.60
	L154683	Rear Axle 1.2 in. Extension (30 mm) <i>Two required.</i> <i>Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i> <i>Two required.</i> <i>Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	203.84
	L154682	Rear Axle 1.6 in. Extension (40 mm) <i>Two required.</i> <i>Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	239.03
	L154684	Rear Axle 4.4 in. Extension (111 mm) <i>Two required.</i> <i>Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	337.42
	RE19428	Safety Chain Support Kit	158.04
	R213907	Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel. Starter bolts not included in this kit. R183851 bolt, quantity 8, needed</i>	147.40

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090EL Specialty Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
		Operator's Station	
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices.</i>	25.96
		Rear Fenders	
LVB25066		Rear fender extension kit with work lights	479.60
		Three-Point Hitch	
TY27545		Quik-Coupler, Economy, Category 2	580.37