

**CP770 Cotton Picker**

Code	Description	List price
48A6N	CP770 Cotton Picker Operator Station and Controls Premium Cab Package: Pressurized Cab with ClimaTrak™ Automatic HVAC Vision Cloth Operators Seat Electronic Controls and Pneumatic Lumbar Seat Swivel: 16° Left and 16° Right Air Suspension Seat Dual Tilt-Telescoping Steering Column Training Seat Drive and Training Seat Belts Operator Presence System End of Day Single Button Operation Refrigerator 5 Large Cup Holders Auxiliary Power Outlet Strip Business Band Radio Ready 6.5 Touchscreen App Radio, XM Ready Two Speakers and Subwoofer Auxiliary Input Jack Four USB Charging Ports One 12V Port CommandARM™ Console Floor Heat and Cooling Visibility: Two Electrically Adjustable Cab Mounted Single Pane Mirrors Two Lift Frame Mounted Mirrors Front & Right-Hand Side Sunshades Front and Right-Hand Side Wipers Cameras: Prewired for Four Digital Cameras: Rearview Camera (Factory Installed) Wrap Slot in RMB (Factory Installed) Upper Accumulator Camera Kit (Field Installed) Controls and Instruments Adjustable CommandARM™ Control Console with Armrest Controls for: Harvesting Controls Engine and Ground Drive HVAC System Radio Phone Lights Header Height Offset Row Guidance Offset Row Unit Height Sensitivity Row Unit Height Adjust Solution Pressure Row Unit Service Modes: Tether Mode and Lube Mode Programmable Buttons Electro-Hydraulic Controlled Picking Units and Cotton Handling System Multi-Function Ground Speed Control Lever with Integral Buttons for: Picking Unit Raise/Lower Auto Mode Moistener Flush Handler Raise/Lower Manual Round Module Builder Operation RowSense Resume Manual Wrap Accumulator Unload/End of Day G5Plus CommandCenter Display 20 cm (8 in) Corner Post Display with: Digital Tachometer Engine and Transmission Information Wrap Portion Counter Module Building MonitorTechnology G5 Plus CommandCenter AutoTrac Activation RowSense™ (manual non-AutoTrac™) RowSense Activation ActiveYield Calibration*** Documentation Yield Mapping* Row by Row Yield Documentation*** Harvest Identification, Cotton Pro* Data Sync* Integrated StarFire™ Receiver JDLink Connectivity** Remote Display Access** Wireless Data Transfer** Machine Telematics** On Board Module	

**CP770 Cotton Picker**

Code	Description	List price
	Moisture Sensing On Board Module Weighing***Feature available is only for machines with Documentation.**JDLink™ Connectivity and related features is only available on machines equipped with a JDLink™ Modem.*Feature availability is dependent on destination.Lighting 360° of LED Light Coverage LED Transport Low Beam Transport Lights (4) High Beam Transport Lights (2) 6 Total LED Cab Mounted Lights (10) LED Field Lights (9) Accumulator LH Side (2) Accumulator RH Side (2) LH Rear Platform (1) RH Rear Platform (1) Wrap Magazine (2) Wrap Feed Floor (1) LED Service Lights (3) Accumulator Top (1) Front Power Module (1) Rear Power Module (1) LED Warning and Tail Lamps with Integral Signals Cab Mounted Rotary Beacons (2) Amber Flashers on Lift Frames (2) Wrap Magazine Rotary Beacons (2) Amber Flashers on Rear Chassis (2) Amber Flashers on Handler (2) Red Brake Lights on Rear Chassis (2) Red Brake Lights on Handler (2)Engine Final Tier IV 13.6L John Deere PowerTech PWS™ 414 kW (555 Horsepower) @ 1900 RPM Nominal 439 kW (589 Horsepower) @ 1900 RPM Boost 455 kW (610 Horsepower) Max Engine Horsepower Turbocharged and Air-To-Air Aftercooled 3-Speed Electronic Engine Throttle Control with Electronic Overheat Protection 1 330 Amp Alternator Charging System 1250L (330 Gallon) Fuel Tank 104.4 Liter (27.5 Gallon) Diesel Exhaust Fluid Tank Electric Cold Weather Starting Aid (Ether) Engine Block Pre-Heater Triple Batteries (925 CCA) High-Capacity Engine Pre-Cleaner and Air Filter with Vacuum Pump Three stage Fuel Filtration System with Water Separator Self-Adjusting Engine Accessory Drive Direct Drive Hydraulic Power Module w/Hydraulic Fan Clutch Reversible Cooling Fan with Blade Pitch Modulation Engine Speed Management in TransportDrive Train Electronic Controlled Variable Speed Hydrostatic Ground Drive ProDrive™ Automatic-Shift Transmission (AST) Picking Mode 7.4 km/h (4.6 mph) Scrapping Mode 8.85 km/h (5.5 mph) Field Transport Mode 14.5 km/h (9.0 mph) Road Transport Mode 32.2 km/h (20.0 mph) Locking Front Differential Hydraulically Actuated Independent Hydraulic Assist Wet Disk Brakes Anti-Slip Regulation Control (ASR) Electronically Activated Parking Brake (Spring Applied-Hydraulic Release) Super Heavy-Duty Final Drives (SHDFD) Full Time 4WD Mechanical Rear Wheel Drive	

**CP770 Cotton Picker**

Code	Description	List price
	(MRWD) Axle with 55 Degree Steer Angle CapabilityWheels and Tires Dual Drive Wheels 520/85R42 168D Radial (BKT) R1W Guide Wheels IF 580/80/R34 177D Radial (BKT) R1W Adjustable Guide Wheels for Accurate Row SpacingHydraulics Dry Sump Hydraulic System Common Hydraulic Reservoir Closed Center Auxiliary Hydraulic System Independent Electronic Displacement Controlled Hydrostatic Systems for Ground, Round Module Builder and Picking Unit Drive Systems Power Steering Pressure Lubrication Circuits for Transmission & Engine Gearbox External Hi-Efficiency Spin-On Oil Filters O-Ring Face Seal (ORS) Hydraulic fluid level and temp sensor / warningHigh Speed Cotton Conveying Air System Twin Conveying FansPicking Units MP16 Row Units Automatic Picking Unit Grease Dosing System Electronic Picking Unit Synchronization to Ground Speed Easy Adjust Doffers Non-Contaminating Doffers Easy Access Moistener Columns Scrapping Plates Precision Moisture Control with Timed Flush 1363 Liter (360 Gallon) Water Tank with Remote Fill Complete Picking Unit Lubrication System with Remote Tether Operation 257 Liter (68 Gallon) Picking Unit Lubrication TankCotton Accumulator High Volume Capacity of 8.5 cubic meters (300 cubic feet) Automatic Compacting Auger Lid Extension with Self-Raising and Lowering DuctsRound Module Builder Automatic Module Building Automatic and Adjustable Round Module Diameter up to 244 cm (96") Round Module Width of 239 cm (94) 10 Rubber Belts with Heavy Duty Construction with Plate Style Splices Rotary RMB Belt Cleaning BrushWrap System Automatic Module Wrapping Full Surface Wrap Coverage with CoverEdge™ External Wrap Magazine Gauge Carrying Capacity of 120 Wrap PortionsMiscellaneous Remote Battery Terminal access 30A Max Hinged Plant Shields Fire Extinguishers Fully Charged (Domestic Only) Water (1) and Chemical (1) Back-Up Alarm Picking Unit Safety Latches PRO XL Spindles Slip Clutch Protected Picking Units Automatic Picking Unit Disengagement in Reverse Electronic Picking Unit Height Control and Height Sensing Electronic Picking Unit and Cotton Conveying Monitoring System Lube system service interval warning	
	BASE MACHINE	
	<i>Model Year 2026</i>	



CP770 Cotton Picker

Code	Description	List price
48A6N	CP770 Cotton Picker	USD \$1,326,450.00
DESTINATION AND LANGUAGE		
Basic Factory Options		
DESTINATION		
0202	United States <i>Includes: English Manuals, English Text Decals, English Language Display, Fire Extinguishers</i>	In Base Price
OPERATOR'S MANUAL, DECALS, AND LANGUAGE		
0409	English	In Base Price
0443	United States English with Spanish (Bilingual)	No Added Cost
EDITIONS		
Basic Factory Options		
EDITIONS		
0500	Custom Configuration	In Base Price
0504	Signature Edition <i>Includes:</i> <i>(4052) Ultimate Cab Package</i> <i>(1917) G5Plus CommandCenter™ with G5Plus Extended Monitor and AutoTrac™ RowSense™</i> <i>(197Q) G5 Advanced Cotton Harvest with SF-RTK 1-year License OR</i> <i>(197P) G5 Advanced - Cotton Harvest with SF-RTK 3-Year License</i>	No Added Cost
ROW UNITS AND SPACING		
Basic Factory Options		
PICKING UNITS		
MP16		
1651	MP16 Two-Piece Spindle 6 Row 762 mm (30 in.) and 812.8 mm (32 in.) Narrow	No Added Cost
1653	MP16 Two-Piece Spindle 6 Row 914.4 mm (36 in.) Wide	No Added Cost
1655	MP16 Two-Piece Spindle 6 Row 965.2 mm (38 in.) and 1016 mm (40 in.) Wide	No Added Cost
Additional Factory Options		
HYDRAULIC PRESSURE DOOR		



CP770 Cotton Picker

Code	Description	List price
8800	Hydraulic Pressure Door, 6 Row MP16 Row Units	USD \$13,312.00
Field Installed Options		
VINE CUTTERS		
9126	Vine Cutters, 6 Row MP16 Row Units	USD \$1,166.00
ATTACHMENTS FOR FIELD CONVERSION		
HYDRAULIC PRESSURE DOOR		
BKK11954	MP16 Hydraulic Pressure Door	USD \$15,412.10
VINE CUTTERS		
BN272178	Vine cutters for (2) PRO12, PRO16, and MP16 row units	USD \$416.90
SCRAPPING PLATES		
BKK10623	Scrapping Plates Removal Kit <i>For model year 2017 and newer only.</i>	USD \$479.60
PRECISION AG TECHNOLOGY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183E	JDLink™ Modem <i>Includes an integrated cab wiring harness, high profile antenna, JDLink R Modem- 4G capable and ethernet harnesses. Ethernet harnesses may vary per machine configuration. JDLink connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability. JDLink connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See the Precision Ag Technology Sales Manual for details.</i>	In Base Price
RECEIVERS AND SIGNAL		
189T	StarFire™ 7500 Integrated Receiver with SF1 <i>SF1 Provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. See Sales Manual for additional information.</i>	In Base Price
189U	StarFire™ 7500 Integrated Receiver with 1 year SF-RTK license <i>Includes StarFire 7500 Integrated Receiver with 1 year SF-RTK license. SF-RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term repeatability with a 5-year guarantee</i>	USD \$1,500.00

CP770 Cotton Picker

Code	Description	List price
189W	<i>(where applicable). See Sales Manual for more information.</i> StarFire™ 7500 Integrated Receiver with RTK (Base Station) permanent license <i>This code is not a SF-RTK License. This code is for a permanent RTK License. RTK requires access to differential corrections from a local RTK Base Station and additional hardware or licenses may be required. See Sales Manual for more information. RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term repeatability.</i>	USD \$5,500.00
DISPLAY HARDWARE AND PERMANENT LICENSES		
1915	G5Plus CommandCenter™ with AutoTrac™ RowSense™ License <i>Includes a single 32.5-cm (12.8-in) HD touchscreen display with CommandCenter™ machine controls, USB data ports, 4-analog video and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration. Permanent, non-transferable licenses included for the following precision ag applications:</i> - AutoTrac™ - AutoTrac™ RowSense™ - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access - Section Control - Precision ag applications require a StarFire™ Receiver and differential correction license. - Data Sync, Over-the-Air updates and Remote Display Access require JDLink. - Section Control not-applicable to harvest machines. - AutoTrac RowSense requires an AutoTrac license and additional hardware.	In Base Price
1917	G5Plus CommandCenter™ with G5Plus Extended Monitor	USD \$1,695.00



CP770 Cotton Picker

Code	Description	List price
	and AutoTrac™ RowSense™ <i>Includes two 32.5-cm (12.8-in) HD touchscreen display with CommandCenter™ machine controls, USB data ports, 4-analog video and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration. Permanent, non-transferable licenses included for the following precision ag applications:</i> - AutoTrac™ - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access - Section Control - Precision ag applications require a StarFire™ Receiver and differential correction license. - G5Plus Extended Monitor includes A-post bracket, and cable. - Data Sync, Over-the-Air updates and Remote Display Access require JDLink. - Section Control not-applicable to harvest machines. - AutoTrac RowSense requires an AutoTrac license and additional hardware.	
	DISPLAY RENEWABLE LICENSES	
1950	Less Application	USD (\$650.00)
197P	G5 Advanced - Cotton Harvest with SF-RTK 3-Year License <i>Includes 3-year license for:</i> - AutoPath™ - In-Field Data Sharing - SF-RTK - Feature availability depends on platform compatibility - License will expire after two years of order date if not activated. - Selecting this package will automatically select 189T integrated receiver with SF1 as the option for the receiver hardware.	USD \$1,300.00



CP770 Cotton Picker

Code	Description	List price
197Q	- <i>In-Field Data Sharing requires JDLink.</i> G5 Advanced - Cotton Harvest with SF-RTK 1-Year License <i>Includes 1-year license for:</i> - AutoPath™ - In-Field Data Sharing - SF-RTK - <i>Feature availability depends on platform compatibility</i> - <i>License will expire after two years of order date if not activated.</i> - <i>Selecting this package will automatically select 189T integrated receiver with SF1 as the option for the receiver hardware.</i>	In Base Price
197R	- <i>In-Field Data Sharing requires JDLink.</i> G5 Advanced - Cotton Harvest 3-Year License <i>Includes 3-year license for:</i> - AutoPath™ - In-Field Data Sharing - <i>Feature availability depends on platform compatibility</i> - <i>License will expire after two years of order date if not activated.</i> - <i>Selecting this package allows the customer to select 189T, 189U, or 189W integrated receiver.</i>	USD \$700.00
197S	- <i>In-Field Data Sharing requires JDLink.</i> G5 Advanced - Cotton Harvest 1-Year License <i>Includes 1-year license for:</i> - AutoPath™ - In-Field Data Sharing - <i>Feature availability depends on platform compatibility</i> - <i>License will expire after two years of order date if not activated.</i> - <i>Selecting this package allows the customer to select 189T, 189U, or 189W integrated receiver.</i> - <i>In-Field Data Sharing requires JDLink.</i>	USD (\$200.00)
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		



CP770 Cotton Picker

Code	Description	List price
COMFORT AND CONVENIENCE PACKAGES		
4051	Premium Cab Package <i>Note: Includes Air Ride Suspension Seat with Vision Cloth, Electronic Controls, Pneumatic Lumbar, Swivel 16* Left and 16* Right, 6.5" Touchscreen App Radio, XM Ready, Two Speakers with Subwoofer, Accessories: Foot Rests, Active Refrigerator, Dual Tilt Steering Column, Business Band Ready, Floor Heat and Cooling, 4 USB and 12V Power Port</i>	In Base Price
4052	Ultimate Cab Package <i>Note: Includes Active Seat II Suspension with Vision Leather, Heated and Ventilated Seat with Active Fatigue Prevention and Adjustable Bolsters, Electronic Controls, Pneumatic Lumbar, Swivel 16* Left and 16* Right, 6.5" Touchscreen App Radio, XM Ready, Two Speakers with Subwoofer, Accessories: Carpeted Floor Mat, Leather Wrapped Steering Wheel, Door Cinch, Foot Rests, Active Refrigerator, Dual Tilt Steering Column, Business Band Ready, Floor Heat and Cooling, 4 USB and 12V Power Port</i>	USD \$7,483.00
Field Installed Options		
CAMERA OBSERVATION SYSTEM		
9405	Video Observation - Single Camera Kit <i>Kit includes a single video camera and two 7.62m (25 ft) cables for installation.</i>	USD \$419.00
ATTACHMENTS FOR FIELD CONVERSION		
CAMERA OBSERVATION SYSTEM		
BKK11532	Single Camera System	USD \$449.90
ENGINE		
Basic Factory Options		
ENGINE EMISSION LEVEL SELECTION		
3322	13.6L John Deere PowerTech Tier 4 Engine and Components	In Base Price
FRAME AND CHASSIS		
Basic Factory Options		
EXTENDED PLATFORM		
6030	Standard Platform Extension	In Base Price



CP770 Cotton Picker

Code	Description	List price
6032	<i>Left hand standard platform</i> Extended and Accessory Platform Bundle <i>Left hand extended and right hand extended with accessory platform</i>	USD \$19,795.00
Additional Factory Options		
MUD SCRAPERS		
8200	Mud Scrapers for Drive Tires	USD \$1,313.00
Field Installed Options		
LUBRICATOR TRANSFER PUMP		
9616	Lubricator Transfer Pump	USD \$2,293.00
ATTACHMENTS FOR FIELD CONVERSION		
EXTENDED PLATFORM		
BKK12114	Accessory Platform Kit (Standard)	USD \$7,228.77
BKK11845	Accessory Platform Kit (Extended)	USD \$3,193.74
LUBRICATOR TRANSFER PUMP		
BKK11396	Lubricator Transfer Pump	USD \$2,308.90
GUIDE AXLE, DRIVE AXLE EXTENSIONS AND DRIVE SHAFTS		
Basic Factory Options		
DRIVE AXLE EXTENSIONS AND DRIVE SHAFTS		
3000	Dual Drive Wheels For Dual Drive Wheels on 762MM (30 IN.) Rows with 50.8MM (2 IN.) Dual Wheel Spacers <i>NOTE: Same as 40" row spacing with 2" dual spacers</i>	No Added Cost
3004	For Dual Drive Wheels on 914.4MM (36 IN.) Rows with 50.8MM (2 IN.) Dual Wheel Spacers	USD \$1,512.00
3006	For Dual Drive Wheels on 965.2MM (38 IN.) Rows with 50.8 (2 IN.) Dual Wheel Spacers	No Added Cost
3008	For Dual Wheel Spacers on 965.2MM (38 IN.) Rows or 1 Meter Rows with 203.2MM (8 IN.) Dual Wheel Spacers	USD \$718.00
3010	For Dual Drive Wheels on 1016MM (40 IN.) Rows with 50.8MM (2 IN.) Dual Wheel Spacers	No Added Cost



CP770 Cotton Picker

Code	Description	List price
3012	<i>NOTE: Same as 30" row spacing with 2" dual spacers</i> For Dual Drive Wheels on 1016MM (40 IN.) Rows with 203.2MM (8 IN.) Dual Wheel Spacers <i>NOTE: 8" dual spacers position wheels more closely to row centers and provide additional Clearance between duals beneficial in muddy conditions</i>	In Base Price
	WHEELS AND TIRES Basic Factory Options WHEELS AND TIRES	
2032	R1W Front Dual 520/85R42 168D Radial (BKT) R1W Rear Tires IF 580/80R34 177D Radial (BKT)	In Base Price
2035	R2 Front Dual 520/85R42 169B (Firestone) R1W Rear Tires IF 580/80R34 172B (Firestone)	USD \$12,329.00
2037	Front VF520/85R42 CFO R1W 177B (Mitas); Rear VF580/80R34 R1W CFO 178B (Mitas)	USD \$8,920.00



SH8R Cotton Stripper Head

Code	Description	List price
4844T8	SH8R Cotton Stripper Head 8 row rigid head Row spacing (36", 38", and 40") Hydraulic row-unit and cross auger drive with reverser Low-profile Bat-Brush row units Individual electronic unit height sensing system Unit and cross auger speed monitoring system RowSense™ guidance components	
	BASE MACHINE <i>Model Year 2026.</i>	
4844T8	SH8R Cotton Stripper Head	USD \$133,489.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0202	United States	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	English	In Base Price
	ROW UNITS AND SPACING Basic Factory Options STRIPPING UNITS	
1320	Six Row Units - 2 and 1 Skip Row Plant Brush Head, Six (two and one skip) 1016 mm (40 in.) Rows <i>SH8R Frame</i>	USD (\$23,721.00)
1322	Eight Row Units - Solid Plant Brush Head, Eight 1016 mm (40 in.) Rows	In Base Price
1323	Brush Head, Eight 914.4 mm (36 in.) Rows	USD \$451.00
	ATTACHMENTS FOR FIELD CONVERSION ROW SPACING CONVERSIONS	
BKK11369	6 Row Double Skip 965.2mm (38 in.) Row Spacing Conversion Kit	USD \$592.90
BKK11370	8 Row 965.2mm (38 in.) Row Spacing Conversion Kit	USD \$534.60
BKK11619	Furnish for All Uses, Except Folding Extension Placement	USD \$16,248.10



SH8R Cotton Stripper Head

Code	Description	List price
	<i>Unit bundle, parts for a single unit. For units located on rigid portion of the frame.</i>	



SH12R Cotton Stripper Head

Code	Description	List price
4854T8	SH12R Cotton Stripper Head 12 row rigid header frame Row spacing (30", 32" and 36") Hydraulic row-unit and cross auger drive with reverser Low-profile Bat-Brush row-units Individual electronic unit height sensing system Unit and cross auger speed monitoring system RowSense™ guidance components	
	BASE MACHINE <i>Model Year 2026.</i>	
4854T8	SH12R Cotton Stripper Head	USD \$193,560.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0202	United States	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	English	In Base Price
	ROW UNITS AND SPACING Basic Factory Options STRIPPING UNITS	
1321	Six Row Units - 2 and 2 Skip Row Plant Brush Head, Six (two and two skip) 1016 mm (40 in.) Rows <i>SH12R Frame</i>	USD (\$69,502.00)
1324	Twelve Row Units - Rigid Frame Brush Head, Twelve 762mm (30 in.) Rows	In Base Price
1325	Brush Head, Twelve 914.4mm (36 in.) Rows	USD \$2,489.00
	ATTACHMENTS FOR FIELD CONVERSION ROW SPACING CONVERSIONS	
BKK11617	Row Spacing Conversion 30" Rows to 32" Rows <i>Compatible on SH12R only</i>	USD \$13,178.00
BKK11619	Furnish for All Uses, Except Folding Extension Placement <i>Unit bundle, parts for a single unit.</i> <i>For units located on rigid portion of the frame.</i>	USD \$16,248.10



SH12F Cotton Stripper Head

Code	Description	List price
4864T8	SH12F Cotton Stripper Head 12 row wide row spacing (38" and 40") Folding header frame Hydraulic row-unit and cross auger drive with reverser Low-profile Bat-Brush row-units Individual electronic unit height sensing system Unit and cross auger speed monitoring system RowSense™ guidance components	
	BASE MACHINE <i>Model Year 2026.</i>	
4864T8	SH12F Cotton Stripper Head	USD \$251,626.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0202	United States	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	English	In Base Price
	ROW UNITS AND SPACING Basic Factory Options STRIPPING UNITS	
1326	Twelve Row Units - Folding Frame Brush Head, Twelve 1016mm (40 in.) Rows	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION ROW SPACING CONVERSIONS	
BKK11368	12 Row 965.2mm (38 in.) Spacing Conversion Kit	USD \$4,329.60
BKK11645	Furnish for Placement in Folding Extensions <i>Unit bundle, parts for a single unit.</i> <i>For units located on the folding portion of the frame.</i> <i>Compatible on SH12F only.</i>	USD \$7,099.40
BKK11619	Furnish for All Uses, Except Folding Extension Placement <i>Unit bundle, parts for a single unit.</i> <i>For units located on rigid portion of the frame.</i>	USD \$16,248.10



CS770 Cotton Stripper

Code	Description	List price
48B6N	CS770 Cotton Stripper Operator Station and Controls Premium Cab Package: Pressurized Cab with ClimaTrak™ Automatic HVAC Vision Cloth Operators Seat Electronic Controls and Pneumatic Lumbar Seat Swivel: 16° Left and 16° Right Air Suspension Seat Dual Tilt-Telescoping Steering Column Training Seat Drive and Training Seat Belts Operator Presence System End of Day Single Button Operation Refrigerator 5 Large Cup Holders Auxiliary Power Outlet Strip Business Band Radio Ready 6.5 Touchscreen App Radio, XM Ready Two Speakers and Subwoofer Auxiliary Input Jack Four USB Charging Ports One 12V Port CommandARM™ Console Floor Heat and Cooling Visibility Four Electrically Adjustable Cab Mounted Single Pane Mirrors Two Manually Adjusted Mirrors Finger Grate View Front & Right-Hand Side Sunshades Front and Right-Hand Side Wipers Cameras: Prewired for Four Cameras: Rearview Camera (Factory Installed) Wrap Slot in RMB (Factory Installed) Upper Accumulator Camera Kit (Field Installed) Controls and Instruments Adjustable CommandARM™ Control Console with Armrest Controls for: Harvesting Controls Engine and Ground Drive HVAC System Radio, Phone, Lights Header Height Offset Row Guidance Offset Row Unit Height Sensitivity Row Unit Height Adjust Individual Row Unit Raise/Lower Programmable Buttons Electro-Hydraulic Controlled Header Drive and Cotton Handling System Multi-Function Ground Speed Control Lever with Integral Buttons for: Header Raise/Lower Auto Mode Header Height Resume Handler Raise/Lower Manual Round Module Builder Operation Saw Drum Cleaner Flush RowSense Resume Manual Wrap Accumulator Unload/End of Day G5Plus CommandCenter Display 20 cm (8 in) Corner Post Display with: Digital Tachometer Engine and Transmission Information Wrap Portion Counter Module Building Monitor Technology G5 Plus CommandCenter AutoTrac Activation RowSense™ (manual non-AutoTrac™) RowSense Activation Documentation Yield Mapping* Harvest Identification, Cotton Pro* Data Sync* Integrated StarFire™ Receiver JDLink Connectivity** Remote Display Access** Wireless Data Transfer** Machine Telematics** On Board Module Moisture Sensing On Board Module Weighing*** Feature available is only for machines with Documentation.** JDLink™	



CS770 Cotton Stripper

Code	Description	List price
	Connectivity and related features is only available on machines equipped with a JDLink™ Modem.*Feature availability is dependent on destination. Lighting 360° of LED Light Coverage LED Transport Low Beam Transport Lights (4) High Beam Transport Lights (2) 6 Total LED Cab Mounted Lights (10) LED Finger Grate Lights (2) LED Field Lights (11) Field Cleaner Air Duct (1) Accumulator Front Side (1) Accumulator LH Side (2) Accumulator RH Side (2) LH Rear Platform (1) RH Rear Platform (1) Wrap Magazine (2) Wrap Feed Floor (1) LED Service Lights (3) Accumulator Top (1) Front Power Module (1) Rear Power Module (1) LED Warning and Tail Lamps with Integral Signals Cab Mounted Rotary Beacons (2) Amber Flashers on Lift Frames (2) Wrap Magazine Rotary Beacons (2) Amber Flashers on Rear Chassis (2) Amber Flashers on Handler (2) Red Brake Lights on Rear Chassis (2) Red Brake Lights on Handler (2) Field Cleaner 75 Wide High Performance Saw Cleaner 3 Saw Drums: 33.66 cm (13.25) Diameter Primary and Reclaimer Saw Drums Variable Speed Cleaner Drive with Monitoring System Quick Release Grid Bars Upper Saw Drum Brush Saw Drum Cleaning System Easy Open Cleaner Platform Trash Chutes Variable Speed Cleaner Drive with Monitoring System Dual Trash Chutes Auxiliary Solution System 258 L (68 Gallon) Engine Final Tier IV 13.6L John Deere PowerTech PWS™ 384 kW (515 Horsepower) @ 1900 RPM Nominal 409 kW (548 Horsepower) @ 1900 RPM Boost 422 kW (566 Horsepower) Max Engine Horsepower Turbocharged and Air-To-Air Aftercooled 3-Speed Electronic Engine Throttle Control with Electronic Overheat Protection 1 330 Amp Alternator Charging System 1022L (270 Gallon) Fuel Tank 104.4 Liter (27.5 Gallon) Diesel Exhaust Fluid Tank Electric Cold Weather Starting Aid (Ether) Engine Block Pre-Heater Triple Batteries (925 CCA) High-Capacity Engine Pre-Cleaner and Air Filter with Vacuum Pump Three stage Fuel Filtration System with Water Separator Self-Adjusting Engine Accessory Drive Direct Drive Hydraulic Power Module with Hydraulic Fan Clutch Reversible Cooling Fan with Blade Pitch Modulation Engine Speed Management in Transport Drive Train Electronic Controlled Variable Speed Hydrostatic Ground Drive ProDrive™ Automatic-Shift Transmission (AST) Field Stripping Mode 1 8.0 km/h (0-5.0 mph) Field Stripping Mode 2 14.5 km/h (0-9.0 mph) Field	



CS770 Cotton Stripper

Code	Description	List price
	Transport Mode 3 14.5 km/h (9.0 mph) Road Transport Mode 4 32.2 km/h (20.0 mph) Locking Front Differential Hydraulically Actuated Independent Hydraulic Assist Wet Disk Brakes Anti-Slip Regulation Control (ASR) Electronically Activated Parking Brake (Spring Applied- Hydraulic Release) Super Heavy-Duty Final Drives (SHDFD) Full Time 4WD Mechanical Rear Wheel Drive (MRWD) Axle with 55 Degree Steer Angle CapabilityWheels and Tires Dual Drive Wheels 520/85R42 168D Radial (BKT) R1W Guide Wheels IF 580/80/R34 177D Radial (BKT) R1W Adjustable Guide Wheels for Accurate Row SpacingHydraulics Dry Sump Hydraulic System Common Hydraulic Reservoir Closed Center Auxiliary Hydraulic System Closed Loop Field Stripper Header and Field Cleaner Drive System Independent Electronic Displacement Controlled Hydrostatic Systems for Ground, Round Module Builder and Stripper Header Drive Systems Power Steering Pressure Lubrication Circuits for Transmission & Engine Gearbox External Hi-Efficiency Spin-On Oil Filters Quick Connect Stripper Header Hydraulic Drive and Row Units O-Ring Face Seal (ORS) Hydraulic Fluid Level and Temp Sensor / WarningCotton Conveying Air System Single Conveying FanCotton Accumulator High Volume Capacity of 8.5 cubic meters (300 cubic feet) Automatic Compacting Auger Flat Top Lid Extension with Self-Raising and Lowering DuctsRound Module Builder Automatic Module Building Automatic and Adjustable Round Module Diameter up to 244 cm (96") Round Module Width of 239 cm (94) 10 Rubber Belts with Heavy Duty Construction with Plate Style Splices Rotary RMB Belt Cleaning BrushWrap System Automatic Module Wrapping Full Surface Wrap Coverage with CoverEdge™ External Wrap Magazine Gauge Carrying Capacity of 120 Wrap PortionsMiscellaneous Right Hand Fuel Access Platform Remote Battery Terminal access 30A Max Hinged Plant Shields Fire Extinguishers Fully Charged (Domestic Only) Water (1) and Chemical (1) Back-Up Alarm Standard + Extended + RH Side Reinforced Accessory Platform - Rated to 726 kg (1600 lb)	
	BASE MACHINE	
	<i>Model Year 2026.</i>	
48B6N	CS770 Cotton Stripper	USD \$1,036,370.00
	DESTINATION AND LANGUAGE	



CS770 Cotton Stripper

Code	Description	List price
Basic Factory Options		
DESTINATION		
0202	United States <i>Includes: English Manuals, English Text Decals, English Language Display, Fire Extinguishers</i>	In Base Price
OPERATOR'S MANUAL, DECALS, AND LANGUAGE		
0409	English	In Base Price
0443	United States English with Spanish (Bilingual)	No Added Cost
EDITIONS		
Basic Factory Options		
EDITIONS		
0500	Custom Configuration	In Base Price
0504	Signature Edition <i>Includes:</i> <i>(4052) Ultimate Cab Package</i> <i>(1917) G5Plus CommandCenter™ with G5Plus Extended Monitor and AutoTrac™ RowSense™</i> <i>(197Q) G5 Advanced Cotton Harvest with SF-RTK 1-year License OR</i> <i>(197P) G5 Advanced - Cotton Harvest with SF-RTK 3-Year License</i>	No Added Cost
PRECISION AG TECHNOLOGY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183E	JDLink™ Modem <i>Includes an integrated cab wiring harness, high profile antenna, JDLink R Modem- 4G capable and ethernet harnesses. Ethernet harnesses may vary per machine configuration.</i> <i>JDLink connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability. JDLink connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See the Precision Ag Technology Sales Manual for details.</i>	In Base Price
RECEIVERS AND SIGNAL		
189T	StarFire™ 7500 Integrated Receiver with SF1	In Base Price

CS770 Cotton Stripper

Code	Description	List price
189U	<i>SF1 Provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. See Sales Manual for additional information.</i> StarFire™ 7500 Integrated Receiver with 1 year SF-RTK license <i>Includes StarFire 7500 Integrated Receiver with 1 year SF-RTK license. SF-RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term repeatability with a 5-year guarantee (where applicable). See Sales Manual for more information.</i>	USD \$1,500.00
189W	StarFire™ 7500 Integrated Receiver with RTK (Base Station) permanent license <i>This code is not a SF-RTK License. This code is for a permanent RTK License. RTK requires access to differential corrections from a local RTK Base Station and additional hardware or licenses may be required. See Sales Manual for more information. RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term repeatability.</i>	USD \$5,500.00
DISPLAY HARDWARE AND PERMANENT LICENSES		
1915	G5Plus CommandCenter™ with AutoTrac™ RowSense™ License <i>Includes a single 32.5-cm (12.8-in) HD touchscreen display with CommandCenter™ machine controls, USB data ports, 4-analog video and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration. Permanent, non-transferable licenses included for the following precision ag applications:</i> - AutoTrac™ - AutoTrac™ RowSense™ - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access - Section Control - Precision ag applications require a StarFire™ Receiver and	In Base Price

CS770 Cotton Stripper

Code	Description	List price
1917	<i>differential correction license.</i> - Data Sync, Over-the-Air updates and Remote Display Access require JDLink. - Section Control not-applicable to harvest machines. - AutoTrac RowSense requires an AutoTrac license and additional hardware. G5Plus CommandCenter™ with G5Plus Extended Monitor and AutoTrac™ RowSense™ <i>Includes two 32.5-cm (12.8-in) HD touchscreen display with CommandCenter™ machine controls, USB data ports, 4-analog video and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration. Permanent, non-transferable licenses included for the following precision ag applications:</i> - AutoTrac™ - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access - Section Control - Precision ag applications require a StarFire™ Receiver and differential correction license. - G5Plus Extended Monitor includes A-post bracket, and cable. - Data Sync, Over-the-Air updates and Remote Display Access require JDLink. - Section Control not-applicable to harvest machines. - AutoTrac RowSense requires an AutoTrac license and additional hardware. DISPLAY RENEWABLE LICENSES	USD \$1,695.00
1950	Less Application	USD (\$650.00)
197P	G5 Advanced - Cotton Harvest with SF-RTK 3-Year License <i>Includes 3-year license for:</i>	USD \$1,300.00

CS770 Cotton Stripper

Code	Description	List price
197Q	- AutoPath™ - In-Field Data Sharing - SF-RTK - Feature availability depends on platform compatibility - License will expire after two years of order date if not activated. - Selecting this package will automatically select 189T integrated receiver with SF1 as the option for the receiver hardware. - In-Field Data Sharing requires JDLink. G5 Advanced - Cotton Harvest with SF-RTK 1-Year License Includes 1-year license for:	In Base Price
197R	- AutoPath™ - In-Field Data Sharing - SF-RTK - Feature availability depends on platform compatibility - License will expire after two years of order date if not activated. - Selecting this package will automatically select 189T integrated receiver with SF1 as the option for the receiver hardware. - In-Field Data Sharing requires JDLink. G5 Advanced - Cotton Harvest 3-Year License Includes 3-year license for:	USD \$700.00
197S	- AutoPath™ - In-Field Data Sharing - Feature availability depends on platform compatibility - License will expire after two years of order date if not activated. - Selecting this package allows the customer to select 189T, 189U, or 189W integrated receiver. - In-Field Data Sharing requires JDLink. G5 Advanced - Cotton Harvest 1-Year License Includes 1-year license for:	USD (\$200.00)
	- AutoPath™ - In-Field Data Sharing	



CS770 Cotton Stripper

Code	Description	List price
	- Feature availability depends on platform compatibility - License will expire after two years of order date if not activated. - Selecting this package allows the customer to select 189T, 189U, or 189W integrated receiver. - In-Field Data Sharing requires JDLink.	
	OPERATOR'S STATION AND CONTROLS Basic Factory Options COMFORT AND CONVENIENCE PACKAGES	
4051	Premium Cab Package <i>Note: Includes Air Ride Suspension Seat with Vision Cloth, Electronic Controls, Pneumatic Lumbar, Swivel 16* Left and 16* Right, 6.5" Touchscreen App Radio, XM Ready, Two Speakers with Subwoofer, Accessories: Foot Rests, Active Refrigerator, Dual Tilt Steering Column, Business Band Ready, Floor Heat and Cooling, 4 USB and 12V Power Port</i>	In Base Price
4052	Ultimate Cab Package <i>Note: Includes Active Seat II Suspension with Vision Leather, Heated and Ventilated Seat with Active Fatigue Prevention and Adjustable Bolsters, Electronic Controls, Pneumatic Lumbar, Swivel 16* Left and 16* Right, 6.5" Touchscreen App Radio, XM Ready, Two Speakers with Subwoofer, Accessories: Carpeted Floor Mat, Leather Wrapped Steering Wheel, Door Cinch, Foot Rests, Active Refrigerator, Dual Tilt Steering Column, Business Band Ready, Floor Heat and Cooling, 4 USB and 12V Power Port</i>	USD \$7,483.00
	Field Installed Options CAMERA OBSERVATION SYSTEM	
9402	Video Observation Kit - Header Hook Up	USD \$419.00
9405	Video Observation - Single Camera Kit <i>Kit includes a single video camera and two 7.62m (25 ft) cables for installation.</i>	USD \$419.00
	ATTACHMENTS FOR FIELD CONVERSION CAMERA OBSERVATION SYSTEM	
BKK11532	Single Camera System	USD \$449.90



CS770 Cotton Stripper

Code	Description	List price
BKK11512	Header Hookup Camera System	USD \$449.90
	ENGINE	
	Basic Factory Options	
	ENGINE EMISSION LEVEL SELECTION	
3322	13.6L John Deere PowerTech Tier 4 Engine and Components	In Base Price
	FRAME AND CHASSIS	
	Basic Factory Options	
	COTTON HANDLING	
6010	Single Accumulator Compacting Auger	In Base Price
6015	Dual Accumulator Compacting Augers	USD \$4,015.00
	Additional Factory Options	
	MUD SCRAPERS	
8200	Mud Scrapers for Drive Tires	USD \$1,313.00
	ATTACHMENTS FOR FIELD CONVERSION	
	COTTON HANDLING	
BKK10333	Second Accumulator Auger	USD \$4,739.90
	GUIDE AXLE, DRIVE AXLE EXTENSIONS AND DRIVE SHAFTS	
	Basic Factory Options	
	DRIVE AXLE EXTENSIONS AND DRIVE SHAFTS	
	Dual Drive Wheels	
3000	For Dual Drive Wheels on 762MM (30 IN.) Rows with 50.8MM (2 IN.) Dual Wheel Spacers <i>NOTE: Same as 40" row spacing with 2" dual spacers</i>	No Added Cost
3004	For Dual Drive Wheels on 914.4MM (36 IN.) Rows with 50.8MM (2 IN.) Dual Wheel Spacers	USD \$1,512.00
3006	For Dual Drive Wheels on 965.2MM (38 IN.) Rows with 50.8 (2 IN.) Dual Wheel Spacers	No Added Cost
3008	For Dual Wheel Spacers on 965.2MM (38 IN.) Rows or 1 Meter Rows with 203.2MM (8 IN.) Dual Wheel Spacers	USD \$718.00
3010	For Dual Drive Wheels on 1016MM (40 IN.) Rows with 50.8MM (2 IN.) Dual Wheel Spacers	No Added Cost



CS770 Cotton Stripper

Code	Description	List price
3012	<i>NOTE: Same as 30" row spacing with 2" dual spacers</i> For Dual Drive Wheels on 1016MM (40 IN.) Rows with 203.2MM (8 IN.) Dual Wheel Spacers <i>NOTE: 8" dual spacers position wheels more closely to row centers and provide additional Clearance between duals beneficial in muddy conditions</i>	In Base Price
2032	WHEELS AND TIRES Basic Factory Options WHEELS AND TIRES R1W Front Dual 520/85R42 168D Radial (BKT) R1W Rear Tires IF 580/80R34 177D Radial (BKT)	In Base Price

**CP770 Cotton Picker (ALDI)**

Code	Description	List price
48A5N	CP770 Cotton Picker (ALDI) Operator Station and Controls Premium Cab Package: Pressurized Cab with ClimaTrak™ Automatic HVAC Vision Cloth Operators Seat Electronic Controls and Pneumatic Lumbar Seat Swivel: 16° Left and 16° Right Air Suspension Seat Dual Tilt-Telescoping Steering Column Training Seat Drive and Training Seat Belts Operator Presence System End of Day Single Button Operation Refrigerator 5 Large Cup Holders Auxiliary Power Outlet Strip Business Band Radio Ready 6.5 Touchscreen App Radio, XM Ready Two Speakers and Subwoofer Auxiliary Input Jack Four USB Charging Ports One 12V Port CommandARM™ Console Floor Heat and Cooling Visibility: Two Electrically Adjustable Cab Mounted Single Pane Mirrors Two Lift Frame Mounted Mirrors Front & Right-Hand Side Sunshades Front and Right-Hand Side Wipers Cameras: Prewired for Four Digital Cameras: Rearview Camera (Factory Installed) Wrap Slot in RMB (Factory Installed) Upper Accumulator Camera Kit (Field Installed) Controls and Instruments Adjustable CommandARM™ Control Console with Armrest Controls for: Harvesting Controls Engine and Ground Drive HVAC System Radio Phone Lights Header Height Offset Row Guidance Offset Row Unit Height Sensitivity Row Unit Height Adjust Solution Pressure Row Unit Service Modes: Tether Mode and Lube Mode Programmable Buttons Electro-Hydraulic Controlled Picking Units and Cotton Handling System Multi-Function Ground Speed Control Lever with Integral Buttons for: Picking Unit Raise/Lower Auto Mode Moistener Flush Handler Raise/Lower Manual Round Module Builder Operation RowSense Resume Manual Wrap Accumulator Unload/End of Day G5Plus CommandCenter Display 20 cm (8 in) Corner Post Display with: Digital Tachometer Engine and Transmission Information Wrap Portion Counter Module Building MonitorTechnology G5 Plus CommandCenter AutoTrac Activation RowSense™ (manual non-AutoTrac™) RowSense Activation ActiveYield Calibration*** Documentation Yield Mapping* Row by Row Yield Documentation*** Harvest Identification, Cotton Pro* Data Sync* Integrated StarFire™ Receiver JDLink Connectivity** Remote Display Access** Wireless Data Transfer** Machine Telematics** On Board Module	

CP770 Cotton Picker (ALDI)

Code	Description	List price
	Moisture Sensing On Board Module Weighing***Feature available is only for machines with Documentation.**JDLink™ Connectivity and related features is only available on machines equipped with a JDLink™ Modem.*Feature availability is dependent on destination. Lighting 360° of LED Light Coverage LED Transport Low Beam Transport Lights (4) High Beam Transport Lights (2) 6 Total LED Cab Mounted Lights (10) LED Field Lights (9) Accumulator LH Side (2) Accumulator RH Side (2) LH Rear Platform (1) RH Rear Platform (1) Wrap Magazine (2) Wrap Feed Floor (1) LED Service Lights (3) Accumulator Top (1) Front Power Module (1) Rear Power Module (1) LED Warning and Tail Lamps with Integral Signals Cab Mounted Rotary Beacons (2) Amber Flashers on Lift Frames (2) Wrap Magazine Rotary Beacons (2) Amber Flashers on Rear Chassis (2) Amber Flashers on Handler (2) Red Brake Lights on Rear Chassis (2) Red Brake Lights on Handler (2) Engine Final Tier IV 13.6L John Deere PowerTech PWS™ 414 kW (555 Horsepower) @ 1900 RPM Nominal 439 kW (589 Horsepower) @ 1900 RPM Boost 455 kW (610 Horsepower) Max Engine Horsepower Turbocharged and Air-To-Air Aftercooled 3-Speed Electronic Engine Throttle Control with Electronic Overheat Protection 1 330 Amp Alternator Charging System 1250L (330 Gallon) Fuel Tank 104.4 Liter (27.5 Gallon) Diesel Exhaust Fluid Tank Electric Cold Weather Starting Aid (Ether) Engine Block Pre-Heater Triple Batteries (925 CCA) High-Capacity Engine Pre-Cleaner and Air Filter with Vacuum Pump Three stage Fuel Filtration System with Water Separator Self-Adjusting Engine Accessory Drive Direct Drive Hydraulic Power Module w/Hydraulic Fan Clutch Reversible Cooling Fan with Blade Pitch Modulation Engine Speed Management in Transport Drive Train Electronic Controlled Variable Speed Hydrostatic Ground Drive ProDrive™ Automatic-Shift Transmission (AST) Picking Mode 7.4 km/h (4.6 mph) Scrapping Mode 8.85 km/h (5.5 mph) Field Transport Mode 14.5 km/h (9.0 mph) Road Transport Mode 32.2 km/h (20.0 mph) Locking Front Differential Hydraulically Actuated Independent Hydraulic Assist Wet Disk Brakes Anti-Slip Regulation Control (ASR) Electronically Activated Parking Brake (Spring Applied-Hydraulic Release) Super Heavy-Duty Final Drives	

**CP770 Cotton Picker (ALDI)**

Code	Description	List price
	(SHDFD) Full Time 4WD Mechanical Rear Wheel Drive (MRWD) Axle with 55 Degree Steer Angle CapabilityWheels and Tires Dual Drive Wheels 520/85R42 168D Radial (BKT) R1W Guide Wheels IF 580/80/R34 177D Radial (BKT) R1W Adjustable Guide Wheels for Accurate Row SpacingHydraulics Dry Sump Hydraulic System Common Hydraulic Reservoir Closed Center Auxiliary Hydraulic System Independent Electronic Displacement Controlled Hydrostatic Systems for Ground, Round Module Builder and Picking Unit Drive Systems Power Steering Pressure Lubrication Circuits for Transmission & Engine Gearbox External Hi-Efficiency Spin-On Oil Filters O-Ring Face Seal (ORS) Hydraulic fluid level and temp sensor / warningCotton Conveying Air System Twin Conveying FansPicking Units MP16 Row Units Automatic Picking Unit Grease Dosing System Electronic Picking Unit Synchronization to Ground Speed Easy Adjust Doffers Non-Contaminating Doffers Easy Access Moistener Columns Scrapping Plates Precision Moisture Control with Timed Flush 1363 Liter (360 Gallon) Water Tank with Remote Fill Complete Picking Unit Lubrication System with Remote Tether Operation 257 Liter (68 Gallon) Picking Unit Lubrication TankCotton Accumulator High Volume Capacity of 8.5 cubic meters (300 cubic feet) Automatic Compacting Auger Lid Extension with Self-Raising and Lowering DuctsRound Module Builder Automatic Module Building Automatic and Adjustable Round Module Diameter up to 244 cm (96") Round Module Width of 239 cm (94) 10 Rubber Belts with Heavy Duty Construction with Plate Style Splices Rotary RMB Belt Cleaning BrushWrap System Automatic Module Wrapping Full Surface Wrap Coverage with CoverEdge™ External Wrap Magazine Gauge Carrying Capacity of 120 Wrap PortionsMiscellaneous Remote Battery Terminal access 30A Max Hinged Plant Shields Fire Extinguishers Fully Charged (Domestic Only) Water (1) and Chemical (1) Back-Up Alarm Picking Unit Safety Latches PRO XL Spindles Slip Clutch Protected Picking Units Automatic Picking Unit Disengagement in Reverse Electronic Picking Unit Height Control and Height Sensing Electronic Picking Unit and Cotton Conveying Monitoring System Lube system service interval warning	
	BASE MACHINE	
	<i>Model Year 2025.</i>	



CP770 Cotton Picker (ALDI)

Code	Description	List price
48A5N	CP770 Cotton Picker (ALDI)	USD \$1,294,098.00
DESTINATION AND LANGUAGE		
Basic Factory Options		
DESTINATION		
0202	United States <i>Includes: English Manuals, English Text Decals, English Language Display, Fire Extinguishers</i>	In Base Price
OPERATOR'S MANUAL, DECALS, AND LANGUAGE		
0409	English	In Base Price
0443	United States English with Spanish (Bilingual)	No Added Cost
EDITIONS		
Basic Factory Options		
EDITIONS		
0500	Custom Configuration	In Base Price
0504	Signature Edition <i>Includes:</i> <i>(4052) Ultimate Cab Package</i> <i>(1917) G5Plus CommandCenter™ with G5Plus Extended Monitor and AutoTrac™ RowSense™</i> <i>(197Q) G5 Advanced Cotton Harvest with SF-RTK 1-year License OR</i> <i>(197P) G5 Advanced - Cotton Harvest with SF-RTK 3-Year License</i>	No Added Cost
ROW UNITS AND SPACING		
Basic Factory Options		
PICKING UNITS		
MP16		
1650	MP16 6 Row 762 mm (30 in.) and 812.8 mm (32 in.) Narrow	USD (\$1,256.00)
1652	MP16 6 Row 914.4 mm (36 in.) Wide	No Added Cost
1654	MP16 6 Row 965.2 mm (38 in.) and 1016 mm (40 in.) Wide	In Base Price
Additional Factory Options		
HYDRAULIC PRESSURE DOOR		
8800	Hydraulic Pressure Door, 6 Row MP16 Row Units	USD \$12,987.00
Field Installed Options		



CP770 Cotton Picker (ALDI)

Code	Description	List price
VINE CUTTERS		
9126	Vine Cutters, 6 Row MP16 Row Units	USD \$1,138.00
ATTACHMENTS FOR FIELD CONVERSION		
HYDRAULIC PRESSURE DOOR		
BKK11954	MP16 Hydraulic Pressure Door	USD \$15,412.10
VINE CUTTERS		
BN272178	Vine cutters for (2) PRO12, PRO16, and MP16 row units	USD \$416.90
ROW SPACING CONVERSIONS		
BN272626	Row spacing conversion 40" Rows (2" Wheel Spcr) to 38" Rows (2" Wheel Spcr) Conversion	USD \$2,505.80
BN272629	Row spacing conversion Row Conversion 91.44-96.52 cm (36-38 In.).	USD \$821.70
BN272630	Row spacing conversion 38" Rows (8" Wheel Spcr) to 40" Rows (8" Wheel Spcr) Conversion	USD \$1,652.20
BKK11400	38" Rows (2" Wheel Spcr) to 40" Rows (8" Wheel Spcr) Conversion Extension (8") Conversion Bundle	USD \$1,296.90
BKK11399	40" Rows (8" Wheel Spcr) to 38" Rows (2" Wheel Spcr) Conversion Row Spacer Conversion Bundle	USD \$851.40
BN272531	Long Cross Shaft (for 36 to 40-inch machines only) <i>NOTE: Order only if uncoupling of drive shafts during service is not desired.</i> <i>NOTE: Order one bundle for each cross shaft on machine.</i>	USD \$376.20
BN272545	Short Cross Shaft (30 & 32-inch machines only) <i>NOTE: Order one bundle for each cross shaft on machine.</i>	USD \$356.40
SCRAPPING PLATES		
BKK10623	Scrapping Plates Removal Kit For model year 2017 and newer only.	USD \$479.60
PRECISION AG TECHNOLOGY		
Basic Factory Options		
CONNECTIVITY HARDWARE		



CP770 Cotton Picker (ALDI)

Code	Description	List price
183E	JDLink™ Modem <i>JDLink connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability. JDLink connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See the Precision Ag Technology Sales Manual for details.</i> <i>Includes an integrated cab wiring harness, high profile antenna, JDLink R Modem- 4G capable and ethernet harnesses. Ethernet harnesses may vary per machine configuration.</i>	In Base Price
RECEIVERS AND SIGNAL		
189T	StarFire™ 7500 Integrated Receiver with SF1 <i>SF1 Provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. See Sales Manual for additional information.</i>	In Base Price
189U	StarFire™ 7500 Integrated Receiver with 1 year SF-RTK license <i>Includes StarFire 7500 Integrated Receiver with 1 year SF-RTK license. SF-RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term repeatability with a 5-year guarantee (where applicable). See Sales Manual for more information.</i>	USD \$1,500.00
189W	StarFire™ 7500 Integrated Receiver with RTK (Base Station) permanent license <i>This code is not a SF-RTK License. This code is for a permanent RTK License. RTK requires access to differential corrections from a local RTK Base Station and additional hardware or licenses may be required. See Sales Manual for more information. RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term repeatability.</i>	USD \$5,500.00
DISPLAY HARDWARE AND PERMANENT LICENSES		
1915	G5Plus CommandCenter™ with AutoTrac™ RowSense™ License <i>- Precision ag applications require a StarFire™ Receiver and differential correction license.</i> <i>- Data Sync, Over-the-Air updates and Remote Display Access require JDLink.</i>	In Base Price

**CP770 Cotton Picker (ALDI)**

Code	Description	List price
	- Section Control not-applicable to harvest machines. - AutoTrac RowSense requires an AutoTrac license and additional hardware. <i>Includes a single 32.5-cm (12.8-in) HD touchscreen display with CommandCenter™ machine controls, USB data ports, 4-analog video and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration. Permanent, non-transferable licenses included for the following precision ag applications:</i> - AutoTrac™ - AutoTrac™ RowSense™ - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access - Section Control	
1917	G5Plus CommandCenter™ with G5Plus Extended Monitor and AutoTrac™ RowSense™ - Precision ag applications require a StarFire™ Receiver and differential correction license. - G5Plus Extended Monitor includes A-post bracket, and cable. - Data Sync, Over-the-Air updates and Remote Display Access require JDLINK. - Section Control not-applicable to harvest machines. - AutoTrac RowSense requires an AutoTrac license and additional hardware. <i>Includes two 32.5-cm (12.8-in) HD touchscreen display with CommandCenter™ machine controls, USB data ports, 4-analog video and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration. Permanent, non-transferable licenses included for the following precision ag applications:</i>	USD \$1,695.00



CP770 Cotton Picker (ALDI)

Code	Description	List price
	- AutoTrac™ - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access - Section Control	
	DISPLAY RENEWABLE LICENSES	
1950	Less Application	USD (\$900.00)
197P	G5 Advanced - Cotton Harvest with SF-RTK 3-Year License <i>Includes 3-year license for:</i>	USD \$900.00
	- AutoPath™ - In-Field Data Sharing - SF-RTK - Feature availability depends on platform compatibility - License will expire after two years of order date if not activated. - Selecting this package will automatically select 189T integrated receiver with SF1 as the option for the receiver hardware. - In-Field Data Sharing requires JDLink.	
197Q	G5 Advanced - Cotton Harvest with SF-RTK 1-Year License <i>Includes 1-year license for:</i>	In Base Price
	- AutoPath™ - In-Field Data Sharing - SF-RTK - Feature availability depends on platform compatibility - License will expire after two years of order date if not activated. - Selecting this package will automatically select 189T integrated receiver with SF1 as the option for the receiver hardware. - In-Field Data Sharing requires JDLink.	
197R	G5 Advanced - Cotton Harvest 3-Year License - Feature availability depends on platform compatibility - License will expire after two years of order date if not activated. - Selecting this package allows the customer to select 189T, 189U, or	USD \$300.00



CP770 Cotton Picker (ALDI)

Code	Description	List price
197S	189W integrated receiver. - In-Field Data Sharing requires JDLink. Includes 3-year license for: - AutoPath™ - In-Field Data Sharing G5 Advanced - Cotton Harvest 1-Year License Includes 1-year license for: - AutoPath™ - In-Field Data Sharing - Feature availability depends on platform compatibility - License will expire after two years of order date if not activated. - Selecting this package allows the customer to select 189T, 189U, or 189W integrated receiver. - In-Field Data Sharing requires JDLink.	USD (\$200.00)
ATTACHMENTS FOR FIELD CONVERSION JOHN DEERE HARVEST IDENTIFICATION - COTTON		
BKK11493	Harvest ID Pro Conversion Kit	USD \$1,501.73
OPERATOR'S STATION AND CONTROLS Basic Factory Options COMFORT AND CONVENIENCE PACKAGES		
4051	Premium Cab Package Note: Includes Air Ride Suspension Seat with Vision Cloth, Electronic Controls, Pneumatic Lumbar, Swivel 16* Left and 16* Right, 6.5" Touchscreen App Radio, XM Ready, Two Speakers with Subwoofer, Accessories: Foot Rests, Active Refrigerator, Dual Tilt Steering Column, Business Band Ready, Floor Heat and Cooling, 4 USB and 12V Power Port	In Base Price
4052	Ultimate Cab Package Note: Includes Active Seat II Suspension with Vision Leather, Heated and Ventilated Seat with Active Fatigue Prevention and Adjustable Bolsters, Electronic Controls, Pneumatic Lumbar, Swivel 16* Left and 16* Right, 6.5" Touchscreen App Radio, XM Ready, Two Speakers	USD \$7,300.00



CP770 Cotton Picker (ALDI)

Code	Description	List price
	<i>with Subwoofer, Accessories: Carpeted Floor Mat, Leather Wrapped Steering Wheel, Door Cinch, Foot Rests, Active Refrigerator, Dual Tilt Steering Column, Business Band Ready, Floor Heat and Cooling, 4 USB and 12V Power Port</i>	
	Field Installed Options	
	CAMERA OBSERVATION SYSTEM	
9405	Video Observation - Single Camera Kit <i>Kit includes a single video camera and two 7.62m (25 ft) cables for installation.</i>	USD \$409.00
	ATTACHMENTS FOR FIELD CONVERSION	
	CAMERA OBSERVATION SYSTEM	
BKK11532	Single Camera System	USD \$449.90
	ENGINE	
	Basic Factory Options	
	ENGINE EMISSION LEVEL SELECTION	
3322	13.6L John Deere PowerTech Tier 4 Engine and Components	In Base Price
	Additional Factory Options	
	ENGINE	
8305	Auto Controlled Ether Aid Canister <i>Factory installation of Auto Controlled Ether Aid Canister for operation in temperatures below 0 C (32 F).</i>	No Added Cost
	FRAME AND CHASSIS	
	Basic Factory Options	
	COTTON HANDLING	
4300	Standard Cotton Fan	In Base Price
	EXTENDED PLATFORM	
6030	Standard Platform Extension	In Base Price
6031	Extended Platform Extension	USD \$8,726.00
	Additional Factory Options	
	MUD SCRAPERS	
8200	Mud Scrapers for Drive Tires	USD \$535.00
	Field Installed Options	
	LUBRICATOR TRANSFER PUMP	



CP770 Cotton Picker (ALDI)

Code	Description	List price
9616	Lubricator Transfer Pump	USD \$2,237.00
MISCELLANEOUS		
9210	Accessory Platform (Right Hand Side) <i>To be used with extended platform option code 6031</i>	USD \$1,548.00
9215	Accessory Platform (Right Hand Side) <i>Order with option code 6030. Not compatible with extended platform.</i>	USD \$1,548.00
ATTACHMENTS FOR FIELD CONVERSION		
EXTENDED PLATFORM		
BKK12114	Accessory Platform Kit (Standard)	USD \$7,228.77
BKK11845	Accessory Platform Kit (Extended)	USD \$3,193.74
LUBRICATOR TRANSFER PUMP		
BKK11396	Lubricator Transfer Pump	USD \$2,308.90
GUIDE AXLE, DRIVE AXLE EXTENSIONS AND DRIVE SHAFTS		
Basic Factory Options		
DRIVE AXLE EXTENSIONS AND DRIVE SHAFTS		
Dual Drive Wheels		
3000	For Dual Drive Wheels on 762MM (30 IN.) Rows with 50.8MM (2 IN.) Dual Wheel Spacers <i>NOTE: Same as 40" row spacing with 2" dual spacers</i>	USD (\$343.00)
3004	For Dual Drive Wheels on 914.4MM (36 IN.) Rows with 50.8MM (2 IN.) Dual Wheel Spacers	USD \$1,475.00
3006	For Dual Drive Wheels on 965.2MM (38 IN.) Rows with 50.8 (2 IN.) Dual Wheel Spacers	USD (\$848.00)
3008	For Dual Wheel Spacers on 965.2MM (38 IN.) Rows or 1 Meter Rows with 203.2MM (8 IN.) Dual Wheel Spacers	USD \$700.00
3010	For Dual Drive Wheels on 1016MM (40 IN.) Rows with 50.8MM (2 IN.) Dual Wheel Spacers <i>NOTE: Same as 30" row spacing with 2" dual spacers</i>	USD (\$320.00)
3012	For Dual Drive Wheels on 1016MM (40 IN.) Rows with 203.2MM (8 IN.) Dual Wheel Spacers	In Base Price



CP770 Cotton Picker (ALDI)

Code	Description	List price
<i>NOTE: 8" dual spacers position wheels more closely to row centers and provide additional Clearance between duals beneficial in muddy conditions</i>		
WHEELS AND TIRES Basic Factory Options WHEELS AND TIRES		
2032	R1W Front Dual 520/85R42 168D Radial (BKT) R1W Rear Tires IF 580/80R34 177D Radial (BKT)	In Base Price
2035	R2 Front Dual 520/85R42 169B (Firestone) R1W Rear Tires IF 580/80R34 172B (Firestone)	USD \$12,029.00
2037	Front VF520/85R42 CFO R1W 177B (Mitas); Rear VF580/80R34 R1W CFO 178B (Mitas)	USD \$3,484.00



SH8R Cotton Stripper Head (ALDI)

Code	Description	List price
4843T8	SH8R Cotton Stripper Head (ALDI) 8 row rigid head Row spacing (36", 38", and 40") Hydraulic row-unit and cross auger drive with reverser Low-profile Bat-Brush row units Individual electronic unit height sensing system Unit and cross auger speed monitoring system RowSense™ guidance components	
4843T8	BASE MACHINE SH8R Cotton Stripper Head (ALDI)	USD \$130,233.00
0202	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION United States	No Added Cost
0409	OPERATOR'S MANUAL AND DECALS English	In Base Price
1320	ROW UNITS AND SPACING Basic Factory Options STRIPPING UNITS Six Row Units - 2 and 1 Skip Row Plant Brush Head, Six (two and one skip) 1016 mm (40 in.) Rows <i>SH8R Frame</i>	USD (\$23,142.00)
1322	Eight Row Units - Solid Plant Brush Head, Eight 1016 mm (40 in.) Rows	In Base Price
1323	Brush Head, Eight 914.4 mm (36 in.) Rows	USD \$440.00
BKK11369	ATTACHMENTS FOR FIELD CONVERSION ROW SPACING CONVERSIONS 6 Row Double Skip 965.2mm (38 in.) Row Spacing Conversion Kit	USD \$592.90
BKK11370	8 Row 965.2mm (38 in.) Row Spacing Conversion Kit	USD \$534.60
BKK11619	Furnish for All Uses, Except Folding Extension Placement <i>Unit bundle, parts for a single unit.</i>	USD \$16,248.10



SH8R Cotton Stripper Head (ALDI)

Code	Description	List price
<i>For units located on rigid portion of the frame.</i>		



SH12R Cotton Stripper Head (ALDI)

Code	Description	List price
4853T8	SH12R Cotton Stripper Head (ALDI) 12 row rigid header frame Row spacing (30", 32" and 36") Hydraulic row-unit and cross auger drive with reverser Low-profile Bat-Brush row-units Individual electronic unit height sensing system Unit and cross auger speed monitoring system RowSense™ guidance components	
4853T8	BASE MACHINE SH12R Cotton Stripper Head (ALDI)	USD \$188,839.00
0202	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION United States	No Added Cost
0409	OPERATOR'S MANUAL AND DECALS English	In Base Price
1321	ROW UNITS AND SPACING Basic Factory Options STRIPPING UNITS Six Row Units - 2 and 2 Skip Row Plant Brush Head, Six (two and two skip) 1016 mm (40 in.) Rows <i>SH12R Frame</i>	USD (\$67,807.00)
1324	Twelve Row Units - Rigid Frame Brush Head, Twelve 762mm (30 in.) Rows	In Base Price
1325	Brush Head, Twelve 914.4mm (36 in.) Rows	USD \$2,428.00
BKK11617	ATTACHMENTS FOR FIELD CONVERSION ROW SPACING CONVERSIONS Row Spacing Conversion 30" Rows to 32" Rows <i>Compatible on SH12R only</i>	USD \$13,178.00
BKK11619	Furnish for All Uses, Except Folding Extension Placement <i>Unit bundle, parts for a single unit.</i> <i>For units located on rigid portion of the frame.</i>	USD \$16,248.10



SH12F Cotton Stripper Head (ALDI)

Code	Description	List price
4863T8	SH12F Cotton Stripper Head (ALDI) 12 row wide row spacing (38" and 40") Folding header frame Hydraulic row-unit and cross auger drive with reverser Low-profile Bat-Brush row-units Individual electronic unit height sensing system Unit and cross auger speed monitoring system RowSense™ guidance components	
4863T8	BASE MACHINE SH12F Cotton Stripper Head (ALDI)	USD \$245,489.00
0202	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION United States	No Added Cost
0409	OPERATOR'S MANUAL AND DECALS English	In Base Price
1326	ROW UNITS AND SPACING Basic Factory Options STRIPPING UNITS Twelve Row Units - Folding Frame Brush Head, Twelve 1016mm (40 in.) Rows	In Base Price
BKK11368	ATTACHMENTS FOR FIELD CONVERSION ROW SPACING CONVERSIONS 12 Row 965.2mm (38 in.) Spacing Conversion Kit	USD \$4,329.60
BKK11645	Furnish for Placement in Folding Extensions <i>Unit bundle, parts for a single unit.</i> <i>For units located on the folding portion of the frame.</i> <i>Compatible on SH12F only.</i>	USD \$7,099.40
BKK11619	Furnish for All Uses, Except Folding Extension Placement <i>Unit bundle, parts for a single unit.</i> <i>For units located on rigid portion of the frame.</i>	USD \$16,248.10

CS770 Cotton Stripper (ALDI)

Code	Description	List price
48B5N	CS770 Cotton Stripper (ALDI) Operator Station and Controls Premium Cab Package: Pressurized Cab with ClimaTrak™ Automatic HVAC Vision Cloth Operators Seat Electronic Controls and Pneumatic Lumbar Seat Swivel: 16° Left and 16° Right Air Suspension Seat Dual Tilt-Telescoping Steering Column Training Seat Drive and Training Seat Belts Operator Presence System End of Day Single Button Operation Refrigerator 5 Large Cup Holders Auxiliary Power Outlet Strip Business Band Radio Ready 6.5 Touchscreen App Radio, XM Ready Two Speakers and Subwoofer Auxiliary Input Jack Four USB Charging Ports One 12V Port CommandARM™ Console Floor Heat and Cooling Visibility Four Electrically Adjustable Cab Mounted Single Pane Mirrors Two Manually Adjusted Mirrors Finger Grate View Front & Right-Hand Side Sunshades Front and Right-Hand Side Wipers Cameras: Prewired for Four Cameras: Rearview Camera (Factory Installed) Wrap Slot in RMB (Factory Installed) Upper Accumulator Camera Kit (Field Installed) Controls and Instruments Adjustable CommandARM™ Control Console with Armrest Controls for: Harvesting Controls Engine and Ground Drive HVAC System Radio, Phone, Lights Header Height Offset Row Guidance Offset Row Unit Height Sensitivity Row Unit Height Adjust Individual Row Unit Raise/Lower Programmable Buttons Electro-Hydraulic Controlled Header Drive and Cotton Handling System Multi-Function Ground Speed Control Lever with Integral Buttons for: Header Raise/Lower Auto Mode Header Height Resume Handler Raise/Lower Manual Round Module Builder Operation Saw Drum Cleaner Flush RowSense Resume Manual Wrap Accumulator Unload/End of Day G5Plus CommandCenter Display 20 cm (8 in) Corner Post Display with: Digital Tachometer Engine and Transmission Information Wrap Portion Counter Module Building Monitor Technology G5 Plus CommandCenter AutoTrac Activation RowSense™ (manual non-AutoTrac™) RowSense Activation Documentation Yield Mapping* Harvest Identification, Cotton Pro* Data Sync* Integrated StarFire™ Receiver JDLINK Connectivity** Remote Display Access** Wireless Data Transfer** Machine Telematics** On Board Module Moisture Sensing On Board Module Weighing***Feature	

CS770 Cotton Stripper (ALDI)

Code	Description	List price
	available is only for machines with Documentation.**JDLINK™ Connectivity and related features is only available on machines equipped with a JDLINK™ Modem.*Feature availability is dependent on destination. Lighting 360° of LED Light Coverage LED Transport Low Beam Transport Lights (4) High Beam Transport Lights (2) 6 Total LED Cab Mounted Lights (10) LED Finger Grate Lights (2) LED Field Lights (11) Field Cleaner Air Duct (1) Accumulator Front Side (1) Accumulator LH Side (2) Accumulator RH Side (2) LH Rear Platform (1) RH Rear Platform (1) Wrap Magazine (2) Wrap Feed Floor (1) LED Service Lights (3) Accumulator Top (1) Front Power Module (1) Rear Power Module (1) LED Warning and Tail Lamps with Integral Signals Cab Mounted Rotary Beacons (2) Amber Flashers on Lift Frames (2) Wrap Magazine Rotary Beacons (2) Amber Flashers on Rear Chassis (2) Amber Flashers on Handler (2) Red Brake Lights on Rear Chassis (2) Red Brake Lights on Handler (2) Field Cleaner 75 Wide High Performance Saw Cleaner 3 Saw Drums: 33.66 cm (13.25) Diameter Primary and Reclaimer Saw Drums Variable Speed Cleaner Drive with Monitoring System Quick Release Grid Bars Upper Saw Drum Brush Saw Drum Cleaning System Easy Open Cleaner Platform Trash Chutes Variable Speed Cleaner Drive with Monitoring System Dual Trash Chutes Auxiliary Solution System 258 L (68 Gallon) Engine Final Tier IV 13.6L John Deere PowerTech PWS™ 384 kW (515 Horsepower) @ 1900 RPM Nominal 409 kW (548 Horsepower) @ 1900 RPM Boost 422 kW (566 Horsepower) Max Engine Horsepower Turbocharged and Air-To-Air Aftercooled 3-Speed Electronic Engine Throttle Control with Electronic Overheat Protection 1 330 Amp Alternator Charging System 1022L (270 Gallon) Fuel Tank 104.4 Liter (27.5 Gallon) Diesel Exhaust Fluid Tank Electric Cold Weather Starting Aid (Ether) Engine Block Pre-Heater Triple Batteries (925 CCA) High-Capacity Engine Pre-Cleaner and Air Filter with Vacuum Pump Three stage Fuel Filtration System with Water Separator Self-Adjusting Engine Accessory Drive Direct Drive Hydraulic Power Module with Hydraulic Fan Clutch Reversible Cooling Fan with Blade Pitch Modulation Engine Speed Management in Transport Drive Train Electronic Controlled Variable Speed Hydrostatic Ground Drive ProDrive™ Automatic-	

CS770 Cotton Stripper (ALDI)

Code	Description	List price
	Shift Transmission (AST) Field Stripping Mode 1 8.0 km/h (0-5.0 mph) Field Stripping Mode 2 14.5 km/h (0-9.0 mph) Field Transport Mode 3 14.5 km/h (9.0 mph) Road Transport Mode 4 32.2 km/h (20.0 mph) Locking Front Differential Hydraulically Actuated Independent Hydraulic Assist Wet Disk Brakes Anti-Slip Regulation Control (ASR) Electronically Activated Parking Brake (Spring Applied-Hydraulic Release) Super Heavy-Duty Final Drives (SHDFD) Full Time 4WD Mechanical Rear Wheel Drive (MRWD) Axle with 55 Degree Steer Angle CapabilityWheels and Tires Dual Drive Wheels 520/85R42 168D Radial (BKT) R1W Guide Wheels IF 580/80/R34 177D Radial (BKT) R1W Adjustable Guide Wheels for Accurate Row SpacingHydraulics Dry Sump Hydraulic System Common Hydraulic Reservoir Closed Center Auxiliary Hydraulic System Closed Loop Field Stripper Header and Field Cleaner Drive System Independent Electronic Displacement Controlled Hydrostatic Systems for Ground, Round Module Builder and Stripper Header Drive Systems Power Steering Pressure Lubrication Circuits for Transmission & Engine Gearbox External Hi-Efficiency Spin-On Oil Filters Quick Connect Stripper Header Hydraulic Drive and Row Units O-Ring Face Seal (ORS) Hydraulic Fluid Level and Temp Sensor / WarningCotton Conveying Air System Single Conveying FanCotton Accumulator High Volume Capacity of 8.5 cubic meters (300 cubic feet) Automatic Compacting Auger Flat Top Lid Extension with Self-Raising and Lowering DuctsRound Module Builder Automatic Module Building Automatic and Adjustable Round Module Diameter up to 244 cm (96") Round Module Width of 239 cm (94) 10 Rubber Belts with Heavy Duty Construction with Plate Style Splices Rotary RMB Belt Cleaning BrushWrap System Automatic Module Wrapping Full Surface Wrap Coverage with CoverEdge™ External Wrap Magazine Gauge Carrying Capacity of 120 Wrap PortionsMiscellaneous Right Hand Fuel Access Platform Remote Battery Terminal access 30A Max Hinged Plant Shields Fire Extinguishers Fully Charged (Domestic Only) Water (1) and Chemical (1) Back-Up Alarm Standard + Extended + RH Side Reinforced Accessory Platform - Rated to 726 kg (1600 lb)	
	BASE MACHINE	
	<i>Model Year 2025.</i>	



CS770 Cotton Stripper (ALDI)

Code	Description	List price
48B5N	CS770 Cotton Stripper (ALDI)	USD \$1,011,093.00
DESTINATION AND LANGUAGE Basic Factory Options DESTINATION		
0202	United States <i>Includes: English Manuals, English Text Decals, English Language Display, Fire Extinguishers</i>	In Base Price
OPERATOR'S MANUAL, DECALS, AND LANGUAGE		
0409	English	In Base Price
0443	United States English with Spanish (Bilingual)	No Added Cost
EDITIONS Basic Factory Options EDITIONS		
0500	Custom Configuration	In Base Price
0504	Signature Edition <i>Includes:</i> <i>(4052) Ultimate Cab Package</i> <i>(1917) G5Plus CommandCenter™ with G5Plus Extended Monitor and AutoTrac™ RowSense™</i> <i>(197Q) G5 Advanced Cotton Harvest with SF-RTK 1-year License OR</i> <i>(197P) G5 Advanced - Cotton Harvest with SF-RTK 3-Year License</i>	No Added Cost
PRECISION AG TECHNOLOGY Basic Factory Options CONNECTIVITY HARDWARE		
183E	JDLink™ Modem <i>JDLink connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability. JDLink connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See the Precision Ag Technology Sales Manual for details.</i> <i>Includes an integrated cab wiring harness, high profile antenna, JDLink R Modem- 4G capable and ethernet harnesses. Ethernet harnesses may vary per machine configuration.</i>	In Base Price

**CS770 Cotton Stripper (ALDI)**

Code	Description	List price
RECEIVERS AND SIGNAL		
189T	StarFire™ 7500 Integrated Receiver with SF1 <i>SF1 Provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. See Sales Manual for additional information.</i>	In Base Price
189U	StarFire™ 7500 Integrated Receiver with 1 year SF-RTK license <i>Includes StarFire 7500 Integrated Receiver with 1 year SF-RTK license. SF-RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term repeatability with a 5-year guarantee (where applicable). See Sales Manual for more information.</i>	USD \$1,500.00
189W	StarFire™ 7500 Integrated Receiver with RTK (Base Station) permanent license <i>This code is not a SF-RTK License. This code is for a permanent RTK License. RTK requires access to differential corrections from a local RTK Base Station and additional hardware or licenses may be required. See Sales Manual for more information. RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term repeatability.</i>	USD \$5,500.00
DISPLAY HARDWARE AND PERMANENT LICENSES		
1915	G5Plus CommandCenter™ with AutoTrac™ RowSense™ License - Precision ag applications require a StarFire™ Receiver and differential correction license. - Data Sync, Over-the-Air updates and Remote Display Access require JDLink. - Section Control not-applicable to harvest machines. - AutoTrac RowSense requires an AutoTrac license and additional hardware. <i>Includes a single 32.5-cm (12.8-in) HD touchscreen display with CommandCenter™ machine controls, USB data ports, 4-analog video and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration. Permanent, non-transferable licenses included for the following precision ag applications:</i>	In Base Price



CS770 Cotton Stripper (ALDI)

Code	Description	List price
1917	- AutoTrac™ - AutoTrac™ RowSense™ - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access - Section Control G5Plus CommandCenter™ with G5Plus Extended Monitor and AutoTrac™ RowSense™ - Precision ag applications require a StarFire™ Receiver and differential correction license. - G5Plus Extended Monitor includes A-post bracket, and cable. - Data Sync, Over-the-Air updates and Remote Display Access require JDLink. - Section Control not-applicable to harvest machines. - AutoTrac RowSense requires an AutoTrac license and additional hardware. Includes two 32.5-cm (12.8-in) HD touchscreen display with CommandCenter™ machine controls, USB data ports, 4-analog video and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration. Permanent, non-transferable licenses included for the following precision ag applications: - AutoTrac™ - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access - Section Control DISPLAY RENEWABLE LICENSES	USD \$1,695.00
1950	Less Application	USD (\$900.00)
197P	G5 Advanced - Cotton Harvest with SF-RTK 3-Year License	USD \$900.00



CS770 Cotton Stripper (ALDI)

Code	Description	List price
197Q	<i>Includes 3-year license for:</i> - AutoPath™ - In-Field Data Sharing - SF-RTK - Feature availability depends on platform compatibility - License will expire after two years of order date if not activated. - Selecting this package will automatically select 189T integrated receiver with SF1 as the option for the receiver hardware. - In-Field Data Sharing requires JDLink. G5 Advanced - Cotton Harvest with SF-RTK 1-Year License <i>Includes 1-year license for:</i> - AutoPath™ - In-Field Data Sharing - SF-RTK - Feature availability depends on platform compatibility - License will expire after two years of order date if not activated. - Selecting this package will automatically select 189T integrated receiver with SF1 as the option for the receiver hardware. - In-Field Data Sharing requires JDLink.	In Base Price
197R	G5 Advanced - Cotton Harvest 3-Year License - Feature availability depends on platform compatibility - License will expire after two years of order date if not activated. - Selecting this package allows the customer to select 189T, 189U, or 189W integrated receiver. - In-Field Data Sharing requires JDLink. <i>Includes 3-year license for:</i> - AutoPath™ - In-Field Data Sharing	USD \$300.00
197S	G5 Advanced - Cotton Harvest 1-Year License <i>Includes 1-year license for:</i> - AutoPath™ - In-Field Data Sharing	USD (\$200.00)



CS770 Cotton Stripper (ALDI)

Code	Description	List price
	- AutoPath™ - In-Field Data Sharing - Feature availability depends on platform compatibility - License will expire after two years of order date if not activated. - Selecting this package allows the customer to select 189T, 189U, or 189W integrated receiver. - In-Field Data Sharing requires JDLink.	
	ATTACHMENTS FOR FIELD CONVERSION	
	JOHN DEERE HARVEST IDENTIFICATION - COTTON	
BKK11493	Harvest ID Pro Conversion Kit	USD \$1,501.73
	OPERATOR'S STATION AND CONTROLS	
	Basic Factory Options	
	COMFORT AND CONVENIENCE PACKAGES	
4051	Premium Cab Package <i>Note: Includes Air Ride Suspension Seat with Vision Cloth, Electronic Controls, Pneumatic Lumbar, Swivel 16* Left and 16* Right, 6.5" Touchscreen App Radio, XM Ready, Two Speakers with Subwoofer, Accessories: Foot Rests, Active Refrigerator, Dual Tilt Steering Column, Business Band Ready, Floor Heat and Cooling, 4 USB and 12V Power Port</i>	In Base Price
4052	Ultimate Cab Package <i>Note: Includes Active Seat II Suspension with Vision Leather, Heated and Ventilated Seat with Active Fatigue Prevention and Adjustable Bolsters, Electronic Controls, Pneumatic Lumbar, Swivel 16* Left and 16* Right, 6.5" Touchscreen App Radio, XM Ready, Two Speakers with Subwoofer, Accessories: Carpeted Floor Mat, Leather Wrapped Steering Wheel, Door Cinch, Foot Rests, Active Refrigerator, Dual Tilt Steering Column, Business Band Ready, Floor Heat and Cooling, 4 USB and 12V Power Port</i>	USD \$7,300.00
	Field Installed Options	
	CAMERA OBSERVATION SYSTEM	
9402	Video Observation Kit - Header Hook Up	USD \$409.00
9405	Video Observation - Single Camera Kit	USD \$409.00



CS770 Cotton Stripper (ALDI)

Code	Description	List price
	<i>Kit includes a single video camera and two 7.62m (25 ft) cables for installation.</i>	
	ATTACHMENTS FOR FIELD CONVERSION	
	CAMERA OBSERVATION SYSTEM	
BKK11532	Single Camera System	USD \$449.90
BKK11512	Header Hookup Camera System	USD \$449.90
	ENGINE	
	Basic Factory Options	
	ENGINE EMISSION LEVEL SELECTION	
3322	13.6L John Deere PowerTech Tier 4 Engine and Components	In Base Price
	Additional Factory Options	
	ENGINE	
8305	Auto Controlled Ether Aid Canister	No Added Cost
	<i>Factory installation of Auto Controlled Ether Aid Canister for operation in temperatures below 0 C (32 F).</i>	
	FRAME AND CHASSIS	
	Basic Factory Options	
	COTTON HANDLING	
6010	Single Accumulator Compacting Auger	In Base Price
6015	Dual Accumulator Compacting Augers	USD \$3,917.00
	Additional Factory Options	
	MUD SCRAPERS	
8200	Mud Scrapers for Drive Tires	USD \$535.00
	ATTACHMENTS FOR FIELD CONVERSION	
	COTTON HANDLING	
BKK10333	Second Accumulator Auger	USD \$4,739.90
	GUIDE AXLE, DRIVE AXLE EXTENSIONS AND DRIVE SHAFTS	
	Basic Factory Options	
	DRIVE AXLE EXTENSIONS AND DRIVE SHAFTS	
3000	Dual Drive Wheels	
	For Dual Drive Wheels on 762MM (30 IN.) Rows with 50.8MM (2 IN.) Dual Wheel Spacers	USD (\$343.00)



CS770 Cotton Stripper (ALDI)

Code	Description	List price
	<i>NOTE: Same as 40" row spacing with 2" dual spacers</i>	
3004	For Dual Drive Wheels on 914.4MM (36 IN.) Rows with 50.8MM (2 IN.) Dual Wheel Spacers	USD \$1,475.00
3006	For Dual Drive Wheels on 965.2MM (38 IN.) Rows with 50.8 (2 IN.) Dual Wheel Spacers	USD (\$848.00)
3008	For Dual Wheel Spacers on 965.2MM (38 IN.) Rows or 1 Meter Rows with 203.2MM (8 IN.) Dual Wheel Spacers	USD \$700.00
3010	For Dual Drive Wheels on 1016MM (40 IN.) Rows with 50.8MM (2 IN.) Dual Wheel Spacers	USD (\$320.00)
	<i>NOTE: Same as 30" row spacing with 2" dual spacers</i>	
3012	For Dual Drive Wheels on 1016MM (40 IN.) Rows with 203.2MM (8 IN.) Dual Wheel Spacers	In Base Price
	<i>NOTE: 8" dual spacers position wheels more closely to row centers and provide additional Clearance between duals beneficial in muddy conditions</i>	
	WHEELS AND TIRES	
	Basic Factory Options	
	WHEELS AND TIRES	
2032	R1W Front Dual 520/85R42 168D Radial (BKT) R1W Rear Tires IF 580/80R34 177D Radial (BKT)	In Base Price
	ROW UNITS AND SPACING	
	ATTACHMENTS FOR FIELD CONVERSION	
	ROW SPACING CONVERSIONS	
BN272626	Row spacing conversion 40" Rows (2" Wheel Spcr) to 38" Rows (2" Wheel Spcr) Conversion	USD \$2,505.80
BN272629	Row spacing conversion Row Conversion 91.44-96.52 cm (36-38 In.).	USD \$821.70
BN272630	Row spacing conversion 38" Rows (8" Wheel Spcr) to 40" Rows (8" Wheel Spcr) Conversion	USD \$1,652.20
BKK11400	38" Rows (2" Wheel Spcr) to 40" Rows (8" Wheel Spcr) Conversion	USD \$1,296.90

CS770 Cotton Stripper (ALDI)

Code	Description	List price
	<i>Extension (8") Conversion Bundle</i>	
BKK11399	40" Rows (8" Wheel Spcr) to 38" Rows (2" Wheel Spcr) Conversion	USD \$851.40
	<i>Row Spacer Conversion Bundle</i>	
BKK11617	Row Spacing Conversion 30" Rows to 32" Rows <i>Compatible on SH12R only</i>	USD \$13,178.00