# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 357SP | **5130ML Cab Low-Profile Utility Tractor**<br>Engine:<br>Rated Engine Power PS (hp ISO): 130<br>Rated PTO Power (hp SAE) @ 2100 rpm*: 115<br>EPA Final Tier 4 Emissions Compliant<br>Turbocharger with Intercooler<br>4.5L PowerTech Diesel Engine<br>4 Valve HPCR<br>Dry Type Air Cleaner with Safety Element<br>Underhood Muffler with Side Exhaust (Aftertreatment: DOC/SCR)<br>Cold Start Aid - Air IntakeHeater<br>Hand and Foot Throttle<br>Key Engine Shut-Off<br>Water Separator Bowl<br><br>TRANSMISSION:<br>EH Differential Lock<br>Hydraulic Oil Cooler<br>Wet Traction Clutch<br>Park Lock<br>Neutral Start Safety Switch<br><br>REAR AXLE:<br>Flanged Rear Axle<br>Planetary Final Drives<br>8-Position Standard Steel Rear Wheels<br><br>FRONT AXLE:<br>Mechanical Front Wheel Drive Front Axle<br>Planetary Final Drives<br>Electrohydraulic MFWD Engagement via On/Auto/Brake<br><br>STEERING AND BRAKES:<br>Hydrostatic Power Steering<br>Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting<br><br>HYDRAULIC:<br>Pressure Flow Compensating (PFC) Hydraulic System<br>Three Stackable Rear Deluxe Selective Control Valves with Lever Controls<br>Selective Control Valve Oil Spill Collector<br>See code selection for Selective Control Valves (SCVs) and | |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | hydraulic system selection<br><br>POWER TAKE-OFF SHAFT:<br>See code selection for PTO Shaft<br>Electrohydraulic PTO Engagement<br>Wet PTO Clutch<br>Operator Presence Safety Warning - PTO<br>Safety Start Switch<br>Flip Up PTO Shield<br><br>ROCKSHAFT, HITCH AND DRAWBAR:<br>Heavy Duty Adjustable Drawbar<br>70mm Hitch Lift Cylinder<br>See code selection for draft link sizing<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Flashing Warning Lamp<br>High Beam Indicator Light<br>Service Transmission Indicator<br>PTO Speed Indicator/Roll Mode<br>Neutral Indicator<br>Tachometer/Hour Meter<br>Engine Oil Pressure<br>Hydraulic Temperature Indicator<br>Coolant Temperature Gauge<br>Diesel Exhaust Fluid Gauge with low DEF Warning Signal<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Exhaust Filter Cleaning Switch<br>Roll Mode for Instrument Cluster<br>PTO Engagement Light<br>4WD Engagement Light<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 950 CCA** with 180 Minute Reserve Capacity<br>120 Amp Alternator<br>Three 3 Pin Power Outlets<br>7-Pin ASAE Outlet Socket | |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | LIGHTS:<br>Two Front Halogen Headlights<br>Two Turn/Warning Lights<br>Two Rear Work Lights<br>Dual Tail Lights<br><br>MISCELLANEOUS:<br>Slow-moving Vehicle (SMV) Emblem<br>Toolbox<br>Fuel Tank Shielding<br><br>* Manufacturer's Rating<br>** Cold Cranking Amps | |
| | **BASE MACHINE** | |
| 357SP | 5130ML Cab Low-Profile Utility Tractor | USD $133,823.00 |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual | In Base Price |
| 0437 | Spanish Operator's Manual | No Added Cost |
| | **PACKAGES**<br>**Basic Factory Options**<br>**PACKAGE CONFIGURATIONS** | |
| 0500 | Less Package | In Base Price |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2070 | Premium Cab<br>*Includes:*<br>*Fixed Windshield*<br>*Air Ride Suspension Seat*<br>*No Sunroof* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Air conditioning and heat* | |
| | *Deluxe Isolated Cab with Flat Floor* | |
| | *Tilt and Telescopic Steering Column* | |
| | *Left Side Door with Steps* | |
| | *Right-Hand Window with gas shock* | |
| | *Speedometer* | |
| | *Beverage Holder* | |
| | *Sunvisor for Front Window* | |
| | *2-Speed Front Windshield Wiper and Washer* | |
| | *Two Front/Two Rear Roof-Mounted Work Lights* | |
| | *Two Fender-Mounted Taillights* | |
| | *Two Rail-Mounted Lights and Turn Signal* | |
| | *Two Convenience 12V Power Outlets* | |
| | *Two USB Charging Outlets* | |
| | *Interior Dome Light* | |
| | *Pass-Through for Rear Cables* | |
| | *Monitor Mounting Bosses (2 Sets)* | |
| | *Swing-Out Rear Window with Two Removable Rear Plugs for Monitor* | |
| | *Right-Hand Console Light* | |
| | *Programmable Lighting* | |
| | *Radio Preparation (with speakers, wiring)* | |
| | *Rear window grab handle* | |
| | **RADIO** | |
| 2650 | Radio Ready | In Base Price |
| | *Includes pre-radio wiring, antenna installation and 2 speakers.* | |
| 2660 | Radio - Bluetooth® | USD $741.00 |
| | **Additional Factory Options** | |
| | **WINDSHIELD** | |
| 8280 | Rear Window Wiper | USD $379.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION** | |
| | **OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger | USD $18.94 |
| BXX10697 | Auxilary Mounting Rail | USD $153.00 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| RE68495 | Power Strip with Six Outlets | USD $70.93 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| | **RADIO** | |
| SJ14221 | Antenna - Satellite Radio<br>*For 5M, 5MH and 5105ML Tractors* | USD $409.20 |
| SWJHD22 | Stereo with AM/FM, Bluetooth Streaming, Weatherband - Short Din Chassis | USD $279.39 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Overall Dimensions - 2.28" H x 7.4" W x 3.53" D*<br>*• 180 watts max power (45W x 4); 100 watts RMS (25W x 4)*<br>*• Bluetooth® streaming audio (A2DP/AVRCP)*<br>*• Water and UV resistant front panel (IPX5)*<br>*• Weatherband*<br>*• AM/FM tuner with 30 presets*<br>*• Rear USB port for device charging (one amp output)*<br>*• Stereo pre-amp line-level output (2V RMS)*<br>*• Amplifier remote trigger (12VDC)*<br>*• PA microphone input*<br>*• Audio settings (volume/bass/treble/balance/fade)*<br>*• Toggle switch between day and night display*<br>*• Daylight-readable, segmented LCD*<br>*• Two-wire power with non-volatile memory and clock support*<br>*• Low battery alert*<br>*• Work timer* | |
| SWJHD62 | Stereo with AM/FM, Bluetooth Steaming, DAB+, Hands Free Calling Capable - Short Din Chassis<br>*Overall Dimensions - 2.3" H x 7.4" W x 3.6" D*<br>*• 180 watts max power (45W x 4); 100 watts RMS (25W x 4)*<br>*• Bluetooth® streaming audio (A2DP/AVRCP) and hands-free calling (HFP) — compatible with JMICHFP and JMICHFP2 microphones (sold separately)*<br>*• Water and UV resistant front panel (IPX6)*<br>*• App control ready*<br>*• DAB+ (Digital Audio Broadcasting)*<br>*• Weatherband*<br>*• AM/FM tuner with 30 presets*<br>*• RBDS (Radio Broadcast Data Service) with PTY search*<br>*• Rear USB port for device charging (1 amp output)*<br>*• Stereo pre-amp line level output (2V RMS)*<br>*• Amplifier remote trigger (12VDC)*<br>*• Toggle switch between day and night display*<br>*• Full dot matrix LCD* | USD $332.29 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | • *Two-wire power with non-volatile memory and clock support*<br>• *Remote turn on*<br>• *Low battery alert*<br>• *Work timer*<br>• *J1939 CAN Bus capability *requires customer-specific interface* | |
| | **WINDSHIELD** | |
| BXX10840 | Rear Wiper Kit | USD $362.61 |
| | **CAB OPERATOR'S STATION** | |
| AL71350 | Blank Key | USD $16.35 |
| AL71345 | Security Door Lock Kit | USD $244.20 |
| RE282643 | Leather Steering Wheel | USD $265.27 |
| AR60937 | Cigarette Lighter | USD $19.94 |
| BXX10627 | Category 4 Cab Filtration | USD $3,989.70 |
| BXX10839 | RH Door Latch | USD $465.74 |
| | **MIRRORS** | |
| LVB24844 | External Mirror Kit (Cab Only)<br>*For MY23 and newer 5ML cabs* | USD $264.00 |
| | **ENGINE**<br>**Additional Factory Options**<br>**COLD WEATHER PACKAGES** | |
| 8300 | Cold Weather Package<br>*Coolant Heater* | USD $119.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**COLD WEATHER PACKAGES** | |
| BSJ10643 | Fuel Heater | USD $210.10 |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |
| | **FUEL TANK** | |
| AL213203 | Lockable Filler Cap Fuel Tank | USD $35.01 |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1374 | PowrQuad™ PLUS 16F/16R Transmission | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*37 Gallon Fuel Tank*<br>*3.17 Gallon DEF Tank*<br>*36 km/h transmission*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires EH Hitch Controls (code 4030).* | |
| 1398 | Powr8™ 32F/16R Transmission with Creeper<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*37 Gallon Fuel Tank*<br>*3.17 Gallon DEF Tank*<br>*40 km/h transmission*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires EH Hitch Controls (code 4030).* | USD $5,795.00 |
| | **AXLE AND BRAKES**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6040 | MFWD (Mechanical Front Wheel Drive) - Standard Width<br>*Limited Slip Differential*<br>*Push Button, On-The-Go Engagement*<br>*Engagement Indicator Light.*<br>*Electrohydraulic MFWD Engagement via On/Auto/Brake*<br>*Auto Engagement Mode.* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Axle Width from Flange to Flange 1641 mm* | |
| 6030 | MFWD (Mechanical Front Wheel Drive) - Narrow Width<br>*Limited Slip Differential*<br>*Push Button, On-The-Go Engagement*<br>*Engagement Indicator Light.*<br>*Electrohydraulic MFWD Engagement via On/Auto/Brake*<br>*Auto Engagement Mode*<br>*Axle Width from Flange to Flange 1325 mm*<br>*Includes "Narrow" decal* | No Added Cost |
| | **Additional Factory Options**<br>**AXLE** | |
| 8110 | MFWD Clutch with Axle Ratio 1.392<br>*Requires Tire options 5410 and 6410 and 6040 Standard Front Axle*<br>*Please reference DTAC solution 227273: Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| 8120 | MFWD Clutch with Axle Ratio 1.347<br>*Requires Tire options 5410 and 6410 and 6040 Standard Front Axle*<br>*Please reference DTAC solution 227273: Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| 8111 | MFWD Narrow with axle ratio 1.5937<br>*Requires Tire options 5410 and 6410 and 6030 Narrow Front Axle*<br>*Please reference DTAC solution 227273 Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| 8112 | MFWD Narrow with axle ratio 1.6406<br>*Requires Tire options 5410 and 6410 and 6030 Narrow Front Axle*<br>*Please reference DTAC solution 227273 Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT AXLE** | |
| AL156778 | Hub Extension 60mm, Front, Tread Adjustment | USD $841.50 |
| | **REAR AXLE** | |
| AL156777 | Hub Extension 111mm, Rear, Tread Adjustment | USD $884.40 |
| AL156776 | Hub Extension 30mm, Rear, Tread Adjustment | USD $571.43 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| AL156779 | Hub Extension 44mm, Rear, Tread Adjustment | USD $688.60 |
| | **BRAKES** | |
| BXX10898 | Brake Comfort Accumulator<br>*Provides brake boost assistance in case of an engine stall.*<br><br>*NOTE: For 5ML Cab Tractors* | USD $746.51 |
| | **PRECISION AG TECHNOLOGY**<br>**Basic Factory Options**<br>**GREENSTAR™ AND AUTOTRAC™** | |
| 182A | Less AutoTrac™/ Less ISOBUS | In Base Price |
| 182B | ISOBUS/GreenStar™ Ready<br>*Option Includes:*<br>*Power Harness*<br>*Connector at the A-post*<br>*StarFire™ Receiver roof harness and bracket*<br>*ISOBUS Class 2 gateway controller and*<br>*In-cab ISOBUS connector*<br>*60A socket*<br>*200 Amp Alternator*<br><br>*No AutoTrac components have been installed.* | USD $814.00 |
| 182G | AutoTrac™ Ready with AutoTrac Basic<br>*Includes ISOBUS/GreenStar Ready option and Harness, Sensors, Steering Valve and primary display software for straight-line (basic) guidance. This option does NOT include a StarFire™ receiver required for AutoTrac Basic operation. The use of optional precision ag display requires an AutoTrac Activation for AutoTrac operation and documentation.* | USD $4,618.00 |
| | **DISPLAY** | |
| 1900 | Less Display | In Base Price |
| 190Q | G5 Universal Display<br>*Includes single 25.7-cm (10.1-in) G5 touchscreen display with 1-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD* | USD $3,495.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *tractor compatibility, RS232, ethernet inputs and permanent, non-transferable licenses for the following precision ag applications: - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access*<br><br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | |
| 190R | G5 Universal Display with AutoTrac™ License<br>*Includes single 25.7-cm (10.1-in) HD touchscreen display with 1-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD tractor compatibility and RS232 inputs and license for the following precision ag applications: - AutoTrac™ - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access*<br><br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | USD $6,495.00 |
| 190S | G5 Universal Display with Section Control License<br>*Includes single 25.7-cm (10.1-in) HD touchscreen display with 1-analog and 2-ethernet video inputs, 2-USB Data ports, CCD tractor compatibility and RS232 inputs. Permanent, non-transferable licenses for the following precision ag applications: - Data Sync - Documentation - Over-the-air updates - Remote Display Access - Section Control*<br><br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink. AutoTrac RowSense requires an AutoTrac license and additional hardware.* | USD $5,495.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | |
| 190U | G5 Universal Display with AutoTrac™ and Section Control Licenses<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | USD $8,495.00 |
| | **DISPLAY APPLICATIONS** | |
| 1950 | Less Application | In Base Price |
| | **RECEIVERS** | |
| 1880 | Less Receiver | In Base Price |
| 188U | StarFire™ 7500 Universal Receiver with SF1<br>*SF1 Provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. See Sales Manual for additional information.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | USD $4,300.00 |
| 1892 | StarFire™ 7500 Universal Receiver with 1 year SF-RTK license<br>*Includes StarFire 7500 Universal Receiver with 1 year SF-RTK license. SF-RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy, and long-term repeatability. See Sales Manual for more information.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | USD $5,800.00 |
| 189D | StarFire™ 7500 with RTK (Base Station) Permanent License<br>*This Code is not a SF-RTK License. This code is for a permanent RTK License. RTK requires access to differential corrections from a local RTK Base Station and additional hardware or licenses may be required. See Sales Manual for additional information. RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term repeatability.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | USD $11,800.00 |
| | **CONNECTIVITY HARDWARE** | |
| 183N | JDLink™ Modem<br>*Includes an integrated cab wiring harness and JDLink M Modem- 4G capable. Ethernet hardware connection varies per GreenStar™ and AutoTrac™ configuration.*<br><br>*JDLink connectivity can be enabled in John Deere Operations Center.* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Connectivity service is subject to country availability.*<br><br>*JDLink connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See the Precision Ag Technology Sales Manual for details.* | |
| | **Additional Factory Options**<br>**AUTOMATION** | |
| 8217 | iTEC™ Basic<br>*Option includes both AL213360 (iTEC Basic Software) and BSJ10361 (installation instructions)* | USD $249.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**DISPLAY** | |
| BPF11445 | John Deere 4640 Universal Display and Extended Monitor Bracket | USD $172.70 |
| BPF11526 | Gen 4 Extended Monitor Cable - .6 Meter | USD $49.50 |
| BPF12124 | G5 Universal Display Mounting Bracket - Tractors/Sprayers | USD $125.00 |
| | **MACHINE CONNECTIVITY** | |
| | *For MY23 5M, 5E 4 cylinder models, and 5E 3 cylinder Cab models built with option code 183A (JDLink Capable) will only require installing the M Modem. These machines were equipped from the factory with the necessary harnessing installed.*<br>*NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |
| BSJ10674 | SmartConnector - CAN to Bluetooth® | USD $165.00 |
| TA25456 | MTG Jumper Harness | USD $25.04 |
| PFA12899 | 2 Wire Ethernet Cable - Mini50<br>*Required to connect a display to JDLink™ M Modems*<br><br>*NOTE: Requires Ethernet Switch Kit to work with Gen 4 4240 Display* | USD $99.28 |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630)<br>*This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | USD $275.00 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options** | |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **POWER TAKE-OFF (PTO)** | |
| 3830 | Three Speed PTO - 540/540E/1000 | In Base Price |
| | **Additional Factory Options**<br>**POWER TAKE-OFF (PTO) CONTROLS** | |
| 8386 | PTO Remote Controls - LH and RH Fenders | USD $82.00 |
| | **FRONT POWER TAKE-OFF (PTO)** | |
| 8381 | Front PTO<br>*Requires Front Hitch Category 2 (4001)* | USD $7,152.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**POWER TAKE-OFF (PTO)** | |
| BSJ10563 | PTO Fender Switch Kit | USD $102.30 |
| | **FRONT POWER TAKE-OFF (PTO)** | |
| | *NOTE: Per standards: 6 Spline Front PTO is for EU tractors and 21 Spline Front PTO is for North American tractors with PQ transmissions*<br><br>*NOTE: Front PTO Kits are applicable for CAB tractors only* | |
| SJ23950 | Auxiliary front drive coupler Kit - 4045 | USD $997.70 |
| BXX10535 | Front PTO Mounting Parts Kit<br>*Includes front pto mounting parts only. Also order BSJ10520 for R4 tractors or BSJ10318 for R2 tractors* | USD $903.97 |
| BSJ10520 | Front PTO case and Shaft (21 tooth spline) (need to order mounting parts separately) - North America | USD $4,319.70 |
| | **REAR POWER TAKE-OFF (PTO)** | |
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 23.8 mm x 61.3 mm (0.94 in. x 2.4 in.) 540 RPM, CAT 2R* | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 22 mm x 54 mm (0.87 in. x 2.13 in.) 540 RPM, CAT 1R* | USD $300.30 |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 74.6 mm (1.06 in. x 2.94 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.30 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Quik-Knect implement receiver – 27 mm x 70.2 mm (1.06 in. x 2.76 in.) 540 RPM, CAT 3R* | |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 28 mm x 70.2 mm (1.1 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.00 |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 30.2 mm x 80 mm (1.2 in. x 3.15 in.) 540 RPM, CAT 4R* | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 31.75 mm x 81.76 mm (1.25 in. x 3.22 in.) 540 RPM, CAT 4R* | USD $300.00 |
| BLV10953 | John Deere Quik Knect™ PTO receiver<br>*At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.* | USD $140.89 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**HITCH CONTROLS** | |
| 4030 | Electronic Hitch Control | In Base Price |
| | **DRAFT LINK** | |
| 4115 | Ball End Draft Links - Category 2 | In Base Price |
| 4116 | Hook End Draft Links - Category 2 | No Added Cost |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link with Ball End - Category 2 | In Base Price |
| 4213 | Mechanical Center Link with Hook - Category 2 | No Added Cost |
| 4223 | Hydraulic Center Link with Hook - Category 2 | USD $1,039.00 |
| | **LIFT LINK** | |
| 4155 | LH and RH Adjustable Lift Links | In Base Price |
| | **STABILIZER** | |
| 4424 | Left Hand and Right Hand Stabilizer Bar | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **FRONT ATTACHMENTS** | |
| 4004 | Front Weight Support (55 kg/121 lbs) | In Base Price |
| 4001 | Front Hitch - Category 2 | USD $4,771.00 |
| | *Belt Line Headlights (8737) are recommended with Front Hitch - Category 2.* | |
| | **DRAWBAR AND TRAILER HITCH** | |
| 4315 | Basic Drawbar | In Base Price |
| 4317 | Drawbar with Hammerstrap | USD $174.00 |
| | **Additional Factory Options**<br>**HITCH CYLINDERS** | |
| 8464 | 75mm Hitch Lift Cylinders | USD $513.00 |
| | *In Base Hitch Lift Cylinders are 70mm* | |
| | **THREE-POINT HITCH** | |
| 841X | Quick Hitch Category 2 | USD $716.00 |
| | *Hook End Draft Links Is not compatible (4116)* | |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HITCH CONTROLS** | |
| BSJ10323 | Electrohydraulic (EH) Hitch Right Fender Switch Kit | USD $451.00 |
| | *Not compatible with 4th Rear SCV kit BSJ10440*<br><br>*NOTE: Requires Software* | |
| | **DRAFT LINK** | |
| R66432 | Draft Link Conversion Bushing, Cat. II to Cat. I | USD $31.27 |
| | **CENTER LINK** | |
| BSJ10309 | Hydraulic Center Link - Ball Type | USD $2,307.80 |
| SJ28942 | Hydraulic Center Link - Hook type | USD $1,701.70 |
| | **HITCH CYLINDERS** | |
| AHC15531 | Hydraulic cylinder 75 mm (2.95 in.) | USD $154.00 |
| | *NOTE: Upgrades right-hand hydraulic cylinder to 75 mm (2.95 in.) for average of 70-mm (2.75-in.) lift cylinder.*<br>*Heavy-duty hitch kit for PowrReverser transmission* | |
| AHC18728 | Hydraulic Cylinders to 80 mm (3.15 in.) | USD $1,295.80 |
| | *NOTE: Order two AHC18728 to replace both left-hand and right-* | |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *hand hydraulic cylinders to 80 mm (3.15 in.)*<br>*Heavy-duty hitch kit for PowrQuad PLUS and Powr8 transmissions* | |
| | **THREE-POINT HITCH** | |
| BSJ10595 | Quick-Hitch Category 2 | USD $1,114.30 |
| | **DRAWBAR** | |
| RE19428 | Safety Chain Support Kit | USD $200.38 |
| RE242110 | Drawbar - Hammerstrap and Chain Clevis Kit | USD $178.20 |
| | **FRONT HITCH** | |
| BXX11233 | Front 3-Point Hitch, Kit 5ML Cab<br>*For 5ML Cab Tractors* | USD $4,110.33 |
| BXX10931 | FRONT HITCH FIELD INSTALLATION KIT, 5M (Connections to the rear SCV)<br>*For 5M/5ML Tractors* | USD $1,750.06 |
| BXX10994 | FRONT HITCH, MID SCV ROUTING (Connections to the mid SCV)<br>*For 5M/5ML Tractors* | USD $271.83 |
| BXX10778 | Front 3 Point Hitch Support Push Bar Kit - 5M/5ML/5R<br>*NOTE: The Front 3 Point Hitch Support Push Bar Kit is recommended with ground engaging or high load front implement work.* | USD $1,358.31 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**REAR SELECTIVE CONTROL VALVES** | |
| 3335 | Triple Stackable Rear Deluxe SCV's with Lever Control<br>*Features: Three Selectable Detent Positions on EACH Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Pressure Compensated Flow Control for running Hydraulic Motors on EACH Valve.* | In Base Price |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3410 | Less Mid Valve with Engine Side Frames<br>*THERE IS NO MID SCV FIELD KIT AVAILABLE.* | In Base Price |
| 3435 | Three Deluxe Mid EH SCV with Electronic Joystick Control<br>*Includes 4th Function Switch and Gear Shift switch. All three EH* | USD $4,142.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *valves are proportional.* | |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR SELECTIVE CONTROL VALVES** | |
| BSJ10440 | 4th rear SCV Conversion Kit (PFC - non proportional EH)<br>*For 5ML Tractors with Closed Center Hydraulics*<br>*Additional Software Required*<br>*Not compatible with EH fender switch kit BSJ10323* | USD $1,339.80 |
| | **HYDRAULICS** | |
| BSJ10240 | Power Beyond Kit (PFC System)<br>*For 5ML Tractors with Closed Center Hydraulics* | USD $248.60 |
| BSJ10428 | Hydraulic Case Drain Plumbing (PFC and OC)<br>*For 5ML Tractors with Open and Closed Center Hydraulics* | USD $238.70 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8731 | Full LED Lighting Package with Headlights<br>*Package upgrades the headlights, 2 front, and 2 rear work lights from halogen to LED* | USD $731.00 |
| 8737 | Two Beltline Halogen Road Lights H4<br>*Belt Line Headlights are recommended with Front Loader (1725) & Front Hitch (4001) options.* | USD $209.00 |
| | **ELECTRICITY** | |
| 878B | Battery Disconnect Switch | USD $184.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**LIGHTING** | |
| BSJ10325 | LED HEADLIGHTS<br>*Upgrades front headlights from halogen to LED including high and low beam.*<br>*Fits 5ML Tractors* | USD $473.00 |
| BSJ10416 | Auxiliary Loader Light Kit - R4 Cab | USD $1,809.50 |
| | **ELECTRICITY** | |
| BXX11144 | Battery Disconnect Kit | USD $183.71 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Fits My23 and Newer 5M Cab Tractors* | |
| | **BACKUP ALARM** | |
| BXX10921 | Backup Alarm Kit<br>*Fits 5ML Cab Tractors* | USD $193.14 |
| | **ALTERNATOR** | |
| RE555751 | 200 Amp Alternator | USD $575.84 |
| | **BEACON LIGHTING** | |
| BXX10855 | Led Beacon Light - CAB<br>*Fits 5ML Cab Tractors* | USD $227.20 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5132 | 360/70R24 Radial<br>*Requires Front Tire Option 6142* | USD $979.00 |
| 5134 | 420/70R24 Radial<br>*Requires Front Tire Option 6134* | USD $1,362.00 |
| 5322 | 340/85R28 Radial<br>*Requires Front Tire Option 6106* | USD $960.00 |
| 5135 | 420/70R28 Radial<br>*Requires Front Tire Option 6135, 6138, or 6261* | USD $2,146.00 |
| 5148 | 480/65R28 Radial<br>*Requires Front Tire Option 6260 or 6261* | USD $2,900.00 |
| 5914 | 19.5L - 24 In. 10PR R4 BIAS<br>*Requires Front Tire Option 6133* | In Base Price |
| 5410 | Less Rear Wheels and Tires (MFWD)<br>*Tractor ships with disposable steel transport tires.*<br>*Requires Front Tire Option 6410.*<br>*Requires MFWD gear ratio 8110, 8120, 8111 or 8112.* | USD ($3,146.00) |
| | **FRONT WHEELS AND TIRES** | |
| | *See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.* | |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 6142 | 240/70R16 Radial<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $80.00 |
| 6134 | 280/70R16 Radial<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $187.00 |
| 6106 | 250/80R18<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $253.00 |
| 6135 | 280/70R18 Radial<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $390.00 |
| 6260 | 320/65R18 Radial<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $473.00 |
| 6138 | 320/70R20 Radial<br>*Requires Front Axle 6040 (MFWD: Standard Width)* | USD $778.00 |
| 6261 | 360/70R20 Radial<br>*Requires Front Axle 6040 (MFWD: Standard Width)* | USD $988.00 |
| 6410 | Less Front Wheels and Tires (MFWD)<br>*Tractor ships with disposable steel transport tires.*<br>*Requires MFWD gear ratio 8110, 8120, 8111 or 8112.* | USD ($1,759.00) |
| 6133 | 12.5/80-18 6PR I3 (R4 TYPE) 123A8<br>*Requires Front Axle 6040 (MFWD: Standard Width)* | In Base Price |
| | **TIRE BRAND PREFERENCE** | |
| 5999 | No Tire Brand Preference | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION FRONT FENDERS** | |
| BW16094 | Stationary fenders<br>*Not compatible with Narrow front axle in combination with AutoTrac ready* | USD $969.10 |
| AL180327 | Front Fenders 420 mm (16.5 In.) Wide (MFWD)<br>*Not compatible with Narrow front axle in combination with AutoTrac ready* | USD $192.11 |
| AL180330 | Front Fenders 370 mm (14.6 In.) Wide (MFWD)<br>*Not compatible with Narrow front axle in combination with AutoTrac* | USD $167.19 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *ready* | |
| AL180326 | Front Fenders 480 mm (18.9 In) Wide (MFWD)<br>*Not compatible with Narrow front axle in combination with AutoTrac ready* | USD $224.64 |
| BSJ10307 | Turnable Front Fender Mounting brackets and hardware kit | USD $1,048.30 |
| BXX10701 | Narrow Axle Front Fenders 310 mm (12.2 In.) Wide - Cab | USD $1,833.44 |
| BXX10702 | Narrow Axle Front Fenders 355 mm (13.9 In.) Wide - Cab | USD $1,663.71 |
| | **REAR FENDERS** | |
| BXX10658 | Rear Fender Extensions - CAB | USD $397.56 |
| | **LOADERS AND BACKHOES**<br>**Basic Factory Options**<br>**LOADERS** | |
| 1799 | Less Loader Prep Package | In Base Price |
| 1725 | Loader Prep Package<br>*Hydraulic hoses and hydraulic connections still need to be ordered with loader.*<br>*Includes loader mounting frames and hood guard.*<br>*Requires Mid Valve configuration (option 3435)*<br>*Loader Preparation Package only compatible with 540M loader.*<br>*Belt Line Headlights (8737) are recommended with Loader Prep Package.*<br>*Limb lifter field kits are NOT compatible with Loader Prep Package.* | USD $2,305.00 |
| | **WEIGHTS AND BALLASTING**<br>**Additional Factory Options**<br>**FRONT WEIGHT OPTIONS** | |
| 8959 | Four Front Suitcase Weights<br>*Option includes four 95 lb (43 kg) weights.*<br>*Requires Front Weight Support (4004).*<br>*Not compatible with Front Hitch (4001) or Front PTO (8381).* | USD $607.00 |
| 8960 | Six Front Suitcase Weights<br>*Option includes six 95 lb (43 kg) weights.* | USD $911.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Requires Front Weight Support (4004).*<br>*Not compatible with Front Hitch (4001) or Front PTO (8381).* | |
| 8961 | Eight Front Suitcase Weights<br>*Option includes eight 95 lb (43 kg) weights.*<br>*Requires Front Weight Support (4004).*<br>*Not compatible with Front Hitch (4001) or Front PTO (8381).* | USD $1,215.00 |
| 8962 | Ten Front Suitcase Weights<br>*Option includes ten 95 lb (43 kg) weights.*<br>*Requires Front Weight Support (4004).*<br>*Not compatible with Front Hitch (4001) or Front PTO (8381).* | USD $1,518.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb)<br>*Not compatible on wheels sized 24" or smaller.*<br><br>*Parts Required to add (2) R213907 to 5ML Narrow with 28" Wheels*<br>• *2-R213907-rear wheel weight 95lb*<br>• *16-SU291930-mounting bolts*<br>• *16-24M7241-washers*<br>• *16-14H1039-nuts*<br>• *16-11M7083-cotter pins* | USD $209.00 |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb)<br>*Compatible with 24" and 28" wheels* | USD $726.00 |
| | **FRONT WEIGHTS** | |
| R262449 | Front Weight Support, 55kg (121 lb) | USD $483.02 |
| SU58373 | Front Weight Support, 110 kg (242 lb) (20 front weights) | USD $699.60 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |
| | **BALLAST** | |
| BW15852 | Large ballast box | USD $1,745.70 |
| | **EXHAUST** | |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Side Exhaust | USD $673.00 |
| 3020 | Vertical Exhaust | In Base Price |
| | *Limb lifter field kits are NOT compatible with vertical exhaust.* | |
| | **GUARDS**<br>**Additional Factory Options**<br>**GUARDS** | |
| 8331 | Underbelly Protection | USD $457.00 |
| | *Fuel Tank Shield is in the base machine, this option includes Skid Plates.* | |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**GUARDS** | |
| BXX11557 | Limb Protection Bracket Kit | USD $80.54 |
| | *The Limb Protection Bracket Kit is designed to protect the front work light harnesses and rear window seals of the 5ML cab from damage during crop applications in which tree limbs could contact the tractor.* | |
| BXX10588 | Limb Lifter - 5ML Cab | USD $3,362.70 |
| | *NOTE: Will not fit with vertical exhaust*<br>*NOTE: Compatible with front hitch and front PTO.* | |
| | **HOOD GUARDS** | |
| BW16765 | Hood Guard | USD $603.90 |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit | USD $39.27 |
| | *Includes (2) clamps and hardware* | |
| 5WS812490 | Super Clamp Kit | USD $59.46 |
| | *Includes (2) clamps and hardware* | |
| 5WS812485 | Clamp Kit | USD $44.88 |
| | *Includes (2) clamps and hardware* | |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 5WS812450 | Long Tool Holder (2)<br>*NOTE: Carries (2) long handled tools* | USD $83.02 |
| 5WS812455 | Long Tool Holder (4)<br>*NOTE: Carries (4) long handled tools* | USD $109.95 |
| 5WS812435 | Universal Mount Kit<br>*NOTE: This is used for additional mounting locations of tool holders (garage/ballast box/trailer/etc.)*<br>*NOTE: (2) Self-tapping screws & (2) Lag bolts included* | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box<br>*NOTE: It is not recommended to mount the chain box to the ROPS Rack due to potential height of storage location and total weight.* | USD $131.27 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 398SP | **5105ML Cab Low-Profile Utility Tractor** | |

ENGINE:
Rated Engine Power PS (hp ISO): 105
Rated PTO Power (hp SAE) @ 2100 rpm*: 90
EPA Final Tier 4 Emissions Compliant
Turbocharger with Intercooler
PowerTech Diesel Engine
4 Valve HPCR
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Cornerpost Exhaust Stack
(Aftertreatment: DOC/SCR)
Cold Start Aid - Air IntakeHeater
Hand and Foot Throttle
Key Engine Shut-Off
Water Separator Bowl

TRANSMISSION:
EH Differential Lock
Hydraulic Oil Cooler
Wet Traction Clutch
Park Lock
Neutral Start Safety Switch

REAR AXLE:
Flanged Rear Axle
Planetary Final Drives
8-Position Standard Steel Rear Wheels

FRONT AXLE:
Mechanical Front Wheel Drive Front Axle
Planetary Final Drives
Electrohydraulic MFWD Engagement via On/Auto/Brake

STEERING AND BRAKES:
Hydrostatic Power Steering
Hydraulic Wet Disk Brakes Self-Equalizing
and Self-Adjusting

HYDRAULIC:
Pressure Flow Compensating (PFC) Hydraulic System
Three Stackable Rear Deluxe Selective Control Valves with
Lever Controls
Selective Control Valve Oil Spill Collector
See code selection for Selective Control Valves (SCVs) and

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | hydraulic system selection<br><br>POWER TAKE-OFF SHAFT:<br>See code selection for PTO Shaft<br>Electrohydraulic PTO Engagement<br>Wet PTO Clutch<br>Operator Presence Safety Warning - PTO<br>Safety Start Switch<br>Flip Up PTO Shield<br><br>ROCKSHAFT, HITCH AND DRAWBAR:<br>Heavy Duty Adjustable Drawbar<br>70mm Hitch Lift Cylinder<br>See code selection for draft link sizing<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Flashing Warning Lamp<br>High Beam Indicator Light<br>Service Transmission Indicator<br>PTO Speed Indicator/Roll Mode<br>Neutral Indicator<br>Tachometer/Hour Meter<br>Engine Oil Pressure<br>Hydraulic Temperature Indicator<br>Coolant Temperature Gauge<br>Diesel Exhaust Fluid Gauge with low DEF Warning Signal<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Exhaust Filter Cleaning Switch<br>Roll Mode for Instrument Cluster<br>PTO Engagement Light<br>4WD Engagement Light<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 950 CCA** with 180 Minute Reserve Capacity<br>120 Amp Alternator<br>Three 3 Pin Power Outlets<br>7-Pin ASAE Outlet Socket | |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | LIGHTS:<br>Two Front Halogen Headlights<br>Two Turn/Warning Lights<br>Two Rear Work Lights<br>Dual Tail Lights<br><br>MISCELLANEOUS:<br>Slow-moving Vehicle (SMV) Emblem<br>Toolbox<br>Fuel Tank Shielding<br><br>* Manufacturer's Rating<br>** Cold Cranking Amps | |
| | **BASE MACHINE** | |
| 398SP | 5105ML Cab Low-Profile Utility Tractor | USD $123,500.00 |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual | In Base Price |
| 0437 | Spanish Operator's Manual | No Added Cost |
| | **PACKAGES**<br>**Basic Factory Options**<br>**PACKAGE CONFIGURATIONS** | |
| 0500 | Less Package | In Base Price |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2070 | Premium Cab<br>*Includes:*<br>*Fixed Windshield*<br>*Air Ride Suspension Seat*<br>*No Sunroof* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Air conditioning and heat* | |
| | *Deluxe Isolated Cab with Flat Floor* | |
| | *Tilt and Telescopic Steering Column* | |
| | *Left Side Door with Steps* | |
| | *Right-Hand Window with gas shock* | |
| | *Speedometer* | |
| | *Beverage Holder* | |
| | *Sunvisor for Front Window* | |
| | *2-Speed Front Windshield Wiper and Washer* | |
| | *Two Front/Two Rear Roof-Mounted Work Lights* | |
| | *Two Fender-Mounted Taillights* | |
| | *Two Rail-Mounted Lights and Turn Signal* | |
| | *Two Convenience 12V Power Outlets* | |
| | *Two USB Charging Outlets* | |
| | *Interior Dome Light* | |
| | *Pass-Through for Rear Cables* | |
| | *Monitor Mounting Bosses (2 Sets)* | |
| | *Swing-Out Rear Window with Two Removable Rear Plugs for Monitor* | |
| | *Right-Hand Console Light* | |
| | *Programmable Lighting* | |
| | *Radio Preparation (with speakers, wiring)* | |
| | *Rear window grab handle* | |
| | **RADIO** | |
| 2650 | Radio Ready | In Base Price |
| | *Includes pre-radio wiring, antenna installation and 2 speakers.* | |
| 2660 | Radio - Bluetooth® | USD $741.00 |
| | **Additional Factory Options** | |
| | **WINDSHIELD** | |
| 8280 | Rear Window Wiper | USD $379.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION** | |
| | **OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger | USD $18.94 |
| BXX10697 | Auxilary Mounting Rail | USD $153.00 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| RE68495 | Power Strip with Six Outlets | USD $70.93 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| | **RADIO** | |
| SJ14221 | Antenna - Satellite Radio<br>*For 5M, 5MH and 5105ML Tractors* | USD $409.20 |
| SWJHD22 | Stereo with AM/FM, Bluetooth Streaming, Weatherband - Short Din Chassis | USD $279.39 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Overall Dimensions - 2.28" H x 7.4" W x 3.53" D*<br>*• 180 watts max power (45W x 4); 100 watts RMS (25W x 4)*<br>*• Bluetooth® streaming audio (A2DP/AVRCP)*<br>*• Water and UV resistant front panel (IPX5)*<br>*• Weatherband*<br>*• AM/FM tuner with 30 presets*<br>*• Rear USB port for device charging (one amp output)*<br>*• Stereo pre-amp line-level output (2V RMS)*<br>*• Amplifier remote trigger (12VDC)*<br>*• PA microphone input*<br>*• Audio settings (volume/bass/treble/balance/fade)*<br>*• Toggle switch between day and night display*<br>*• Daylight-readable, segmented LCD*<br>*• Two-wire power with non-volatile memory and clock support*<br>*• Low battery alert*<br>*• Work timer* | |
| SWJHD62 | Stereo with AM/FM, Bluetooth Steaming, DAB+, Hands Free Calling Capable - Short Din Chassis<br>*Overall Dimensions - 2.3" H x 7.4" W x 3.6" D*<br>*• 180 watts max power (45W x 4); 100 watts RMS (25W x 4)*<br>*• Bluetooth® streaming audio (A2DP/AVRCP) and hands-free calling (HFP) — compatible with JMICHFP and JMICHFP2 microphones (sold separately)*<br>*• Water and UV resistant front panel (IPX6)*<br>*• App control ready*<br>*• DAB+ (Digital Audio Broadcasting)*<br>*• Weatherband*<br>*• AM/FM tuner with 30 presets*<br>*• RBDS (Radio Broadcast Data Service) with PTY search*<br>*• Rear USB port for device charging (1 amp output)*<br>*• Stereo pre-amp line level output (2V RMS)*<br>*• Amplifier remote trigger (12VDC)*<br>*• Toggle switch between day and night display*<br>*• Full dot matrix LCD* | USD $332.29 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | • *Two-wire power with non-volatile memory and clock support*<br>• *Remote turn on*<br>• *Low battery alert*<br>• *Work timer*<br>• *J1939 CAN Bus capability *requires customer-specific interface* | |
| | **WINDSHIELD** | |
| BXX10840 | Rear Wiper Kit | USD $362.61 |
| | **CAB OPERATOR'S STATION** | |
| AL71350 | Blank Key | USD $16.35 |
| AL71345 | Security Door Lock Kit | USD $244.20 |
| RE282643 | Leather Steering Wheel | USD $265.27 |
| AR60937 | Cigarette Lighter | USD $19.94 |
| BXX10627 | Category 4 Cab Filtration | USD $3,989.70 |
| BXX10839 | RH Door Latch | USD $465.74 |
| | **MIRRORS** | |
| LVB24844 | External Mirror Kit (Cab Only)<br>*For MY23 and newer 5ML cabs* | USD $264.00 |
| | **ENGINE**<br>**Additional Factory Options**<br>**COLD WEATHER PACKAGES** | |
| 8300 | Cold Weather Package<br>*Coolant Heater* | USD $119.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**COLD WEATHER PACKAGES** | |
| BSJ10643 | Fuel Heater | USD $210.10 |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |
| | **FUEL TANK** | |
| AL213203 | Lockable Filler Cap Fuel Tank | USD $35.01 |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1374 | PowrQuad™ PLUS 16F/16R Transmission | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*37 Gallon Fuel Tank*<br>*3.17 Gallon DEF Tank*<br>*36 km/h transmission*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires EH Hitch Controls (code 4030).* | |
| 1398 | Powr8™ 32F/16R Transmission with Creeper<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*37 Gallon Fuel Tank*<br>*3.17 Gallon DEF Tank*<br>*40 km/h transmission*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires EH Hitch Controls (code 4030).* | USD $5,795.00 |
| | **AXLE AND BRAKES**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6040 | MFWD (Mechanical Front Wheel Drive) - Standard Width<br>*Limited Slip Differential*<br>*Push Button, On-The-Go Engagement*<br>*Engagement Indicator Light.*<br>*Electrohydraulic MFWD Engagement via On/Auto/Brake*<br>*Auto Engagement Mode.* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Axle Width from Flange to Flange 1641 mm* | |
| 6030 | MFWD (Mechanical Front Wheel Drive) - Narrow Width<br>*Limited Slip Differential*<br>*Push Button, On-The-Go Engagement*<br>*Engagement Indicator Light.*<br>*Electrohydraulic MFWD Engagement via On/Auto/Brake*<br>*Auto Engagement Mode*<br>*Axle Width from Flange to Flange 1325 mm*<br>*Includes "Narrow" decal* | No Added Cost |
| | **Additional Factory Options**<br>**AXLE** | |
| 8110 | MFWD Clutch with Axle Ratio 1.392<br>*Requires Tire options 5410 and 6410 and 6040 Standard Front Axle*<br>*Please reference DTAC solution 227273: Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| 8120 | MFWD Clutch with Axle Ratio 1.347<br>*Requires Tire options 5410 and 6410 and 6040 Standard Front Axle*<br>*Please reference DTAC solution 227273: Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| 8111 | MFWD Narrow with axle ratio 1.5937<br>*Requires Tire options 5410 and 6410 and 6030 Narrow Front Axle*<br>*Please reference DTAC solution 227273 Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| 8112 | MFWD Narrow with axle ratio 1.6406<br>*Requires Tire options 5410 and 6410 and 6030 Narrow Front Axle*<br>*Please reference DTAC solution 227273 Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT AXLE** | |
| AL156778 | Hub Extension 60mm, Front, Tread Adjustment | USD $841.50 |
| | **REAR AXLE** | |
| AL156777 | Hub Extension 111mm, Rear, Tread Adjustment | USD $884.40 |
| AL156776 | Hub Extension 30mm, Rear, Tread Adjustment | USD $571.43 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| AL156779 | Hub Extension 44mm, Rear, Tread Adjustment | USD $688.60 |
| | **BRAKES** | |
| BXX10898 | Brake Comfort Accumulator<br>*Provides brake boost assistance in case of an engine stall.*<br><br>*NOTE: For 5ML Cab Tractors* | USD $746.51 |
| | **PRECISION AG TECHNOLOGY**<br>**Basic Factory Options**<br>**GREENSTAR™ AND AUTOTRAC™** | |
| 182A | Less AutoTrac™/ Less ISOBUS | In Base Price |
| 182B | ISOBUS/GreenStar™ Ready<br>*Option Includes:*<br>*Power Harness*<br>*Connector at the A-post*<br>*StarFire™ Receiver roof harness and bracket*<br>*ISOBUS Class 2 gateway controller and*<br>*In-cab ISOBUS connector*<br>*60A socket*<br>*200 Amp Alternator*<br><br>*No AutoTrac components have been installed.* | USD $814.00 |
| 182G | AutoTrac™ Ready with AutoTrac Basic<br>*Includes ISOBUS/GreenStar Ready option and Harness, Sensors, Steering Valve and primary display software for straight-line (basic) guidance. This option does NOT include a StarFire™ receiver required for AutoTrac Basic operation. The use of optional precision ag display requires an AutoTrac Activation for AutoTrac operation and documentation.* | USD $4,618.00 |
| | **DISPLAY** | |
| 1900 | Less Display | In Base Price |
| 190Q | G5 Universal Display<br>*Includes single 25.7-cm (10.1-in) G5 touchscreen display with 1-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD* | USD $3,495.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *tractor compatibility, RS232, ethernet inputs and permanent, non-transferable licenses for the following precision ag applications: - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access*<br><br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | |
| 190R | G5 Universal Display with AutoTrac™ License<br>*Includes single 25.7-cm (10.1-in) HD touchscreen display with 1-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD tractor compatibility and RS232 inputs and license for the following precision ag applications: - AutoTrac™ - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access*<br><br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | USD $6,495.00 |
| 190S | G5 Universal Display with Section Control License<br>*Includes single 25.7-cm (10.1-in) HD touchscreen display with 1-analog and 2-ethernet video inputs, 2-USB Data ports, CCD tractor compatibility and RS232 inputs. Permanent, non-transferable licenses for the following precision ag applications: - Data Sync - Documentation - Over-the-air updates - Remote Display Access - Section Control*<br><br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink. AutoTrac RowSense requires an AutoTrac license and additional hardware.* | USD $5,495.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | |
| 190U | G5 Universal Display with AutoTrac™ and Section Control Licenses<br>*Includes single 25.7-cm (10.1-in) HD touchscreen display with 1-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD tractor compatibility and RS232 inputs. Permanent, non-transferable licenses included for the following precision ag applications: - AutoTrac™ - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access - Section Control*<br><br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink. AutoTrac RowSense requires an AutoTrac license and additional hardware.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | USD $8,495.00 |
| | **DISPLAY APPLICATIONS** | |
| 1950 | Less Application | In Base Price |
| | **RECEIVERS** | |
| 1880 | Less Receiver | In Base Price |
| 188U | StarFire™ 7500 Universal Receiver with SF1<br>*SF1 Provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. See Sales Manual for additional information.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | USD $4,300.00 |
| 1892 | StarFire™ 7500 Universal Receiver with 1 year SF-RTK license<br>*Includes StarFire 7500 Universal Receiver with 1 year SF-RTK license. SF-RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy, and long-term repeatability. See Sales Manual for more information.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | USD $5,800.00 |
| 189D | StarFire™ 7500 with RTK (Base Station) Permanent License<br>*This Code is not a SF-RTK License. This code is for a permanent RTK License. RTK requires access to differential corrections from a local RTK Base Station and additional hardware or licenses may be* | USD $11,800.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *required. See Sales Manual for additional information. RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term repeatability.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | |
| | **CONNECTIVITY HARDWARE** | |
| 183N | JDLink™ Modem<br>*Includes an integrated cab wiring harness and JDLink M Modem- 4G capable. Ethernet hardware connection varies per GreenStar™ and AutoTrac™ configuration.*<br><br>*JDLink connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.*<br><br>*JDLink connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See the Precision Ag Technology Sales Manual for details.* | In Base Price |
| | **Additional Factory Options**<br>**AUTOMATION** | |
| 8217 | iTEC™ Basic<br>*Option includes both AL213360 (iTEC Basic Software) and BSJ10361 (installation instructions)* | USD $249.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**DISPLAY** | |
| BPF11445 | John Deere 4640 Universal Display and Extended Monitor Bracket | USD $172.70 |
| BPF11526 | Gen 4 Extended Monitor Cable - .6 Meter | USD $49.50 |
| BPF12124 | G5 Universal Display Mounting Bracket - Tractors/Sprayers | USD $125.00 |
| | **MACHINE CONNECTIVITY** | |
| | *For MY23 5M, 5E 4 cylinder models, and 5E 3 cylinder Cab models built with option code 183A (JDLink Capable) will only require installing the M Modem. These machines were equipped from the factory with the necessary harnessing installed.*<br>*NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| BSJ10674 | SmartConnector - CAN to Bluetooth® | USD $165.00 |
| TA25456 | MTG Jumper Harness | USD $25.04 |
| PFA12899 | 2 Wire Ethernet Cable - Mini50<br>*Required to connect a display to JDLink™ M Modems*<br><br>*NOTE: Requires Ethernet Switch Kit to work with Gen 4 4240 Display* | USD $99.28 |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630)<br>*This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | USD $275.00 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3830 | Three Speed PTO - 540/540E/1000 | In Base Price |
| | **Additional Factory Options**<br>**POWER TAKE-OFF (PTO) CONTROLS** | |
| 8386 | PTO Remote Controls - LH and RH Fenders | USD $82.00 |
| | **FRONT POWER TAKE-OFF (PTO)** | |
| 8381 | Front PTO<br>*Requires Front Hitch Category 2 (4001)* | USD $7,152.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**POWER TAKE-OFF (PTO)** | |
| BSJ10563 | PTO Fender Switch Kit | USD $102.30 |
| | **FRONT POWER TAKE-OFF (PTO)** | |
| | *NOTE: Per standards: 6 Spline Front PTO is for EU tractors and 21 Spline Front PTO is for North American tractors with PQ transmissions*<br><br>*NOTE: Front PTO Kits are applicable for CAB tractors only* | |
| SJ23950 | Auxiliary front drive coupler Kit - 4045 | USD $997.70 |
| BXX10535 | Front PTO Mounting Parts Kit<br>*Includes front pto mounting parts only. Also order BSJ10520 for R4 tractors or BSJ10318 for R2 tractors* | USD $903.97 |
| BSJ10520 | Front PTO case and Shaft (21 tooth spline) (need to order mounting parts separately) - North America | USD $4,319.70 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **REAR POWER TAKE-OFF (PTO)** | |
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 23.8 mm x 61.3 mm (0.94 in. x 2.4 in.) 540 RPM, CAT 2R* | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 22 mm x 54 mm (0.87 in. x 2.13 in.) 540 RPM, CAT 1R* | USD $300.30 |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 74.6 mm (1.06 in. x 2.94 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 70.2 mm (1.06 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 28 mm x 70.2 mm (1.1 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.00 |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 30.2 mm x 80 mm (1.2 in. x 3.15 in.) 540 RPM, CAT 4R* | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 31.75 mm x 81.76 mm (1.25 in. x 3.22 in.) 540 RPM, CAT 4R* | USD $300.00 |
| BLV10953 | John Deere Quik Knect™ PTO receiver<br>*At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.* | USD $140.89 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**HITCH CONTROLS** | |
| 4030 | Electronic Hitch Control | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **DRAFT LINK** | |
| 4115 | Ball End Draft Links - Category 2 | In Base Price |
| 4116 | Hook End Draft Links - Category 2 | No Added Cost |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link with Ball End - Category 2 | In Base Price |
| 4213 | Mechanical Center Link with Hook - Category 2 | No Added Cost |
| 4223 | Hydraulic Center Link with Hook - Category 2 | USD $1,039.00 |
| | **LIFT LINK** | |
| 4155 | LH and RH Adjustable Lift Links | In Base Price |
| | **STABILIZER** | |
| 4424 | Left Hand and Right Hand Stabilizer Bar | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4004 | Front Weight Support (55 kg/121 lbs) | In Base Price |
| 4001 | Front Hitch - Category 2 | USD $4,771.00 |
| | *Belt Line Headlights (8737) are recommended with Front Hitch - Category 2.* | |
| | **DRAWBAR AND TRAILER HITCH** | |
| 4315 | Basic Drawbar | In Base Price |
| 4317 | Drawbar with Hammerstrap | USD $174.00 |
| | **Additional Factory Options**<br>**HITCH CYLINDERS** | |
| 8464 | 75mm Hitch Lift Cylinders | USD $513.00 |
| | *In Base Hitch Lift Cylinders are 70mm* | |
| | **THREE-POINT HITCH** | |
| 841X | Quick Hitch Category 2 | USD $716.00 |
| | *Hook End Draft Links Is not compatible (4116)* | |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HITCH CONTROLS** | |
| BSJ10323 | Electrohydraulic (EH) Hitch Right Fender Switch Kit | USD $451.00 |
| | *Not compatible with 4th Rear SCV kit BSJ10440*<br><br>*NOTE: Requires Software* | |
| | **DRAFT LINK** | |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| R66432 | Draft Link Conversion Bushing, Cat. II to Cat. I | USD $31.27 |
| | **CENTER LINK** | |
| BSJ10309 | Hydraulic Center Link - Ball Type | USD $2,307.80 |
| SJ28942 | Hydraulic Center Link - Hook type | USD $1,701.70 |
| | **HITCH CYLINDERS** | |
| AHC15531 | Hydraulic cylinder 75 mm (2.95 in.)<br>*NOTE: Upgrades right-hand hydraulic cylinder to 75 mm (2.95 in.) for average of 70-mm (2.75-in.) lift cylinder.*<br>*Heavy-duty hitch kit for PowrReverser transmission* | USD $154.00 |
| AHC18728 | Hydraulic Cylinders to 80 mm (3.15 in.)<br>*NOTE: Order two AHC18728 to replace both left-hand and right-hand hydraulic cylinders to 80 mm (3.15 in.)*<br>*Heavy-duty hitch kit for PowrQuad PLUS and Powr8 transmissions* | USD $1,295.80 |
| | **THREE-POINT HITCH** | |
| BSJ10595 | Quick-Hitch Category 2 | USD $1,114.30 |
| | **DRAWBAR** | |
| RE19428 | Safety  Chain Support Kit | USD $200.38 |
| RE242110 | Drawbar - Hammerstrap and Chain Clevis Kit | USD $178.20 |
| | **FRONT HITCH** | |
| BXX11233 | Front 3-Point Hitch, Kit 5ML Cab<br>*For 5ML Cab Tractors* | USD $4,110.33 |
| BXX10931 | FRONT HITCH  FIELD INSTALLATION KIT, 5M (Connections to the rear SCV)<br>*For 5M/5ML Tractors* | USD $1,750.06 |
| BXX10994 | FRONT HITCH, MID SCV ROUTING (Connections to the mid SCV)<br>*For 5M/5ML Tractors* | USD $271.83 |
| BXX10778 | Front 3 Point Hitch Support Push Bar Kit - 5M/5ML/5R<br>*NOTE: The Front 3 Point Hitch Support Push Bar Kit is recommended with ground engaging or high load front implement work.* | USD $1,358.31 |
| | **HYDRAULICS**<br>**Basic Factory Options** | |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3335 | Triple Stackable Rear Deluxe SCV's with Lever Control<br>*Features: Three Selectable Detent Positions on EACH Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Pressure Compensated Flow Control for running Hydraulic Motors on EACH Valve.* | In Base Price |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3410 | Less Mid Valve with Engine Side Frames<br>*THERE IS NO MID SCV FIELD KIT AVAILABLE.* | In Base Price |
| 3435 | Three Deluxe Mid EH SCV with Electronic Joystick Control<br>*Includes 4th Function Switch and Gear Shift switch. All three EH valves are proportional.* | USD $4,142.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR SELECTIVE CONTROL VALVES** | |
| BSJ10440 | 4th rear SCV Conversion Kit (PFC - non proportional EH)<br>*For 5ML Tractors with Closed Center Hydraulics*<br>*Additional Software Required*<br>*Not compatible with EH fender switch kit BSJ10323* | USD $1,339.80 |
| | **HYDRAULICS** | |
| BSJ10240 | Power Beyond Kit (PFC System)<br>*For 5ML Tractors with Closed Center Hydraulics* | USD $248.60 |
| BSJ10428 | Hydraulic Case Drain Plumbing (PFC and OC)<br>*For 5ML Tractors with Open and Closed Center Hydraulics* | USD $238.70 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8731 | Full LED Lighting Package with Headlights<br>*Package upgrades the headlights, 2 front, and 2 rear work lights from halogen to LED* | USD $731.00 |
| 8737 | Two Beltline Halogen Road Lights H4<br>*Belt Line Headlights are recommended with Front Loader (1725) & Front Hitch (4001) options.* | USD $209.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **ELECTRICITY** | |
| 878B | Battery Disconnect Switch | USD $184.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION LIGHTING** | |
| BSJ10325 | LED HEADLIGHTS<br>*Upgrades front headlights from halogen to LED including high and low beam.*<br>*Fits 5ML Tractors* | USD $473.00 |
| BSJ10416 | Auxiliary Loader Light Kit - R4 Cab | USD $1,809.50 |
| | **ELECTRICITY** | |
| BXX11144 | Battery Disconnect Kit<br>*Fits My23 and Newer 5M Cab Tractors* | USD $183.71 |
| | **BACKUP ALARM** | |
| BXX10921 | Backup Alarm Kit<br>*Fits 5ML Cab Tractors* | USD $193.14 |
| | **ALTERNATOR** | |
| RE555751 | 200 Amp Alternator | USD $575.84 |
| | **BEACON LIGHTING** | |
| BXX10855 | Led Beacon Light - CAB<br>*Fits 5ML Cab Tractors* | USD $227.20 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5132 | 360/70R24 Radial<br>*Requires Front Tire Option 6142* | USD $979.00 |
| 5134 | 420/70R24 Radial<br>*Requires Front Tire Option 6134* | USD $1,362.00 |
| 5322 | 340/85R28 Radial<br>*Requires Front Tire Option 6106* | USD $960.00 |
| 5135 | 420/70R28 Radial<br>*Requires Front Tire Option 6135, 6138, or 6261* | USD $2,146.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 5148 | 480/65R28 Radial<br>*Requires Front Tire Option 6260 or 6261* | USD $2,900.00 |
| 5914 | 19.5L - 24 In. 10PR R4 BIAS<br>*Requires Front Tire Option 6133* | In Base Price |
| 5410 | Less Rear Wheels and Tires (MFWD)<br>*Tractor ships with disposable steel transport tires.*<br>*Requires Front Tire Option 6410.*<br>*Requires MFWD gear ratio 8110, 8120, 8111 or 8112.* | USD ($3,146.00) |
| | **FRONT WHEELS AND TIRES** | |
| | *See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.* | |
| 6142 | 240/70R16 Radial<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $80.00 |
| 6134 | 280/70R16 Radial<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $187.00 |
| 6106 | 250/80R18<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $253.00 |
| 6135 | 280/70R18 Radial<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $390.00 |
| 6260 | 320/65R18 Radial<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $473.00 |
| 6138 | 320/70R20 Radial<br>*Requires Front Axle 6040 (MFWD: Standard Width)* | USD $778.00 |
| 6261 | 360/70R20 Radial<br>*Requires Front Axle 6040 (MFWD: Standard Width)* | USD $988.00 |
| 6410 | Less Front Wheels and Tires (MFWD)<br>*Tractor ships with disposable steel transport tires.*<br>*Requires MFWD gear ratio 8110, 8120, 8111 or 8112.* | USD ($1,759.00) |
| 6133 | 12.5/80-18 6PR I3 (R4 TYPE) 123A8<br>*Requires Front Axle 6040 (MFWD: Standard Width)* | In Base Price |
| | **TIRE BRAND PREFERENCE** | |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 5999 | No Tire Brand Preference | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT FENDERS** | |
| BW16094 | Stationary fenders<br>*Not compatible with Narrow front axle in combination with AutoTrac ready* | USD $969.10 |
| AL180327 | Front Fenders 420 mm (16.5 In.) Wide (MFWD)<br>*Not compatible with Narrow front axle in combination with AutoTrac ready* | USD $192.11 |
| AL180330 | Front Fenders 370 mm (14.6 In.) Wide (MFWD)<br>*Not compatible with Narrow front axle in combination with AutoTrac ready* | USD $167.19 |
| AL180326 | Front Fenders 480 mm (18.9 In) Wide (MFWD)<br>*Not compatible with Narrow front axle in combination with AutoTrac ready* | USD $224.64 |
| BSJ10307 | Turnable Front Fender Mounting brackets and hardware kit | USD $1,048.30 |
| BXX10701 | Narrow Axle Front Fenders 310 mm (12.2 In.) Wide - Cab | USD $1,833.44 |
| BXX10702 | Narrow Axle Front Fenders 355 mm (13.9 In.) Wide - Cab | USD $1,663.71 |
| | **REAR FENDERS** | |
| BXX10658 | Rear Fender Extensions - CAB | USD $397.56 |
| | **LOADERS AND BACKHOES**<br>**Basic Factory Options**<br>**LOADERS** | |
| 1799 | Less Loader Prep Package | In Base Price |
| 1725 | Loader Prep Package<br>*Hydraulic hoses and hydraulic connections still need to be ordered with loader.*<br>*Includes loader mounting frames and hood guard.*<br>*Requires Mid Valve configuration (option 3435)*<br>*Loader Preparation Package only compatible with 540M loader.*<br>*Belt Line Headlights (8737) are recommended with Loader Prep Package.*<br>*Limb lifter field kits are NOT compatible with Loader Prep Package.* | USD $2,305.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **WEIGHTS AND BALLASTING**<br>**Additional Factory Options**<br>**FRONT WEIGHT OPTIONS** | |
| 8959 | Four Front Suitcase Weights<br>*Option includes four 95 lb (43 kg) weights.*<br>*Requires Front Weight Support (4004).*<br>*Not compatible with Front Hitch (4001) or Front PTO (8381).* | USD $607.00 |
| 8960 | Six Front Suitcase Weights<br>*Option includes six 95 lb (43 kg) weights.*<br>*Requires Front Weight Support (4004).*<br>*Not compatible with Front Hitch (4001) or Front PTO (8381).* | USD $911.00 |
| 8961 | Eight Front Suitcase Weights<br>*Option includes eight 95 lb (43 kg) weights.*<br>*Requires Front Weight Support (4004).*<br>*Not compatible with Front Hitch (4001) or Front PTO (8381).* | USD $1,215.00 |
| 8962 | Ten Front Suitcase Weights<br>*Option includes ten 95 lb (43 kg) weights.*<br>*Requires Front Weight Support (4004).*<br>*Not compatible with Front Hitch (4001) or Front PTO (8381).* | USD $1,518.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb)<br>*Not compatible on wheels sized 24" or smaller.*<br><br>*Parts Required to add (2) R213907 to 5ML Narrow with 28" Wheels*<br>• *2-R213907-rear wheel weight 95lb*<br>• *16-SU291930-mounting bolts*<br>• *16-24M7241-washers*<br>• *16-14H1039-nuts*<br>• *16-11M7083-cotter pins* | USD $209.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| SU57513 | Weight, Rear Wheel - 150 kg (330lb)<br>*Compatible with 24" and 28" wheels* | USD $726.00 |
| | **FRONT WEIGHTS** | |
| R262449 | Front Weight Support, 55kg (121 lb) | USD $483.02 |
| SU58373 | Front Weight Support, 110 kg (242 lb) (20 front weights) | USD $699.60 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |
| | **BALLAST** | |
| BW15852 | Large ballast box | USD $1,745.70 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Side Exhaust | USD $673.00 |
| 3020 | Vertical Exhaust<br>*Limb lifter field kits are NOT compatible with vertical exhaust.* | In Base Price |
| | **GUARDS**<br>**Additional Factory Options**<br>**GUARDS** | |
| 8331 | Underbelly Protection<br>*Fuel Tank Shield is in the base machine, this option includes Skid Plates.* | USD $457.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**GUARDS** | |
| BXX11557 | Limb Protection Bracket Kit<br>*The Limb Protection Bracket Kit is designed to protect the front work light harnesses and rear window seals of the 5ML cab from damage during crop applications in which tree limbs could contact the tractor.* | USD $80.54 |
| BXX10588 | Limb Lifter - 5ML Cab<br>*NOTE: Will not fit with vertical exhaust*<br>*NOTE: Compatible with front hitch and front PTO.* | USD $3,362.70 |
| | **HOOD GUARDS** | |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| BW16765 | Hood Guard | USD $603.90 |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit<br>*Includes (2) clamps and hardware* | USD $39.27 |
| 5WS812490 | Super Clamp Kit<br>*Includes (2) clamps and hardware* | USD $59.46 |
| 5WS812485 | Clamp Kit<br>*Includes (2) clamps and hardware* | USD $44.88 |
| 5WS812450 | Long Tool Holder (2)<br>*NOTE: Carries (2) long handled tools* | USD $83.02 |
| 5WS812455 | Long Tool Holder (4)<br>*NOTE: Carries (4) long handled tools* | USD $109.95 |
| 5WS812435 | Universal Mount Kit<br>*NOTE: This is used for additional mounting locations of tool holders (garage/ballast box/trailer/etc.)*<br>*NOTE: (2) Self-tapping screws & (2) Lag bolts included* | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box<br>*NOTE: It is not recommended to mount the chain box to the ROPS Rack due to potential height of storage location and total weight.* | USD $131.27 |

Copyright © Deere & Company. All Rights Reserved.

# 5105EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| 06ARP | **5105EN Cab Narrow Utility Tractor**<br>ENGINE:105 (77.4kW) Rated Engine Horsepower @ 2400 RPM*90 (67.1kW) Rated PTO Horsepower @ 2400 RPM*EPA Final Tier 4 Emissions Compliant4 Cylinder Turbocharged John Deere PowerTech™ 4045 PWS Diesel Engine (4.5L)Oil CoolerDry Type Air Cleaner with Safety ElementAnti-FreezeWater Separator BowlFuel CoolerHand and Foot ThrottleKey Engine Shut OffFan Finger GuardTwo Engine Speed Selection and memory on key cycle TRANSMISSION:Electrohydraulic (EH) Directional ReverserEH Differential LockNeutral Start Safety SwitchWet Traction ClutchPR Shuttle Control REAR AXLE:Flanged Rear AxlePlanetary Final Drives STEERING AND BRAKES:Hydrostatic Power SteeringHydraulic Wet Disk Brakes Self-Equalizing and Self-AdjustingRH/LH Turning Brakes HYDRAULICS:Open Center Hydraulic SystemTandem Gear Pump 24.8 GPM (94 LPM)Maximum Total Flow-Steering Pump 6.6 GPM (25.1 LPM)Implement Pump 18.2 GPM (68.9 LPM)Hydraulic Oil Cooler POWER TAKE-OFF SHAFT:Shiftable Rear 540/540E RPM PTOElectrohydraulic (EH) EngagementOperator Presence Safety Warning - PTOSafety Start Switch ROCKSHAFT, HITCH AND DRAWBAR:Electrohydraulic (EH) Rear Rockshaft3-Point Hitch (Category 2N) -- Convertible to Category I and I-NInterchangeable Hitch BallsAdjustable DrawbarEH Remote Rear Hitch Control (LH Only) CAB:Left Side DoorAir Conditioning and HeaterDeluxe Adjustable Fabric Covered Seat with Retractable Seat BeltTilt & Telescopic Steering WheelBeverage HolderSunshadeRadio ready - speakers and wiring (no antenna) 2 Speed Front Windshield Wiper With WasherLH/RH Foldable MirrorsInternal Rear View MirrorConvenience lightInterior Dome light12V Convenience Power Outlet (2)USB-C Charging Outlet (2)Monitor Mounting Bosses (2 Sets)Swing-Out Rear Window with Removable Rear Plug for Monitor or Control Wiring Harnesses110 Amp Alternator28.5 U.S. Gallon (108 L) Fuel Tank Capacity3.2 U.S. Gallon (12 L) Diesel exhaust fluid (DEF) INSTRUMENTATION:Digital center display Electric Fuel GaugeTachometer/Hour MeterOil Pressure Indicator LightCoolant Temperature GaugeAlternator Indicator LightAir Restriction Indicator LightTurn Signal Indicator LightHigh Beam Indicator LightPTO Engagement LightSpeedometerHitch control depth sensor Diesel | |

Copyright © Deere & Company. All Rights Reserved.

# 5105EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | Exhaust Fluid Guage with low DEF Warning SignalNeutral Indicator ELECTRICAL:12-Volt Electrical SystemOne Battery - 950 CCA**180 Minute Reserve Capacity7-Pin ASAE Outlet Socket3-Pin Outlet (2) LIGHTS:Two Front LED HeadlightsTwo Front & Two Rear Fixed LED Work LightsRoof-Mounted LED Convenience Lights over hitch Two LED Turn/Warning LightsDual LED Tail Lights MISCELLANEOUS:SMV EmblemOne Piece Tilt-Up HoodFront Weight SupportService HornToolbox MFWD:Push Button, On-the-Go EngagementEngagement Indicator LightAuto Engagement ModeLimited Slip Differential * Manufacturer's Rating** Cold Cranking AmpsThe Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. | |
| | **BASE MACHINE** | |
| 06ARP | 5105EN Cab Narrow Utility Tractor | USD $100,915.00 |
| | **PACKAGES**<br>**Basic Factory Options**<br>**PACKAGE CONFIGURATIONS** | |
| 0500 | Less Package | In Base Price |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual | In Base Price |
| 0437 | Spanish Operator's Manual | No Added Cost |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2050 | Standard Cab<br>*Left Side Door*<br>*Air Conditioning and Heater*<br>*Deluxe Adjustable Fabric Covered Seat with Retractable Seat Belt* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5105EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Tilt & Telescopic Steering Wheel*<br>*Beverage Holder*<br>*Radio ready - speakers and wiring harness (no antenna)*<br>*Front Two Speed Windshield Wiper With Washer Fluid*<br>*Roof-Mounted LED Work Lights - Two Front/Two Rear*<br>*Roof-Mounted LED Convenience Lights - Two Rear*<br>*LED Warning Lights - Fixed Position - Two Front/Two Rear*<br>*Inside Rear View Mirror*<br>*12V Convenience Power Outlets*<br>*USB-C Double Outlet*<br>*Three Pin Power Outlet*<br>*Swing-Out Rear Window with Removable Rear Plug for Monitor or Control Wiring Harnesses* | |
| | **SEAT** | |
| 2110 | Mechanical Suspension Seat | USD ($1,133.00) |
| 2120 | Air Suspension Seat | In Base Price |
| | **CAB FILTRATION SYSTEM** | |
| 2372 | Category 2 Cab Filtration System | In Base Price |
| 2375 | Category 2 / Category 4 Switchable Cab Filtration System | USD $1,492.00 |
| | **RADIO** | |
| 2650 | Radio Ready<br>*Includes pre-radio wiring, 2 speakers, no antenna* | In Base Price |
| 2660 | Radio - Bluetooth®<br>*Includes radio, antenna installation and 2 speakers.* | USD $741.00 |
| | **Additional Factory Options**<br>**WINDSHIELD** | |
| 8280 | Rear Window Wiper | USD $316.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |

Copyright © Deere & Company. All Rights Reserved.

# 5105EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger | USD $18.94 |
| BXX10697 | Auxilary Mounting Rail | USD $153.00 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BPF11445 | John Deere 4640 Universal Display and Extended Monitor Bracket | USD $172.70 |
| BPF12124 | G5 Universal Display Mounting Bracket - Tractors/Sprayers | USD $125.00 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| BE32890 | G5 Universal Display Mounting Bracket | USD $293.03 |
| | **CAB FILTRATION SYSTEM** | |
| BXX11523 | ACTIVATED CARBON AIR FILTER, HVAC CAT4 | USD $26.29 |
| | **RADIO** | |
| TA29648 | Radio (AM/FM/Bluetooth) - North America | USD $634.55 |
| | **DOOR AND LADDER** | |

Copyright © Deere & Company. All Rights Reserved.

# 5105EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| BXX10839 | RH Door Latch | USD $465.74 |
| | **PRECISION AG TECHNOLOGY**<br>**Basic Factory Options**<br>**GREENSTAR™ AND AUTOTRAC™** | |
| 182A | Less AutoTrac™/GreenStar™<br>*This option includes connections for GreenStar Display and ATU only. Does NOT include harnesses or brackets for StarFire™ receiver or display* | In Base Price |
| 182F | AutoTrac™ Universal/ GreenStar™ Ready<br>*This option includes receiver mounting bracket, display mounting bracket and has connections for GreenStar Display and ATU.*<br><br>*Does NOT include receiver, display, or ATU 300. Please review the ATU ordering guide for additional parts needed to complete installation.* | No Added Cost |
| | **RECEIVERS** | |
| 1880 | Less Receiver | In Base Price |
| 188U | StarFire™ 7500 Universal Receiver with SF1<br>*SF1 Provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. See Sales Manual for additional information. Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | USD $4,300.00 |
| 1892 | StarFire™ 7500 Universal Receiver with 1 year SF-RTK license<br>*Includes StarFire 7500 Universal Receiver with 1 year SF-RTK license. SF-RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy, and long-term repeatability. See Sales Manual for more information. Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | USD $5,800.00 |
| 189D | StarFire™ 7500 with RTK (Base Station) Permanent License<br>*This Code is not a SF-RTK License. This code is for a permanent RTK License. RTK requires access to differential corrections from a local RTK Base Station and additional hardware or licenses may be required. See Sales Manual for additional information. RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term* | USD $11,800.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *repeatability.*<br>*Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | |
| | **DISPLAY** | |
| 1900 | Less Display | In Base Price |
| 190Q | G5 Universal Display<br>*Includes display harness and single 25.7-cm (10.1-in) G5 touchscreen display with 4-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD tractor compatibility, RS232, ethernet inputs and permanent, non-transferable licenses for the following precision ag applications:*<br>*- Data Sync*<br>*- Documentation*<br>*- Over-the-Air Updates*<br>*- Remote Display Access*<br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink.*<br>*Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | USD $3,495.00 |
| 190R | G5 Universal Display with AutoTrac™ License<br>*Includes display harness and single 25.7-cm (10.1-in) HD touchscreen display with 4-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD tractor compatibility and RS232 inputs and license for the following precision ag applications:*<br>*- AutoTrac™*<br>*- Data Sync*<br>*- Documentation*<br>*- Over-the-Air Updates*<br>*- Remote Display Access*<br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote* | USD $6,495.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Display Access require JDLink.*<br>*Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | |
| | **CONNECTIVITY HARDWARE** | |
| 183N | JDLink™ Modem<br>*Includes integrated cab wiring harness, antenna, JDLink Model (MTG) and Ethernet harnesses. Ethernet harnesses may vary per configuration.* | In Base Price |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1381 | 12F x 12R PowrReverser™ Transmission<br>*34km transmission*<br>*4 synchronized Gears (3 non-synchronized Ranges)*<br>*left hand Forward & Reverse Shift Lever*<br>*right hand Gear Shift Lever*<br>*left hand Range Shift Lever*<br>*electrohydraulic PTO engagement*<br>*electrohydraulic MFWD engagement*<br>*electrohydraulic Diff Lock engagement*<br>*Park Pawl*<br>*Neutral Start Safety Switch* | In Base Price |
| 1383 | 24F x 12R PowrReverser™ Hi-Lo Transmission<br>*Push Button, Electrohydraulic (EH) Hi-Lo*<br>*4 synchronized Gears (3 non-synchronized Ranges)*<br>*left hand Forward & Reverse Shift Lever*<br>*right hand Gear Shift Lever*<br>*left hand Range Shift Lever*<br>*electrohydraulic PTO engagement*<br>*electrohydraulic MFWD engagement*<br>*electrohydraulic Diff Lock engagement*<br>*Park Pawl*<br>*Neutral Start Safety Switch* | USD $1,976.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **Additional Factory Options**<br>**CREEPER** | |
| 813A | Creeper<br>*Option adds creeper function to either transmission option.* | USD $556.00 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**REAR POWER TAKE-OFF (PTO)** | |
| 3820 | Two Speed PTO - 540/540E rpm | In Base Price |
| | **AXLE AND BRAKES**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6030 | MFWD (Mechanical Front Wheel Drive) Front Axle Narrow<br>*Push Button, On-the-Go Engagement*<br>*Engagement Indicator Light*<br>*Auto Engagement Mode*<br>*Limited Slip Differential*<br>*Axle Width from Flange to Flange 1155 mm* | In Base Price |
| | **Additional Factory Options**<br>**TRAILER BRAKE** | |
| 8756 | Hydraulic Trailer Brake - Two Lines<br>*Includes secondary brake.* | USD $4,713.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT AXLE** | |
| BXX11009 | Front Axle Spacer | USD $1,574.54 |
| | **REAR AXLE** | |
| L154682 | Rear Axle 1.6 in. Extension (40 mm) | USD $379.72 |
| L154683 | Rear Axle 1.2 in. Extension (30 mm) | USD $372.45 |
| L154684 | Rear Axle 4.4 in. Extension (111 mm) | USD $617.99 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**HITCH CONTROLS** | |
| 4030 | Electronic Hitch Control | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5105EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Remote Rear Hitch Control (LH Only)* | |
| | **DRAFT LINK** | |
| 4115 | Ball End Draft Links - Category 2 | In Base Price |
| 4116 | Hook End Draft Links - Category 2 | No Added Cost |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link with Ball End - Category 2 | In Base Price |
| 4213 | Mechanical Center Link with Hook - Category 2 | No Added Cost |
| | **LIFT LINK** | |
| 4155 | LH and RH Mechanical Lift Link Adjustment | In Base Price |
| | **STABILIZER** | |
| 4424 | LH and RH Stabilizer Bar | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4004 | Front Weight Support (55 kg/121 lbs) | In Base Price |
| | **DRAWBAR AND TRAILER HITCH** | |
| 4315 | Basic Drawbar | In Base Price |
| 4317 | Drawbar with Hammerstrap | USD $173.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION DRAFT LINK** | |
| R66432 | Draft Link Conversion Bushing, Cat. II to Cat. I | USD $31.27 |
| T12553 | Center Link Conversion Bushing, Cat. II to Cat. I | USD $27.93 |
| T21706 | Category II Interchangeable Hitch Ball | USD $22.75 |
| T21709 | Category I Interchangeable Hitch Ball | USD $53.96 |
| | **DRAWBAR** | |
| R133359 | Drawbar - Offset<br>*NOTE: Only compatible in Regular 540 RPM distance to PTO* | USD $310.64 |
| RE39830 | Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar | USD $345.34 |
| RE19428 | Safety Chain Support Kit<br>*NOTE: Only Compatible with drawbar without Hammerstrap* | USD $200.38 |
| RE242110 | Drawbar - Hammerstrap and Chain Clevis Kit | USD $178.20 |
| | **THREE-POINT HITCH** | |
| LVB25976 | iMatch™ Quick-Hitch Category 1 with adjustable top hook | USD $400.40 |
| BSJ10595 | Quick-Hitch Category 2 | USD $1,114.30 |
| | **FRONT HITCH** | |

Copyright © Deere & Company. All Rights Reserved.

# 5105EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| BXX11497 | 5EN 4CYL FT4 Front hitch<br>*Ship date ETA will be Mid Dec 2025* | USD $4,763.86 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**REAR SELECTIVE CONTROL VALVES** | |
| 3320 | Dual Stackable Rear SCV's with Lever Control | In Base Price |
| 3335 | Triple Stackable Rear Deluxe SCV's with Lever Control<br>*Features:*<br>*Three selectable detent positions on #1 valve (auto kickout, continuous flow, or no detent)*<br>*Float position on EACH valve*<br>*Flow priority to #1 valve*<br>*Pressure compensated flow control for running hydraulic motors on #1 valve* | USD $1,145.00 |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid Valves | In Base Price |
| 3420 | Dual Stackable Mid Valves with Mechanical Joystick Control<br>*Note: Recommended for applications with front or mid-mount implements..* | USD $1,253.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HYDRAULICS** | |
| BXX11731 | POWER BEYOND LINE, 5EN CAB<br>*Ship date ETA will be Mid Dec 2025* | USD $380.60 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8729 | Side Roof LED Work Lights<br>*Two roof mounted LED work lights.* | USD $128.00 |
| 8737 | Two Beltline Halogen Road Lights H4 | USD $284.00 |
| | **BACKUP ALARM** | |
| 8782 | Backup Alarm | USD $202.00 |
| | **LIGHTING EQUIPMENT** | |

Copyright © Deere & Company. All Rights Reserved.

# 5105EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| 8724 | Integrated LED beacon lights<br>*Provides three LED beacon lights integrated into the cab roof.* | USD $151.00 |
| | **ELECTRICITY** | |
| 878B | Battery Disconnect Switch | USD $184.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**BACKUP ALARM** | |
| RE229427 | Backup alarm kit | USD $203.50 |
| | **ALTERNATOR** | |
| RE555751 | 200 Amp Alternator | USD $575.84 |
| | **CAMERA EQUIPMENT** | |
| BXX11764 | CAMERA MOUNTING KIT | USD $26.23 |
| A-HDS1151 | 7" CABCAM Camera SYSTEM | USD $384.74 |
| A-HD10M2CQ | 10" CabCAM High Definition 10" QUAD Camera System | USD $1,039.10 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5101 | 12.4-24 In. 8PR R1 Bias<br>*Requires Front Tire Option Code 6101.* | USD $84.00 |
| 5102 | 14.9-24 In. 8PR R1 Bias<br>*Requires Front Tire Option Code 6110.* | In Base Price |
| 5105 | 14.9-28 In. 6PR R1 Bias<br>*Requires Front Tire Option Code 6111.* | USD $30.00 |
| 5128 | 340/85 R28 Radial<br>*Requires option code 6188 or 6260.* | USD $333.00 |
| 5134 | 420/70 R24 Radial<br>*Requires option code 6134 or 6262.* | USD $2,528.00 |
| 5136 | 380/70 R28 Radial<br>*Requires option code 6260 or 6188.* | USD $527.00 |
| 5140 | 380/70 R24 Radial<br>*Requires option code 6134.* | USD $146.00 |
| 5157 | 420/70 R28 Radial | USD $855.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Requires option code 6188.* | |
| 5177 | 280/85R28 R1 Radial | USD $574.00 |
| | *Requires Front Tire Option Code 6187.* | |
| | **FRONT WHEELS AND TIRES** | |
| 6101 | 8.0-16.6 In. 6PR R1 Bias | USD ($163.00) |
| 6110 | 9.5-16 In. 6PR R1 Bias | In Base Price |
| 6111 | 10.5/80-18 In. 10PR R4 Bias | USD $492.00 |
| 6187 | 210/95 R16 R1 Radial | USD $302.00 |
| 6188 | 280/70 R18 R1 Radial | USD $493.00 |
| 6134 | 280/70 R16 R1W Radial | USD ($15.00) |
| 6260 | 320/65 R18 R1W Radial | USD $780.00 |
| 6262 | 320/65 R16 R1W Radial | USD $740.00 |
| | **TIRE BRAND PREFERENCE** | |
| 5999 | No Tire Brand Preference | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |
| BXX10658 | Rear Fender Extensions - CAB | USD $397.56 |
| | **WEIGHTS AND BALLASTING**<br>**Additional Factory Options**<br>**FRONT WEIGHT OPTIONS** | |
| 8959 | Four Front Suitcase Weights | USD $607.00 |
| 8960 | Six Front Suitcase Weights | USD $911.00 |
| 8961 | Eight Front Suitcase Weights | USD $1,215.00 |
| | *Option includes eight 95 lb (43 kg) weights.* | |
| 8962 | Ten Front Suitcase Weights | USD $1,518.00 |
| | *Option includes ten 95 lb (43 kg) weights.* | |
| | **REAR WEIGHT OPTIONS** | |
| 8970 | Two Rear Wheel Weights | USD $339.00 |
| | *Option includes two 105lbs (48kg) weights.* | |
| | *Not compatible with rear tire options 5102, 5134, 5140, 5410* | |
| 8971 | Four Rear Wheel Weights | USD $677.00 |
| | *Option includes four 105lbs (48kg) weights.* | |

Copyright © Deere & Company. All Rights Reserved.

# 5105EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Not compatible with rear tire options 5102, 5134, 5140, 5410* | |
| 8972 | Six Rear Wheel Weights | USD $1,016.00 |
| | *Option includes six 105lbs (48kg) weights.* | |
| | *Not compatible with rear tire options 5102, 5134, 5140, 5410* | |
| 8973 | Eight Rear Wheel Weights | USD $1,185.00 |
| | *Option includes eight 105lbs (48kg) weights.* | |
| | *Not compatible with rear tire options 5102, 5134, 5140,5410* | |
| | **ATTACHMENTS FOR FIELD CONVERSION** | |
| | **FRONT WEIGHTS** | |
| R262449 | Front Weight Support, 55kg (121 lb) | USD $483.02 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| | **REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |
| T19293 | Weight, Rear Wheel 106 lb (48 kg) | USD $191.40 |
| | **BALLAST** | |
| BW15852 | Large ballast box | USD $1,745.70 |
| BXX10684 | Ballast Box | USD $547.80 |
| | **LOADERS AND BACKHOES** | |
| | **Basic Factory Options** | |
| | **LOADERS** | |
| 1799 | Less Loader Prep Package | In Base Price |
| | **EXHAUST** | |
| | **Basic Factory Options** | |
| | **EXHAUST** | |
| 3010 | Horizontal Side Exhaust | USD $673.00 |
| 3020 | Vertical Exhaust | In Base Price |
| | *Requires Cab Operators Station (Option 2050).* | |
| | **GUARDS** | |
| | **Additional Factory Options** | |
| | **GUARDS** | |
| 8331 | Underbelly Protection | USD $355.00 |
| | *Fuel Tank Shield is in the base machine, this option includes Skid Plates.* | |

Copyright © Deere & Company. All Rights Reserved.

# 5105EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HOOD GUARDS** | |
| BXX10585 | HOODGUARD EXTENSION BRACKET | USD $494.29 |
| BW15084 | Hood guard | USD $536.80 |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit | USD $39.27 |
| 5WS812490 | Super Clamp Kit | USD $59.46 |
| 5WS812485 | Clamp Kit | USD $44.88 |
| 5WS812450 | Long Tool Holder (2) | USD $83.02 |
| 5WS812455 | Long Tool Holder (4) | USD $109.95 |
| 5WS812435 | Universal Mount Kit | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box | USD $131.27 |
| | **ENGINE**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**COLD WEATHER PACKAGES** | |
| LVB25110 | Heavy-duty air intake pre-heater | USD $154.00 |
| AL159374 | Fuel Heater (4045)<br>(Not one available for 3029 engine) | USD $142.23 |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| 06TRP | **5075EN Cab Narrow Utility Tractor** | |
| | ENGINE:75 (55kW) Rated Engine Horsepower @ 2100 RPM*57.6 (43kW) Rated PTO Horsepower at 2100 RPM*EPA Final Tier 4 Emissions Compliant3 Cylinder Turbocharged John Deere PowerTech™ 3029 EWX Diesel Engine (2.9L)Oil CoolerDry Type Air Cleaner with Safety ElementAnti-FreezeWater Separator BowlFuel CoolerHand and Foot ThrottleKey Engine Shut OffFan Finger GuardTwo Engine Speed Selection and memory on key cycle TRANSMISSION:Electrohydraulic (EH) Directional ReverserEH Differential LockNeutral Start Safety SwitchWet Traction ClutchPR Shuttle Control REAR AXLE:Flanged Rear AxlePlanetary Final Drives STEERING AND BRAKES:Hydrostatic Power SteeringHydraulic Wet Disk Brakes Self-Equalizing and Self-AdjustingRH/LH Turning Brakes HYDRAULICS:Open Center Hydraulic SystemTandem Gear Pump 17.4 GPM (66.1 LPM)Maximum Total Flow-Steering Pump 5.9 GPM (22.7 LPM)Implement Pump 11.47 GPM (43.4 LPM)Hydraulic Oil Cooler POWER TAKE-OFF SHAFT:Shiftable Rear 540/540E RPM PTOElectrohydraulic (EH) EngagementOperator Presence Safety Warning - PTOSafety Start Switch ROCKSHAFT, HITCH AND DRAWBAR:Electrohydraulic (EH) Rear Rockshaft3-Point Hitch (Category 2N) -- Convertible to Category I and I-NInterchangeable Hitch BallsAdjustable DrawbarEH Remote Rear Hitch Control (LH Only) CAB:Left Side DoorAir Conditioning and HeaterDeluxe Adjustable Fabric Covered Seat with Retractable Seat BeltTilt & Telescopic Steering WheelBeverage HolderSunshade2 Speed Front Windshield Wiper With WasherLH/RH Foldable MirrorsRadio ready- speakers and wiring (no antenna) Internal Rear View MirrorConvenience lightInterior Dome light12V Convenience Power Outlet (2)USB-C Charging Outlet (2)Monitor Mounting Bosses (2 Sets)Swing-Out Rear Window with Removable Rear Plug for Monitor or Control Wiring Harnesses110 Amp Alternator19.1 U.S. Gallon (72.3 L) Fuel Tank Capacity INSTRUMENTATION:Digital center displayElectric Fuel GaugeTachometer/Hour MeterOil Pressure Indicator LightCoolant Temperature GaugeAlternator Indicator LightAir Restriction Indicator LightTurn Signal Indicator LightHigh Beam Indicator LightPTO Engagement LightSpeedometerHitch control depth sensor Diesel Exhaust Fluid Guage with low DEF Warning SignalNeutral | |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | Indicator ELECTRICAL:12-Volt Electrical SystemOne Battery - 950 CCA**180 Minute Reserve Capacity7-Pin ASAE Outlet Socket3-Pin Outlet (2) LIGHTS:Two Front LED HeadlightsTwo Front & Two Rear Fixed LED Work LightsRoof-Mounted LED Convenience Lights over hitch Two LED Turn/Warning LightsDual LED Tail Lights MISCELLANEOUS:SMV EmblemOne Piece Tilt-Up HoodFront Weight SupportService HornToolbox MFWD:Push Button, On-the-Go EngagementEngagement Indicator LightAuto Engagement ModeLimited Slip Differential * Manufacturer's Rating** Cold Cranking AmpsThe Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. | |
| | **BASE MACHINE** | |
| 06TRP | 5075EN Cab Narrow Utility Tractor | USD $84,173.00 |
| | **PACKAGES**<br>**Basic Factory Options**<br>**PACKAGE CONFIGURATIONS** | |
| 0500 | Less Package | In Base Price |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual | In Base Price |
| 0437 | Spanish Operator's Manual | No Added Cost |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2050 | Standard Cab<br>*Left Side Door*<br>*Air Conditioning and Heater*<br>*Deluxe Adjustable Fabric Covered Seat with Retractable Seat Belt*<br>*Tilt & Telescopic Steering Wheel* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Beverage Holder*<br>*Radio ready - speakers and wiring harness (no antenna)*<br>*Front Two Speed Windshield Wiper With Washer Fluid*<br>*Roof-Mounted LED Work Lights - Two Front/Two Rear*<br>*Roof-Mounted LED Convenience Lights - Two Rear*<br>*LED Warning Lights - Fixed Position - Two Front/Two Rear*<br>*Inside Rear View Mirror*<br>*12V Convenience Power Outlets*<br>*USB-C Double Outlet*<br>*Three Pin Power Outlet*<br>*Swing-Out Rear Window with Removable Rear Plug for Monitor or Control Wiring Harnesses* | |
| | **SEAT** | |
| 2110 | Mechanical Suspension Seat | USD ($1,133.00) |
| 2120 | Air Suspension Seat | In Base Price |
| | **CAB FILTRATION SYSTEM** | |
| 2372 | Category 2 Cab Filtration System | In Base Price |
| 2375 | Category 2 / Category 4 Switchable Cab Filtration System | USD $1,492.00 |
| | **RADIO** | |
| 2650 | Radio Ready<br>*Includes pre-radio wiring, 2 speakers, no antenna* | In Base Price |
| 2660 | Radio - Bluetooth®<br>*Includes radio, antenna installation and 2 speakers.* | USD $741.00 |
| | **Additional Factory Options**<br>**WINDSHIELD** | |
| 8280 | Rear Window Wiper | USD $316.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |
| RE558821 | Mounting Ball Stud | USD $24.13 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger | USD $18.94 |
| BXX10697 | Auxilary Mounting Rail | USD $153.00 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BPF11445 | John Deere 4640 Universal Display and Extended Monitor Bracket | USD $172.70 |
| BPF12124 | G5 Universal Display Mounting Bracket - Tractors/Sprayers | USD $125.00 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| BE32890 | G5 Universal Display Mounting Bracket | USD $293.03 |
| | **CAB FILTRATION SYSTEM** | |
| BXX11523 | ACTIVATED CARBON AIR FILTER, HVAC CAT4 | USD $26.29 |
| | **RADIO** | |
| TA29648 | Radio (AM/FM/Bluetooth) - North America | USD $634.55 |
| | **DOOR AND LADDER** | |
| BXX10839 | RH Door Latch | USD $465.74 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **PRECISION AG TECHNOLOGY**<br>**Basic Factory Options**<br>**GREENSTAR™ AND AUTOTRAC™** | |
| 182A | Less AutoTrac™/GreenStar™<br>*This option includes connections for GreenStar Display and ATU only. Does NOT include harnesses or brackets for StarFire™ receiver or display* | In Base Price |
| 182F | AutoTrac™ Universal/ GreenStar™ Ready<br>*This option includes receiver mounting bracket, display mounting bracket and has connections for GreenStar Display and ATU.*<br><br>*Does NOT include receiver, display, or ATU 300. Please review the ATU ordering guide for additional parts needed to complete installation.* | No Added Cost |
| | **RECEIVERS** | |
| 1880 | Less Receiver | In Base Price |
| 188U | StarFire™ 7500 Universal Receiver with SF1<br>*SF1 Provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. See Sales Manual for additional information.*<br>*Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | USD $4,300.00 |
| 1892 | StarFire™ 7500 Universal Receiver with 1 year SF-RTK license<br>*Includes StarFire 7500 Universal Receiver with 1 year SF-RTK license. SF-RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy, and long-term repeatability. See Sales Manual for more information.*<br>*Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | USD $5,800.00 |
| 189D | StarFire™ 7500 with RTK (Base Station) Permanent License<br>*This Code is not a SF-RTK License. This code is for a permanent RTK License. RTK requires access to differential corrections from a local RTK Base Station and additional hardware or licenses may be required. See Sales Manual for additional information. RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term repeatability.* | USD $11,800.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | |
| | **DISPLAY** | |
| 1900 | Less Display | In Base Price |
| 190Q | G5 Universal Display<br>*Includes display harness and single 25.7-cm (10.1-in) G5 touchscreen display with 4-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD tractor compatibility, RS232, ethernet inputs and permanent, non-transferable licenses for the following precision ag applications:*<br>*- Data Sync*<br>*- Documentation*<br>*- Over-the-Air Updates*<br>*- Remote Display Access*<br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink.*<br>*Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | USD $3,495.00 |
| 190R | G5 Universal Display with AutoTrac™ License<br>*Includes display harness and single 25.7-cm (10.1-in) HD touchscreen display with 4-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD tractor compatibility and RS232 inputs and license for the following precision ag applications:*<br>*- AutoTrac™*<br>*- Data Sync*<br>*- Documentation*<br>*- Over-the-Air Updates*<br>*- Remote Display Access*<br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink.* | USD $6,495.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | |
| | **CONNECTIVITY HARDWARE** | |
| 183N | JDLink™ Modem<br>*Includes integrated cab wiring harness, antenna, JDLink Model (MTG) and Ethernet harnesses. Ethernet harnesses may vary per configuration.* | In Base Price |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1381 | 12F x 12R PowrReverser™ Transmission<br>*34km transmission*<br>*4 synchronized Gears (3 non-synchronized Ranges)*<br>*left hand Forward & Reverse Shift Lever*<br>*right hand Gear Shift Lever*<br>*left hand Range Shift Lever*<br>*electrohydraulic PTO engagement*<br>*electrohydraulic MFWD engagement*<br>*electrohydraulic Diff Lock engagement*<br>*Park Pawl*<br>*Neutral Start Safety Switch* | In Base Price |
| 1383 | 24F x 12R PowrReverser™ Hi-Lo Transmission<br>*Push Button, Electrohydraulic (EH) Hi-Lo*<br>*4 synchronized Gears (3 non-synchronized Ranges)*<br>*left hand Forward & Reverse Shift Lever*<br>*right hand Gear Shift Lever*<br>*left hand Range Shift Lever*<br>*electrohydraulic PTO engagement*<br>*electrohydraulic MFWD engagement*<br>*electrohydraulic Diff Lock engagement*<br>*Park Pawl*<br>*Neutral Start Safety Switch* | USD $1,976.00 |
| | **Additional Factory Options** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **CREEPER** | |
| 813A | Creeper | USD $556.00 |
| | *Option adds creeper function to either transmission option.* | |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**REAR POWER TAKE-OFF (PTO)** | |
| 3820 | Two Speed PTO - 540/540E rpm | In Base Price |
| | **AXLE AND BRAKES**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6030 | MFWD (Mechanical Front Wheel Drive) Front Axle Narrow | In Base Price |
| | *Push Button, On-the-Go Engagement*<br>*Engagement Indicator Light*<br>*Auto Engagement Mode*<br>*Limited Slip Differential*<br>*Axle Width from Flange to Flange 1155 mm* | |
| | **Additional Factory Options**<br>**TRAILER BRAKE** | |
| 8756 | Hydraulic Trailer Brake - Two Lines | USD $4,713.00 |
| | *Includes secondary brake.* | |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT AXLE** | |
| BXX11009 | Front Axle Spacer | USD $1,574.54 |
| | **REAR AXLE** | |
| L154682 | Rear Axle 1.6 in. Extension (40 mm) | USD $379.72 |
| L154683 | Rear Axle 1.2 in. Extension (30 mm) | USD $372.45 |
| L154684 | Rear Axle 4.4 in. Extension (111 mm) | USD $617.99 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**HITCH CONTROLS** | |
| 4030 | Electronic Hitch Control | In Base Price |
| | *Remote Rear Hitch Control (LH Only)* | |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **DRAFT LINK** | |
| 4115 | Ball End Draft Links - Category 2 | In Base Price |
| 4116 | Hook End Draft Links - Category 2 | No Added Cost |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link with Ball End - Category 2 | In Base Price |
| 4213 | Mechanical Center Link with Hook - Category 2 | No Added Cost |
| | **LIFT LINK** | |
| 4155 | LH and RH Mechanical Lift Link Adjustment | In Base Price |
| | **STABILIZER** | |
| 4424 | LH and RH Stabilizer Bar | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4004 | Front Weight Support (55 kg/121 lbs) | In Base Price |
| | **DRAWBAR AND TRAILER HITCH** | |
| 4315 | Basic Drawbar | In Base Price |
| 4317 | Drawbar with Hammerstrap | USD $173.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION DRAFT LINK** | |
| R66432 | Draft Link Conversion Bushing, Cat. II to Cat. I | USD $31.27 |
| T12553 | Center Link Conversion Bushing, Cat. II to Cat. I | USD $27.93 |
| T21706 | Category II Interchangeable Hitch Ball | USD $22.75 |
| T21709 | Category I Interchangeable Hitch Ball | USD $53.96 |
| | **DRAWBAR** | |
| R133359 | Drawbar - Offset<br>*NOTE: Only compatible in Regular 540 RPM distance to PTO* | USD $310.64 |
| RE39830 | Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar | USD $345.34 |
| RE19428 | Safety Chain Support Kit<br>*NOTE: Only Compatible with drawbar without Hammerstrap* | USD $200.38 |
| RE242110 | Drawbar - Hammerstrap and Chain Clevis Kit | USD $178.20 |
| | **THREE-POINT HITCH** | |
| LVB25976 | iMatch™ Quick-Hitch Category 1 with adjustable top hook | USD $400.40 |
| BSJ10595 | Quick-Hitch Category 2 | USD $1,114.30 |
| | **FRONT HITCH** | |
| BXX11495 | FRONT HITCH, 5EN 3CYL Hitch Kit | USD $5,587.77 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Ship date ETA will be Mid Dec 2025* | |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**REAR SELECTIVE CONTROL VALVES** | |
| 3320 | Dual Stackable Rear SCV's with Lever Control | In Base Price |
| 3335 | Triple Stackable Rear Deluxe SCV's with Lever Control<br>*Features:*<br>*Three selectable detent positions on #1 valve (auto kickout, continuous flow, or no detent)*<br>*Float position on EACH valve*<br>*Flow priority to #1 valve*<br>*Pressure compensated flow control for running hydraulic motors on #1 valve* | USD $1,145.00 |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid Valves | In Base Price |
| 3420 | Dual Stackable Mid Valves with Mechanical Joystick Control<br>*Note: Recommended for applications with front or mid-mount implements..* | USD $1,253.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS** | |
| BXX11731 | POWER BEYOND LINE, 5EN CAB<br>*Ship date ETA will be Mid Dec 2025* | USD $380.60 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8729 | Side Roof LED Work Lights<br>*Two roof mounted LED work lights.* | USD $128.00 |
| 8737 | Two Beltline Halogen Road Lights H4 | USD $284.00 |
| | **BACKUP ALARM** | |
| 8782 | Backup Alarm | USD $202.00 |
| | **LIGHTING EQUIPMENT** | |
| 8724 | Integrated LED beacon lights | USD $151.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Provides three LED beacon lights integrated into the cab roof.* | |
| | **ELECTRICITY** | |
| 878B | Battery Disconnect Switch | USD $184.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**BACKUP ALARM** | |
| RE229427 | Backup alarm kit | USD $203.50 |
| | **CAMERA EQUIPMENT** | |
| BXX11764 | CAMERA MOUNTING KIT | USD $26.23 |
| A-HDS1151 | 7" CABCAM Camera SYSTEM | USD $384.74 |
| A-HD10M2CQ | 10" CabCAM High Definition 10" QUAD Camera System | USD $1,039.10 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5101 | 12.4-24 In. 8PR R1 Bias<br>*Requires Front Tire Option Code 6101.* | USD $84.00 |
| 5102 | 14.9-24 In. 8PR R1 Bias<br>*Requires Front Tire Option Code 6110.* | In Base Price |
| 5105 | 14.9-28 In. 6PR R1 Bias<br>*Requires Front Tire Option Code 6111.* | USD $30.00 |
| 5128 | 340/85 R28 Radial<br>*Requires option code 6188 or 6260.* | USD $333.00 |
| 5134 | 420/70 R24 Radial<br>*Requires option code 6134 or 6262.* | USD $2,528.00 |
| 5136 | 380/70 R28 Radial<br>*Requires option code 6260 or 6188.* | USD $527.00 |
| 5140 | 380/70 R24 Radial<br>*Requires option code 6134.* | USD $146.00 |
| 5157 | 420/70 R28 Radial<br>*Requires option code 6188.* | USD $855.00 |
| 5177 | 280/85R28 R1 Radial<br>*Requires Front Tire Option Code 6187.* | USD $574.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **FRONT WHEELS AND TIRES** | |
| 6101 | 8.0-16.6 In. 6PR R1 Bias | USD ($163.00) |
| 6110 | 9.5-16 In. 6PR R1 Bias | In Base Price |
| 6111 | 10.5/80-18 In. 10PR R4 Bias | USD $492.00 |
| 6187 | 210/95 R16 R1 Radial | USD $302.00 |
| 6188 | 280/70 R18 R1 Radial | USD $493.00 |
| 6134 | 280/70 R16 R1W Radial | USD ($15.00) |
| 6260 | 320/65 R18 R1W Radial | USD $780.00 |
| 6262 | 320/65 R16 R1W Radial | USD $740.00 |
| | **TIRE BRAND PREFERENCE** | |
| 5999 | No Tire Brand Preference | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |
| BXX10658 | Rear Fender Extensions - CAB | USD $397.56 |
| | **WEIGHTS AND BALLASTING**<br>**Additional Factory Options**<br>**FRONT WEIGHT OPTIONS** | |
| 8959 | Four Front Suitcase Weights | USD $607.00 |
| 8960 | Six Front Suitcase Weights | USD $911.00 |
| 8961 | Eight Front Suitcase Weights<br>*Option includes eight 95 lb (43 kg) weights.* | USD $1,215.00 |
| 8962 | Ten Front Suitcase Weights<br>*Option includes ten 95 lb (43 kg) weights.* | USD $1,518.00 |
| | **REAR WEIGHT OPTIONS** | |
| 8970 | Two Rear Wheel Weights<br>*Option includes two 105lbs (48kg) weights.*<br>*Not compatible with rear tire options 5102, 5134, 5140, 5410* | USD $339.00 |
| 8971 | Four Rear Wheel Weights<br>*Option includes four 105lbs (48kg) weights.*<br>*Not compatible with rear tire options 5102, 5134, 5140, 5410* | USD $677.00 |
| 8972 | Six Rear Wheel Weights<br>*Option includes six 105lbs (48kg) weights.*<br>*Not compatible with rear tire options 5102, 5134, 5140, 5410* | USD $1,016.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| 8973 | Eight Rear Wheel Weights<br>*Option includes eight 105lbs (48kg) weights.*<br>*Not compatible with rear tire options 5102, 5134, 5140,5410* | USD $1,185.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT WEIGHTS** | |
| R262449 | Front Weight Support, 55kg (121 lb) | USD $483.02 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| | **REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |
| T19293 | Weight, Rear Wheel 106 lb (48 kg) | USD $191.40 |
| | **BALLAST** | |
| BW15852 | Large ballast box | USD $1,745.70 |
| BXX10684 | Ballast Box | USD $547.80 |
| | **LOADERS AND BACKHOES**<br>**Basic Factory Options**<br>**LOADERS** | |
| 1799 | Less Loader Prep Package | In Base Price |
| 1725 | Loader Prep Package<br>*Loader Preparation Package only compatible with 500M loader.*<br>*Hydraulic hoses and hydraulic connections still need to be ordered with loader. Includes loader mounting frames and hood guard.*<br>*Requires Mid Valve configuration (option 3420).* | USD $4,182.00 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Side Exhaust | USD $673.00 |
| 3020 | Vertical Exhaust<br>*Requires Cab Operators Station (Option 2050).* | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**EXHAUST** | |
| BXX10995 | Side Exhaust for Cab | USD $867.80 |
| | **GUARDS**<br>**Additional Factory Options** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **GUARDS** | |
| 8331 | Underbelly Protection<br>*Fuel Tank Shield is in the base machine, this option includes Skid Plates.* | USD $355.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HOOD GUARDS** | |
| BXX10585 | HOODGUARD EXTENSION BRACKET | USD $494.29 |
| BW15084 | Hood guard | USD $536.80 |
| | **ENGINE**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**COLD WEATHER PACKAGES** | |
| BSJ10113 | Coolant heater 230V (5075M) | USD $103.83 |
| LV150155 | Engine coolant heater Kit (3 cylinder) | USD $122.10 |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit | USD $39.27 |
| 5WS812490 | Super Clamp Kit | USD $59.46 |
| 5WS812485 | Clamp Kit | USD $44.88 |
| 5WS812450 | Long Tool Holder (2) | USD $83.02 |
| 5WS812455 | Long Tool Holder (4) | USD $109.95 |
| 5WS812435 | Universal Mount Kit | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box | USD $131.27 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| 06TTP | **5075EN Open Operator Station Narrow Utility Tractor**<br>ENGINE:75 (55kW) Rated Engine Horsepower @ 2100 RPM*60.3 (45kW) Rated PTO Horsepower at 2100 RPM*EPA Final Tier 4 Emissions Compliant3 Cylinder Turbocharged John Deere PowerTech™ 3029 EWX Diesel Engine (2.9L)Oil CoolerDry Type Air Cleaner with Safety ElementAnti-FreezeWater Separator BowlFuel CoolerHand and Foot ThrottleKey Engine Shut OffFan Finger GuardTwo Engine Speed Selection and memory on key cycle TRANSMISSION:Electrohydraulic (EH) Directional ReverserEH Differential LockNeutral Start Safety SwitchWet Traction ClutchPR Shuttle Control REAR AXLE:Flanged Rear AxlePlanetary Final Drives STEERING AND BRAKES:Hydrostatic Power SteeringHydraulic Wet Disk Brakes Self-Equalizing and Self-AdjustingRH/LH Turning Brakes HYDRAULICS:Open Center Hydraulic SystemTandem Gear Pump 17.4 GPM (66.1 LPM)Maximum Total Flow-Steering Pump 5.9 GPM (22.7 LPM)Implement Pump 11.47 GPM (43.4 LPM)Hydraulic Oil Cooler POWER TAKE-OFF SHAFT:Shiftable Rear 540/540E RPM PTOElectrohydraulic (EH) EngagementOperator Presence Safety Warning - PTOSafety Start Switch ROCKSHAFT, HITCH AND DRAWBAR:Electrohydraulic (EH) Rear Rockshaft3-Point Hitch (Category 2N) -- Convertible to Category I and I-NInterchangeable Hitch BallsAdjustable DrawbarEH Remote Rear Hitch Control (LH Only) Open Operator Station:Mid-Mount, Folding Roll-Over Protective Structure (ROPS)Vinyl Covered Seat with Seat BeltRH console crop shield Tilt & Telescopic Steering WheelBeverage Holder12V Convenience Power Outlet70 Amp Alternator18.50 U.S. gal (70 L) Fuel Tank Capacity INSTRUMENTATION:Digital center display Electric Fuel GaugeTachometer/Hour MeterOil Pressure Indicator LightCoolant Temperature GaugeAlternator Indicator LightAir Restriction Indicator LightTurn Signal Indicator LightHigh Beam Indicator LightPTO Engagement LightSpeedometer ELECTRICAL:12-Volt Electrical SystemOne Battery - 950 CCA**180 Minute Reserve Capacity7-Pin ASAE Outlet Socket3-Pin Outlet (1) LIGHTS:Two Front LED HeadlightsOne Rear LED Work LightTwo Halogen Turn/Warning LightsDual Halogen Tail Lights MISCELLANEOUS:SMV EmblemOne Piece Tilt-Up | |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | HoodFront Weight SupportService HornToolbox MFWD:Push Button, On-the-Go EngagementEngagement Indicator LightAuto Engagement ModeLimited Slip Differential * Manufacturer's Rating** Cold Cranking AmpsThe Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. | |
| | **BASE MACHINE** | |
| 06TTP | 5075EN Open Operator Station Narrow Utility Tractor | USD $60,901.00 |
| | **PACKAGES**<br>**Basic Factory Options**<br>**PACKAGE CONFIGURATIONS** | |
| 0500 | Less Package | In Base Price |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual | In Base Price |
| 0437 | Spanish Operator's Manual | No Added Cost |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2010 | Isolated Open Operator Station<br>*Tilt & Telescopic Steering Wheel*<br>*2 post Foldable Roll- Over Protection Structure (ROPS)*<br>*Adjustable seat with Armrests and seatbelt*<br>*Cup Holder*<br>*Speedometer*<br>*Floor Mat*<br>*Grab Handles* | In Base Price |
| | **SEAT** | |
| 2110 | Mechanical Suspension Seat | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger | USD $18.94 |
| BXX10697 | Auxilary Mounting Rail | USD $153.00 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BPF11445 | John Deere 4640 Universal Display and Extended Monitor Bracket | USD $172.70 |
| BPF12124 | G5 Universal Display Mounting Bracket - Tractors/Sprayers | USD $125.00 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| BE32890 | G5 Universal Display Mounting Bracket | USD $293.03 |
| | **MIRRORS** | |
| BSJ10425 | Exterior Mirror Kit (OOS) | USD $492.83 |
| BSJ10430 | Right-Hand Side Exterior Mirror Kit (OOS) | USD $242.14 |
| | **PRECISION AG TECHNOLOGY**<br>**Basic Factory Options**<br>**GREENSTAR™ AND AUTOTRAC™** | |
| 182A | Less AutoTrac™/GreenStar™ | In Base Price |
| | **RECEIVERS** | |
| 1880 | Less Receiver | In Base Price |
| | **DISPLAY** | |
| 1900 | Less Display | In Base Price |
| | **CONNECTIVITY HARDWARE** | |
| 183N | JDLink™ Modem<br>*Includes integrated cab wiring harness, antenna, JDLink Model (MTG) and Ethernet harnesses. Ethernet harnesses may vary per configuration.* | In Base Price |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1381 | 12F x 12R PowrReverser™ Transmission<br>*34km transmission*<br>*4 synchronized Gears (3 non-synchronized Ranges)*<br>*left hand Forward & Reverse Shift Lever*<br>*right hand Gear Shift Lever*<br>*left hand Range Shift Lever*<br>*electrohydraulic PTO engagement*<br>*electrohydraulic MFWD engagement*<br>*electrohydraulic Diff Lock engagement*<br>*Park Pawl*<br>*Neutral Start Safety Switch* | In Base Price |
| 1383 | 24F x 12R PowrReverser™ Hi-Lo Transmission<br>*Push Button, Electrohydraulic (EH) Hi-Lo* | USD $1,976.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *4 synchronized Gears (3 non-synchronized Ranges)*<br>*left hand Forward & Reverse Shift Lever*<br>*right hand Gear Shift Lever*<br>*left hand Range Shift Lever*<br>*electrohydraulic PTO engagement*<br>*electrohydraulic MFWD engagement*<br>*electrohydraulic Diff Lock engagement*<br>*Park Pawl*<br>*Neutral Start Safety Switch* | |
| | **Additional Factory Options**<br>**CREEPER** | |
| 813A | Creeper<br>*Option adds creeper function to either transmission option.* | USD $556.00 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**REAR POWER TAKE-OFF (PTO)** | |
| 3820 | Two Speed PTO - 540/540E rpm | In Base Price |
| | **AXLE AND BRAKES**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6030 | MFWD (Mechanical Front Wheel Drive) Front Axle Narrow<br>*Push Button, On-the-Go Engagement*<br>*Engagement Indicator Light*<br>*Auto Engagement Mode*<br>*Limited Slip Differential*<br>*Axle Width from Flange to Flange 1155 mm* | In Base Price |
| | **Additional Factory Options**<br>**TRAILER BRAKE** | |
| 8756 | Hydraulic Trailer Brake - Two Lines<br>*Includes secondary brake.* | USD $4,713.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT AXLE** | |
| BXX11009 | Front Axle Spacer | USD $1,574.54 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **REAR AXLE** | |
| L154682 | Rear Axle 1.6 in. Extension (40 mm) | USD $379.72 |
| L154683 | Rear Axle 1.2 in. Extension (30 mm) | USD $372.45 |
| L154684 | Rear Axle 4.4 in. Extension (111 mm) | USD $617.99 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**HITCH CONTROLS** | |
| 4030 | Electronic Hitch Control<br>*Remote Rear Hitch Control (LH Only)* | In Base Price |
| | **DRAFT LINK** | |
| 4115 | Ball End Draft Links - Category 2 | In Base Price |
| 4116 | Hook End Draft Links - Category 2 | No Added Cost |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link with Ball End - Category 2 | In Base Price |
| 4213 | Mechanical Center Link with Hook - Category 2 | No Added Cost |
| | **LIFT LINK** | |
| 4155 | LH and RH Mechanical Lift Link Adjustment | In Base Price |
| | **STABILIZER** | |
| 4424 | LH and RH Stabilizer Bar | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4004 | Front Weight Support (55 kg/121 lbs) | In Base Price |
| | **DRAWBAR AND TRAILER HITCH** | |
| 4315 | Basic Drawbar | In Base Price |
| 4317 | Drawbar with Hammerstrap | USD $173.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**DRAFT LINK** | |
| R66432 | Draft Link Conversion Bushing, Cat. II to Cat. I | USD $31.27 |
| T12553 | Center Link Conversion Bushing, Cat. II to Cat. I | USD $27.93 |
| T21706 | Category II Interchangeable Hitch Ball | USD $22.75 |
| T21709 | Category I Interchangeable Hitch Ball | USD $53.96 |
| | **DRAWBAR** | |
| R133359 | Drawbar - Offset<br>*NOTE: Only compatible in Regular 540 RPM distance to PTO* | USD $310.64 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| RE39830 | Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar | USD $345.34 |
| RE19428 | Safety Chain Support Kit<br>*NOTE: Only Compatible with drawbar without Hammerstrap* | USD $200.38 |
| RE242110 | Drawbar - Hammerstrap and Chain Clevis Kit | USD $178.20 |
| | **THREE-POINT HITCH** | |
| LVB25976 | iMatch™ Quick-Hitch Category 1 with adjustable top hook | USD $400.40 |
| BSJ10595 | Quick-Hitch Category 2 | USD $1,114.30 |
| | **FRONT HITCH** | |
| BXX11495 | FRONT HITCH, 5EN 3CYL Hitch Kit<br>*Ship date ETA will be Mid Dec 2025* | USD $5,587.77 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**REAR SELECTIVE CONTROL VALVES** | |
| 3320 | Dual Stackable Rear SCV's with Lever Control | In Base Price |
| 3335 | Triple Stackable Rear Deluxe SCV's with Lever Control<br>*Features:*<br>*Three selectable detent positions on #1 valve (auto kickout, continuous flow, or no detent)*<br>*Float position on EACH valve*<br>*Flow priority to #1 valve*<br>*Pressure compensated flow control for running hydraulic motors on #1 valve* | USD $1,145.00 |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid Valves | In Base Price |
| 3420 | Dual Stackable Mid Valves with Mechanical Joystick Control<br>*Note: Recommended for applications with front or mid-mount implements..* | USD $1,253.00 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**BACKUP ALARM** | |
| 8782 | Backup Alarm | USD $202.00 |
| | **LIGHTING EQUIPMENT** | |
| 8726 | LED Beacon Light | USD $15.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **ELECTRICITY** | |
| 878B | Battery Disconnect Switch | USD $184.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**BACKUP ALARM** | |
| RE229427 | Backup alarm kit | USD $203.50 |
| | **BEACON LIGHTING** | |
| BXX11338 | LED Beacon Light Kit Open Station | USD $204.23 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5101 | 12.4-24 In. 8PR R1 Bias<br>*Requires Front Tire Option Code 6101.* | USD $84.00 |
| 5102 | 14.9-24 In. 8PR R1 Bias<br>*Requires Front Tire Option Code 6110.* | In Base Price |
| 5105 | 14.9-28 In. 6PR R1 Bias<br>*Requires Front Tire Option Code 6111.* | USD $30.00 |
| 5128 | 340/85 R28 Radial<br>*Requires option code 6188 or 6260.* | USD $333.00 |
| 5134 | 420/70 R24 Radial<br>*Requires option code 6134 or 6262.* | USD $2,528.00 |
| 5136 | 380/70 R28 Radial<br>*Requires option code 6260 or 6188.* | USD $527.00 |
| 5140 | 380/70 R24 Radial<br>*Requires option code 6134.* | USD $146.00 |
| 5157 | 420/70 R28 Radial<br>*Requires option code 6188.* | USD $855.00 |
| 5177 | 280/85R28 R1 Radial<br>*Requires Front Tire Option Code 6187.* | USD $574.00 |
| | **FRONT WHEELS AND TIRES** | |
| 6101 | 8.0-16.6 In. 6PR R1 Bias | USD ($163.00) |
| 6110 | 9.5-16 In. 6PR R1 Bias | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| 6111 | 10.5/80-18 In. 10PR R4 Bias | USD $492.00 |
| 6187 | 210/95 R16 R1 Radial | USD $302.00 |
| 6188 | 280/70 R18 R1 Radial | USD $493.00 |
| 6134 | 280/70 R16 R1W Radial | USD ($15.00) |
| 6260 | 320/65 R18 R1W Radial | USD $780.00 |
| 6262 | 320/65 R16 R1W Radial | USD $740.00 |
| | **TIRE BRAND PREFERENCE** | |
| 5999 | No Tire Brand Preference | In Base Price |
| | **WEIGHTS AND BALLASTING**<br>**Additional Factory Options**<br>**FRONT WEIGHT OPTIONS** | |
| 8959 | Four Front Suitcase Weights | USD $607.00 |
| 8960 | Six Front Suitcase Weights | USD $911.00 |
| 8961 | Eight Front Suitcase Weights<br>*Option includes eight 95 lb (43 kg) weights.* | USD $1,215.00 |
| 8962 | Ten Front Suitcase Weights<br>*Option includes ten 95 lb (43 kg) weights.* | USD $1,518.00 |
| | **REAR WEIGHT OPTIONS** | |
| 8970 | Two Rear Wheel Weights<br>*Option includes two 105lbs (48kg) weights.*<br>*Not compatible with rear tire options 5102, 5134, 5140, 5410* | USD $339.00 |
| 8971 | Four Rear Wheel Weights<br>*Option includes four 105lbs (48kg) weights.*<br>*Not compatible with rear tire options 5102, 5134, 5140, 5410* | USD $677.00 |
| 8972 | Six Rear Wheel Weights<br>*Option includes six 105lbs (48kg) weights.*<br>*Not compatible with rear tire options 5102, 5134, 5140, 5410* | USD $1,016.00 |
| 8973 | Eight Rear Wheel Weights<br>*Option includes eight 105lbs (48kg) weights.*<br>*Not compatible with rear tire options 5102, 5134, 5140,5410* | USD $1,185.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT WEIGHTS** | |
| R262449 | Front Weight Support, 55kg (121 lb) | USD $483.02 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| | **REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |
| T19293 | Weight, Rear Wheel 106 lb (48 kg) | USD $191.40 |
| | **BALLAST** | |
| BW15852 | Large ballast box | USD $1,745.70 |
| BXX10684 | Ballast Box | USD $547.80 |
| | **LOADERS AND BACKHOES**<br>**Basic Factory Options**<br>**LOADERS** | |
| 1799 | Less Loader Prep Package | In Base Price |
| 1725 | Loader Prep Package<br>*Loader Preparation Package only compatible with 500M loader. Hydraulic hoses and hydraulic connections still need to be ordered with loader. Includes loader mounting frames and hood guard. Requires Mid Valve configuration (option 3420).* | USD $4,182.00 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Side Exhaust | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**EXHAUST** | |
| BXX10995 | Side Exhaust for Cab | USD $867.80 |
| | **GUARDS**<br>**Additional Factory Options**<br>**GUARDS** | |
| 8331 | Underbelly Protection<br>*Fuel Tank Shield is in the base machine, this option includes Skid Plates.* | USD $355.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HOOD GUARDS** | |
| BXX10585 | HOODGUARD EXTENSION BRACKET | USD $494.29 |
| BW15084 | Hood guard | USD $536.80 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | | |
| | **ENGINE**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**COLD WEATHER PACKAGES** | |
| BSJ10113 | Coolant heater 230V (5075M) | USD $103.83 |
| LV150155 | Engine coolant heater Kit (3 cylinder) | USD $122.10 |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit | USD $39.27 |
| 5WS812490 | Super Clamp Kit | USD $59.46 |
| 5WS812485 | Clamp Kit | USD $44.88 |
| 5WS812450 | Long Tool Holder (2) | USD $83.02 |
| 5WS812455 | Long Tool Holder (4) | USD $109.95 |
| 5WS812435 | Universal Mount Kit | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box | USD $131.27 |

Copyright © Deere & Company. All Rights Reserved.

# 5090EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| 06WIP | **5090EN Cab Narrow Utility Tractor** | |
| | ENGINE:90 (67.4kW) Rated Engine Horsepower @ 2400 RPM*76.7 (57.2kW) Rated PTO Horsepower @ 2400 RPM*EPA Final Tier 4 Emissions Compliant4 Cylinder Turbocharged John Deere PowerTech™ 4045 PWS Diesel Engine (4.5L)Oil CoolerDry Type Air Cleaner with Safety ElementAnti-FreezeWater Separator BowlFuel CoolerHand and Foot ThrottleKey Engine Shut OffFan Finger GuardTwo Engine Speed Selection and memory on key cycle TRANSMISSION:Electrohydraulic (EH) Directional ReverserEH Differential LockNeutral Start Safety SwitchWet Traction ClutchPR Shuttle Control REAR AXLE:Flanged Rear AxlePlanetary Final Drives STEERING AND BRAKES:Hydrostatic Power SteeringHydraulic Wet Disk Brakes Self-Equalizing and Self-AdjustingRH/LH Turning Brakes HYDRAULICS:Open Center Hydraulic SystemTandem Gear Pump 24.8 GPM (94 LPM)Maximum Total Flow-Steering Pump 6.6 GPM (25.1 LPM)Implement Pump 18.2 GPM (68.9 LPM)Hydraulic Oil Cooler POWER TAKE-OFF SHAFT:Shiftable Rear 540/540E RPM PTOElectrohydraulic (EH) EngagementOperator Presence Safety Warning - PTOSafety Start Switch ROCKSHAFT, HITCH AND DRAWBAR:Electrohydraulic (EH) Rear Rockshaft3-Point Hitch (Category 2N) -- Convertible to Category I and I-NInterchangeable Hitch BallsAdjustable DrawbarEH Remote Rear Hitch Control (LH Only) CAB:Left Side DoorAir Conditioning and HeaterDeluxe Adjustable Fabric Covered Seat with Retractable Seat BeltTilt & Telescopic Steering WheelBeverage HolderSunshade2 Speed Front Windshield Wiper With WasherLH/RH External Foldable MirrorsInternal Rear View MirrorRadio ready - Speakers and wiring (no antenna) RH Console Convenience lightInterior Dome light12V Convenience Power Outlet (2)USB-C Charging Outlet (2)Monitor Mounting Bosses (2 Sets)Swing-Out Rear Window with Removable Rear Plug for Monitor or Control Wiring Harnesses110 Amp Alternator28.5 U.S. Gallon (108 L) Fuel Tank Capacity3.2 U.S. Gallon (12 L) Diesel exhaust fluid (DEF) INSTRUMENTATION:Digital center display Electric Fuel GaugeTachometer/Hour MeterOil Pressure Indicator LightCoolant Temperature GaugeAlternator Indicator LightAir Restriction Indicator LightTurn Signal Indicator LightHigh Beam Indicator LightPTO Engagement LightSpeedometerHitch control depth sensor Diesel | |

Copyright © Deere & Company. All Rights Reserved.

# 5090EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | Exhaust Fluid Guage with low DEF Warning SignalNeutral Indicator ELECTRICAL:12-Volt Electrical SystemOne Battery - 950 CCA**180 Minute Reserve Capacity7-Pin ASAE Outlet Socket3-Pin Outlet (2) LIGHTS:Two Front LED HeadlightsTwo Front & Two Rear Fixed LED Work LightsRoof-Mounted LED Convenience Lights over rear hitchTwo LED Turn/Warning LightsDual LED Tail Lights MISCELLANEOUS:SMV EmblemOne Piece Tilt-Up HoodFront Weight SupportService HornToolbox MFWD:Push Button, On-the-Go EngagementEngagement Indicator LightAuto Engagement ModeLimited Slip Differential * Manufacturer's Rating** Cold Cranking AmpsThe Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. | |
| | **BASE MACHINE** | |
| 06WIP | 5090EN Cab Narrow Utility Tractor | USD $93,492.00 |
| | **PACKAGES**<br>**Basic Factory Options**<br>**PACKAGE CONFIGURATIONS** | |
| 0500 | Less Package | In Base Price |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual | In Base Price |
| 0437 | Spanish Operator's Manual | No Added Cost |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2050 | Standard Cab<br>*Left Side Door*<br>*Air Conditioning and Heater*<br>*Deluxe Adjustable Fabric Covered Seat with Retractable Seat Belt* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5090EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Tilt & Telescopic Steering Wheel*<br>*Beverage Holder*<br>*Radio ready - speakers and wiring harness (no antenna)*<br>*Front Two Speed Windshield Wiper With Washer Fluid*<br>*Roof-Mounted LED Work Lights - Two Front/Two Rear*<br>*Roof-Mounted LED Convenience Lights - Two Rear*<br>*LED Warning Lights - Fixed Position - Two Front/Two Rear*<br>*Inside Rear View Mirror*<br>*12V Convenience Power Outlets*<br>*USB-C Double Outlet*<br>*Three Pin Power Outlet*<br>*Swing-Out Rear Window with Removable Rear Plug for Monitor or Control Wiring Harnesses* | |
| | **SEAT** | |
| 2110 | Mechanical Suspension Seat | USD ($1,133.00) |
| 2120 | Air Suspension Seat | In Base Price |
| | **CAB FILTRATION SYSTEM** | |
| 2372 | Category 2 Cab Filtration System | In Base Price |
| 2375 | Category 2 / Category 4 Switchable Cab Filtration System | USD $1,492.00 |
| | **RADIO** | |
| 2650 | Radio Ready<br>*Includes pre-radio wiring, 2 speakers, no antenna* | In Base Price |
| 2660 | Radio - Bluetooth®<br>*Includes radio, antenna installation and 2 speakers.* | USD $741.00 |
| | **Additional Factory Options**<br>**WINDSHIELD** | |
| 8280 | Rear Window Wiper | USD $316.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |

Copyright © Deere & Company. All Rights Reserved.

# 5090EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger | USD $18.94 |
| BXX10697 | Auxilary Mounting Rail | USD $153.00 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BPF11445 | John Deere 4640 Universal Display and Extended Monitor Bracket | USD $172.70 |
| BPF12124 | G5 Universal Display Mounting Bracket - Tractors/Sprayers | USD $125.00 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| BE32890 | G5 Universal Display Mounting Bracket | USD $293.03 |
| | **CAB FILTRATION SYSTEM** | |
| BXX11523 | ACTIVATED CARBON AIR FILTER, HVAC CAT4 | USD $26.29 |
| | **RADIO** | |
| TA29648 | Radio (AM/FM/Bluetooth) - North America | USD $634.55 |
| | **DOOR AND LADDER** | |

Copyright © Deere & Company. All Rights Reserved.

# 5090EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| BXX10839 | RH Door Latch | USD $465.74 |
| | **PRECISION AG TECHNOLOGY**<br>**Basic Factory Options**<br>**GREENSTAR™ AND AUTOTRAC™** | |
| 182A | Less AutoTrac™/GreenStar™<br>*This option includes connections for GreenStar Display and ATU only. Does NOT include harnesses or brackets for StarFire™ receiver or display* | In Base Price |
| 182F | AutoTrac™ Universal/ GreenStar™ Ready<br>*This option includes receiver mounting bracket, display mounting bracket and has connections for GreenStar Display and ATU.*<br><br>*Does NOT include receiver, display, or ATU 300. Please review the ATU ordering guide for additional parts needed to complete installation.* | No Added Cost |
| | **RECEIVERS** | |
| 1880 | Less Receiver | In Base Price |
| 188U | StarFire™ 7500 Universal Receiver with SF1<br>*SF1 Provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. See Sales Manual for additional information. Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | USD $4,300.00 |
| 1892 | StarFire™ 7500 Universal Receiver with 1 year SF-RTK license<br>*Includes StarFire 7500 Universal Receiver with 1 year SF-RTK license. SF-RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy, and long-term repeatability. See Sales Manual for more information. Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | USD $5,800.00 |
| 189D | StarFire™ 7500 with RTK (Base Station) Permanent License<br>*This Code is not a SF-RTK License. This code is for a permanent RTK License. RTK requires access to differential corrections from a local RTK Base Station and additional hardware or licenses may be required. See Sales Manual for additional information. RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term* | USD $11,800.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *repeatability.*<br>*Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | |
| | **DISPLAY** | |
| 1900 | Less Display | In Base Price |
| 190Q | G5 Universal Display<br>*Includes display harness and single 25.7-cm (10.1-in) G5 touchscreen display with 4-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD tractor compatibility, RS232, ethernet inputs and permanent, non-transferable licenses for the following precision ag applications:*<br>*- Data Sync*<br>*- Documentation*<br>*- Over-the-Air Updates*<br>*- Remote Display Access*<br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink.*<br>*Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | USD $3,495.00 |
| 190R | G5 Universal Display with AutoTrac™ License<br>*Includes display harness and single 25.7-cm (10.1-in) HD touchscreen display with 4-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD tractor compatibility and RS232 inputs and license for the following precision ag applications:*<br>*- AutoTrac™*<br>*- Data Sync*<br>*- Documentation*<br>*- Over-the-Air Updates*<br>*- Remote Display Access*<br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote* | USD $6,495.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Display Access require JDLink.*<br>*Requires option code 182F (AutoTrac™ Universal/ GreenStar™ Ready).* | |
| | **CONNECTIVITY HARDWARE** | |
| 183N | JDLink™ Modem<br>*Includes integrated cab wiring harness, antenna, JDLink Model (MTG) and Ethernet harnesses. Ethernet harnesses may vary per configuration.* | In Base Price |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1381 | 12F x 12R PowrReverser™ Transmission<br>*34km transmission*<br>*4 synchronized Gears (3 non-synchronized Ranges)*<br>*left hand Forward & Reverse Shift Lever*<br>*right hand Gear Shift Lever*<br>*left hand Range Shift Lever*<br>*electrohydraulic PTO engagement*<br>*electrohydraulic MFWD engagement*<br>*electrohydraulic Diff Lock engagement*<br>*Park Pawl*<br>*Neutral Start Safety Switch* | In Base Price |
| 1383 | 24F x 12R PowrReverser™ Hi-Lo Transmission<br>*Push Button, Electrohydraulic (EH) Hi-Lo*<br>*4 synchronized Gears (3 non-synchronized Ranges)*<br>*left hand Forward & Reverse Shift Lever*<br>*right hand Gear Shift Lever*<br>*left hand Range Shift Lever*<br>*electrohydraulic PTO engagement*<br>*electrohydraulic MFWD engagement*<br>*electrohydraulic Diff Lock engagement*<br>*Park Pawl*<br>*Neutral Start Safety Switch* | USD $1,976.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **Additional Factory Options**<br>**CREEPER** | |
| 813A | Creeper<br>*Option adds creeper function to either transmission option.* | USD $556.00 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**REAR POWER TAKE-OFF (PTO)** | |
| 3820 | Two Speed PTO - 540/540E rpm | In Base Price |
| | **AXLE AND BRAKES**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6030 | MFWD (Mechanical Front Wheel Drive) Front Axle Narrow<br>*Push Button, On-the-Go Engagement*<br>*Engagement Indicator Light*<br>*Auto Engagement Mode*<br>*Limited Slip Differential*<br>*Axle Width from Flange to Flange 1155 mm* | In Base Price |
| | **Additional Factory Options**<br>**TRAILER BRAKE** | |
| 8756 | Hydraulic Trailer Brake - Two Lines<br>*Includes secondary brake.* | USD $4,713.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT AXLE** | |
| BXX11009 | Front Axle Spacer | USD $1,574.54 |
| | **REAR AXLE** | |
| L154682 | Rear Axle 1.6 in. Extension (40 mm) | USD $379.72 |
| L154683 | Rear Axle 1.2 in. Extension (30 mm) | USD $372.45 |
| L154684 | Rear Axle 4.4 in. Extension (111 mm) | USD $617.99 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**HITCH CONTROLS** | |
| 4030 | Electronic Hitch Control | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5090EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Remote Rear Hitch Control (LH Only)* | |
| | **DRAFT LINK** | |
| 4115 | Ball End Draft Links - Category 2 | In Base Price |
| 4116 | Hook End Draft Links - Category 2 | No Added Cost |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link with Ball End - Category 2 | In Base Price |
| 4213 | Mechanical Center Link with Hook - Category 2 | No Added Cost |
| | **LIFT LINK** | |
| 4155 | LH and RH Mechanical Lift Link Adjustment | In Base Price |
| | **STABILIZER** | |
| 4424 | LH and RH Stabilizer Bar | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4004 | Front Weight Support (55 kg/121 lbs) | In Base Price |
| | **DRAWBAR AND TRAILER HITCH** | |
| 4315 | Basic Drawbar | In Base Price |
| 4317 | Drawbar with Hammerstrap | USD $173.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION DRAFT LINK** | |
| R66432 | Draft Link Conversion Bushing, Cat. II to Cat. I | USD $31.27 |
| T12553 | Center Link Conversion Bushing, Cat. II to Cat. I | USD $27.93 |
| T21706 | Category II Interchangeable Hitch Ball | USD $22.75 |
| T21709 | Category I Interchangeable Hitch Ball | USD $53.96 |
| | **DRAWBAR** | |
| R133359 | Drawbar - Offset<br>*NOTE: Only compatible in Regular 540 RPM distance to PTO* | USD $310.64 |
| RE39830 | Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar | USD $345.34 |
| RE19428 | Safety Chain Support Kit<br>*NOTE: Only Compatible with drawbar without Hammerstrap* | USD $200.38 |
| RE242110 | Drawbar - Hammerstrap and Chain Clevis Kit | USD $178.20 |
| | **THREE-POINT HITCH** | |
| LVB25976 | iMatch™ Quick-Hitch Category 1 with adjustable top hook | USD $400.40 |
| BSJ10595 | Quick-Hitch Category 2 | USD $1,114.30 |
| | **FRONT HITCH** | |

Copyright © Deere & Company. All Rights Reserved.

# 5090EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| BXX11497 | 5EN 4CYL FT4 Front hitch<br>*Ship date ETA will be Mid Dec 2025* | USD $4,763.86 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**REAR SELECTIVE CONTROL VALVES** | |
| 3320 | Dual Stackable Rear SCV's with Lever Control | In Base Price |
| 3335 | Triple Stackable Rear Deluxe SCV's with Lever Control<br>*Features:*<br>*Three selectable detent positions on #1 valve (auto kickout, continuous flow, or no detent)*<br>*Float position on EACH valve*<br>*Flow priority to #1 valve*<br>*Pressure compensated flow control for running hydraulic motors on #1 valve* | USD $1,145.00 |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid Valves | In Base Price |
| 3420 | Dual Stackable Mid Valves with Mechanical Joystick Control<br>*Note: Recommended for applications with front or mid-mount implements..* | USD $1,253.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HYDRAULICS** | |
| BXX11731 | POWER BEYOND LINE, 5EN CAB<br>*Ship date ETA will be Mid Dec 2025* | USD $380.60 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8729 | Side Roof LED Work Lights<br>*Two roof mounted LED work lights.* | USD $128.00 |
| 8737 | Two Beltline Halogen Road Lights H4 | USD $284.00 |
| | **BACKUP ALARM** | |
| 8782 | Backup Alarm | USD $202.00 |
| | **LIGHTING EQUIPMENT** | |

Copyright © Deere & Company. All Rights Reserved.

# 5090EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| 8724 | Integrated LED beacon lights<br>*Provides three LED beacon lights integrated into the cab roof.* | USD $151.00 |
| | **ELECTRICITY** | |
| 878B | Battery Disconnect Switch | USD $184.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**BACKUP ALARM** | |
| RE229427 | Backup alarm kit | USD $203.50 |
| | **ALTERNATOR** | |
| RE555751 | 200 Amp Alternator | USD $575.84 |
| | **CAMERA EQUIPMENT** | |
| BXX11764 | CAMERA MOUNTING KIT | USD $26.23 |
| A-HDS1151 | 7" CABCAM Camera SYSTEM | USD $384.74 |
| A-HD10M2CQ | 10" CabCAM High Definition 10" QUAD Camera System | USD $1,039.10 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5101 | 12.4-24 In. 8PR R1 Bias<br>*Requires Front Tire Option Code 6101.* | USD $84.00 |
| 5102 | 14.9-24 In. 8PR R1 Bias<br>*Requires Front Tire Option Code 6110.* | In Base Price |
| 5105 | 14.9-28 In. 6PR R1 Bias<br>*Requires Front Tire Option Code 6111.* | USD $30.00 |
| 5128 | 340/85 R28 Radial<br>*Requires option code 6188 or 6260.* | USD $333.00 |
| 5134 | 420/70 R24 Radial<br>*Requires option code 6134 or 6262.* | USD $2,528.00 |
| 5136 | 380/70 R28 Radial<br>*Requires option code 6260 or 6188.* | USD $527.00 |
| 5140 | 380/70 R24 Radial<br>*Requires option code 6134.* | USD $146.00 |
| 5157 | 420/70 R28 Radial | USD $855.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Requires option code 6188.* | |
| 5177 | 280/85R28 R1 Radial | USD $574.00 |
| | *Requires Front Tire Option Code 6187.* | |
| | **FRONT WHEELS AND TIRES** | |
| 6101 | 8.0-16.6 In. 6PR R1 Bias | USD ($163.00) |
| 6110 | 9.5-16 In. 6PR R1 Bias | In Base Price |
| 6111 | 10.5/80-18 In. 10PR R4 Bias | USD $492.00 |
| 6187 | 210/95 R16 R1 Radial | USD $302.00 |
| 6188 | 280/70 R18 R1 Radial | USD $493.00 |
| 6134 | 280/70 R16 R1W Radial | USD ($15.00) |
| 6260 | 320/65 R18 R1W Radial | USD $780.00 |
| 6262 | 320/65 R16 R1W Radial | USD $740.00 |
| | **TIRE BRAND PREFERENCE** | |
| 5999 | No Tire Brand Preference | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |
| BXX10658 | Rear Fender Extensions - CAB | USD $397.56 |
| | **WEIGHTS AND BALLASTING**<br>**Additional Factory Options**<br>**FRONT WEIGHT OPTIONS** | |
| 8959 | Four Front Suitcase Weights | USD $607.00 |
| 8960 | Six Front Suitcase Weights | USD $911.00 |
| 8961 | Eight Front Suitcase Weights | USD $1,215.00 |
| | *Option includes eight 95 lb (43 kg) weights.* | |
| 8962 | Ten Front Suitcase Weights | USD $1,518.00 |
| | *Option includes ten 95 lb (43 kg) weights.* | |
| | **REAR WEIGHT OPTIONS** | |
| 8970 | Two Rear Wheel Weights | USD $339.00 |
| | *Option includes two 105lbs (48kg) weights.* | |
| | *Not compatible with rear tire options 5102, 5134, 5140, 5410* | |
| 8971 | Four Rear Wheel Weights | USD $677.00 |
| | *Option includes four 105lbs (48kg) weights.* | |

Copyright © Deere & Company. All Rights Reserved.

# 5090EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Not compatible with rear tire options 5102, 5134, 5140, 5410* | |
| 8972 | Six Rear Wheel Weights | USD $1,016.00 |
| | *Option includes six 105lbs (48kg) weights.* | |
| | *Not compatible with rear tire options 5102, 5134, 5140, 5410* | |
| 8973 | Eight Rear Wheel Weights | USD $1,185.00 |
| | *Option includes eight 105lbs (48kg) weights.* | |
| | *Not compatible with rear tire options 5102, 5134, 5140,5410* | |
| | **ATTACHMENTS FOR FIELD CONVERSION** | |
| | **FRONT WEIGHTS** | |
| R262449 | Front Weight Support, 55kg (121 lb) | USD $483.02 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| | **REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |
| T19293 | Weight, Rear Wheel 106 lb (48 kg) | USD $191.40 |
| | **BALLAST** | |
| BW15852 | Large ballast box | USD $1,745.70 |
| BXX10684 | Ballast Box | USD $547.80 |
| | **LOADERS AND BACKHOES** | |
| | **Basic Factory Options** | |
| | **LOADERS** | |
| 1799 | Less Loader Prep Package | In Base Price |
| | **EXHAUST** | |
| | **Basic Factory Options** | |
| | **EXHAUST** | |
| 3010 | Horizontal Side Exhaust | USD $673.00 |
| 3020 | Vertical Exhaust | In Base Price |
| | *Requires Cab Operators Station (Option 2050).* | |
| | **GUARDS** | |
| | **Additional Factory Options** | |
| | **GUARDS** | |
| 8331 | Underbelly Protection | USD $355.00 |
| | *Fuel Tank Shield is in the base machine, this option includes Skid Plates.* | |

Copyright © Deere & Company. All Rights Reserved.

# 5090EN Cab Narrow Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HOOD GUARDS** | |
| BXX10585 | HOODGUARD EXTENSION BRACKET | USD $494.29 |
| BW15084 | Hood guard | USD $536.80 |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit | USD $39.27 |
| 5WS812490 | Super Clamp Kit | USD $59.46 |
| 5WS812485 | Clamp Kit | USD $44.88 |
| 5WS812450 | Long Tool Holder (2) | USD $83.02 |
| 5WS812455 | Long Tool Holder (4) | USD $109.95 |
| 5WS812435 | Universal Mount Kit | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box | USD $131.27 |
| | **ENGINE**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**COLD WEATHER PACKAGES** | |
| LVB25110 | Heavy-duty air intake pre-heater | USD $154.00 |
| AL159374 | Fuel Heater (4045)<br>(Not one available for 3029 engine) | USD $142.23 |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 19AUP | **5105ML Open Operator Station Low-Profile Utility Tractor** | |

ENGINE:
103.8 Engine Horsepower @ 2100 rpm*
90 PTO Horsepower @ 2100 rpm*
EPA Final Tier 4 Emissions Compliant
Turbocharger with Intercooler
PowerTech Diesel Engine
4 Valve HPCR
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Cornerpost Exhaust Stack
(Aftertreatment: DOC/SCR)
Cold Start Aid - Air IntakeHeater
Hand and Foot Throttle
Key Engine Shut-Off
Water Separator Bowl

TRANSMISSION:
EH Differential Lock
Hydraulic Oil Cooler
Wet Traction Clutch
Park Lock
Neutral Start Safety Switch

REAR AXLE:
Flanged Rear Axle
Planetary Final Drives
8-Position Standard Steel Rear Wheels

FRONT AXLE:
Mechanical Front Wheel Drive Front Axle
Planetary Final Drives
Electrohydraulic MFWD Engagement via On/Auto/Brake

STEERING AND BRAKES:
Hydrostatic Power Steering
Hydraulic Wet Disk Brakes Self-Equalizing
and Self-Adjusting

HYDRAULIC:
See code selection for Selective Control Valves (SCVs) and
hydraulic system selection

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | POWER TAKE-OFF SHAFT:<br>See code selection for PTO Shaft<br>Electrohydraulic PTO Engagement<br>Wet PTO Clutch<br>Operator Presence Safety Warning - PTO<br>Safety Start Switch<br>Flip Up PTO Shield<br><br>ROCKSHAFT, HITCH AND DRAWBAR:<br>Heavy Duty Adjustable Drawbar<br>See code selection for draft link sizing<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Flashing Warning Lamp<br>High Beam Indicator Light<br>Service Transmission Indicator<br>PTO Speed Indicator/Roll Mode<br>Neutral Indicator<br>Tachometer/Hour Meter<br>Engine Oil Pressure<br>Hydraulic Temperature Indicator<br>Coolant Temperature Gauge<br>Diesel Exhaust Fluid Gauge with low DEF Warning Signal<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Exhaust Filter Cleaning Switch<br>Roll Mode for Instrument Cluster<br>PTO Engagement Light<br>4WD Engagement Light<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 950 CCA** with 180 Minute Reserve Capacity<br>90 Amp Alternator<br>7-Pin ASAE Outlet Socket<br><br>LIGHTS:<br>Two Front Halogen Headlights<br>Two Turn/Warning Lights<br>Two Rear Work Lights<br>Dual Tail Lights | |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | MISCELLANEOUS:<br>Slow-moving Vehicle (SMV) Emblem<br><br>* Manufacturer's Rating<br>** Cold Cranking Amps | |
| | **BASE MACHINE** | |
| 19AUP | 5105ML Open Operator Station Low-Profile Utility Tractor | USD $88,687.00 |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual | In Base Price |
| 0437 | Spanish Operator's Manual | No Added Cost |
| | **PACKAGES**<br>**Basic Factory Options**<br>**PACKAGE CONFIGURATIONS** | |
| 0500 | Less Package | In Base Price |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2010 | Isolated Open Operator Station<br>*Low Profile Isolated Open Operator Station with Flat Floor*<br>*Tilt and Telescopic Steering Column*<br>*Low Profile 2-Post Foldable Roll-Over Protection Structure (ROPS)*<br>*Inboard mounted controls*<br>*Low Profile steering wheel*<br>*Speedometer*<br>*Beverage Holder*<br>*Foldable flashing Warning Lights*<br>*Dual Taillights* | In Base Price |
| | **SEAT** | |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 2115 | Low Profile Seat | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S STATION** | |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| | **MIRRORS** | |
| AL80126 | Rear Mirror Mechanical - Left<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| AL80127 | Rear Mirror Mechanical - Right<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| RE244177 | Rear View Mirror Mounting Kit - Open Operator Station Tractors<br>*RH Mirror Kit for Open Station Tractors*<br>*Fits 5085E, 5090E, 5100E, 5083E, 5093E, 5101E, 5083E Limited, 5093E Limited, 5101E Limited, 5100ML, 5115ML, 5125ML,5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100MH, 5105M, and 5115M Tractors*<br>*Kit contains AL80127 RH mirror kit and brackets for installation onto ROPS.* | USD $50.82 |
| | **OPEN OPERATOR'S STATION** | |
| RE266928 | Canopy mounting kit<br>*NOTE: For 5E 4cyl FT4 5085E, 5090E, 5100E, 5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100ML, 5100MH, 5105M, 5105ML, 5115M, 5115ML, 5125ML, 5103 (S.N. PY5103U013641-), 5203 (S.N. PY5203U005570-), 5303 (S.N. PY5303U007753-), 5403 (S.N. PY5403U000735-), 5525 Hi-Crop, 5225, 5325, 5425, 5425N, 5525N, 5625, 5325N, and 5603 open station tractors* | USD $108.16 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *NOTE: Requires LVB25334 canopy* | |
| RE273698 | OS Convenience Outlet | USD $103.40 |
| RE270484 | Canopy Deluxe | USD $1,299.11 |
| | *NOTE: For 5E 3cyl, 5M, 5MH and 5ML Tractors* | |
| | **PRECISION AG TECHNOLOGY**<br>**Basic Factory Options**<br>**CONNECTIVITY HARDWARE** | |
| 183N | JDLink™ Modem<br>*Includes an integrated cab wiring harness and JDLink M Modem- 4G capable. Does NOT include Ethernet harnesses.*<br><br>*JDLink connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.*<br><br>*JDLink connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See the Precision Ag Technology Sales Manual for details.* | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**MACHINE CONNECTIVITY** | |
| | *For MY23 5M, 5E 4 cylinder models, and 5E 3 cylinder Cab models built with option code 183A (JDLink Capable) will only require installing the M Modem. These machines were equipped from the factory with the necessary harnessing installed.*<br>*NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |
| BSJ10674 | SmartConnector - CAN to Bluetooth® | USD $165.00 |
| PFA11136 | Low Profile - 3.2-m (10.5-ft) Length Antenna<br>*For 5M Open Operator Station using JDLink™ R Modem: 5M, 5100ML, 5115ML, 5125ML, and 5100MH (model year 2015 and newer Final Tier 4 [FT4])* | USD $218.09 |
| TA25456 | MTG Jumper Harness | USD $25.04 |
| PFA12899 | 2 Wire Ethernet Cable - Mini50<br>*Required to connect a display to JDLink™ M Modems* | USD $99.28 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *NOTE: Requires Ethernet Switch Kit to work with Gen 4 4240 Display* | |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630)<br>*This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | USD $275.00 |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1373 | PowrReverser™ 16F/16R 40 km/h Transmission<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*B-C-D Range Synchronization*<br>*29.6 Gallon Fuel tank*<br>*65mm lift cylinders*<br>*Requires Shiftable 540/540E Rear PTO (code 3820).*<br>*Requires Open Center Hydraulics (code 3221).*<br>*Requires Mechanical Hitch Control (code 4010).* | In Base Price |
| 1374 | PowrQuad™ PLUS 16F/16R 40 km/h Transmission<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | USD $6,040.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 1397 | Powr8™ 32F/16R 40 km/h Transmission<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*40km/h at reduced engine speed (ECO Shift)*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | USD $8,303.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**TRANSMISSION** | |
| RE229422 | PowrReverser™ Modulation Control Kit | USD $191.40 |
| | **FRONT AXLE**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6040 | MFWD Front Axle<br>*Limited Slip Differential*<br>*Push Button, On-The-Go Engagement*<br>*Engagement Indicator Light.*<br>*Electrohydraulic MFWD Engagement via On/Auto/Brake*<br>*Auto Engagement Mode.* | In Base Price |
| | **AXLE AND BRAKES**<br>**Additional Factory Options**<br>**AXLE** | |
| 8110 | MFWD Clutch with axle ratio: 1.392<br>*Requires Tire options 5410 and 6410.*<br>*Please reference DTAC solution 227273: Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 8120 | MFWD Clutch with axle ratio: 1.347<br>*Requires Tire options 5410 and 6410.*<br>*Please reference DTAC solution 227273: Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| | **ATTACHMENTS FOR FIELD CONVERSION REAR AXLE** | |
| AL156777 | Hub Extension 111mm, Rear, Tread Adjustment | USD $884.40 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3820 | Shiftable 540 / 540E Rear PTO<br>*Requires PowrReverser™ 16F/16R Transmission (code 1373).* | In Base Price |
| 3830 | Three Speed PTO - 540/540E/1000<br>*Requires PFC Hydraulics (Code 3223)* | USD $1,060.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION POWER TAKE-OFF (PTO)** | |
| SJ14349 | 1000/540/540E - RPM Power Take-Off (PTO) kit<br>*For PR Transmission Only* | USD $2,627.90 |
| | **REAR POWER TAKE-OFF (PTO)** | |
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 23.8 mm x 61.3 mm (0.94 in. x 2.4 in.) 540 RPM, CAT 2R* | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 22 mm x 54 mm (0.87 in. x 2.13 in.) 540 RPM, CAT 1R* | USD $300.30 |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 74.6 mm (1.06 in. x 2.94 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 70.2 mm (1.06 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Quik-Knect implement receiver – 28 mm x 70.2 mm (1.1 in. x 2.76 in.) 540 RPM, CAT 3R* | |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 30.2 mm x 80 mm (1.2 in. x 3.15 in.) 540 RPM, CAT 4R* | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 31.75 mm x 81.76 mm (1.25 in. x 3.22 in.) 540 RPM, CAT 4R* | USD $300.00 |
| | **HITCHES AND DRAWBARS** | |
| | **Basic Factory Options** | |
| | **HITCH CONTROLS** | |
| 4010 | Mechanical Hitch Control<br>*Requires Open Center Hydraulics (Code 3221)* | In Base Price |
| 4030 | Electronic Hitch Control<br>*Requires PFC Hydraulics (code 3223), If remote fender switches are needed you must order code 8022 or 8024 Fender Extensions* | USD $635.00 |
| | **DRAFT LINK** | |
| 4120 | Telescoping Draft Links (Cat. 2)<br>*Requires Cat. 2 Center Link (Code 4210)* | In Base Price |
| | **LIFT LINK** | |
| 4155 | LH and RH Adjustable Lift Links | In Base Price |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link (Cat. 2)<br>*Requires Cat 2. Draft Links (Code 4120).* | In Base Price |
| | **STABILIZER** | |
| 4424 | Left Hand and Right Hand Stabilizer Bar | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4004 | Front Weight Support (55 kg/121 lbs) | In Base Price |
| | **Additional Factory Options** | |
| | **HITCH CYLINDERS** | |
| 8458 | 70mm hitch lift cylinder<br>*Requires PowrReverser™ 16F/16R Transmission (code 1373).* | USD $456.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 8463 | 80mm hitch lift cylinder<br>*Requires PFC Hydraulics (Code 3223).* | USD $513.00 |
| | **THREE-POINT HITCH** | |
| 841X | Quick Hitch Category 2 | USD $716.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION CENTER LINK** | |
| BSJ10309 | Hydraulic Center Link - Ball Type | USD $2,307.80 |
| | **HITCH CYLINDERS** | |
| AHC15531 | Hydraulic cylinder 75 mm (2.95 in.)<br>*NOTE: Upgrades right-hand hydraulic cylinder to 75 mm (2.95 in.) for average of 70-mm (2.75-in.) lift cylinder.*<br>*Heavy-duty hitch kit for PowrReverser transmission* | USD $154.00 |
| AHC18728 | Hydraulic Cylinders to 80 mm (3.15 in.)<br>*NOTE: Order two AHC18728 to replace both left-hand and right-hand hydraulic cylinders to 80 mm (3.15 in.)*<br>*Heavy-duty hitch kit for PowrQuad PLUS and Powr8 transmissions* | USD $1,295.80 |
| | **FRONT HITCH** | |
| BXX10880 | Front 3-Point Hitch<br>*For 5ML Open Station Tractors* | USD $4,098.34 |
| BXX10931 | FRONT HITCH FIELD INSTALLATION KIT, 5M (Connections to the rear SCV)<br>*For 5M/5ML Tractors* | USD $1,750.06 |
| BXX10994 | FRONT HITCH, MID SCV ROUTING (Connections to the mid SCV)<br>*For 5M/5ML Tractors* | USD $271.83 |
| BXX10778 | Front 3 Point Hitch Support Push Bar Kit - 5M/5ML/5R<br>*NOTE: The Front 3 Point Hitch Support Push Bar Kit is recommended with ground engaging or high load front implement work.* | USD $1,358.31 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**HYDRAULICS** | |
| 3221 | Open Center Hydraulic System | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 3223 | PFC Hydraulic System | USD $3,757.00 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3335 | Triple Stackable Rear Deluxe Valve with Lever Controls<br>*Features: Three Selectable Detent Positions on #1 Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Flow Priority to #1 Valve. Pressure Compensated Flow Control for running Hydraulic Motors on #1 Valve.* | In Base Price |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3410 | Less Mid Valve With Engine Side Frames<br>*For the PowrQuad Models, THERE IS NO MID SCV FIELD KIT AVAILABLE* | In Base Price |
| 3420 | Dual Stackable Mid Valve with Joystick Control<br>*Includes side frames.* | USD $1,351.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS** | |
| BSJ10282 | POWER BEYOND<br>*For 5075M, 5090M, 5100M, 5100MH, 5115M, 5100ML, 5115ML and 5125ML Tractors*<br>*Compatible with PowrReverser models only.* | USD $416.90 |
| BSJ10283 | CASE DRAIN<br>*For 5075M, 5090M, 5100M, 5100MH, 5100ML, 5115M, 5115ML and 5125ML Tractors*<br>*Supplies non-restricted flow of hydraulic fluid to reservoir.*<br>*Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.*<br>*Compatible with models equipped with OC hydraulics and a PowrReverser Transmission.* | USD $238.70 |
| BSJ10465 | Rear SCV Oil Collection System<br>*Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).*<br>*For tractors equipped with a PowrReverser transmission and an Open Center Hydraulic System* | USD $140.80 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| BSJ10440 | 4th rear SCV Conversion Kit (PFC - non proportional EH) | USD $1,339.80 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *For 5ML Tractors with Closed Center Hydraulics*<br>*Additional Software Required*<br>*Not compatible with EH fender switch kit BSJ10323* | |
| RE272022 | Dual Rear SCV Kit For Open Station<br>*For 5ML Tractors* | USD $1,589.69 |
| | **MID SELECTIVE CONTROL VALVES** | |
| | *NOTE: If 5ML PowerQuad Open Station Tractor was not configured from factory with mid-scv there is not a kit to add mid-scv's to tractor.* | |
| BSJ10330 | 2 Mechanical Mid-SCV with Joystick lever<br>*For 5075M, 5085M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M and 5130M Tractors*<br>*Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve. Does not include loader/engine side frames.* | USD $2,006.40 |
| BSJ10472 | 2 to 3 Mid-SCV Conversion Kit (PFC) (5ML)<br>*Fits 5ML PowerQuad Tractors with Closed Center Hydraulics* | USD $1,701.75 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8720 | ROPS Mounted Work Lights (LED)<br>*Upgrades from halogen to LED* | USD $163.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**LIGHTING** | |
| BSJ10325 | LED HEADLIGHTS<br>*For 5075M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M, 5125ML and 5130M Tractors*<br>*Upgrades front headlights from halogen to LED including high and low beam* | USD $473.00 |
| | **ELECTRICITY** | |
| BXX11144 | Battery Disconnect Kit<br>*Fits My23 and Newer 5M Cab Tractors* | USD $183.71 |
| | **BACKUP ALARM** | |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| BSJ10442 | Backup Alarm Kit | USD $203.50 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5172 | 16.9 - 30 in. 6PR R1 Bias<br>*Requires Code 6172.* | USD $31.00 |
| 5914 | 19.5L - 24 in. 10PR R4 Bias<br>*Requires Code 6133.* | In Base Price |
| 5410 | Less Rear Wheels and Tires (MFWD)<br>*Tractor ships with disposable steel transport tires.*<br>*Requires Code 6410*<br>*Requires MFWD gear ratio 8110 or 8120.* | USD ($3,146.00) |
| | **FRONT WHEELS AND TIRES** | |
| 6172 | 11.2-24 in. 6PR R1 Bias | USD $684.00 |
| 6133 | 12.5/80-18 6PR I3(R4 TYPE) 123A8 | In Base Price |
| 6410 | Less Front Wheels and Tires (MFWD)<br>*Tractor ships with disposable steel transport tires.*<br>*Requires MFWD Front Axle (code 6040).*<br>*Requires MFWD gear ratio 8110 or 8120.* | USD ($1,759.00) |
| | **TIRE BRAND PREFERENCE** | |
| 5999 | No Tire Brand Preference | In Base Price |
| | **Additional Factory Options**<br>**REAR FENDERS** | |
| | *To add remote fender hitch controls to tractors without rear fender extensions, please reference DTAC solution 222508.* | |
| 8022 | Rear Fender Extensions<br>*Adds an additional 8.8 inches (224mm) extension per fender.*<br>*Not compatible with code 8024.* | USD $322.00 |
| 8024 | Rear Fender Extensions - Wide<br>*Adds an additional 15.2 inches (385mm) extension per fender*<br>*Not compatible with code 8022.* | USD $553.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| RE271547 | Rear Fender Extension Kit with Lights - OOS Tractors with Steel Fenders<br>*For 5M, 5EL, 5E 4cyl, 5MH and 5ML Open Station Tractors with steel fenders* | USD $506.40 |
| | **LOADERS AND BACKHOES**<br>**Basic Factory Options**<br>**LOADERS** | |
| 1799 | Less Loader Prep Package | In Base Price |
| 1725 | Loader Prep Package<br>*Hydraulic hoses and hydraulic connections still need to be ordered with loader.*<br>*Loader Preparation Package only compatible with 540M and 600M (Previously H310) loaders.*<br>*Includes loader mounting frames and hood guard.*<br>*Requires Mid Valve configuration (Code 3420)* | USD $2,305.00 |
| | **GUARDS**<br>**Additional Factory Options**<br>**GUARDS** | |
| 8330 | Skid Plate, Fuel Tank Guard | USD $1,111.00 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal  Side Exhaust | In Base Price |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit<br>*Includes (2) clamps and hardware* | USD $39.27 |
| 5WS812490 | Super Clamp Kit<br>*Includes (2) clamps and hardware* | USD $59.46 |
| 5WS812485 | Clamp Kit<br>*Includes (2) clamps and hardware* | USD $44.88 |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 5WS812450 | Long Tool Holder (2)<br>*NOTE: Carries (2) long handled tools* | USD $83.02 |
| 5WS812455 | Long Tool Holder (4)<br>*NOTE: Carries (4) long handled tools* | USD $109.95 |
| 5WS812435 | Universal Mount Kit<br>*NOTE: This is used for additional mounting locations of tool holders (garage/ballast box/trailer/etc.)*<br>*NOTE: (2) Self-tapping screws & (2) Lag bolts included* | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box<br>*NOTE: It is not recommended to mount the chain box to the ROPS Rack due to potential height of storage location and total weight.* | USD $131.27 |
| | **ENGINE**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**FUEL TANK** | |
| AL213203 | Lockable Filler Cap Fuel Tank | USD $35.01 |
| | **FUEL TANK** | |
| BSJ10480 | Fuel Tank Shield Kit | USD $359.70 |
| BSJ10675 | Fuel Cooler Kit | USD $316.27 |
| RE265991 | Fuel Tank Skid Plate Kit - Open Station<br>*For 5065M, 5075M, 5085M, 5095M, 5095MH, 5105M and 5105ML Tractors* | USD $149.60 |
| SJ14855 | Fuel Tank Skid Plate Kit - Low Profile PR Transmission | USD $950.54 |
| | **COLD WEATHER PACKAGES** | |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |
| | **WEIGHTS AND BALLASTING**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb) | USD $726.00 |
| | **FRONT WEIGHTS** | |

Copyright © Deere & Company. All Rights Reserved.

# 5105ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| SU58373 | Front Weight Support, 110 kg (242 lb) (20 front weights)<br>*Requires hardware order separately* | USD $699.60 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| | **FRONT WEIGHTS** | |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 257UP | **5130ML Open Operator Station Low-Profile Utility Tractor**<br>128.5 Engine Horsepower @ 2200 rpm*<br>115 PTO Horsepower @ 2100 rpm*<br>EPA Final Tier 4 Emissions Compliant<br>Turbocharger with Intercooler<br>4.5L PowerTech Diesel Engine<br>4 Valve HPCR<br>Dry Type Air Cleaner with Safety Element<br>Underhood Muffler with Side Exhaust (Aftertreatment: DOC/SCR)<br>Cold Start Aid - Air IntakeHeater<br>Hand and Foot Throttle<br>Key Engine Shut-Off<br>Water Separator Bowl<br><br>TRANSMISSION:<br>EH Differential Lock<br>Hydraulic Oil Cooler<br>Wet Traction Clutch<br>Park Lock<br>Neutral Start Safety Switch<br><br>REAR AXLE:<br>Flanged Rear Axle<br>Planetary Final Drives<br>8-Position Standard Steel Rear Wheels<br><br>FRONT AXLE:<br>Mechanical Front Wheel Drive Front Axle<br>Planetary Final Drives<br>Electrohydraulic MFWD Engagement via On/Auto/Brake<br><br>STEERING AND BRAKES:<br>Hydrostatic Power Steering<br>Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting<br><br>HYDRAULIC:<br>PFC Hydraulic System<br>See code selection for Selective Control Valves (SCVs)<br><br>POWER TAKE-OFF SHAFT: | |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | Independent "Live" 540 /1000 RPM Rear PTO Shaft @ 2100 Engine RPM<br>Economy PTO Setting for 540 PTO RPM @ 1645 Engine RPM<br>Reversible 540/1000 PTO Shaft<br>Electrohydraulic PTO Engagement<br>Wet PTO Clutch<br>Operator Presence Safety Warning - PTO<br>Safety Start Switch<br>Flip Up PTO Shield<br><br>ROCKSHAFT, HITCH AND DRAWBAR:<br>Heavy-duty Drawbar Adjustable Drawbar<br>See code selection for draft link sizing<br>Lower Link Draft Sensing<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Flashing Warning Lamp<br>High Beam Indicator Light<br>Service Transmission Indicator<br>PTO Speed Indicator/Roll Mode<br>Neutral Indicator<br>Tachometer/Hour Meter<br>Engine Oil Pressure<br>Hydraulic Temperature Indicator<br>Coolant Temperature Gauge<br>Diesel Exhaust Fluid Gauge with low DEF Warning Signal<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Exhaust Filter Cleaning Switch<br>Roll Mode for Instrument Cluster<br>PTO Engagement Light<br>4WD Engagement Light<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 950 CCA** with 180 Minute Reserve Capacity<br>90 Amp Alternator<br>7-Pin ASAE Outlet Socket<br><br>LIGHTS:<br>Two Front Halogen Headlights | |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | Two Turn/Warning Lights<br>Two ROPS Mounted Work Lights<br>Dual Tail Lights<br><br>MISCELLANEOUS:<br>Slow-moving Vehicle (SMV) Emblem<br><br>* Manufacturer's Rating<br>** Cold Cranking Amps | |
| | **BASE MACHINE** | |
| 257UP | 5130ML Open Operator Station Low-Profile Utility Tractor | USD $110,388.00 |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual | In Base Price |
| 0437 | Spanish Operator's Manual | No Added Cost |
| | **PACKAGES**<br>**Basic Factory Options**<br>**PACKAGE CONFIGURATIONS** | |
| 0500 | Less Package | In Base Price |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2010 | Isolated Open Operator Station<br>*Low Profile Isolated Open Operator Station with Flat Floor*<br>*Tilt and Telescopic Steering Column*<br>*Low Profile 2-Post Foldable Roll-Over Protection Structure (ROPS)*<br>*Inboard mounted controls*<br>*Low Profile steering wheel*<br>*Speedometer*<br>*Beverage Holder* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Foldable flashing Warning Lights*<br>*Dual Taillights* | |
| | **SEAT** | |
| 2115 | Low Profile Seat | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S STATION** | |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| | **MIRRORS** | |
| AL80126 | Rear Mirror Mechanical - Left<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| AL80127 | Rear Mirror Mechanical - Right<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| RE244177 | Rear View Mirror Mounting Kit - Open Operator Station Tractors<br>*RH Mirror Kit for Open Station Tractors*<br>*Fits 5085E, 5090E, 5100E, 5083E, 5093E, 5101E, 5083E Limited, 5093E Limited, 5101E Limited, 5100ML, 5115ML, 5125ML,5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100MH, 5105M, and 5115M Tractors*<br>*Kit contains AL80127 RH mirror kit and brackets for installation onto ROPS.* | USD $50.82 |
| | **OPEN OPERATOR'S STATION** | |
| RE266928 | Canopy mounting kit<br>*NOTE: For 5E 4cyl FT4 5085E, 5090E, 5100E, 5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100ML, 5100MH, 5105M, 5105ML, 5115M, 5115ML, 5125ML, 5103 (S.N. PY5103U013641-), 5203 (S.N. PY5203U005570-), 5303 (S.N. PY5303U007753-), 5403* | USD $108.16 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *(S.N. PY5403U000735-), 5525 Hi-Crop, 5225, 5325, 5425, 5425N, 5525N, 5625, 5325N, and 5603 open station tractors* | |
| | *NOTE: Requires LVB25334 canopy* | |
| RE273698 | OS Convenience Outlet | USD $103.40 |
| RE270484 | Canopy Deluxe | USD $1,299.11 |
| | *NOTE: For 5E 3cyl, 5M, 5MH and 5ML Tractors* | |
| | **PRECISION AG TECHNOLOGY**<br>**Basic Factory Options**<br>**CONNECTIVITY HARDWARE** | |
| 183N | JDLink™ Modem | In Base Price |
| | *Includes an integrated cab wiring harness and JDLink M Modem- 4G capable. Does NOT include Ethernet harnesses.* | |
| | *JDLink connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.* | |
| | *JDLink connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See the Precision Ag Technology Sales Manual for details.* | |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**MACHINE CONNECTIVITY** | |
| | *For MY23 5M, 5E 4 cylinder models, and 5E 3 cylinder Cab models built with option code 183A (JDLink Capable) will only require installing the M Modem. These machines were equipped from the factory with the necessary harnessing installed.*<br>*NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |
| BSJ10674 | SmartConnector - CAN to Bluetooth® | USD $165.00 |
| PFA11136 | Low Profile - 3.2-m (10.5-ft) Length Antenna | USD $218.09 |
| | *For 5M Open Operator Station using JDLink™ R Modem: 5M, 5100ML, 5115ML, 5125ML, and 5100MH (model year 2015 and newer Final Tier 4 [FT4])* | |
| TA25456 | MTG Jumper Harness | USD $25.04 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| PFA12899 | 2 Wire Ethernet Cable - Mini50<br>*Required to connect a display to JDLink™ M Modems*<br><br>*NOTE: Requires Ethernet Switch Kit to work with Gen 4 4240 Display* | USD $99.28 |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630)<br>*This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | USD $275.00 |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1374 | PowrQuad™ PLUS 16F/16R 40 km/h Transmission<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | In Base Price |
| 1397 | Powr8™ 32F/16R 40 km/h Transmission<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*40km/h at reduced engine speed (ECO Shift)* | USD $2,265.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | |
| | **FRONT AXLE**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6040 | MFWD Front Axle<br>*Limited Slip Differential*<br>*Push Button, On-The-Go Engagement*<br>*Engagement Indicator Light.*<br>*Electrohydraulic MFWD Engagement via On/Auto/Brake*<br>*Auto Engagement Mode.* | In Base Price |
| | **AXLE AND BRAKES**<br>**Additional Factory Options**<br>**AXLE** | |
| 8110 | MFWD Clutch with axle ratio: 1.392<br>*Requires Tire options 5410 and 6410.*<br>*Please reference DTAC solution 227273: Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| 8120 | MFWD Clutch with axle ratio: 1.347<br>*Requires Tire options 5410 and 6410.*<br>*Please reference DTAC solution 227273: Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR AXLE** | |
| AL156777 | Hub Extension 111mm, Rear, Tread Adjustment | USD $884.40 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3830 | Three Speed PTO - 540/540E/1000<br>*Requires PFC Hydraulics (Code 3223)* | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION** | |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **REAR POWER TAKE-OFF (PTO)** | |
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 23.8 mm x 61.3 mm (0.94 in. x 2.4 in.) 540 RPM, CAT 2R* | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 22 mm x 54 mm (0.87 in. x 2.13 in.) 540 RPM, CAT 1R* | USD $300.30 |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 74.6 mm (1.06 in. x 2.94 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 70.2 mm (1.06 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 28 mm x 70.2 mm (1.1 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.00 |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 30.2 mm x 80 mm (1.2 in. x 3.15 in.) 540 RPM, CAT 4R* | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 31.75 mm x 81.76 mm (1.25 in. x 3.22 in.) 540 RPM, CAT 4R* | USD $300.00 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**HITCH CONTROLS** | |
| 4030 | Electronic Hitch Control<br>*Requires PFC Hydraulics (code 3223), If remote fender switches are needed you must order code 8022 or 8024 Fender Extensions* | In Base Price |
| | **DRAFT LINK** | |
| 4120 | Telescoping Draft Links (Cat. 2)<br>*Requires Cat. 2 Center Link (Code 4210)* | In Base Price |
| | **LIFT LINK** | |
| 4155 | LH and RH Adjustable Lift Links | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link (Cat. 2)<br>*Requires Cat 2. Draft Links (Code 4120).* | In Base Price |
| | **STABILIZER** | |
| 4424 | Left Hand and Right Hand Stabilizer Bar | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4004 | Front Weight Support (55 kg/121 lbs) | In Base Price |
| | **Additional Factory Options**<br>**HITCH CYLINDERS** | |
| 8463 | 80mm hitch lift cylinder<br>*Requires PFC Hydraulics (Code 3223).* | USD $513.00 |
| | **THREE-POINT HITCH** | |
| 841X | Quick Hitch Category 2 | USD $716.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**CENTER LINK** | |
| BSJ10309 | Hydraulic Center Link - Ball Type | USD $2,307.80 |
| | **HITCH CYLINDERS** | |
| AHC18728 | Hydraulic Cylinders to 80 mm (3.15 in.)<br>*NOTE: Order two AHC18728 to replace both left-hand and right-hand hydraulic cylinders to 80 mm (3.15 in.)*<br>*Heavy-duty hitch kit for PowrQuad PLUS and Powr8 transmissions* | USD $1,295.80 |
| | **FRONT HITCH** | |
| BXX10880 | Front 3-Point Hitch<br>*For 5ML Open Station Tractors* | USD $4,098.34 |
| BXX10931 | FRONT HITCH FIELD INSTALLATION KIT, 5M (Connections to the rear SCV)<br>*For 5M/5ML Tractors* | USD $1,750.06 |
| BXX10994 | FRONT HITCH, MID SCV ROUTING (Connections to the mid SCV)<br>*For 5M/5ML Tractors* | USD $271.83 |
| BXX10778 | Front 3 Point Hitch Support Push Bar Kit - 5M/5ML/5R<br>*NOTE: The Front 3 Point Hitch Support Push Bar Kit is recommended* | USD $1,358.31 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *with ground engaging or high load front implement work.* | |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**HYDRAULICS** | |
| 3223 | PFC Hydraulic System | In Base Price |
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3335 | Triple Stackable Rear Deluxe Valve with Lever Controls<br>*Features: Three Selectable Detent Positions on #1 Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Flow Priority to #1 Valve. Pressure Compensated Flow Control for running Hydraulic Motors on #1 Valve.* | In Base Price |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3410 | Less Mid Valve With Engine Side Frames<br>*For the PowrQuad Models, THERE IS NO MID SCV FIELD KIT AVAILABLE* | In Base Price |
| 3420 | Dual Stackable Mid Valve with Joystick Control<br>*Includes side frames.* | USD $1,351.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR SELECTIVE CONTROL VALVES** | |
| BSJ10440 | 4th rear SCV Conversion Kit (PFC - non proportional EH)<br>*For 5ML Tractors with Closed Center Hydraulics*<br>*Additional Software Required*<br>*Not compatible with EH fender switch kit BSJ10323* | USD $1,339.80 |
| RE272022 | Dual Rear SCV Kit For Open Station<br>*For 5ML Tractors* | USD $1,589.69 |
| | **MID SELECTIVE CONTROL VALVES** | |
| | *NOTE: If 5ML PowerQuad Open Station Tractor was not configured from factory with mid-scv there is not a kit to add mid-scv's to tractor.* | |
| BSJ10472 | 2 to 3 Mid-SCV Conversion Kit (PFC) (5ML)<br>*Fits 5ML PowerQuad Tractors with Closed Center Hydraulics* | USD $1,701.75 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options** | |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **LIGHTING** | |
| 8720 | ROPS Mounted Work Lights (LED)<br>*Upgrades from halogen to LED* | USD $163.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION LIGHTING** | |
| BSJ10325 | LED HEADLIGHTS<br>*For 5075M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M, 5125ML and 5130M Tractors*<br>*Upgrades front headlights from halogen to LED including high and low beam* | USD $473.00 |
| AXE82059 | LED Work Light - OOS<br>*Includes single LED Hexagon shaped work light. There are a total of four halogen work lights in the base configuration of the tractor.* | USD $163.13 |
| | **ELECTRICITY** | |
| BXX11144 | Battery Disconnect Kit<br>*Fits My23 and Newer 5M Cab Tractors* | USD $183.71 |
| | **BACKUP ALARM** | |
| BSJ10442 | Backup Alarm Kit | USD $203.50 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5172 | 16.9 - 30 in. 6PR R1 Bias<br>*Requires Code 6172.* | USD $31.00 |
| 5914 | 19.5L - 24 in. 10PR R4 Bias<br>*Requires Code 6133.* | In Base Price |
| 5410 | Less Rear Wheels and Tires (MFWD)<br>*Tractor ships with disposable steel transport tires.*<br>*Requires Code 6410*<br>*Requires MFWD gear ratio 8110 or 8120.* | USD ($3,146.00) |
| | **FRONT WHEELS AND TIRES** | |
| 6172 | 11.2-24 in. 6PR R1 Bias | USD $684.00 |
| 6133 | 12.5/80-18 6PR I3(R4 TYPE) 123A8 | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 6410 | Less Front Wheels and Tires (MFWD)<br>*Tractor ships with disposable steel transport tires.*<br>*Requires MFWD Front Axle (code 6040).*<br>*Requires MFWD gear ratio 8110 or 8120.* | USD ($1,759.00) |
| | **TIRE BRAND PREFERENCE** | |
| 5999 | No Tire Brand Preference | In Base Price |
| | **Additional Factory Options**<br>**REAR FENDERS** | |
| | *To add remote fender hitch controls to tractors without rear fender extensions, please reference DTAC solution 222508.* | |
| 8022 | Rear Fender Extensions<br>*Adds an additional 8.8 inches (224mm) extension per fender.*<br>*Not compatible with code 8024.* | USD $322.00 |
| 8024 | Rear Fender Extensions - Wide<br>*Adds an additional 15.2 inches (385mm) extension per fender*<br>*Not compatible with code 8022.* | USD $553.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |
| RE271547 | Rear Fender Extension Kit with Lights - OOS Tractors with Steel Fenders<br>*For 5M, 5EL, 5E 4cyl, 5MH and 5ML Open Station Tractors with steel fenders* | USD $506.40 |
| | **LOADERS AND BACKHOES**<br>**Basic Factory Options**<br>**LOADERS** | |
| 1799 | Less Loader Prep Package | In Base Price |
| 1725 | Loader Prep Package<br>*Hydraulic hoses and hydraulic connections still need to be ordered with loader.*<br>*Loader Preparation Package only compatible with 540M and 600M (Previously H310) loaders.*<br>*Includes loader mounting frames and hood guard.*<br>*Requires Mid Valve configuration (Code 3420)* | USD $2,305.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | | |
| | **GUARDS**<br>**Additional Factory Options**<br>**GUARDS** | |
| 8330 | Skid Plate, Fuel Tank Guard | USD $1,111.00 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal  Side Exhaust | In Base Price |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit<br>*Includes (2) clamps and hardware* | USD $39.27 |
| 5WS812490 | Super Clamp Kit<br>*Includes (2) clamps and hardware* | USD $59.46 |
| 5WS812485 | Clamp Kit<br>*Includes (2) clamps and hardware* | USD $44.88 |
| 5WS812450 | Long Tool Holder (2)<br>*NOTE: Carries (2) long handled tools* | USD $83.02 |
| 5WS812455 | Long Tool Holder (4)<br>*NOTE: Carries (4) long handled tools* | USD $109.95 |
| 5WS812435 | Universal Mount Kit<br>*NOTE: This is used for additional mounting locations of tool holders (garage/ballast box/trailer/etc.)*<br>*NOTE: (2) Self-tapping screws & (2) Lag bolts included* | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box<br>*NOTE: It is not recommended to mount the chain box to the ROPS Rack due to potential height of storage location and total weight.* | USD $131.27 |
| | **ENGINE**<br>**ATTACHMENTS FOR FIELD CONVERSION** | |

Copyright © Deere & Company. All Rights Reserved.

# 5130ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **FUEL TANK** | |
| AL213203 | Lockable Filler Cap Fuel Tank | USD $35.01 |
| | **FUEL TANK** | |
| BSJ10480 | Fuel Tank Shield Kit | USD $359.70 |
| | **COLD WEATHER PACKAGES** | |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |
| | **WEIGHTS AND BALLASTING**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb) | USD $726.00 |
| | **FRONT WEIGHTS** | |
| SU58373 | Front Weight Support, 110 kg (242 lb) (20 front weights)<br>*Requires hardware order separately* | USD $699.60 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| | **FRONT WEIGHTS** | |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 25AUP | **5120ML Open Operator Station Low-Profile Utility Tractor**<br>ENGINE:<br>118.7 Engine Horsepower @ 2200 rpm*<br>105 PTO Horsepower @ 2100 rpm*<br>EPA Final Tier 4 Emissions Compliant<br>Turbocharger with Intercooler<br>PowerTech Diesel Engine<br>4 Valve HPCR<br>Dry Type Air Cleaner with Safety Element<br>Underhood Muffler with Cornerpost Exhaust Stack<br>(Aftertreatment: DOC/SCR)<br>Cold Start Aid - Air Intake Heater<br>Hand and Foot Throttle<br>Key Engine Shut-Off<br>Water Separator Bowl<br><br>TRANSMISSION:<br>EH Differential Lock<br>Hydraulic Oil Cooler<br>Wet Traction Clutch<br>Park Lock<br>Neutral Start Safety Switch<br><br>REAR AXLE:<br>Flanged Rear Axle<br>Planetary Final Drives<br>8-Position Standard Steel Rear Wheels<br><br>FRONT AXLE:<br>Mechanical Front Wheel Drive Front Axle<br>Planetary Final Drives<br>Electrohydraulic MFWD Engagement via On/Auto/Brake<br><br>STEERING AND BRAKES:<br>Hydrostatic Power Steering<br>Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting<br><br>HYDRAULIC:<br>See code selection for Selective Control Valves (SCVs) and hydraulic system selection | |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | POWER TAKE-OFF SHAFT:<br>SeeCode selection for PTO shaft<br>Electrohydraulic PTO Engagement<br>Wet PTO Clutch<br>Operator Presence Safety Warning - PTO<br>Safety Start Switch<br>Flip Up PTO Shield<br><br>ROCKSHAFT, HITCH AND DRAWBAR:<br>Heavy-duty Drawbar Adjustable Drawbar<br>See code selection for draft link sizing<br>Lower Link Draft Sensing<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Flashing Warning Lamp<br>High Beam Indicator Light<br>Service Transmission Indicator<br>PTO Speed Indicator/Roll Mode<br>Neutral Indicator<br>Tachometer/Hour Meter<br>Engine Oil Pressure<br>Hydraulic Temperature Indicator<br>Coolant Temperature Gauge<br>Diesel Exhaust Fluid Gauge with low DEF Warning Signal<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Exhaust Filter Cleaning Switch<br>Roll Mode for Instrument Cluster<br>PTO Engagement Light<br>4WD Engagement Light<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 950 CCA** with 180 Minute Reserve Capacity<br>90 Amp Alternator<br>7-Pin ASAE Outlet Socket<br><br>LIGHTS:<br>Two Front Halogen Headlights<br>Two Turn/Warning Lights<br>Two Rear Work Lights<br>Dual Tail Lights | |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | MISCELLANEOUS:<br>Slow-moving Vehicle (SMV) Emblem<br><br>* Manufacturer's Rating<br>** Cold Cranking Amps | |
| | **BASE MACHINE** | |
| 25AUP | 5120ML Open Operator Station Low-Profile Utility Tractor | USD $95,090.00 |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual | In Base Price |
| 0437 | Spanish  Operator's Manual | No Added Cost |
| | **PACKAGES**<br>**Basic Factory Options**<br>**PACKAGE CONFIGURATIONS** | |
| 0500 | Less Package | In Base Price |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2010 | Isolated Open Operator Station<br>*Low Profile Isolated Open Operator Station with Flat Floor*<br>*Tilt and Telescopic Steering Column*<br>*Low Profile 2-Post Foldable Roll-Over Protection Structure (ROPS)*<br>*Inboard mounted controls*<br>*Low Profile steering wheel*<br>*Speedometer*<br>*Beverage Holder*<br>*Foldable flashing Warning Lights*<br>*Dual Taillights* | In Base Price |
| | **SEAT** | |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 2115 | Low Profile Seat | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S STATION** | |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| | **MIRRORS** | |
| AL80126 | Rear Mirror Mechanical - Left<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| AL80127 | Rear Mirror Mechanical - Right<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| RE244177 | Rear View Mirror Mounting Kit - Open Operator Station Tractors<br>*RH Mirror Kit for Open Station Tractors*<br>*Fits 5085E, 5090E, 5100E, 5083E, 5093E, 5101E, 5083E Limited, 5093E Limited, 5101E Limited, 5100ML, 5115ML, 5125ML,5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100MH, 5105M, and 5115M Tractors*<br>*Kit contains AL80127 RH mirror kit and brackets for installation onto ROPS.* | USD $50.82 |
| | **OPEN OPERATOR'S STATION** | |
| RE266928 | Canopy mounting kit<br>*NOTE: For 5E 4cyl FT4 5085E, 5090E, 5100E, 5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100ML, 5100MH, 5105M, 5105ML, 5115M, 5115ML, 5125ML, 5103 (S.N. PY5103U013641-), 5203 (S.N. PY5203U005570-), 5303 (S.N. PY5303U007753-), 5403 (S.N. PY5403U000735-), 5525 Hi-Crop, 5225, 5325, 5425, 5425N, 5525N, 5625, 5325N, and 5603 open station tractors* | USD $108.16 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *NOTE: Requires LVB25334 canopy* | |
| RE273698 | OS Convenience Outlet | USD $103.40 |
| RE270484 | Canopy Deluxe | USD $1,299.11 |
| | *NOTE: For 5E 3cyl, 5M, 5MH and 5ML Tractors* | |
| | **PRECISION AG TECHNOLOGY**<br>**Basic Factory Options**<br>**CONNECTIVITY HARDWARE** | |
| 183N | JDLink™ Modem<br>*Includes an integrated cab wiring harness and JDLink M Modem- 4G capable. Does NOT include Ethernet harnesses.*<br><br>*JDLink connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.*<br><br>*JDLink connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See the Precision Ag Technology Sales Manual for details.* | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**MACHINE CONNECTIVITY** | |
| | *For MY23 5M, 5E 4 cylinder models, and 5E 3 cylinder Cab models built with option code 183A (JDLink Capable) will only require installing the M Modem. These machines were equipped from the factory with the necessary harnessing installed.*<br>*NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |
| BSJ10674 | SmartConnector - CAN to Bluetooth® | USD $165.00 |
| PFA11136 | Low Profile - 3.2-m (10.5-ft) Length Antenna<br>*For 5M Open Operator Station using JDLink™ R Modem: 5M, 5100ML, 5115ML, 5125ML, and 5100MH (model year 2015 and newer Final Tier 4 [FT4])* | USD $218.09 |
| TA25456 | MTG Jumper Harness | USD $25.04 |
| PFA12899 | 2 Wire Ethernet Cable - Mini50<br>*Required to connect a display to JDLink™ M Modems* | USD $99.28 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *NOTE: Requires Ethernet Switch Kit to work with Gen 4 4240 Display* | |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630)<br>*This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | USD $275.00 |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1373 | PowrReverser™ 16F/16R 40 km/h Transmission<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*B-C-D Range Synchronization*<br>*29.6 Gallon Fuel tank*<br>*65mm lift cylinders*<br>*Requires Shiftable 540/540E Rear PTO (code 3820).*<br>*Requires Open Center Hydraulics (code 3221).*<br>*Requires Mechanical Hitch Control (code 4010).* | In Base Price |
| 1374 | PowrQuad™ PLUS 16F/16R 40 km/h Transmission<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | USD $6,040.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 1397 | Powr8™ 32F/16R 40 km/h Transmission<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*40km/h at reduced engine speed (ECO Shift)*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | USD $8,303.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**TRANSMISSION** | |
| RE229422 | PowrReverser™ Modulation Control Kit | USD $191.40 |
| | **FRONT AXLE**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6040 | MFWD Front Axle<br>*Limited Slip Differential*<br>*Push Button, On-The-Go Engagement*<br>*Engagement Indicator Light.*<br>*Electrohydraulic MFWD Engagement via On/Auto/Brake*<br>*Auto Engagement Mode.* | In Base Price |
| | **AXLE AND BRAKES**<br>**Additional Factory Options**<br>**AXLE** | |
| 8110 | MFWD Clutch with axle ratio: 1.392<br>*Requires Tire options 5410 and 6410.*<br>*Please reference DTAC solution 227273: Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 8120 | MFWD Clutch with axle ratio: 1.347<br>*Requires Tire options 5410 and 6410.*<br>*Please reference DTAC solution 227273: Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| | **ATTACHMENTS FOR FIELD CONVERSION REAR AXLE** | |
| AL156777 | Hub Extension 111mm, Rear, Tread Adjustment | USD $884.40 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3820 | Shiftable 540 / 540E Rear PTO<br>*Requires PowrReverser™ 16F/16R Transmission (code 1373).* | In Base Price |
| 3830 | Three Speed PTO - 540/540E/1000<br>*Requires PFC Hydraulics (Code 3223)* | USD $1,060.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION POWER TAKE-OFF (PTO)** | |
| SJ14349 | 1000/540/540E - RPM Power Take-Off (PTO) kit<br>*For PR Transmission Only* | USD $2,627.90 |
| | **REAR POWER TAKE-OFF (PTO)** | |
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 23.8 mm x 61.3 mm (0.94 in. x 2.4 in.) 540 RPM, CAT 2R* | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 22 mm x 54 mm (0.87 in. x 2.13 in.) 540 RPM, CAT 1R* | USD $300.30 |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 74.6 mm (1.06 in. x 2.94 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 70.2 mm (1.06 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Quik-Knect implement receiver – 28 mm x 70.2 mm (1.1 in. x 2.76 in.) 540 RPM, CAT 3R* | |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 30.2 mm x 80 mm (1.2 in. x 3.15 in.) 540 RPM, CAT 4R* | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 31.75 mm x 81.76 mm (1.25 in. x 3.22 in.) 540 RPM, CAT 4R* | USD $300.00 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**HITCH CONTROLS** | |
| 4010 | Mechanical Hitch Control<br>*Requires Open Center Hydraulics (Code 3221)* | In Base Price |
| 4030 | Electronic Hitch Control<br>*Requires PFC Hydraulics (code 3223), If remote fender switches are needed you must order code 8022 or 8024 Fender Extensions* | USD $635.00 |
| | **DRAFT LINK** | |
| 4120 | Telescoping Draft Links (Cat. 2)<br>*Requires Cat. 2 Center Link (Code 4210)* | In Base Price |
| | **LIFT LINK** | |
| 4155 | LH and RH Adjustable Lift Links | In Base Price |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link (Cat. 2)<br>*Requires Cat 2. Draft Links (Code 4120).* | In Base Price |
| | **STABILIZER** | |
| 4424 | Left Hand and Right Hand Stabilizer Bar | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4004 | Front Weight Support (55 kg/121 lbs) | In Base Price |
| | **Additional Factory Options**<br>**HITCH CYLINDERS** | |
| 8458 | 70mm hitch lift cylinder<br>*Requires PowrReverser™ 16F/16R Transmission (code 1373).* | USD $456.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 8463 | 80mm hitch lift cylinder<br>*Requires PFC Hydraulics (Code 3223).* | USD $513.00 |
| | **THREE-POINT HITCH** | |
| 841X | Quick Hitch Category 2 | USD $716.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION CENTER LINK** | |
| BSJ10309 | Hydraulic Center Link - Ball Type | USD $2,307.80 |
| | **HITCH CYLINDERS** | |
| AHC15531 | Hydraulic cylinder 75 mm (2.95 in.)<br>*NOTE: Upgrades right-hand hydraulic cylinder to 75 mm (2.95 in.) for average of 70-mm (2.75-in.) lift cylinder.*<br>*Heavy-duty hitch kit for PowrReverser transmission* | USD $154.00 |
| AHC18728 | Hydraulic Cylinders to 80 mm (3.15 in.)<br>*NOTE: Order two AHC18728 to replace both left-hand and right-hand hydraulic cylinders to 80 mm (3.15 in.)*<br>*Heavy-duty hitch kit for PowrQuad PLUS and Powr8 transmissions* | USD $1,295.80 |
| | **FRONT HITCH** | |
| BXX10880 | Front 3-Point Hitch<br>*For 5ML Open Station Tractors* | USD $4,098.34 |
| BXX10931 | FRONT HITCH FIELD INSTALLATION KIT, 5M (Connections to the rear SCV)<br>*For 5M/5ML Tractors* | USD $1,750.06 |
| BXX10994 | FRONT HITCH, MID SCV ROUTING (Connections to the mid SCV)<br>*For 5M/5ML Tractors* | USD $271.83 |
| BXX10778 | Front 3 Point Hitch Support Push Bar Kit - 5M/5ML/5R<br>*NOTE: The Front 3 Point Hitch Support Push Bar Kit is recommended with ground engaging or high load front implement work.* | USD $1,358.31 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**HYDRAULICS** | |
| 3221 | Open Center Hydraulic System | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 3223 | PFC Hydraulic System | USD $3,757.00 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3335 | Triple Stackable Rear Deluxe Valve with Lever Controls<br>*Features: Three Selectable Detent Positions on #1 Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Flow Priority to #1 Valve. Pressure Compensated Flow Control for running Hydraulic Motors on #1 Valve.* | In Base Price |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3410 | Less Mid Valve With Engine Side Frames<br>*For the PowrQuad Models, THERE IS NO MID SCV FIELD KIT AVAILABLE* | In Base Price |
| 3420 | Dual Stackable Mid Valve with Joystick Control<br>*Includes side frames.* | USD $1,351.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS** | |
| BSJ10282 | POWER BEYOND<br>*For 5075M, 5090M, 5100M, 5100MH, 5115M, 5100ML, 5115ML and 5125ML Tractors*<br>*Compatible with PowrReverser models only.* | USD $416.90 |
| BSJ10283 | CASE DRAIN<br>*For 5075M, 5090M, 5100M, 5100MH, 5100ML, 5115M, 5115ML and 5125ML Tractors*<br>*Supplies non-restricted flow of hydraulic fluid to reservoir.*<br>*Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.*<br>*Compatible with models equipped with OC hydraulics and a PowrReverser Transmission.* | USD $238.70 |
| BSJ10465 | Rear SCV Oil Collection System<br>*Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).*<br>*For tractors equipped with a PowrReverser transmission and an Open Center Hydraulic System* | USD $140.80 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| BSJ10440 | 4th rear SCV Conversion Kit (PFC - non proportional EH) | USD $1,339.80 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *For 5ML Tractors with Closed Center Hydraulics*<br>*Additional Software Required*<br>*Not compatible with EH fender switch kit BSJ10323* | |
| RE272022 | Dual Rear SCV Kit For Open Station<br>*For 5ML Tractors* | USD $1,589.69 |
| | **MID SELECTIVE CONTROL VALVES** | |
| | *NOTE: If 5ML PowerQuad Open Station Tractor was not configured from factory with mid-scv there is not a kit to add mid-scv's to tractor.* | |
| BSJ10330 | 2 Mechanical Mid-SCV with Joystick lever<br>*For 5075M, 5085M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M and 5130M Tractors*<br>*Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve. Does not include loader/engine side frames.* | USD $2,006.40 |
| BSJ10472 | 2 to 3 Mid-SCV Conversion Kit (PFC) (5ML)<br>*Fits 5ML PowerQuad Tractors with Closed Center Hydraulics* | USD $1,701.75 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8720 | ROPS Mounted Work Lights (LED)<br>*Upgrades from halogen to LED* | USD $163.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**LIGHTING** | |
| BSJ10325 | LED HEADLIGHTS<br>*For 5075M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M, 5125ML and 5130M Tractors*<br>*Upgrades front headlights from halogen to LED including high and low beam* | USD $473.00 |
| AXE82059 | LED Work Light - OOS<br>*Includes single LED Hexagon shaped work light. There are a total of four halogen work lights in the base configuration of the tractor.* | USD $163.13 |
| | **ELECTRICITY** | |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| BXX11144 | Battery Disconnect Kit<br>*Fits My23 and Newer 5M Cab Tractors* | USD $183.71 |
| | **BACKUP ALARM** | |
| BSJ10442 | Backup Alarm Kit | USD $203.50 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5172 | 16.9 - 30 in. 6PR R1 Bias<br>*Requires Code 6172.* | USD $31.00 |
| 5914 | 19.5L - 24 in. 10PR R4 Bias<br>*Requires Code 6133.* | In Base Price |
| 5410 | Less Rear Wheels and Tires (MFWD)<br>*Tractor ships with disposable steel transport tires.*<br>*Requires Code 6410*<br>*Requires MFWD gear ratio 8110 or 8120.* | USD ($3,146.00) |
| | **FRONT WHEELS AND TIRES** | |
| 6172 | 11.2-24 in. 6PR R1 Bias | USD $684.00 |
| 6133 | 12.5/80-18 6PR I3(R4 TYPE) 123A8 | In Base Price |
| 6410 | Less Front Wheels and Tires (MFWD)<br>*Tractor ships with disposable steel transport tires.*<br>*Requires MFWD Front Axle (code 6040).*<br>*Requires MFWD gear ratio 8110 or 8120.* | USD ($1,759.00) |
| | **TIRE BRAND PREFERENCE** | |
| 5999 | No Tire Brand Preference | In Base Price |
| | **Additional Factory Options**<br>**REAR FENDERS**<br>*To add remote fender hitch controls to tractors without rear fender extensions, please reference DTAC solution 222508.* | |
| 8022 | Rear Fender Extensions<br>*Adds an additional 8.8 inches (224mm) extension per fender.*<br>*Not compatible with code 8024.* | USD $322.00 |
| 8024 | Rear Fender Extensions - Wide<br>*Adds an additional 15.2 inches (385mm) extension per fender* | USD $553.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Not compatible with code 8022.* | |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |
| RE271547 | Rear Fender Extension Kit with Lights - OOS Tractors with Steel Fenders<br>*For 5M, 5EL, 5E 4cyl, 5MH and 5ML Open Station Tractors with steel fenders* | USD $506.40 |
| | **LOADERS AND BACKHOES**<br>**Basic Factory Options**<br>**LOADERS** | |
| 1799 | Less Loader Prep Package | In Base Price |
| 1725 | Loader Prep Package<br>*Hydraulic hoses and hydraulic connections still need to be ordered with loader.*<br>*Loader Preparation Package only compatible with 540M and 600M (Previously H310) loaders.*<br>*Includes loader mounting frames and hood guard.*<br>*Requires Mid Valve configuration (Code 3420)* | USD $2,305.00 |
| | **GUARDS**<br>**Additional Factory Options**<br>**GUARDS** | |
| 8330 | Skid Plate, Fuel Tank Guard | USD $1,111.00 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Side Exhaust | In Base Price |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit<br>*Includes (2) clamps and hardware* | USD $39.27 |
| 5WS812490 | Super Clamp Kit | USD $59.46 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Includes (2) clamps and hardware* | |
| 5WS812485 | Clamp Kit<br>*Includes (2) clamps and hardware* | USD $44.88 |
| 5WS812450 | Long Tool Holder (2)<br>*NOTE: Carries (2) long handled tools* | USD $83.02 |
| 5WS812455 | Long Tool Holder (4)<br>*NOTE: Carries (4) long handled tools* | USD $109.95 |
| 5WS812435 | Universal Mount Kit<br>*NOTE: This is used for additional mounting locations of tool holders (garage/ballast box/trailer/etc.)*<br>*NOTE: (2) Self-tapping screws & (2) Lag bolts included* | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box<br>*NOTE: It is not recommended to mount the chain box to the ROPS Rack due to potential height of storage location and total weight.* | USD $131.27 |
| | **ENGINE**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**FUEL TANK** | |
| AL213203 | Lockable Filler Cap Fuel Tank | USD $35.01 |
| | **FUEL TANK** | |
| BSJ10480 | Fuel Tank Shield Kit | USD $359.70 |
| BSJ10675 | Fuel Cooler Kit | USD $316.27 |
| SJ14855 | Fuel Tank Skid Plate Kit - Low Profile PR Transmission | USD $950.54 |
| | **COLD WEATHER PACKAGES** | |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |
| | **WEIGHTS AND BALLASTING**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb) | USD $726.00 |
| | **FRONT WEIGHTS** | |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Open Operator Station Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| SU58373 | Front Weight Support, 110 kg (242 lb) (20 front weights)<br>*Requires hardware order separately* | USD $699.60 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| | **FRONT WEIGHTS** | |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 356SP | **5120ML Cab Low-Profile Utility Tractor**<br>ENGINE:<br>Rated Engine Power PS (hp ISO): 120<br>Rated PTO Power (hp SAE) @ 2100 rpm*: 105<br>EPA Final Tier 4 Emissions Compliant<br>Turbocharger with Intercooler<br>PowerTech Diesel Engine<br>4 Valve HPCR<br>Dry Type Air Cleaner with Safety Element<br>Underhood Muffler with Cornerpost Exhaust Stack<br>(Aftertreatment: DOC/SCR)<br>Cold Start Aid - Air Intake Heater<br>Hand and Foot Throttle<br>Key Engine Shut-Off<br>Water Separator Bowl<br><br>TRANSMISSION:<br>EH Differential Lock<br>Hydraulic Oil Cooler<br>Wet Traction Clutch<br>Park Lock<br>Neutral Start Safety Switch<br><br>REAR AXLE:<br>Flanged Rear Axle<br>Planetary Final Drives<br>8-Position Standard Steel Rear Wheels<br><br>FRONT AXLE:<br>Mechanical Front Wheel Drive Front Axle<br>Planetary Final Drives<br>Electrohydraulic MFWD Engagement via On/Auto/Brake<br><br>STEERING AND BRAKES:<br>Hydrostatic Power Steering<br>Hydraulic Wet Disk Brakes Self-Equalizing<br>and Self-Adjusting<br><br>HYDRAULIC:<br>Pressure Flow Compensating (PFC) Hydraulic System<br>Three Stackable Rear Deluxe Selective Control Valves with<br>Lever Controls<br>Selective Control Valve Oil Spill Collector | |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | See code selection for Selective Control Valves (SCVs) and hydraulic system selection<br><br>POWER TAKE-OFF SHAFT:<br>See code selection for PTO Shaft<br>Electrohydraulic PTO Engagement<br>Wet PTO Clutch<br>Operator Presence Safety Warning - PTO<br>Safety Start Switch<br>Flip Up PTO Shield<br><br>ROCKSHAFT, HITCH AND DRAWBAR:<br>Heavy Duty Adjustable Drawbar<br>70mm Hitch Lift Cylinder<br>See code selection for draft link sizing<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Flashing Warning Lamp<br>High Beam Indicator Light<br>Service Transmission Indicator<br>PTO Speed Indicator/Roll Mode<br>Neutral Indicator<br>Tachometer/Hour Meter<br>Engine Oil Pressure<br>Hydraulic Temperature Indicator<br>Coolant Temperature Gauge<br>Diesel Exhaust Fluid Gauge with low DEF Warning Signal<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Exhaust Filter Cleaning Switch<br>Roll Mode for Instrument Cluster<br>PTO Engagement Light<br>4WD Engagement Light<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 950 CCA** with 180 Minute Reserve Capacity<br>120 Amp Alternator<br>Three 3 Pin Power Outlets<br>7-Pin ASAE Outlet Socket | |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | LIGHTS:<br>Two Front Halogen Headlights<br>Two Turn/Warning Lights<br>Two Rear Work Lights<br>Dual Tail Lights<br><br>MISCELLANEOUS:<br>Slow-moving Vehicle (SMV) Emblem<br>Toolbox<br>Fuel Tank Shielding<br><br>* Manufacturer's Rating<br>** Cold Cranking Am+B2:B99ps | |
| | **BASE MACHINE** | |
| 356SP | 5120ML Cab Low-Profile Utility Tractor | USD $129,904.00 |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual | In Base Price |
| 0437 | Spanish Operator's Manual | No Added Cost |
| | **PACKAGES**<br>**Basic Factory Options**<br>**PACKAGE CONFIGURATIONS** | |
| 0500 | Less Package | In Base Price |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2070 | Premium Cab<br>*Includes:*<br>*Fixed Windshield*<br>*Air Ride Suspension Seat*<br>*No Sunroof* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Air conditioning and heat* | |
| | *Deluxe Isolated Cab with Flat Floor* | |
| | *Tilt and Telescopic Steering Column* | |
| | *Left Side Door with Steps* | |
| | *Right-Hand Window with gas shock* | |
| | *Speedometer* | |
| | *Beverage Holder* | |
| | *Sunvisor for Front Window* | |
| | *2-Speed Front Windshield Wiper and Washer* | |
| | *Two Front/Two Rear Roof-Mounted Work Lights* | |
| | *Two Fender-Mounted Taillights* | |
| | *Two Rail-Mounted Lights and Turn Signal* | |
| | *Two Convenience 12V Power Outlets* | |
| | *Two USB Charging Outlets* | |
| | *Interior Dome Light* | |
| | *Pass-Through for Rear Cables* | |
| | *Monitor Mounting Bosses (2 Sets)* | |
| | *Swing-Out Rear Window with Two Removable Rear Plugs for Monitor* | |
| | *Right-Hand Console Light* | |
| | *Programmable Lighting* | |
| | *Radio Preparation (with speakers, wiring)* | |
| | *Rear window grab handle* | |
| | **RADIO** | |
| 2650 | Radio Ready | In Base Price |
| | *Includes pre-radio wiring, antenna installation and 2 speakers.* | |
| 2660 | Radio - Bluetooth® | USD $741.00 |
| | **Additional Factory Options** | |
| | **WINDSHIELD** | |
| 8280 | Rear Window Wiper | USD $379.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION** | |
| | **OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger | USD $18.94 |
| BXX10697 | Auxilary Mounting Rail | USD $153.00 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| RE68495 | Power Strip with Six Outlets | USD $70.93 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| | **RADIO** | |
| SJ14221 | Antenna - Satellite Radio<br>*For 5M, 5MH and 5105ML Tractors* | USD $409.20 |
| SWJHD22 | Stereo with AM/FM, Bluetooth Streaming, Weatherband - Short Din Chassis | USD $279.39 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Overall Dimensions - 2.28" H x 7.4" W x 3.53" D*<br>*• 180 watts max power (45W x 4); 100 watts RMS (25W x 4)*<br>*• Bluetooth® streaming audio (A2DP/AVRCP)*<br>*• Water and UV resistant front panel (IPX5)*<br>*• Weatherband*<br>*• AM/FM tuner with 30 presets*<br>*• Rear USB port for device charging (one amp output)*<br>*• Stereo pre-amp line-level output (2V RMS)*<br>*• Amplifier remote trigger (12VDC)*<br>*• PA microphone input*<br>*• Audio settings (volume/bass/treble/balance/fade)*<br>*• Toggle switch between day and night display*<br>*• Daylight-readable, segmented LCD*<br>*• Two-wire power with non-volatile memory and clock support*<br>*• Low battery alert*<br>*• Work timer* | |
| SWJHD62 | Stereo with AM/FM, Bluetooth Steaming, DAB+, Hands Free Calling Capable - Short Din Chassis<br>*Overall Dimensions - 2.3" H x 7.4" W x 3.6" D*<br>*• 180 watts max power (45W x 4); 100 watts RMS (25W x 4)*<br>*• Bluetooth® streaming audio (A2DP/AVRCP) and hands-free calling (HFP) — compatible with JMICHFP and JMICHFP2 microphones (sold separately)*<br>*• Water and UV resistant front panel (IPX6)*<br>*• App control ready*<br>*• DAB+ (Digital Audio Broadcasting)*<br>*• Weatherband*<br>*• AM/FM tuner with 30 presets*<br>*• RBDS (Radio Broadcast Data Service) with PTY search*<br>*• Rear USB port for device charging (1 amp output)*<br>*• Stereo pre-amp line level output (2V RMS)*<br>*• Amplifier remote trigger (12VDC)*<br>*• Toggle switch between day and night display*<br>*• Full dot matrix LCD* | USD $332.29 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | • *Two-wire power with non-volatile memory and clock support*<br>• *Remote turn on*<br>• *Low battery alert*<br>• *Work timer*<br>• *J1939 CAN Bus capability *requires customer-specific interface* | |
| | **WINDSHIELD** | |
| BXX10840 | Rear Wiper Kit | USD $362.61 |
| | **CAB OPERATOR'S STATION** | |
| AL71350 | Blank Key | USD $16.35 |
| AL71345 | Security Door Lock Kit | USD $244.20 |
| RE282643 | Leather Steering Wheel | USD $265.27 |
| AR60937 | Cigarette Lighter | USD $19.94 |
| BXX10627 | Category 4 Cab Filtration | USD $3,989.70 |
| BXX10839 | RH Door Latch | USD $465.74 |
| | **MIRRORS** | |
| LVB24844 | External Mirror Kit (Cab Only)<br>*For MY23 and newer 5ML cabs* | USD $264.00 |
| | **ENGINE**<br>**Additional Factory Options**<br>**COLD WEATHER PACKAGES** | |
| 8300 | Cold Weather Package<br>*Coolant Heater* | USD $119.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**COLD WEATHER PACKAGES** | |
| BSJ10643 | Fuel Heater | USD $210.10 |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |
| | **FUEL TANK** | |
| AL213203 | Lockable Filler Cap Fuel Tank | USD $35.01 |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1374 | PowrQuad™ PLUS 16F/16R Transmission | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*37 Gallon Fuel Tank*<br>*3.17 Gallon DEF Tank*<br>*36 km/h transmission*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires EH Hitch Controls (code 4030).* | |
| 1398 | Powr8™ 32F/16R Transmission with Creeper<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*37 Gallon Fuel Tank*<br>*3.17 Gallon DEF Tank*<br>*40 km/h transmission*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires EH Hitch Controls (code 4030).* | USD $5,795.00 |
| | **AXLE AND BRAKES**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6040 | MFWD (Mechanical Front Wheel Drive) - Standard Width<br>*Limited Slip Differential*<br>*Push Button, On-The-Go Engagement*<br>*Engagement Indicator Light.*<br>*Electrohydraulic MFWD Engagement via On/Auto/Brake*<br>*Auto Engagement Mode.* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Axle Width from Flange to Flange 1641 mm* | |
| 6030 | MFWD (Mechanical Front Wheel Drive) - Narrow Width<br>*Limited Slip Differential*<br>*Push Button, On-The-Go Engagement*<br>*Engagement Indicator Light.*<br>*Electrohydraulic MFWD Engagement via On/Auto/Brake*<br>*Auto Engagement Mode*<br>*Axle Width from Flange to Flange 1325 mm*<br>*Includes "Narrow" decal* | No Added Cost |
| | **Additional Factory Options**<br>**AXLE** | |
| 8110 | MFWD Clutch with Axle Ratio 1.392<br>*Requires Tire options 5410 and 6410 and 6040 Standard Front Axle*<br>*Please reference DTAC solution 227273: Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| 8120 | MFWD Clutch with Axle Ratio 1.347<br>*Requires Tire options 5410 and 6410 and 6040 Standard Front Axle*<br>*Please reference DTAC solution 227273: Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| 8111 | MFWD Narrow with axle ratio 1.5937<br>*Requires Tire options 5410 and 6410 and 6030 Narrow Front Axle*<br>*Please reference DTAC solution 227273 Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| 8112 | MFWD Narrow with axle ratio 1.6406<br>*Requires Tire options 5410 and 6410 and 6030 Narrow Front Axle*<br>*Please reference DTAC solution 227273 Front to Rear Axle Overspeed MFWD Gear/Tire Recommendations* | No Added Cost |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT AXLE** | |
| AL156778 | Hub Extension 60mm, Front, Tread Adjustment | USD $841.50 |
| | **REAR AXLE** | |
| AL156777 | Hub Extension 111mm, Rear, Tread Adjustment | USD $884.40 |
| AL156776 | Hub Extension 30mm, Rear, Tread Adjustment | USD $571.43 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| AL156779 | Hub Extension 44mm, Rear, Tread Adjustment | USD $688.60 |
| | **BRAKES** | |
| BXX10898 | Brake Comfort Accumulator<br>*Provides brake boost assistance in case of an engine stall.*<br><br>*NOTE: For 5ML Cab Tractors* | USD $746.51 |
| | **PRECISION AG TECHNOLOGY**<br>**Basic Factory Options**<br>**GREENSTAR™ AND AUTOTRAC™** | |
| 182A | Less AutoTrac™/ Less ISOBUS | In Base Price |
| 182B | ISOBUS/GreenStar™ Ready<br>*Option Includes:*<br>*Power Harness*<br>*Connector at the A-post*<br>*StarFire™ Receiver roof harness and bracket*<br>*ISOBUS Class 2 gateway controller and*<br>*In-cab ISOBUS connector*<br>*60A socket*<br>*200 Amp Alternator*<br><br>*No AutoTrac components have been installed.* | USD $814.00 |
| 182G | AutoTrac™ Ready with AutoTrac Basic<br>*Includes ISOBUS/GreenStar Ready option and Harness, Sensors, Steering Valve and primary display software for straight-line (basic) guidance. This option does NOT include a StarFire™ receiver required for AutoTrac Basic operation. The use of optional precision ag display requires an AutoTrac Activation for AutoTrac operation and documentation.* | USD $4,618.00 |
| | **DISPLAY** | |
| 1900 | Less Display | In Base Price |
| 190Q | G5 Universal Display<br>*Includes single 25.7-cm (10.1-in) G5 touchscreen display with 1-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD* | USD $3,495.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *tractor compatibility, RS232, ethernet inputs and permanent, non-transferable licenses for the following precision ag applications: - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access*<br><br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | |
| 190R | G5 Universal Display with AutoTrac™ License<br>*Includes single 25.7-cm (10.1-in) HD touchscreen display with 1-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD tractor compatibility and RS232 inputs and license for the following precision ag applications: - AutoTrac™ - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access*<br><br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | USD $6,495.00 |
| 190S | G5 Universal Display with Section Control License<br>*Includes single 25.7-cm (10.1-in) HD touchscreen display with 1-analog and 2-ethernet video inputs, 2-USB Data ports, CCD tractor compatibility and RS232 inputs. Permanent, non-transferable licenses for the following precision ag applications: - Data Sync - Documentation - Over-the-air updates - Remote Display Access - Section Control*<br><br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink. AutoTrac RowSense requires an AutoTrac license and additional hardware.* | USD $5,495.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | |
| 190U | G5 Universal Display with AutoTrac™ and Section Control Licenses<br>*Includes single 25.7-cm (10.1-in) HD touchscreen display with 1-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD tractor compatibility and RS232 inputs. Permanent, non-transferable licenses included for the following precision ag applications: - AutoTrac™ - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access - Section Control*<br><br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink. AutoTrac RowSense requires an AutoTrac license and additional hardware.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | USD $8,495.00 |
| | **DISPLAY APPLICATIONS** | |
| 1950 | Less Application | In Base Price |
| | **RECEIVERS** | |
| 1880 | Less Receiver | In Base Price |
| 188U | StarFire™ 7500 Universal Receiver with SF1<br>*SF1 Provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. See Sales Manual for additional information.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | USD $4,300.00 |
| 1892 | StarFire™ 7500 Universal Receiver with 1 year SF-RTK license<br>*Includes StarFire 7500 Universal Receiver with 1 year SF-RTK license. SF-RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy, and long-term repeatability. See Sales Manual for more information.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | USD $5,800.00 |
| 189D | StarFire™ 7500 with RTK (Base Station) Permanent License<br>*This Code is not a SF-RTK License. This code is for a permanent RTK License. RTK requires access to differential corrections from a local RTK Base Station and additional hardware or licenses may be* | USD $11,800.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | *required. See Sales Manual for additional information. RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term repeatability.*<br>*Requires GreenStar™ or AutoTrac™ Ready (182B or 182G).* | |
| | **CONNECTIVITY HARDWARE** | |
| 183N | JDLink™ Modem<br>*Includes an integrated cab wiring harness and JDLink M Modem- 4G capable. Ethernet hardware connection varies per GreenStar™ and AutoTrac™ configuration.*<br><br>*JDLink connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.*<br><br>*JDLink connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See the Precision Ag Technology Sales Manual for details.* | In Base Price |
| | **Additional Factory Options**<br>**AUTOMATION** | |
| 8217 | iTEC™ Basic<br>*Option includes both AL213360 (iTEC Basic Software) and BSJ10361 (installation instructions)* | USD $249.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**DISPLAY** | |
| BPF11445 | John Deere 4640 Universal Display and Extended Monitor Bracket | USD $172.70 |
| BPF11526 | Gen 4 Extended Monitor Cable - .6 Meter | USD $49.50 |
| BPF12124 | G5 Universal Display Mounting Bracket - Tractors/Sprayers | USD $125.00 |
| | **MACHINE CONNECTIVITY** | |
| | *For MY23 5M, 5E 4 cylinder models, and 5E 3 cylinder Cab models built with option code 183A (JDLink Capable) will only require installing the M Modem. These machines were equipped from the factory with the necessary harnessing installed.*<br>*NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| BSJ10674 | SmartConnector - CAN to Bluetooth® | USD $165.00 |
| TA25456 | MTG Jumper Harness | USD $25.04 |
| PFA12899 | 2 Wire Ethernet Cable - Mini50<br>*Required to connect a display to JDLink™ M Modems*<br><br>*NOTE: Requires Ethernet Switch Kit to work with Gen 4 4240 Display* | USD $99.28 |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630)<br>*This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | USD $275.00 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3830 | Three Speed PTO - 540/540E/1000 | In Base Price |
| | **Additional Factory Options**<br>**POWER TAKE-OFF (PTO) CONTROLS** | |
| 8386 | PTO Remote Controls - LH and RH Fenders | USD $82.00 |
| | **FRONT POWER TAKE-OFF (PTO)** | |
| 8381 | Front PTO<br>*Requires Front Hitch Category 2 (4001)* | USD $7,152.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**POWER TAKE-OFF (PTO)** | |
| BSJ10563 | PTO Fender Switch Kit | USD $102.30 |
| | **FRONT POWER TAKE-OFF (PTO)** | |
| SJ23950 | *NOTE: Per standards: 6 Spline Front PTO is for EU tractors and 21 Spline Front PTO is for North American tractors with PQ transmissions*<br><br>*NOTE: Front PTO Kits are applicable for CAB tractors only*<br>Auxiliary front drive coupler Kit - 4045 | USD $997.70 |
| BXX10535 | Front PTO Mounting Parts Kit<br>*Includes front pto mounting parts only. Also order BSJ10520 for R4 tractors or BSJ10318 for R2 tractors* | USD $903.97 |
| BSJ10520 | Front PTO case and Shaft (21 tooth spline) (need to order mounting parts separately) - North America | USD $4,319.70 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **REAR POWER TAKE-OFF (PTO)** | |
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 23.8 mm x 61.3 mm (0.94 in. x 2.4 in.) 540 RPM, CAT 2R* | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 22 mm x 54 mm (0.87 in. x 2.13 in.) 540 RPM, CAT 1R* | USD $300.30 |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 74.6 mm (1.06 in. x 2.94 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 70.2 mm (1.06 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 28 mm x 70.2 mm (1.1 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.00 |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 30.2 mm x 80 mm (1.2 in. x 3.15 in.) 540 RPM, CAT 4R* | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 31.75 mm x 81.76 mm (1.25 in. x 3.22 in.) 540 RPM, CAT 4R* | USD $300.00 |
| BLV10953 | John Deere Quik Knect™ PTO receiver<br>*At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.* | USD $140.89 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**HITCH CONTROLS** | |
| 4030 | Electronic Hitch Control | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **DRAFT LINK** | |
| 4115 | Ball End Draft Links - Category 2 | In Base Price |
| 4116 | Hook End Draft Links - Category 2 | No Added Cost |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link with Ball End - Category 2 | In Base Price |
| 4213 | Mechanical Center Link with Hook - Category 2 | No Added Cost |
| 4223 | Hydraulic Center Link with Hook - Category 2 | USD $1,039.00 |
| | **LIFT LINK** | |
| 4155 | LH and RH Adjustable Lift Links | In Base Price |
| | **STABILIZER** | |
| 4424 | Left Hand and Right Hand Stabilizer Bar | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4004 | Front Weight Support (55 kg/121 lbs) | In Base Price |
| 4001 | Front Hitch - Category 2<br>*Belt Line Headlights (8737) are recommended with Front Hitch - Category 2.* | USD $4,771.00 |
| | **DRAWBAR AND TRAILER HITCH** | |
| 4315 | Basic Drawbar | In Base Price |
| 4317 | Drawbar with Hammerstrap | USD $174.00 |
| | **Additional Factory Options**<br>**HITCH CYLINDERS** | |
| 8464 | 75mm Hitch Lift Cylinders<br>*In Base Hitch Lift Cylinders are 70mm* | USD $513.00 |
| | **THREE-POINT HITCH** | |
| 841X | Quick Hitch Category 2<br>*Hook End Draft Links Is not compatible (4116)* | USD $716.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HITCH CONTROLS** | |
| BSJ10323 | Electrohydraulic (EH) Hitch Right Fender Switch Kit<br>*Not compatible with 4th Rear SCV kit BSJ10440*<br><br>*NOTE: Requires Software* | USD $451.00 |
| | **DRAFT LINK** | |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| R66432 | Draft Link Conversion Bushing, Cat. II to Cat. I | USD $31.27 |
| | **CENTER LINK** | |
| BSJ10309 | Hydraulic Center Link - Ball Type | USD $2,307.80 |
| SJ28942 | Hydraulic Center Link - Hook type | USD $1,701.70 |
| | **HITCH CYLINDERS** | |
| AHC15531 | Hydraulic cylinder 75 mm (2.95 in.)<br>*NOTE: Upgrades right-hand hydraulic cylinder to 75 mm (2.95 in.) for average of 70-mm (2.75-in.) lift cylinder.*<br>*Heavy-duty hitch kit for PowrReverser transmission* | USD $154.00 |
| AHC18728 | Hydraulic Cylinders to 80 mm (3.15 in.)<br>*NOTE: Order two AHC18728 to replace both left-hand and right-hand hydraulic cylinders to 80 mm (3.15 in.)*<br>*Heavy-duty hitch kit for PowrQuad PLUS and Powr8 transmissions* | USD $1,295.80 |
| | **THREE-POINT HITCH** | |
| BSJ10595 | Quick-Hitch Category 2 | USD $1,114.30 |
| | **DRAWBAR** | |
| RE19428 | Safety  Chain Support Kit | USD $200.38 |
| RE242110 | Drawbar - Hammerstrap and Chain Clevis Kit | USD $178.20 |
| | **FRONT HITCH** | |
| BXX11233 | Front 3-Point Hitch, Kit 5ML Cab<br>*For 5ML Cab Tractors* | USD $4,110.33 |
| BXX10931 | FRONT HITCH  FIELD INSTALLATION KIT, 5M (Connections to the rear SCV)<br>*For 5M/5ML Tractors* | USD $1,750.06 |
| BXX10994 | FRONT HITCH, MID SCV ROUTING (Connections to the mid SCV)<br>*For 5M/5ML Tractors* | USD $271.83 |
| BXX10778 | Front 3 Point Hitch Support Push Bar Kit - 5M/5ML/5R<br>*NOTE: The Front 3 Point Hitch Support Push Bar Kit is recommended with ground engaging or high load front implement work.* | USD $1,358.31 |
| | **HYDRAULICS**<br>**Basic Factory Options** | |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3335 | Triple Stackable Rear Deluxe SCV's with Lever Control<br>*Features: Three Selectable Detent Positions on EACH Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Pressure Compensated Flow Control for running Hydraulic Motors on EACH Valve.* | In Base Price |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3410 | Less Mid Valve with Engine Side Frames<br>*THERE IS NO MID SCV FIELD KIT AVAILABLE.* | In Base Price |
| 3435 | Three Deluxe Mid EH SCV with Electronic Joystick Control<br>*Includes 4th Function Switch and Gear Shift switch. All three EH valves are proportional.* | USD $4,142.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR SELECTIVE CONTROL VALVES** | |
| BSJ10440 | 4th rear SCV Conversion Kit (PFC - non proportional EH)<br>*For 5ML Tractors with Closed Center Hydraulics*<br>*Additional Software Required*<br>*Not compatible with EH fender switch kit BSJ10323* | USD $1,339.80 |
| | **HYDRAULICS** | |
| BSJ10240 | Power Beyond Kit (PFC System)<br>*For 5ML Tractors with Closed Center Hydraulics* | USD $248.60 |
| BSJ10428 | Hydraulic Case Drain Plumbing (PFC and OC)<br>*For 5ML Tractors with Open and Closed Center Hydraulics* | USD $238.70 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8731 | Full LED Lighting Package with Headlights<br>*Package upgrades the headlights, 2 front, and 2 rear work lights from halogen to LED* | USD $731.00 |
| 8737 | Two Beltline Halogen Road Lights H4<br>*Belt Line Headlights are recommended with Front Loader (1725) & Front Hitch (4001) options.* | USD $209.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **ELECTRICITY** | |
| 878B | Battery Disconnect Switch | USD $184.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION LIGHTING** | |
| BSJ10325 | LED HEADLIGHTS<br>*Upgrades front headlights from halogen to LED including high and low beam.*<br>*Fits 5ML Tractors* | USD $473.00 |
| BSJ10416 | Auxiliary Loader Light Kit - R4 Cab | USD $1,809.50 |
| | **ELECTRICITY** | |
| BXX11144 | Battery Disconnect Kit<br>*Fits My23 and Newer 5M Cab Tractors* | USD $183.71 |
| | **BACKUP ALARM** | |
| BXX10921 | Backup Alarm Kit<br>*Fits 5ML Cab Tractors* | USD $193.14 |
| | **ALTERNATOR** | |
| RE555751 | 200 Amp Alternator | USD $575.84 |
| | **BEACON LIGHTING** | |
| BXX10855 | Led Beacon Light - CAB<br>*Fits 5ML Cab Tractors* | USD $227.20 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5132 | 360/70R24 Radial<br>*Requires Front Tire Option 6142* | USD $979.00 |
| 5134 | 420/70R24 Radial<br>*Requires Front Tire Option 6134* | USD $1,362.00 |
| 5322 | 340/85R28 Radial<br>*Requires Front Tire Option 6106* | USD $960.00 |
| 5135 | 420/70R28 Radial<br>*Requires Front Tire Option 6135, 6138, or 6261* | USD $2,146.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 5148 | 480/65R28 Radial<br>*Requires Front Tire Option 6260 or 6261* | USD $2,900.00 |
| 5914 | 19.5L - 24 In. 10PR R4 BIAS<br>*Requires Front Tire Option 6133* | In Base Price |
| 5410 | Less Rear Wheels and Tires (MFWD)<br>*Tractor ships with disposable steel transport tires.*<br>*Requires Front Tire Option 6410.*<br>*Requires MFWD gear ratio 8110, 8120, 8111 or 8112.* | USD ($3,146.00) |
| | **FRONT WHEELS AND TIRES** | |
| | *See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.* | |
| 6142 | 240/70R16 Radial<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $80.00 |
| 6134 | 280/70R16 Radial<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $187.00 |
| 6106 | 250/80R18<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $253.00 |
| 6135 | 280/70R18 Radial<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $390.00 |
| 6260 | 320/65R18 Radial<br>*Requires Front Axle Option 6030 (MFWD: Narrow Width)* | USD $473.00 |
| 6138 | 320/70R20 Radial<br>*Requires Front Axle 6040 (MFWD: Standard Width)* | USD $778.00 |
| 6261 | 360/70R20 Radial<br>*Requires Front Axle 6040 (MFWD: Standard Width)* | USD $988.00 |
| 6410 | Less Front Wheels and Tires (MFWD)<br>*Tractor ships with disposable steel transport tires.*<br>*Requires MFWD gear ratio 8110, 8120, 8111 or 8112.* | USD ($1,759.00) |
| 6133 | 12.5/80-18 6PR I3 (R4 TYPE) 123A8<br>*Requires Front Axle 6040 (MFWD: Standard Width)* | In Base Price |
| | **TIRE BRAND PREFERENCE** | |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| 5999 | No Tire Brand Preference | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT FENDERS** | |
| BW16094 | Stationary fenders<br>*Not compatible with Narrow front axle in combination with AutoTrac ready* | USD $969.10 |
| AL180327 | Front Fenders 420 mm (16.5 In.) Wide (MFWD)<br>*Not compatible with Narrow front axle in combination with AutoTrac ready* | USD $192.11 |
| AL180330 | Front Fenders 370 mm (14.6 In.) Wide (MFWD)<br>*Not compatible with Narrow front axle in combination with AutoTrac ready* | USD $167.19 |
| AL180326 | Front Fenders 480 mm (18.9 In) Wide (MFWD)<br>*Not compatible with Narrow front axle in combination with AutoTrac ready* | USD $224.64 |
| BSJ10307 | Turnable Front Fender Mounting brackets and hardware kit | USD $1,048.30 |
| BXX10701 | Narrow Axle Front Fenders 310 mm (12.2 In.) Wide - Cab | USD $1,833.44 |
| BXX10702 | Narrow Axle Front Fenders 355 mm (13.9 In.) Wide - Cab | USD $1,663.71 |
| | **REAR FENDERS** | |
| BXX10658 | Rear Fender Extensions - CAB | USD $397.56 |
| | **LOADERS AND BACKHOES**<br>**Basic Factory Options**<br>**LOADERS** | |
| 1799 | Less Loader Prep Package | In Base Price |
| 1725 | Loader Prep Package<br>*Hydraulic hoses and hydraulic connections still need to be ordered with loader.*<br>*Includes loader mounting frames and hood guard.*<br>*Requires Mid Valve configuration (option 3435)*<br>*Loader Preparation Package only compatible with 540M loader.*<br>*Belt Line Headlights (8737) are recommended with Loader Prep Package.*<br>*Limb lifter field kits are NOT compatible with Loader Prep Package.* | USD $2,305.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| | **WEIGHTS AND BALLASTING**<br>**Additional Factory Options**<br>**FRONT WEIGHT OPTIONS** | |
| 8959 | Four Front Suitcase Weights<br>*Option includes four 95 lb (43 kg) weights.*<br>*Requires Front Weight Support (4004).*<br>*Not compatible with Front Hitch (4001) or Front PTO (8381).* | USD $607.00 |
| 8960 | Six Front Suitcase Weights<br>*Option includes six 95 lb (43 kg) weights.*<br>*Requires Front Weight Support (4004).*<br>*Not compatible with Front Hitch (4001) or Front PTO (8381).* | USD $911.00 |
| 8961 | Eight Front Suitcase Weights<br>*Option includes eight 95 lb (43 kg) weights.*<br>*Requires Front Weight Support (4004).*<br>*Not compatible with Front Hitch (4001) or Front PTO (8381).* | USD $1,215.00 |
| 8962 | Ten Front Suitcase Weights<br>*Option includes ten 95 lb (43 kg) weights.*<br>*Requires Front Weight Support (4004).*<br>*Not compatible with Front Hitch (4001) or Front PTO (8381).* | USD $1,518.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb)<br>*Not compatible on wheels sized 24" or smaller.*<br><br>*Parts Required to add (2) R213907 to 5ML Narrow with 28" Wheels*<br>• *2-R213907-rear wheel weight 95lb*<br>• *16-SU291930-mounting bolts*<br>• *16-24M7241-washers*<br>• *16-14H1039-nuts*<br>• *16-11M7083-cotter pins* | USD $209.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| SU57513 | Weight, Rear Wheel - 150 kg (330lb)<br>*Compatible with 24" and 28" wheels* | USD $726.00 |
| | **FRONT WEIGHTS** | |
| R262449 | Front Weight Support, 55kg (121 lb) | USD $483.02 |
| SU58373 | Front Weight Support, 110 kg (242 lb) (20 front weights) | USD $699.60 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |
| | **BALLAST** | |
| BW15852 | Large ballast box | USD $1,745.70 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Side Exhaust | USD $673.00 |
| 3020 | Vertical Exhaust<br>*Limb lifter field kits are NOT compatible with vertical exhaust.* | In Base Price |
| | **GUARDS**<br>**Additional Factory Options**<br>**GUARDS** | |
| 8331 | Underbelly Protection<br>*Fuel Tank Shield is in the base machine, this option includes Skid Plates.* | USD $457.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**GUARDS** | |
| BXX11557 | Limb Protection Bracket Kit<br>*The Limb Protection Bracket Kit is designed to protect the front work light harnesses and rear window seals of the 5ML cab from damage during crop applications in which tree limbs could contact the tractor.* | USD $80.54 |
| BXX10588 | Limb Lifter - 5ML Cab<br>*NOTE: Will not fit with vertical exhaust*<br>*NOTE: Compatible with front hitch and front PTO.* | USD $3,362.70 |
| | **HOOD GUARDS** | |

Copyright © Deere & Company. All Rights Reserved.

# 5120ML Cab Low-Profile Utility Tractor

| Code | Description | List price |
|---|---|---|
| BW16765 | Hood Guard | USD $603.90 |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit<br>*Includes (2) clamps and hardware* | USD $39.27 |
| 5WS812490 | Super Clamp Kit<br>*Includes (2) clamps and hardware* | USD $59.46 |
| 5WS812485 | Clamp Kit<br>*Includes (2) clamps and hardware* | USD $44.88 |
| 5WS812450 | Long Tool Holder (2)<br>*NOTE: Carries (2) long handled tools* | USD $83.02 |
| 5WS812455 | Long Tool Holder (4)<br>*NOTE: Carries (4) long handled tools* | USD $109.95 |
| 5WS812435 | Universal Mount Kit<br>*NOTE: This is used for additional mounting locations of tool holders (garage/ballast box/trailer/etc.)*<br>*NOTE: (2) Self-tapping screws & (2) Lag bolts included* | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box<br>*NOTE: It is not recommended to mount the chain box to the ROPS Rack due to potential height of storage location and total weight.* | USD $131.27 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 19CGPY | **5105MH High-Crop Specialty Tractor (ALDI)**<br>ENGINE:<br>Rated Engine Power PS (hp ISO): 105 (77.4 kW)<br>Rated PTO Power (hp SAE) @ 2100 rpm*: 90 (66.2 kW)<br>EPA Final Tier 4 Emissions Compliant<br>Turbocharger with Intercooler<br>4.5L PowerTech Diesel Engine<br>Turbocharger with Intercooler<br>4 Valve HPCR<br>Dry Type Air Cleaner with Safety Element<br>Cold Start Aid - Air Intake Heater<br>Hand and Foot Throttle<br>Key Engine Shut Off<br>Water Separator Bowl<br>DEF Tank capacity (3.2 gal)<br><br>TRANSMISSION:<br>EH Differential Lock<br>Hydraulic Oil Cooler<br>Wet Traction Clutch<br>Park Lock<br>Neutral Start Safety Switch<br><br>REAR AXLE:<br>Flanged Rear Axle<br>Planetary Final Drives<br><br>FRONT AXLE:<br>Mechanical Front Wheel Drive Front Axle<br>Planetary Final Drives<br>Electrohydraulic MFWD Engagement via On/Auto/Brake<br><br>STEERING AND BRAKES:<br>Hydrostatic Power Steering<br>Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting<br><br>HYDRAULIC:<br>Open Center Hydraulic System<br>Tandem Gear Pump 24.7 gpm (94 lpm)<br>Maximum Total Flow -<br>Steering Pump 6.3 gpm (24 lpm)<br>Implement Pump 18.4 gpm (70 lpm)<br>Mid SCV (see code for selection) | |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Rear SCV (see code for selection)<br><br>POWER TAKE-OFF SHAFT:<br>Independent "Live" 540 rpm Rear PTO Shaft @ 2100 Engine rpm<br>Economy PTO Setting for 540 PTO rpm @ 1645 Engine rpm<br>Electrohydraulic PTO Engagement<br>Wet PTO Clutch<br>Operator Presence Safety Warning - PTO<br>Safety Start Switch<br>Flip Up PTO Shield<br><br>ROCKSHAFT, HITCH AND DRAWBAR:<br>65-mm Lift Cylinder<br>Standard Adjustable Straight Drawbar<br>Telescoping Draft Links with Category II Balls<br>Lower Link Draft Sensing<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Coolant Temperature Gauge<br>Diesel Exhaust Fluid Gauge with low DEF Warning Signal<br>Flashing Warning Lamp<br>High Beam Indicator Light<br>Service Transmission Indicator<br>PTO Speed Indicator<br>Neutral Indicator (PR Only)<br>Tachometer/Hour Meter<br>Engine Oil Pressure<br>Hydraulic Temperature Indicator<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Exhaust Filter Cleaning Switch<br>Roll Mode for Instrument Cluster<br>PTO Engagement Light (Rear PTO)<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 925 CCA** with 180 Minute Reserve Capacity<br>7-Pin ASAE Outlet Socket | |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | LIGHTS:<br>Two Front Halogen Headlights<br>Two Turn/Warning Lights<br>Two Tail Lights<br><br>MISCELLANEOUS:<br>Slow-moving Vehicle (SMV) Emblem<br>Service Horn<br><br>* Manufacturer's Rating<br>** Cold Cranking Amps | |
| | **BASE MACHINE** | |
| 19CGPY | 5105MH High-Crop Specialty Tractor (ALDI) | USD $96,551.00 |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operators Manual | In Base Price |
| 0437 | Spanish Operators Manual | No Added Cost |
| | **PACKAGES**<br>**Basic Factory Options**<br>**PACKAGE CONFIGURATIONS** | |
| 0500 | Less Package | In Base Price |
| | **PRECISION AG TECHNOLOGY**<br>**Basic Factory Options**<br>**GREENSTAR™ AND AUTOTRAC™** | |
| 182A | Less AutoTrac™/Less ISOBUS<br>*Does NOT include harnesses or additional components required for GreenStar™ Display, StarFire™ Receivers, ISOBUS Implements or AutoTrac™.* | In Base Price |
| | **DISPLAY** | |
| 1900 | Less Display | In Base Price |
| | **DISPLAY APPLICATIONS** | |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 1950 | Less Application | In Base Price |
| | **RECEIVERS** | |
| 1880 | Less Receiver | In Base Price |
| | **CONNECTIVITY HARDWARE** | |
| 183N | JDLink™ Modem<br>*Includes an integrated cab wiring harness and JDLink M Modem- 4G capable. Ethernet hardware connection varies per GreenStar™ and AutoTrac™ configuration.*<br><br>*JDLink connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.*<br><br>*JDLink connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See the Precision Ag Technology Sales Manual for details.* | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION GREENSTAR™ AND AUTOTRAC™** | |
| BPF12231 | GreenStar™ Ready Universal Guidance Kit, Upgradeable - John Deere or Competitive Models | USD $907.50 |
| BPF11129 | FT4 GreenStar Harness<br>*For John Deere FT4 5M - 5075M, 5090M, 5100M and, 5115MTractors. Includes power supply harness kit and GreenStar harness for non-GreenStar Ready machines.*<br>*Requires BPF11130 AutoTrac Universal steering supplemental kit - AA and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).* | USD $511.50 |
| | **DISPLAY** | |
| BPF11445 | John Deere 4640 Universal Display and Extended Monitor Bracket | USD $172.70 |
| BPF11526 | Gen 4 Extended Monitor Cable - .6 Meter | USD $49.50 |
| BPF12124 | G5 Universal Display Mounting Bracket - Tractors/Sprayers<br>*GreenStar single display mounting bracket for original GreenStar display, GS2, GS3GS4 4240 displays* | USD $125.00 |
| BE32890 | G5 Universal Display Mounting Bracket | USD $293.03 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **MACHINE CONNECTIVITY** | |
| | *For MY23 5M, 5E 4 cylinder models, and 5E 3 cylinder Cab models built with option code 183A (JDLink Capable) will only require installing the M Modem. These machines were equipped from the factory with the necessary harnessing installed.*<br>*NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |
| BSJ10674 | SmartConnector - CAN to Bluetooth®<br>*Compatible with MY18 and newer 5M tractors. Serial numbers 1LV5075MAHH100802, 1LV5085MPHH100801, 1LV5100MCHH100901, 1LV5115MTHH100901 and greater.*<br>*Compatible with MY18 and newer 5MH tractors. Serial numbers 1LV5100MEHH401201 and greater for cab tractors and 1LV5100MCHH100901 for open station tractors.*<br>*Compatible with MY18 and newer 5ML tractors. Serial numbers -700701 and greater.* | USD $165.00 |
| PFA10879 | High performance - 4-m (13-ft) length Antenna<br>*For 5M and 5R Cab only: 5075M, 5085M, 5090M, 5100M, 5100MH, 5115M, 5090R, 5100R, 5115R, and 5125R (serial number HH100101)* | USD $208.42 |
| PFA11136 | Low Profile - 3.2-m (10.5-ft) Length Antenna<br>*For 5M Open Operator Station: 5M, 5100ML, 5115ML, 5125ML, and 5100MH (model year 2015 and newer Final Tier 4 [FT4])* | USD $218.09 |
| PFA12899 | 2 Wire Ethernet Cable - Mini50<br>*Required to connect a display to JDLink™ M Modems*<br><br>*NOTE: Requires Ethernet Switch Kit to work with Gen 4 4240 Display* | USD $99.28 |
| BPF11020 | JDLink Tractor Embedded Kit - 5M Series Tractors MY2015 and newer | USD $258.50 |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630)<br>*This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | USD $275.00 |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 2000 | Fixed Open Operator Station<br>*Fixed Open Operator Station with Flat Floor*<br>*Tilt and Telescoping Steering Column*<br>*2-Post Isolated Foldable Roll-Over Protection Structure (ROPS)*<br>*Speedometer*<br>*Base seat with Flip Up Feature and Retractable Seat Belt*<br>*37.2 U.S. Gallon Fuel Tank Capacity*<br>*Beverage Holder*<br>*90A Alternator*<br>*Flashing Warning Lights*<br>*Dual Taillights*<br>*Single Rear Work Light*<br>*Requires Mechanical Hitch (code 4010).* | In Base Price |
| 2055 | Standard Cab<br>*Deluxe Isolated Cab with Flat Floor*<br>*Tilt and Telescopic Steering Column*<br>*Left and Right Side Doors with Steps*<br>*Air Conditioning and Heater*<br>*Speedometer*<br>*Beverage Holder*<br>*Sunvisor for Front Window*<br>*2-Speed Front Windshield Wiper and Washer*<br>*Two Front/Two Rear Roof-Mounted Work Lights*<br>*Two Front/Two Rear Roof-Mounted Warning Lights*<br>*Two Fender-Mounted Taillights*<br>*120A Alternator*<br>*Convenience Power Outlet*<br>*Monitor Mounting Bosses (2 Sets)*<br>*Swing-Out Rear Window with Two Removable Rear Plugs for Monitor*<br>*Right-Hand Console Light*<br>*Radio Preparation (with speakers, wiring)*<br>*Rear window grab handle*<br>*Bluetooth Ready*<br>*37.2 U.S. Gallon (140.8 L) Fuel Tank Capacity* | USD $17,111.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Requires Option Code 3025 (Deluxe Corner Post Exhaust).* | |
| | **MIRRORS** | |
| 2500 | Less Rear View Mirrors | In Base Price |
| 2511 | Mirror Telescopic LH & RH<br>*Only available on Cab Tractors (2055 and 2060)* | USD $407.00 |
| | **SEAT** | |
| 2100 | Mechanical Suspension seat | In Base Price |
| 2120 | Air Suspension seat | USD $1,133.00 |
| 2121 | Premium Air Suspension Seat<br>*Includes heater and low frequency air suspension*<br>*Only available on Cab Tractors (2055 and 2060)* | USD $1,806.00 |
| | **CAB INSTRUCTIONAL SEAT** | |
| 2400 | Less Instructional Seat | In Base Price |
| 2410 | Instructional Seat with Seat-belt<br>*Only available on Cab Tractors (2055 and 2060)* | USD $747.00 |
| | **Additional Factory Options**<br>**CAB OPERATOR'S STATION** | |
| 8280 | Rear Window Wiper<br>*In Base Equipment for Premium Cab*<br>*Option only applies to Standard Cab (2055)* | USD $379.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger<br>*Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.* | USD $18.94 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| RE68495 | Power Strip with Six Outlets | USD $70.93 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit<br>*Compatible with 10-mm (0.39-in.) mounting bosses and most accessory mounting brackets.*<br><br>*Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).* | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| | **MIRRORS** | |
| AL80126 | Rear Mirror Mechanical - Left<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| AL80127 | Rear Mirror Mechanical - Right<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| BSJ10473 | MIRROR KIT, TELESCOPIC, LH & RH, MANUALLY ADJUSTED<br>*For 5090M, 5100M, 5115M, 5125M, 5090R, 5100R, 5115R, and 5125R Tractors* | USD $479.60 |
| RE244177 | Rear View Mirror Mounting Kit - Open Operator Station | USD $50.82 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Tractors<br>*RH Mirror Kit for Open Station Tractors*<br>*Fits 5085E, 5090E, 5100E, 5083E, 5093E, 5101E, 5083E Limited, 5093E Limited, 5101E Limited, 5100ML, 5115ML, 5125ML,5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100MH, 5105M, and 5115M Tractors*<br>*Kit contains AL80127 RH mirror kit and brackets for installation onto ROPS.* | |
| SJ10016 | Additional Inner Mirror For Hitch View<br>*Only cab tractors.* | USD $97.19 |
| | **SEAT** | |
| LVB25501 | Seat Armrest Kit<br>*Open Station Only, Standard on Cab Tractors.* | USD $182.60 |
| AL77888 | Seat Backrest Extension<br>*provides additional support and stability to the driver´s upper part of the back. Only IOOS tractors* | USD $421.34 |
| | **CAB INSTRUCTIONAL SEAT** | |
| BSJ10641 | Cab Instructional Seat Kit<br>*NOTE: Fits 5E 4cyl, 5M and 5R cab tractors*<br>*NOTE: Replaces BSJ10125 and BSJ10434* | USD $574.20 |
| | **CAB OPERATOR'S STATION** | |
| AL71350 | Blank Key | USD $16.35 |
| AL71345 | Security Door Lock Kit<br>*If needed order additional Blank Key (AL71350).* | USD $244.20 |
| AL178270 | Field Office<br>*solution for documents, paper, laptops or operator´s manuals which can easily be removed and carried like a suitcase. Cab only / Load center cover needs to be ordered separately (RE253275)* | USD $339.78 |
| RE282643 | Leather Steering Wheel<br>*Fits 5M MY18+ cab tractors* | USD $265.27 |
| AH104259 | Ash Tray<br>*Must also order (2) 37M7218, (1) AL173370, (1) AL207492, (1) SU49479.* | USD $134.91 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| AR60937 | Cigarette Lighter | USD $19.94 |
| AT162291 | Seat Backrest Extension<br>*Cab Tractors ONLY.* | USD $328.21 |
| SJ14288 | Activated Carbon Filter Kit<br>*combination of dust and odour filter in one providing high efficiency and performance without air flow restriction in the cab. This results in: - less irritation of eyes, nose and throat, - higher driving comfort, - a cleaner cab and - improves the operator"s working environment Kit includes: 2 x Activated carbon air filters 2 x Activated carbon recirculation filters, installation instruction and safety information. Please note: Service interval is - for both activated carbon air and recirculation filters - 250 hours or once a year (whatever occurs first) and as required. Activated carbon filters should never be cleaned dry or wet! Only cab tractors* | USD $518.65 |
| | **RADIO** | |
| SJ10170 | Antenna | USD $45.36 |
| AL222926 | Antenna<br>*All 5M-5R Series Cab Tractors are "Radio Ready", including Radio Wiring Harness and Speakers* | USD $156.34 |
| SWJHD22 | Stereo with AM/FM, Bluetooth Streaming, Weatherband - Short Din Chassis<br>*Overall Dimensions - 2.28" H x 7.4" W x 3.53" D*<br>*• 180 watts max power (45W x 4); 100 watts RMS (25W x 4)*<br>*• Bluetooth® streaming audio (A2DP/AVRCP)*<br>*• Water and UV resistant front panel (IPX5)*<br>*• Weatherband*<br>*• AM/FM tuner with 30 presets*<br>*• Rear USB port for device charging (one amp output)*<br>*• Stereo pre-amp line-level output (2V RMS)*<br>*• Amplifier remote trigger (12VDC)*<br>*• PA microphone input*<br>*• Audio settings (volume/bass/treble/balance/fade)*<br>*• Toggle switch between day and night display* | USD $279.39 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | • *Daylight-readable, segmented LCD*<br>• *Two-wire power with non-volatile memory and clock support*<br>• *Low battery alert*<br>• *Work timer* | |
| SWJHD62 | Stereo with AM/FM, Bluetooth Steaming, DAB+, Hands Free Calling Capable - Short Din Chassis<br>*Overall Dimensions - 2.3" H x 7.4" W x 3.6" D*<br>• *180 watts max power (45W x 4); 100 watts RMS (25W x 4)*<br>• *Bluetooth® streaming audio (A2DP/AVRCP) and hands-free calling (HFP) — compatible with JMICHFP and JMICHFP2 microphones (sold separately)*<br>• *Water and UV resistant front panel (IPX6)*<br>• *App control ready*<br>• *DAB+ (Digital Audio Broadcasting)*<br>• *Weatherband*<br>• *AM/FM tuner with 30 presets*<br>• *RBDS (Radio Broadcast Data Service) with PTY search*<br>• *Rear USB port for device charging (1 amp output)*<br>• *Stereo pre-amp line level output (2V RMS)*<br>• *Amplifier remote trigger (12VDC)*<br>• *Toggle switch between day and night display*<br>• *Full dot matrix LCD*<br>• *Two-wire power with non-volatile memory and clock support*<br>• *Remote turn on*<br>• *Low battery alert*<br>• *Work timer*<br>• *J1939 CAN Bus capability *requires customer-specific interface* | USD $332.29 |
| SW40EU10 | OEM Fakra to Motorola Antenna Adapter - Factory Antenna to Aftermarket Radio | USD $13.66 |
| TA29648 | Radio (AM/FM/Bluetooth) - North America<br>*NOTE: Will need to purchase microphone cable LVA24334* | USD $634.55 |
| | **WINDSHIELD** | |
| SJ16226 | Rear Wiper Kit | USD $317.90 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *For 5M, 5MH, 5ML Cab Tractors* | |
| | **OPEN OPERATOR'S STATION** | |
| RE266928 | Canopy mounting kit<br>*NOTE: For 5E 4cyl FT4 5085E, 5090E, 5100E, 5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100ML, 5100MH, 5105M, 5105ML, 5115M, 5115ML, 5125ML, 5103 (S.N. PY5103U013641-), 5203 (S.N. PY5203U005570-), 5303 (S.N. PY5303U007753-),*<br>*5403 (S.N. PY5403U000735-), 5525 Hi-Crop, 5225, 5325,*<br>*5425, 5425N, 5525N, 5625, 5325N, and 5603 open station tractors* | USD $108.16 |
| | *NOTE: Requires LVB25334 canopy* | |
| LVB25334 | Canopy - Standard<br>*Requires LVB25332 or BSJ10363 Canopy Mounting Bracket and Hardware Kit Ordered Separately.* | USD $750.20 |
| RE270484 | Canopy Deluxe<br>*NOTE: For 5E 3cyl, 5M, 5MH and 5ML Tractors* | USD $1,299.11 |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1382 | PowrReverser™ 16F/16R with Creeper 30 km/h<br>*Requires Option Code 6040 (MFWD)*<br>*Requires Option Code 5010 (High Crop Drop Flange Axle) with 3820 (Two Speed [540/540E] Rear PTO)* | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**TRANSMISSION** | |
| RE229422 | PowrReverser™ Modulation Control Kit<br>*For 5M Tractors with PowrReverser™ Transmission* | USD $191.40 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**REAR POWER TAKE-OFF (PTO)** | |
| 3820 | Two Speed PTO - 540/540E | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION** | |
| | **REAR POWER TAKE-OFF (PTO)** | |
| SJ14349 | 1000/540/540E - RPM Power Take-Off (PTO) kit<br>*For 5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100MH, 5100ML, 5105M, 5105ML, 5115ML 5125M, 5125ML, 5120M and 5130M Tractors* | USD $2,627.90 |
| | **POWER TAKE-OFF (PTO)** | |
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle<br>*23.8 mm x 61.3 mm (0.94 in. x 2.4 in.)*<br>*NOTE: One receiver needed per implement.* | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle<br>*22 mm x 54 mm (0.87 in. x 2.13 in.)*<br>*NOTE: One receiver needed per implement.* | USD $300.30 |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle<br>*27 mm x 74.6 mm (1.06 in. x 2.94 in.)*<br>*NOTE: One receiver needed per implement.* | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle<br>*27 mm x 70.2 mm (1.06 in. x 2.76 in.)*<br>*NOTE: One receiver needed per implement.* | USD $300.30 |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle<br>*28 mm x 70.2 mm (1.1 in. x 2.76 in.)*<br>*NOTE: One receiver needed per implement.* | USD $300.00 |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle<br>*30.2 mm x 80 mm (1.2 in. x 3.15 in.)*<br>*NOTE: One receiver needed per implement.* | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle<br>*31.75 mm x 81.76 mm (1.25 in. x 3.22 in.)*<br>*NOTE: One receiver needed per implement.* | USD $300.00 |
| BLV10953 | John Deere Quik Knect™ PTO receiver<br>*At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle* | USD $140.89 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *to select, refer to the compatibility table within the Sales Manual.* | |
| | **POWER TAKE-OFF (PTO) CONTROLS** | |
| BSJ10563 | PTO Fender Switch Kit<br>*For 5M MY21 and newer Tractors*<br>*Compatible with PowrReverser Transmissions*<br>*Not available on OOS tractors* | USD $102.30 |
| BSJ10327 | Remote PTO Fender Switch Kit<br>*Installation of Remote PTO Fender Switch requires additional software. Order AL206063 through parts.* | USD $92.40 |
| | **FRONT POWER TAKE-OFF (PTO)** | |
| | *NOTE: Per standards: 6 Spline Front PTO is for EU tractors and 21 Spline Front PTO is for North American tractors with PQ transmissions*<br>*NOTE: Front PTO Kits are applicable for CAB tractors only* | |
| BXX10535 | Front PTO Mounting Parts Kit | USD $903.97 |
| BSJ10520 | Front PTO case and Shaft (21 tooth spline) (need to order mounting parts separately) - North America | USD $4,319.70 |
| BSJ10318 | Front PTO case and Shaft (6 tooth spline) (need to order mounting parts separately) - Europe<br>*Fits 5M Tractors*<br>*NOTE: If the machine is not front PTO ready, additional parts are required. Order and install SJ18437 Damper, SU56088 Front Pulley - 4-cylinder or SU35089 Front Pulley - 3-cylinder, and SU33318 Cap Screw (Quantity 4)* | USD $3,638.80 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**DRAWBAR AND TRAILER HITCH** | |
| 4310 | Basic Drawbar | In Base Price |
| 4313 | Drawbar with Hammerstrap | USD $174.00 |
| | **HITCH CONTROLS** | |
| 4010 | Mechanical Rear Hitch Control<br>*Not compatible with Code 2060 (Premium Cab)*<br>*Requires PowrReverser™ 16F/16R Transmissions (1380); Not* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *compatible with PowrReverser™ Hi-Lo 32F/16R (1390)* | |
| 4030 | Electronic Hitch Control with Remote Control on LH Fender<br>*Not compatible with Code 2000 (Fixed Open Operator Station)* | USD $635.00 |
| | **DRAFT LINK** | |
| 4110 | Telescoping Draft Links with Ball End - Category 2 | In Base Price |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link with Ball Ends - Category 2 | In Base Price |
| | **STABILIZER** | |
| 4420 | LH & RH Stabilizer Bar | In Base Price |
| | **LIFT LINK** | |
| 4155 | LH and RH Adjustable Lift Links | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4000 | Less Front Attachment<br>*No Front Hitch or Front Weight Support included.* | In Base Price |
| 4004 | Front Weight Support - (55 kg/121 lbs) | USD $246.00 |
| | **Additional Factory Options**<br>**HITCH CYLINDERS** | |
| 8458 | 70 mm Hitch Lift Cylinder | USD $456.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**DRAFT LINK** | |
| R66432 | Draft Link Conversion Bushing, Cat. II to Cat. I<br>*Two required.* | USD $31.27 |
| T21706 | Category II Interchangeable Hitch Ball<br>*Two required.* | USD $22.75 |
| T21709 | Category I Interchangeable Hitch Ball<br>*Two required.* | USD $53.96 |
| | **CENTER LINK** | |
| T12553 | Center Link Conversion Bushing, Cat. II to Cat. I | USD $27.93 |
| | **THREE-POINT HITCH** | |
| LVB25976 | iMatch™ Quick-Hitch Category 1 with adjustable top hook<br>*Includes one set of Bushings(LVU15507).*<br>*Not compatible with LVB25941 (Heavy Duty Hitch Kit).* | USD $400.40 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| TY27545 | Quik-Coupler, Economy, Category 2 | USD $1,023.97 |
| BSJ10595 | Quick-Hitch Category 2 | USD $1,114.30 |
| | **DRAWBAR** | |
| R133359 | Drawbar - Offset | USD $310.64 |
| RE39830 | Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar | USD $345.34 |
| RE19428 | Safety Chain Support Kit | USD $200.38 |
| R197239 | Heavy-Duty Drop Drawbar | USD $806.28 |
| RE242110 | Drawbar - Hammerstrap and Chain Clevis Kit<br>*Kit contains all necessary parts and hardware (instructions included)* | USD $178.20 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**REAR SELECTIVE CONTROL VALVES** | |
| 3325 | 2 Mechanical Stackable Rear SCV | In Base Price |
| 3326 | 3 Mechanical Stackable Rear SCV | USD $1,183.00 |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid SCVs | USD ($1,253.00) |
| 3420 | 2 Stackable Mid SCVs with Mechanical Joystick control<br>*Includes side frames* | In Base Price |
| 3430 | 3 Stackable Mid SCVs with Mechanical Joystick Control<br>*Includes side frames* | USD $1,033.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR SELECTIVE CONTROL VALVES** | |
| BSJ10441 | 3rd Rear SCV (Upgrade from 2 rear SCV)<br>*For 5075M, 5090M, 5100M, 5100MH, and 5115M Tractors*<br>*For use with Tractors ALREADY equipped with Dual Rear Valves.*<br>*Stackable design adds 3rd Function to existing Dual valves.*<br>*Features:*<br>*- Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent)*<br>*- Flow priority to #1 valve*<br>*- Pressure compensated flow control for running hydraulic motors on #1 valve*<br>*Compatible with CAB or OPEN Station* | USD $1,221.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **MID SELECTIVE CONTROL VALVES** | |
| BSJ10101 | 3rd Mid SCV (upgrade from 2 Mid SCV) | USD $1,191.30 |
| BSJ10330 | 2 Mechanical Mid-SCV with Joystick lever<br>*For 5075M, 5085M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M and 5130M Tractors*<br>*Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve. Does not include loader/engine side frames.* | USD $2,006.40 |
| | **HYDRAULICS** | |
| BSJ10282 | POWER BEYOND | USD $416.90 |
| BSJ10283 | CASE DRAIN | USD $238.70 |
| BSJ10465 | Rear SCV Oil Collection System | USD $140.80 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING EQUIPMENT** | |
| 8727 | LED Beacon Light | USD $363.00 |
| 8734 | Two Front + Two Rear + Two Side Working Lights<br>*Full halogen roof working lights (2 front, 2 rear, 2 side)*<br>*Upgrades from 2 front and 2 rear halogen work lights*<br>*Requires a Cab (2055) and (2060)* | USD $303.00 |
| 8731 | Full LED Lighting Package with Headlights<br>*Full LED roof working lights (2 front, 2 rear, 2 side) + FULL LED hood Headlights (high and low beam)*<br>*Upgrades from 2 front and 2 rear halogen work lights. Also upgrades front headlights from Halogen to LED*<br>*Requires a Cab (2055) and (2060)* | USD $731.00 |
| | **ELECTRICITY** | |
| 878B | Battery Disconnect Switch<br>*Requires CAB Operators Station (2055 or 2060)* | USD $184.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**ELECTRICITY** | |
| BXX11144 | Battery Disconnect Kit | USD $183.71 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *For 5M, 5MH MY23 and newer Cab Tractors* | |
| RE52682 | Convenience Outlet<br>*Open Station only.*<br>*Also order: (1) L157467 strap, (4) 37M70995 screws.* | USD $195.04 |
| | **BACKUP ALARM** | |
| BSJ10442 | Backup Alarm Kit<br>*Fits 5075M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M, 5125ML, and 5130M Tractors* | USD $203.50 |
| | **ALTERNATOR** | |
| RE554568 | 120 Amp Alternator<br>*OOS models only* | USD $793.51 |
| RE555751 | 200 Amp Alternator<br>*Cab models only.* | USD $575.84 |
| | **LIGHTING** | |
| BSJ10325 | LED HEADLIGHTS<br>*For 5075M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M, 5125ML and 5130M Tractors*<br>*Upgrades front headlights from halogen to LED including high and low beam* | USD $473.00 |
| BSJ10322 | Auxiliary Loader Light Kit<br>*For 5090M, 5100M, 5115M and 5125M MY22 and newer Tractors*<br>*Requires additional software* | USD $953.70 |
| RE228854 | Auxillary Work Light Kit<br>*For 5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100MH, 5105M, 5115M, 5120M, 5125M and 5130M Tractors*<br>*Compatible at Front or Rear of cab*<br>*Contains Two work lights* | USD $105.60 |
| BSJ10422 | Loader Indicator Light for FL3 Loaders on OOS tractors<br>*For 5075M, 5090M, 5095M 5100M, 5105M, 5115M, 5120M, 5125M, and 5130M Tractors* | USD $303.60 |
| | **BEACON LIGHTING** | |
| BSJ10638 | LED Beacon Light Kit - Cab | USD $225.50 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *NOTE: Includes LH and RH mounting brackets and (1) Beacon Light*<br>*NOTE: Fits 5M/MH/ML - FT4/IT4 Cab Tractors*<br>*NOTE: Fits 5R Cab Tractors* | |
| BSJ10640 | LED Beacon Light Kit - OOS<br>*LED Beacon Light Kit – Open Station*<br>*NOTE: Fits 5M/MH - FT4/IT4 tractors*<br>*NOTE: Fits 5E-3 and 4 Cylinder tractors* | USD $225.50 |
| | **AXLE AND BRAKES**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6040 | MFWD Front Axle | In Base Price |
| | **REAR AXLE** | |
| 5010 | Flange Axle | In Base Price |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**WHEELS AND TIRES** | |
| 5090 | Steel Rear Wheels | In Base Price |
| | **REAR WHEELS AND TIRES** | |
| 5151 | 230/95R48 R1W Radial<br>*Requires Code 6132* | In Base Price |
| 5302 | 340/85R38 (13.6R38) 6PR R1W Radial<br>*Requires Code 6302* | USD ($2,383.00) |
| 5410 | Less Wheels and Tires (MFWD)<br>*Flange Axle (5010) and Steel Wheel (5090) and Requires 6410* | USD ($2,467.00) |
| | **FRONT WHEELS AND TIRES** | |
| 6132 | 230/95R48 R1W Radial<br>*Requires MFWD Front Axle (6040)* | In Base Price |
| 6302 | 340/85R38 (13.6R38) 6PR R1W Radial<br>*Requires MFWD Front Axle (6040)* | USD ($2,383.00) |
| 6410 | Less Wheels and Tires (MFWD)<br>*Requires MFWD Front Axle (6040)* | USD ($1,808.00) |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **TIRE BRAND PREFERENCE** | |
| 5999 | No Tire Brand Preference | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION WHEELS AND TIRES** | |
| SJ11470 | Hi-Crop Wheel Spacer Kit<br>*5095MH and 5100MH Tractors*<br>*See installation instructions for spacing options*<br>*Front spacers are 12mm and Rear spacers are 32mm thick*<br>*Compatible with 38" wheels only*<br>*Replaces LVB26074* | USD $8,804.40 |
| | **REAR WHEELS AND TIRES** | |
| BXX11165 | Dual Rear Wheel Kit<br>*Fits 5095M, 5105M, 5120M and 5130M Tractors*<br>*Dual Wheel Assembly (Tire Size - 480/70R34-MITAS)*<br>*NOTE: BXX11165 and BXX11249 kits along with R193200 part number are required for installation of 480/70R34/MITAS size dual wheel assemblies on rear axle.* | USD $6,670.92 |
| BXX11249 | Dual Rear Wheel Hardware Kit<br>*Fits 5095M, 5105M, 5120M and 5130M Tractors*<br>*Hardware kit for Dual Wheel Assembly (Tire Size - 480/70R34-MITAS)*<br>*NOTE: BXX11165 and BXX11249 kits along with R193200 part number are required for installation of 480/70R34/MITAS size dual wheel assemblies on rear axle.* | USD $292.26 |
| R193200 | Hub for Dual Rear Wheels<br>*Fits 5095M, 5105M, 5120M and 5130M Tractors*<br>*Dual Wheel Assembly (Tire Size - 480/70R34-MITAS)*<br>*NOTE: (2) R193200 are required for installation*<br>*NOTE: BXX11165 and BXX11249 kits along with R193200 part number are required for installation of 480/70R34/MITAS size dual wheel assemblies on rear axle.* | USD $1,568.33 |
| | **REAR FENDERS** | |
| LG100448 | Fender extension | USD $212.06 |
| RE244870 | Rear Fender Extension | USD $422.40 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *For 5045E, 5055E, 5060E, 5065E, 5070E, 5075E, 5078E, 5080E, 5085E, 5090E, 5100E, 5065M, 5075M, 5085M, 5090M,5095M, 5095MH, 5100M, 5100MH, 5105M, 5105ML, 5115M, 5120M, 5125M, 5130M, 5090R, 5100R, 5115R, 5115RH, 5125R Cab Tractors*<br>*Interference may occur with some implements when raising the hitch.*<br>*Content: 2x Rear Fender Side-Extension*<br>*Short Version - To be use when BL15477 interfere with rear implement* | |
| RE271547 | Rear Fender Extension Kit with Lights - OOS Tractors with Steel Fenders<br>*Fits 5065M, 5075M, 5083E, 5085M, 5085E, 5090M, 5090E, 5090EL, 5093E, 5095M, 5095MH, 5100M, 5100MH, 5100E, 5101E, 5105M, 5105ML, and 5115M Open Station Tractors with steel fenders* | USD $506.40 |
| | **WHEEL TREAD WIDTH** | |
| AL156777 | Hub Extension 111mm, Rear, Tread Adjustment | USD $884.40 |
| AL156778 | Hub Extension 60mm, Front, Tread Adjustment<br>*Fits MFWD and Rear Axles.*<br>*Tread setting should not exceed 80 In. for maximum load applications.*<br>*Contains (2) L154685 Hubs, (16) 24M7242 washers, and (16) L152521 bolts. Only for axles with 10.82 diameter bolt holes. 8 Bolt Patterns (275 mm diameter).*<br>*For other hub thickness, see Parts.* | USD $841.50 |
| AL156776 | Hub Extension 30mm, Rear, Tread Adjustment | USD $571.43 |
| AL156779 | Hub Extension 44mm, Rear, Tread Adjustment | USD $688.60 |
| R266939 | Hi-Crop Axle Spacer Kit - 200mm<br>*Requires the following be ordered separately: (2) R266939, (28) R281444, (32) 14M7299, (4) 44M7154, (2) R266945, (2) R281497* | USD $3,795.87 |
| | **WEIGHTS AND BALLASTING**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR WHEEL WEIGHTS** | |
| | *For an interactive wheel weight guide see CCMS Solution Number: 223870 5 - Series Wheel Weight Compatibility* | |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| L28228 | Weight, Wheel,  120 lb (54Kg) | USD $299.24 |
| SJ10616 | Rear Weights, 4 x 48 kg per weight | USD $759.00 |
| BL15894 | Adapter for Rear Wheel Weights Quick Mount, BCD = 335 | USD $972.40 |
| AL119955 | Base, Rear Wheel Weight 77 Kg | USD $571.43 |
| AR56632 | Rear Wheel Weight Set, 77 Kg | USD $579.21 |
| BL16249 | Rear Wheel Weights Quick Mount, 2 x 100 Kg | USD $1,254.50 |
| BL16250 | Rear Wheel Weights Quick Mount, 2 x 250 Kg | USD $2,789.56 |
| BL16233 | Adapter For Rear Wheel Weights Quick Mount, BCD = 275 | USD $1,125.00 |
| BL16893 | Adapter for Rear Wheel Weights Quick Mount, BDC = 203 | USD $887.86 |
| AR56636 | Base, Rear Wheel Weight Set, 110 Kg | USD $642.86 |
| SJ13378 | Rear Weights, 2 x 48 kg per weight | USD $547.55 |
| SJ10617 | Rear Weights, 6 x 48 kg per weight | USD $1,137.00 |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb) | USD $726.00 |
| R207782 | Weight, Wheel 205 kg (452 lb) | USD $928.40 |
| | **FRONT WEIGHTS** | |
| R262449 | Front Weight Support, 55kg (121 lb)<br>*Requires hardware order separately* | USD $483.02 |
| SU58373 | Front Weight Support, 110 kg (242 lb) (20 front weights)<br>*Requires hardware order separately* | USD $699.60 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |
| | **BALLAST** | |
| BW15852 | Large ballast box | USD $1,745.70 |
| | **ENGINE**<br>**Additional Factory Options**<br>**COLD WEATHER PACKAGES** | |
| 8300 | Cold Weather package - Coolant heater<br>*Includes coolant heater* | USD $119.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**COLD WEATHER PACKAGES** | |
| BL17146 | Cold Start Package 1, T2, 230V | USD $602.57 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| AL159374 | Fuel Heater (4045)<br>(Not one available for 3029 engine) | USD $142.23 |
| BSJ10643 | Fuel Heater<br>*For MY22 and newer 5090M, 5100M, 5115M, and 5125M Tractors* | USD $210.10 |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |
| | **FUEL TANK** | |
| AL213203 | Lockable Filler Cap Fuel Tank | USD $35.01 |
| BSJ10592 | Inner Fuel Tank Sheild<br>*NOTE: Fits MY22 and newer PR and PQ 5075M, 5090M, 5100M, 5100MH, 5115M, and 5125M Tractors*<br>*Not compatible with Open Operators Station tractors* | USD $199.10 |
| | **AIR PRE-CLEANER** | |
| BSJ10455 | Air filter diverter shield kit<br>*For 5E FT4, 5R FT4/Stage IIIB, 5M FT4, 5M Stage IIIB (Model Year 17 and newer) and 5075M (Model Year 17 and newer) Tractors*<br>*For 5085E, 5090E, 5100E, 5075M, 5085M, 5090M, 5100M, 5100MH, 5100ML, 5115M, 5115ML, 5090R, 5100R, 5115R, 5115RH, and 5125R Tractors* | USD $103.40 |
| | **ENGINE** | |
| SJ23950 | Auxiliary front drive coupler Kit - 4045<br>*NOTE: Fits 5M MY2018 to MY2021 tractors*<br>*NOTE: Fits 5M MY2022+ PowrReverser™, PowrQuad™ PLUS and Powr8™ transmission tractors*<br>*NOTE: Replaces BLV10679 and LVB24989* | USD $997.70 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3020 | Vertical Exhaust<br>*Only available on Open Operator Station Tractors (2000)* | In Base Price |
| 3025 | Corner Post Deluxe Exhaust<br>*Only available on Cab Tractors (2055, and 2060)* | USD $805.00 |
| | **MISCELLANEOUS** | |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit | USD $39.27 |
| 5WS812490 | Super Clamp Kit | USD $59.46 |
| 5WS812485 | Clamp Kit | USD $44.88 |
| 5WS812450 | Long Tool Holder (2) | USD $83.02 |
| 5WS812455 | Long Tool Holder (4) | USD $109.95 |
| 5WS812435 | Universal Mount Kit | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box | USD $131.27 |
| | **TOOLBOX** | |
| SJ20134 | Steel Tool Box<br>*For 5065M, 5075M, 5085M, 5095M, 5095MH, 5100M, 5100ML, 5105M, 5105ML, 5115M, and 5115ML Tractors* | USD $145.20 |
| SJ20133 | Steel Toolbox Kit<br>*Fits 5065M, 5075M, 5085M, 5095M, 5095MH, 5100M, 5100ML, 5105M, 5105ML, 5115M, and 5115ML Tractors with or without a loader includes toolbox* | USD $240.01 |
| | **GUARDS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**HOOD GUARDS** | |
| BW15657 | Hood Guard<br>*For 520M, H240, and 500 Series Loaders* | USD $540.10 |
| BW16009 | Hood Guard<br>*For 520M, 540M, H240, H260, and 553 Loaders* | USD $603.90 |
| BW16765 | Hood Guard<br>*For 540R, 600R, 620R, and H310 Loaders* | USD $603.90 |
| | **LOADERS AND BACKHOES**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT LOADER PACKAGES** | |
| BW17042 | Loader Frame Mounted Fenders (Stationary) | USD $1,017.50 |

Copyright © Deere & Company. All Rights Reserved.

# 5105MH High-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Compatible with R Loader only.*<br>*Fenders connect directly to loader mounting frame assembly, can easily be removed with pin.* | |
| | **BACKHOES** | |
| BLV10950 | 595 Backhoe Subframe Mounting Kit<br>*For 5065M, 5075M, 5085M, 5090M, 5095M, 5100M, 5105M, 5115M, and 5125M Tractors* | USD $4,224.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 255FPY | **5100MH Hi-Crop Specialty Tractor (ALDI)** | |

ENGINE:
100 Engine Horsepower @ 2200 rpm*
85 PTO Horsepower @ 2100 rpm*
EPA Final Tier 4 Emissions Compliant
Turbocharger with Intercooler
4.5L PowerTech Diesel Engine
Turbocharger with Intercooler
4 Valve HPCR
Dry Type Air Cleaner with Safety Element
Cold Start Aid - Air Intake Heater
Hand and Foot Throttle
Key Engine Shut Off
Water Separator Bowl
DEF Tank capacity (3.2 gal)

TRANSMISSION:
EH Differential Lock
Hydraulic Oil Cooler
Wet Traction Clutch
Park Lock
Neutral Start Safety Switch

REAR AXLE:
Flanged Rear Axle
Planetary Final Drives

FRONT AXLE:
Mechanical Front Wheel Drive Front Axle
Planetary Final Drives
Electrohydraulic MFWD Engagement via On/Auto/Brake

STEERING AND BRAKES:
Hydrostatic Power Steering
Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting

HYDRAULIC:
Open Center Hydraulic System
Tandem Gear Pump 24.7 gpm (94 lpm)
Maximum Total Flow -
Steering Pump 6.3 gpm (24 lpm)
Implement Pump 18.4 gpm (70 lpm)
Mid SCV (see code for selection)

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Rear SCV (see code for selection)<br><br>POWER TAKE-OFF SHAFT:<br>Independent "Live" 540 rpm Rear PTO Shaft @ 2100 Engine rpm<br>Economy PTO Setting for 540 PTO rpm @ 1645 Engine rpm<br>Electrohydraulic PTO Engagement<br>Wet PTO Clutch<br>Operator Presence Safety Warning - PTO<br>Safety Start Switch<br>Flip Up PTO Shield<br><br>ROCKSHAFT, HITCH AND DRAWBAR:<br>65-mm Lift Cylinder<br>Standard Adjustable Straight Drawbar<br>Telescoping Draft Links with Category II Balls<br>Lower Link Draft Sensing<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Coolant Temperature Gauge<br>Diesel Exhaust Fluid Gauge with low DEF Warning Signal<br>Flashing Warning Lamp<br>High Beam Indicator Light<br>Service Transmission Indicator<br>PTO Speed Indicator<br>Neutral Indicator (PR Only)<br>Tachometer/Hour Meter<br>Engine Oil Pressure<br>Hydraulic Temperature Indicator<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Exhaust Filter Cleaning Switch<br>Roll Mode for Instrument Cluster<br>PTO Engagement Light (Rear PTO)<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 925 CCA** with 180 Minute Reserve Capacity<br>7-Pin ASAE Outlet Socket | |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | LIGHTS:<br>Two Front Halogen Headlights<br>Two Turn/Warning Lights<br>Two Tail Lights<br><br>MISCELLANEOUS:<br>Slow-moving Vehicle (SMV) Emblem<br>Service Horn<br><br>* Manufacturer's Rating<br>** Cold Cranking Amps | |
| | **BASE MACHINE** | |
| 255FPY | 5100MH Hi-Crop Specialty Tractor (ALDI) | USD $85,811.00 |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operators Manual | In Base Price |
| 0437 | Spanish Operators Manual | No Added Cost |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2000 | Fixed Open Operator Station<br>*Fixed Open Operator Station with Flat Floor*<br>*Tilt and Telescoping Steering Column*<br>*2-Post Isolated Foldable Roll-Over Protection Structure (ROPS)*<br>*Speedometer*<br>*Base seat with Flip Up Feature and Retractable Seat Belt*<br>*37.2 U.S. Gallon Fuel Tank Capacity*<br>*Beverage Holder*<br>*90A Alternator*<br>*Flashing Warning Lights*<br>*Dual Taillights* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Single Rear Work Light*<br>*Requires Mechanical Hitch (code 4010).* | |
| 2055 | Standard Cab<br>*Deluxe Isolated Cab with Flat Floor*<br>*Tilt and Telescopic Steering Column*<br>*Left and Right Side Doors with Steps*<br>*Air Conditioning and Heater*<br>*Speedometer*<br>*Beverage Holder*<br>*Sunvisor for Front Window*<br>*2-Speed Front Windshield Wiper and Washer*<br>*Two Front/Two Rear Roof-Mounted Work Lights*<br>*Two Front/Two Rear Roof-Mounted Warning Lights*<br>*Two Fender-Mounted Taillights*<br>*120A Alternator*<br>*Convenience Power Outlet*<br>*Monitor Mounting Bosses (2 Sets)*<br>*Swing-Out Rear Window with Two Removable Rear Plugs for Monitor*<br>*Right-Hand Console Light*<br>*Radio Preparation (with speakers, wiring)*<br>*Rear window grab handle*<br>*Bluetooth Ready*<br>*37.2 U.S. Gallon (140.8 L) Fuel Tank Capacity*<br>*Requires Option Code 3025 (Deluxe Corner Post Exhaust).* | USD $15,663.00 |
| 2060 | Premium Panorama Roof Cab<br>*Includes Premium package, all features of Standard Cab plus:*<br>*Fixed Panorama Roof with Shade*<br>*Front Sunshade*<br>*Factory Installed Radio (Bluetooth)*<br>*Rear Window Wiper*<br>*Radio Antenna*<br>*Additional Defrost Louvers*<br>*Requires Option Code 3025 (Deluxe Corner Post Exhaust).*<br>*Requires Option Code 4030 (ElectroHydraulic (EH) rear hitch)* | USD $18,183.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Requires Option code 6040 (MFWD)* | |
| | **MIRRORS** | |
| 2500 | Less Rear View Mirrors | In Base Price |
| 2511 | Mirror Telescopic LH & RH | USD $373.00 |
| | *Only available on Cab Tractors (2055 and 2060)* | |
| | **SEAT** | |
| 2100 | Mechanical Suspension seat | In Base Price |
| 2120 | Air Suspension seat | USD $1,037.00 |
| 2121 | Premium Air Suspension Seat | USD $1,653.00 |
| | *Includes heater and low frequency air suspension* | |
| | *Only available on Cab Tractors (2055 and 2060)* | |
| | **CAB INSTRUCTIONAL SEAT** | |
| 2400 | Less Instructional Seat | In Base Price |
| 2410 | Instructional Seat with Seat-belt | USD $684.00 |
| | *Only available on Cab Tractors (2055 and 2060)* | |
| | **Additional Factory Options**<br>**CAB OPERATOR'S STATION** | |
| 8280 | Rear Window Wiper | USD $347.00 |
| | *In Base Equipment for Premium Cab* | |
| | *Option only applies to Standard Cab (2055)* | |
| | **ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger | USD $18.94 |
| | *Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.* | |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| RE68495 | Power Strip with Six Outlets | USD $70.93 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit<br>*Compatible with 10-mm (0.39-in.) mounting bosses and most accessory mounting brackets.*<br><br>*Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).* | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| | **MIRRORS** | |
| AL80126 | Rear Mirror Mechanical - Left<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| AL80127 | Rear Mirror Mechanical - Right<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| BSJ10473 | MIRROR KIT, TELESCOPIC, LH & RH, MANUALLY ADJUSTED<br>*For 5090M, 5100M, 5115M, 5125M, 5090R, 5100R, 5115R, and 5125R Tractors* | USD $479.60 |
| RE244177 | Rear View Mirror Mounting Kit - Open Operator Station | USD $50.82 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Tractors<br>*RH Mirror Kit for Open Station Tractors*<br>*Fits 5085E, 5090E, 5100E, 5083E, 5093E, 5101E, 5083E Limited, 5093E Limited, 5101E Limited, 5100ML, 5115ML, 5125ML,5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100MH, 5105M, and 5115M Tractors*<br>*Kit contains AL80127 RH mirror kit and brackets for installation onto ROPS.* | |
| SJ10016 | Additional Inner Mirror For Hitch View<br>*Only cab tractors.* | USD $97.19 |
| | **SEAT** | |
| LVB25501 | Seat Armrest Kit<br>*Open Station Only, Standard on Cab Tractors.* | USD $182.60 |
| AL77888 | Seat Backrest Extension<br>*provides additional support and stability to the driver´s upper part of the back. Only IOOS tractors* | USD $421.34 |
| | **CAB INSTRUCTIONAL SEAT** | |
| BSJ10641 | Cab Instructional Seat Kit<br>*NOTE: Fits 5E 4cyl, 5M and 5R cab tractors*<br>*NOTE: Replaces BSJ10125 and BSJ10434* | USD $574.20 |
| | **CAB OPERATOR'S STATION** | |
| AL71345 | Security Door Lock Kit<br>*If needed order additional Blank Key (AL71350).* | USD $244.20 |
| AL178270 | Field Office<br>*solution for documents, paper, laptops or operator´s manuals which can easily be removed and carried like a suitcase. Cab only / Load center cover needs to be ordered separately (RE253275)* | USD $339.78 |
| RE282643 | Leather Steering Wheel<br>*Fits 5M MY18+ cab tractors* | USD $265.27 |
| AH104259 | Ash Tray<br>*Must also order (2) 37M7218, (1) AL173370, (1) AL207492, (1) SU49479.* | USD $134.91 |
| AR60937 | Cigarette Lighter | USD $19.94 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| AT162291 | Seat Backrest Extension<br>*Cab Tractors ONLY.* | USD $328.21 |
| SJ14288 | Activated Carbon Filter Kit<br>*combination of dust and odour filter in one providing high efficiency and performance without air flow restriction in the cab. This results in: - less irritation of eyes, nose and throat, - higher driving comfort, - a cleaner cab and - improves the operator"s working environment Kit includes: 2 x Activated carbon air filters 2 x Activated carbon recirculation filters, installation instruction and safety information. Please note: Service interval is - for both activated carbon air and recirculation filters - 250 hours or once a year (whatever occurs first) and as required. Activated carbon filters should never be cleaned dry or wet! Only cab tractors* | USD $518.65 |
| | **RADIO** | |
| AL222926 | Antenna<br>*All 5M-5R Series Cab Tractors are "Radio Ready", including Radio Wiring Harness and Speakers* | USD $156.34 |
| SWJHD22 | Stereo with AM/FM, Bluetooth Streaming, Weatherband - Short Din Chassis<br>*Overall Dimensions - 2.28" H x 7.4" W x 3.53" D*<br>*• 180 watts max power (45W x 4); 100 watts RMS (25W x 4)*<br>*• Bluetooth® streaming audio (A2DP/AVRCP)*<br>*• Water and UV resistant front panel (IPX5)*<br>*• Weatherband*<br>*• AM/FM tuner with 30 presets*<br>*• Rear USB port for device charging (one amp output)*<br>*• Stereo pre-amp line-level output (2V RMS)*<br>*• Amplifier remote trigger (12VDC)*<br>*• PA microphone input*<br>*• Audio settings (volume/bass/treble/balance/fade)*<br>*• Toggle switch between day and night display*<br>*• Daylight-readable, segmented LCD*<br>*• Two-wire power with non-volatile memory and clock support* | USD $279.39 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | • *Low battery alert*<br>• *Work timer* | |
| SWJHD62 | Stereo with AM/FM, Bluetooth Steaming, DAB+, Hands Free Calling Capable - Short Din Chassis<br>*Overall Dimensions - 2.3" H x 7.4" W x 3.6" D*<br>• *180 watts max power (45W x 4); 100 watts RMS (25W x 4)*<br>• *Bluetooth® streaming audio (A2DP/AVRCP) and hands-free calling (HFP) — compatible with JMICHFP and JMICHFP2 microphones (sold separately)*<br>• *Water and UV resistant front panel (IPX6)*<br>• *App control ready*<br>• *DAB+ (Digital Audio Broadcasting)*<br>• *Weatherband*<br>• *AM/FM tuner with 30 presets*<br>• *RBDS (Radio Broadcast Data Service) with PTY search*<br>• *Rear USB port for device charging (1 amp output)*<br>• *Stereo pre-amp line level output (2V RMS)*<br>• *Amplifier remote trigger (12VDC)*<br>• *Toggle switch between day and night display*<br>• *Full dot matrix LCD*<br>• *Two-wire power with non-volatile memory and clock support*<br>• *Remote turn on*<br>• *Low battery alert*<br>• *Work timer*<br>• *J1939 CAN Bus capability *requires customer-specific interface* | USD $332.29 |
| SW40EU10 | OEM Fakra to Motorola Antenna Adapter - Factory Antenna to Aftermarket Radio | USD $13.66 |
| | **WINDSHIELD** | |
| SJ16226 | Rear Wiper Kit<br>*For 5M, 5MH, 5ML Cab Tractors* | USD $317.90 |
| | **OPEN OPERATOR'S STATION** | |
| RE266928 | Canopy mounting kit<br>*NOTE: For 5E 4cyl FT4 5085E, 5090E, 5100E, 5065M, 5075M, 5085M,* | USD $108.16 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *5090M, 5095M, 5095MH, 5100M, 5100ML, 5100MH, 5105M, 5105ML, 5115M, 5115ML, 5125ML, 5103 (S.N. PY5103U013641-), 5203 (S.N. PY5203U005570-), 5303 (S.N. PY5303U007753-),* | |
| | *5403 (S.N. PY5403U000735-), 5525 Hi-Crop, 5225, 5325,* | |
| | *5425, 5425N, 5525N, 5625, 5325N, and 5603 open station tractors* | |
| | *NOTE: Requires LVB25334 canopy* | |
| LVB25334 | Canopy - Standard<br>*Requires LVB25332 or BSJ10363 Canopy Mounting Bracket and Hardware Kit Ordered Separately.* | USD $750.20 |
| RE270484 | Canopy Deluxe<br>*NOTE: For 5E 3cyl, 5M, 5MH and 5ML Tractors* | USD $1,299.11 |
| | **PRECISION AG TECHNOLOGY**<br>**Basic Factory Options**<br>**CONNECTIVITY HARDWARE** | |
| 183B | Less JDLink™ Hardware<br>*Not Available for Cab configured tractors (2055 or 2060)* | In Base Price |
| 183A | JDLink™ Capable<br>*Includes cab wiring harness and antenna.*<br>*Requires field kit installation, activation, and subscription for JDLink™ Connectivity functionality.*<br>*Does NOT include JDLink Modem (MTG)*<br>*Required for Cab configured tractors (2055 or 2060)* | No Added Cost |
| 183E | JDLink™ Modem<br>*Includes integrated cab wiring harness, antenna, JDLink™ Modem (MTG). * Does not include an ethernet cable to connect the MTG to the display. A 13.5ft ethernet cable with HSAII ends is recommended if wanting to connect them.* | USD $600.00 |
| | **CONNECTIVITY SUBSCRIPTIONS** | |
| 185A | JDLink™ Connectivity<br>*JDLink™ Connectivity can be enabled in John Deere Operations* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Center. Connectivity service is subject to country availability.*<br><br>*JDLink™ Connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.*<br><br>*Requires JDLink™ Modem to enable JDLink™ Connectivity.* | |
| | **ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY** | |
| | *NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |
| BSJ10674 | SmartConnector - CAN to Bluetooth®<br>*Compatible with MY18 and newer 5M tractors. Serial numbers 1LV5075MAHH100802, 1LV5085MPHH100801, 1LV5100MCHH100901, 1LV5115MTHH100901 and greater.*<br>*Compatible with MY18 and newer 5MH tractors. Serial numbers 1LV5100MEHH401201 and greater for cab tractors and 1LV5100MCHH100901 for open station tractors.*<br>*Compatible with MY18 and newer 5ML tractors. Serial numbers -700701 and greater.* | USD $165.00 |
| PFA10879 | High performance - 4-m (13-ft) length Antenna<br>*For 5M and 5R Cab only: 5075M, 5085M, 5090M, 5100M, 5100MH, 5115M, 5090R, 5100R, 5115R, and 5125R (serial number HH100101)* | USD $208.42 |
| PFA11136 | Low Profile - 3.2-m (10.5-ft) Length Antenna<br>*For 5M Open Operator Station: 5M, 5100ML, 5115ML, 5125ML, and 5100MH (model year 2015 and newer Final Tier 4 [FT4])* | USD $218.09 |
| PFA12899 | 2 Wire Ethernet Cable - Mini50<br>*Required to connect a display to JDLink™ M Modems*<br><br>*NOTE: Requires Ethernet Switch Kit to work with Gen 4 4240 Display* | USD $99.28 |
| BSJ10451 | JDLink™ R Modem Mounting Kit, OOS models<br>*For FT4 5M, 5MH, 5ML tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna* | USD $661.10 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *(code 2009) then order PFA11136 through parts. (R4)* | |
| BSJ10450 | JDLink™ R Mounting Kit, Cab models<br>*For FT4 5M, 5MH, 5R tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA10879 through parts. (R4)*<br>*Require BPF11303 (R2)* | USD $220.00 |
| BPF11020 | JDLink Tractor Embedded Kit - 5M Series Tractors MY2015 and newer | USD $258.50 |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630)<br>*This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | USD $275.00 |
| | **DISPLAY** | |
| BPF11445 | John Deere 4640 Universal Display and Extended Monitor Bracket | USD $172.70 |
| BPF11526 | Gen 4 Extended Monitor Cable - .6 Meter | USD $49.50 |
| BPF12124 | G5 Universal Display Mounting Bracket - Tractors/Sprayers<br>*GreenStar single display mounting bracket for original GreenStar display, GS2, GS3GS4 4240 displays* | USD $125.00 |
| BE32890 | G5 Universal Display Mounting Bracket | USD $293.03 |
| | **GREENSTAR™ AND AUTOTRAC™** | |
| BPF12231 | GreenStar™ Ready Universal Guidance Kit, Upgradeable - John Deere or Competitive Models | USD $907.50 |
| BPF11129 | FT4 GreenStar Harness<br>*For John Deere FT4 5M - 5075M, 5090M, 5100M and, 5115MTractors. Includes power supply harness kit and GreenStar harness for non-GreenStar Ready machines.*<br>*Requires BPF11130 AutoTrac Universal steering supplemental kit - AA and AMS base code 0520PC AutoTrac Universal Kit (use spline PF12168).* | USD $511.50 |
| | **ENGINE**<br>**Additional Factory Options**<br>**COLD WEATHER PACKAGES** | |
| 8300 | Cold Weather package - Coolant heater | USD $109.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Includes coolant heater* | |
| | **ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES** | |
| BL17146 | Cold Start Package 1, T2, 230V | USD $602.57 |
| AL159374 | Fuel Heater (4045)<br>(Not one available for 3029 engine) | USD $142.23 |
| BSJ10643 | Fuel Heater<br>*For MY22 and newer 5090M, 5100M, 5115M, and 5125M Tractors* | USD $210.10 |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |
| | **FUEL TANK** | |
| AL213203 | Lockable Filler Cap Fuel Tank | USD $35.01 |
| BSJ10102 | Shield Kit, Fuel Tank (under)<br>*NOTE: Fits Pre-MY22 5075M, 5085M, 5090M, 5100M, 5100MH, and 5115M Tractors*<br>*Not compatible with backhoe attachment.* | USD $187.00 |
| BSJ10104 | Mid Fuel Tank - OOS ONLY<br>*Compatible with 5075M, 5090M, 5100M. Standard on 5115M and 5100MH models. Open Operator Station Models only*<br>*Base Codes 191DLV, 252CLV, 253CLV* | USD $278.30 |
| BSJ10593 | Mid Fuel Tank<br>*For 5075M, 5090M, 5100M, 5100MH, 5115M, and 5125M Cab tractors* | USD $249.70 |
| | **AIR PRE-CLEANER** | |
| BSJ10455 | Air filter diverter shield kit<br>*For 5E FT4, 5R FT4/Stage IIIB, 5M FT4, 5M Stage IIIB (Model Year 17 and newer) and 5075M (Model Year 17 and newer) Tractors*<br>*For 5085E, 5090E, 5100E, 5075M, 5085M, 5090M, 5100M, 5100MH, 5100ML, 5115M, 5115ML, 5090R, 5100R, 5115R, 5115RH, and 5125R Tractors* | USD $103.40 |
| RE264129 | Radiator Clean-Out Screen<br>*For 5065M, 5075M, 5085M, 5095M, 5095MH, 5100M, 5100MH, 5105M, 5105ML, 5115M, 5083E, 5085E, 5090E, 5093E, 5100E, 5101E, 5083E Limited, 5093E Limited, 5101E Limited, 5083EN, 5093EN, and* | USD $188.10 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *5101EN Tractors. Provided in base for 5M cab models.* | |
| | **ENGINE** | |
| SJ23950 | Auxiliary front drive coupler Kit - 4045<br>*NOTE: Fits 5M MY2018 to MY2021 tractors*<br>*NOTE: Fits 5M MY2022+ PowrReverser™, PowrQuad™ PLUS and Powr8™ transmission tractors*<br>*NOTE: Replaces BLV10679 and LVB24989* | USD $997.70 |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1382 | PowrReverser™ 16F/16R with Creeper 30 km/h<br>*Requires Option Code 6040 (MFWD)* | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**TRANSMISSION** | |
| RE229422 | PowrReverser™ Modulation Control Kit<br>*For 5M Tractors with PowrReverser™ Transmission* | USD $191.40 |
| | **AXLE AND BRAKES**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6040 | MFWD Front Axle | In Base Price |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**REAR POWER TAKE-OFF (PTO)** | |
| 3820 | Two Speed PTO - 540/540E | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR POWER TAKE-OFF (PTO)** | |
| SJ14349 | 1000/540/540E - RPM Power Take-Off (PTO) kit<br>*For 5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100MH, 5100ML, 5105M, 5105ML, 5115ML 5125M, 5125ML, 5120M and 5130M Tractors* | USD $2,627.90 |
| SJ14350 | 3 Speed PTO Conversion Kit<br>*For 5075M, 5085M, 5090M, 5100M and 5115M Tractors*<br>*Not applicable for tractors being equipped with GDPTO.* | USD $3,420.33 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **POWER TAKE-OFF (PTO)** | |
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle<br>*23.8 mm x 61.3 mm (0.94 in. x 2.4 in.)*<br>*NOTE: One receiver needed per implement.* | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle<br>*22 mm x 54 mm (0.87 in. x 2.13 in.)*<br>*NOTE: One receiver needed per implement.* | USD $300.30 |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle<br>*27 mm x 74.6 mm (1.06 in. x 2.94 in.)*<br>*NOTE: One receiver needed per implement.* | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle<br>*27 mm x 70.2 mm (1.06 in. x 2.76 in.)*<br>*NOTE: One receiver needed per implement.* | USD $300.30 |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle<br>*28 mm x 70.2 mm (1.1 in. x 2.76 in.)*<br>*NOTE: One receiver needed per implement.* | USD $300.00 |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle<br>*30.2 mm x 80 mm (1.2 in. x 3.15 in.)*<br>*NOTE: One receiver needed per implement.* | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle<br>*31.75 mm x 81.76 mm (1.25 in. x 3.22 in.)*<br>*NOTE: One receiver needed per implement.* | USD $300.00 |
| BLV10953 | John Deere Quik Knect™ PTO receiver<br>*At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.* | USD $140.89 |
| | **POWER TAKE-OFF (PTO) CONTROLS** | |
| BSJ10563 | PTO Fender Switch Kit<br>*For 5M MY21 and newer Tractors*<br>*Compatible with PowrReverser Transmissions* | USD $102.30 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Not available on OOS tractors* | |
| BSJ10327 | Remote PTO Fender Switch Kit<br>*Installation of Remote PTO Fender Switch requires additional software. Order AL206063 through parts.* | USD $92.40 |
| | **FRONT POWER TAKE-OFF (PTO)** | |
| | *NOTE: Per standards: 6 Spline Front PTO is for EU tractors and 21 Spline Front PTO is for North American tractors with PQ transmissions*<br><br>*NOTE: Front PTO Kits are applicable for CAB tractors only*<br>*NOTE: Front PTO Kits are applicable for CAB tractors only* | |
| BXX10535 | Front PTO Mounting Parts Kit | USD $903.97 |
| BSJ10520 | Front PTO case and Shaft (21 tooth spline) (need to order mounting parts separately) - North America | USD $4,319.70 |
| BSJ10318 | Front PTO case and Shaft (6 tooth spline) (need to order mounting parts separately) - Europe<br>*Fits 5M Tractors*<br>*NOTE: If the machine is not front PTO ready, additional parts are required. Order and install SJ18437 Damper, SU56088 Front Pulley - 4-cylinder or SU35089 Front Pulley - 3-cylinder, and SU33318 Cap Screw (Quantity 4)* | USD $3,638.80 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**HITCH CONTROLS** | |
| 4010 | Mechanical Rear Hitch Control<br>*Not compatible with Code 2060 (Premium Cab)* | In Base Price |
| 4030 | Electronic Hitch Control with Remote Control on LH Fender<br>*Not compatible with Code 2000 (Fixed Open Operator Station)* | USD $581.00 |
| | **DRAFT LINK** | |
| 4110 | Telescoping Draft Links with Ball End - Category 2 | In Base Price |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link with Ball Ends - Category 2 | In Base Price |
| | **STABILIZER** | |
| 4420 | LH & RH Stabilizer Bar | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **LIFT LINK** | |
| 4155 | LH and RH Adjustable Lift Links | In Base Price |
| | **Additional Factory Options**<br>**HITCH CYLINDERS** | |
| 8458 | 70 mm Hitch Lift Cylinder | USD $417.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**DRAFT LINK** | |
| R66432 | Draft Link Conversion Bushing, Cat. II to Cat. I<br>*Two required.* | USD $31.27 |
| T21706 | Category II Interchangeable Hitch Ball<br>*Two required.* | USD $22.75 |
| T21709 | Category I Interchangeable Hitch Ball<br>*Two required.* | USD $53.96 |
| | **CENTER LINK** | |
| T12553 | Center Link Conversion Bushing, Cat. II to Cat. I | USD $27.93 |
| BSJ10309 | Hydraulic Center Link - Ball Type<br>*Fits 5M, 5MH, 5ML and 5R Tractors* | USD $2,307.80 |
| | **DRAWBAR** | |
| R133359 | Drawbar - Offset | USD $310.64 |
| RE39830 | Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar | USD $345.34 |
| R197239 | Heavy-Duty Drop Drawbar | USD $806.28 |
| RE242110 | Drawbar - Hammerstrap and Chain Clevis Kit<br>*Kit contains all necessary parts and hardware (instructions included)* | USD $178.20 |
| | **THREE-POINT HITCH** | |
| TY27545 | Quik-Coupler, Economy, Category 2 | USD $1,023.97 |
| BSJ10595 | Quick-Hitch Category 2 | USD $1,114.30 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**REAR SELECTIVE CONTROL VALVES** | |
| 3325 | 2 Mechanical Stackable Rear SCV | In Base Price |
| 3326 | 3 Mechanical Stackable Rear SCV | USD $1,083.00 |
| | **MID SELECTIVE CONTROL VALVES** | |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 3400 | Less Mid SCVs<br>*Requires Mechanical Rear Hitch Controls (4010)* | USD ($1,147.00) |
| 3420 | 2 Stackable Mid SCVs with Mechanical Joystick control | In Base Price |
| 3430 | 3 Stackable Mid SCVs with Mechanical Joystick Control | USD $946.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR SELECTIVE CONTROL VALVES** | |
| BSJ10441 | 3rd Rear SCV (Upgrade from 2 rear SCV)<br>*For 5075M, 5090M, 5100M, 5100MH, and 5115M Tractors*<br>*For use with Tractors ALREADY equipped with Dual Rear Valves.*<br>*Stackable design adds 3rd Function to existing Dual valves.*<br>*Features:*<br>*- Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent)*<br>*- Flow priority to #1 valve*<br>*- Pressure compensated flow control for running hydraulic motors on #1 valve*<br>*Compatible with CAB or OPEN Station* | USD $1,221.00 |
| | **MID SELECTIVE CONTROL VALVES** | |
| BSJ10101 | 3rd Mid SCV (upgrade from 2 Mid SCV) | USD $1,191.30 |
| | **HYDRAULICS** | |
| BSJ10282 | POWER BEYOND | USD $416.90 |
| BSJ10283 | CASE DRAIN | USD $238.70 |
| BSJ10465 | Rear SCV Oil Collection System | USD $140.80 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING EQUIPMENT** | |
| 8727 | LED Beacon Light | USD $332.00 |
| 8734 | Two Front + Two Rear + Two Side Working Lights<br>*Upgrades from 2 front and 2 rear halogen work lights*<br>*Full halogen roof working lights (2 front, 2 rear, 2 side)* | USD $277.00 |
| 8731 | Full LED Lighting Package with Headlights<br>*Upgrades from 2 front and 2 rear halogen work lights. Also* | USD $669.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *upgrades front headlights from Halogen to LED*<br>*Full LED roof working lights (2 front, 2 rear, 2 side) + FULL LED hood Headlights (high and low beam)* | |
| | **ATTACHMENTS FOR FIELD CONVERSION BACKUP ALARM** | |
| BSJ10442 | Backup Alarm Kit<br>*Fits 5075M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M, 5125ML, and 5130M Tractors* | USD $203.50 |
| | **ALTERNATOR** | |
| RE554568 | 120 Amp Alternator<br>*OOS models only* | USD $793.51 |
| RE555751 | 200 Amp Alternator<br>*Cab models only.* | USD $575.84 |
| | **LIGHTING** | |
| BSJ10325 | LED HEADLIGHTS<br>*For 5075M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M, 5125ML and 5130M Tractors*<br>*Upgrades front headlights from halogen to LED including high and low beam* | USD $473.00 |
| RE228854 | Auxillary Work Light Kit<br>*For 5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100MH, 5105M, 5115M, 5120M, 5125M and 5130M Tractors*<br>*Compatible at Front or Rear of cab*<br>*Contains Two work lights* | USD $105.60 |
| | **BEACON LIGHTING** | |
| BSJ10638 | LED Beacon Light Kit - Cab<br>*NOTE: Includes LH and RH mounting brackets and (1) Beacon Light*<br>*NOTE: Fits 5M/MH/ML - FT4/IT4 Cab Tractors*<br>*NOTE: Fits 5R Cab Tractors* | USD $225.50 |
| BSJ10640 | LED Beacon Light Kit - OOS<br>*LED Beacon Light Kit – Open Station*<br>*NOTE: Fits 5M/MH - FT4/IT4 tractors*<br>*NOTE: Fits 5E-3 and 4 Cylinder tractors* | USD $225.50 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5410 | Less Wheels and Tires (MFWD)<br>*Requires Front Tire option 6410* | USD ($3,450.00) |
| 5151 | 230/95R48 R1W Radial<br>*Requires Code 6132* | In Base Price |
| 5302 | 340/85R38 (13.6R38) 6PR R1W Radial<br>*Requires Code 6302* | USD ($2,023.00) |
| | **REAR TIRE BRAND PREFERENCE** | |
| 5999 | No Rear Tire Brand Preference | No Added Cost |
| | **FRONT WHEELS AND TIRES** | |
| 6410 | Less Wheels and Tires (MFWD)<br>*Requires MFWD Front Axle (6040)* | USD ($3,450.00) |
| 6132 | 230/95R48 R1W Radial<br>*Requires MFWD Front Axle (6040)* | In Base Price |
| 6302 | 340/85R38 (13.6R38) 6PR R1W Radial<br>*Requires MFWD Front Axle (6040)* | USD ($2,023.00) |
| | **FRONT TIRE BRAND PREFERENCE** | |
| 6799 | No Front Tire Brand Preference | No Added Cost |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |
| LG100448 | Fender extension | USD $212.06 |
| RE244870 | Rear Fender Extension<br>*For 5045E, 5055E, 5060E, 5065E, 5070E, 5075E, 5078E, 5080E, 5085E, 5090E, 5100E, 5065M, 5075M, 5085M, 5090M,5095M, 5095MH, 5100M, 5100MH, 5105M, 5105ML, 5115M, 5120M, 5125M, 5130M, 5090R, 5100R, 5115R, 5115RH, 5125R Cab Tractors*<br>*Interference may occur with some implements when raising the hitch.*<br>*Content: 2x Rear Fender Side-Extension*<br>*Short Version - To be use when BL15477 interfere with rear* | USD $422.40 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *implement* | |
| RE271547 | Rear Fender Extension Kit with Lights - OOS Tractors with Steel Fenders<br>*Fits 5065M, 5075M, 5083E, 5085M, 5085E, 5090M, 5090E, 5090EL, 5093E, 5095M, 5095MH, 5100M, 5100MH, 5100E, 5101E, 5105M, 5105ML, and 5115M Open Station Tractors with steel fenders* | USD $506.40 |
| | **WHEELS AND TIRES** | |
| SJ11470 | Hi-Crop Wheel Spacer Kit<br>*5095MH and 5100MH Tractors*<br>*See installation instructions for spacing options*<br>*Front spacers are 12mm and Rear spacers are 32mm thick*<br>*Compatible with 38" wheels only*<br>*Replaces LVB26074* | USD $8,804.40 |
| | **WHEEL TREAD WIDTH** | |
| AL156777 | Hub Extension 111mm, Rear, Tread Adjustment | USD $884.40 |
| AL156778 | Hub Extension 60mm, Front, Tread Adjustment<br>*Fits MFWD and Rear Axles.*<br>*Tread setting should not exceed 80 In. for maximum load applications.*<br>*Contains (2) L154685 Hubs, (16) 24M7242 washers, and (16) L152521 bolts. Only for axles with 10.82 diameter bolt holes. 8 Bolt Patterns (275 mm diameter).*<br>*For other hub thickness, see Parts.* | USD $841.50 |
| AL156776 | Hub Extension 30mm, Rear, Tread Adjustment | USD $571.43 |
| AL156779 | Hub Extension 44mm, Rear, Tread Adjustment | USD $688.60 |
| R266939 | Hi-Crop Axle Spacer Kit - 200mm<br>*Requires the following be ordered separately: (2) R266939, (28) R281444, (32) 14M7299, (4) 44M7154, (2) R266945, (2) R281497* | USD $3,795.87 |
| | **WEIGHTS AND BALLASTING**<br>**Additional Factory Options**<br>**FRONT WEIGHT OPTIONS** | |
| 8955 | Front Weight Support - (55 kg/121 lbs) | USD $225.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION** | |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **FRONT WEIGHTS** | |
| R262449 | Front Weight Support, 55kg (121 lb)<br>*Requires hardware order separately* | USD $483.02 |
| SU58373 | Front Weight Support, 110 kg (242 lb) (20 front weights)<br>*Requires hardware order separately* | USD $699.60 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |
| | **BALLAST** | |
| BW15852 | Large ballast box | USD $1,745.70 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3020 | Vertical Exhaust<br>*Only available on Open Operator Station Tractors (2000)* | In Base Price |
| 3025 | Corner Post Deluxe Exhaust<br>*Only available on Cab Tractors (2055, and 2060)* | USD $737.00 |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit | USD $39.27 |
| 5WS812490 | Super Clamp Kit | USD $59.46 |
| 5WS812485 | Clamp Kit | USD $44.88 |
| 5WS812450 | Long Tool Holder (2) | USD $83.02 |
| 5WS812455 | Long Tool Holder (4) | USD $109.95 |
| 5WS812435 | Universal Mount Kit | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box | USD $131.27 |
| | **TOOLBOX** | |
| SJ20134 | Steel Tool Box<br>*For 5065M, 5075M, 5085M, 5095M, 5095MH, 5100M, 5100ML, 5105M, 5105ML, 5115M, and 5115ML Tractors* | USD $145.20 |

Copyright © Deere & Company. All Rights Reserved.

# 5100MH Hi-Crop Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| SJ20133 | Steel Toolbox Kit<br>*Fits 5065M, 5075M, 5085M, 5095M, 5095MH, 5100M, 5100ML, 5105M, 5105ML, 5115M, and 5115ML Tractors with or without a loader includes toolbox* | USD $240.01 |
| | **GUARDS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**HOOD GUARDS** | |
| BW15657 | Hood Guard<br>*For 520M, H240, and 500 Series Loaders* | USD $540.10 |
| BW16009 | Hood Guard<br>*For 520M, 540M, H240, H260, and 553 Loaders* | USD $603.90 |
| BW16765 | Hood Guard<br>*For 540R, 600R, 620R, and H310 Loaders* | USD $603.90 |
| | **LOADERS AND BACKHOES**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**BACKHOES** | |
| BLV10950 | 595 Backhoe Subframe Mounting Kit<br>*For 5065M, 5075M, 5085M, 5090M, 5095M, 5100M, 5105M, 5115M, and 5125M Tractors* | USD $4,224.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 256DLV | **5115ML Low-Profile Specialty Tractor (ALDI)**<br>ENGINE:<br>115 Engine Horsepower @ 2200 rpm*<br>100 PTO Horsepower @ 2100 rpm*<br>EPA Final Tier 4 Emissions Compliant<br>Turbocharger with Intercooler<br>PowerTech Diesel Engine<br>4 Valve HPCR<br>Dry Type Air Cleaner with Safety Element<br>Underhood Muffler with Cornerpost Exhaust Stack<br>(Aftertreatment: DOC/SCR)<br>Cold Start Aid - Air Intake Heater<br>Hand and Foot Throttle<br>Key Engine Shut-Off<br>Water Separator Bowl<br><br>TRANSMISSION:<br>EH Differential Lock<br>Hydraulic Oil Cooler<br>Wet Traction Clutch<br>Park Lock<br>Neutral Start Safety Switch<br><br>REAR AXLE:<br>Flanged Rear Axle<br>Planetary Final Drives<br>8-Position Standard Steel Rear Wheels<br><br>FRONT AXLE:<br>Mechanical Front Wheel Drive Front Axle<br>Planetary Final Drives<br>Electrohydraulic MFWD Engagement via On/Auto/Brake<br><br>STEERING AND BRAKES:<br>Hydrostatic Power Steering<br>Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting<br><br>HYDRAULIC:<br>See code selection for Selective Control Valves (SCVs) and hydraulic system selection<br><br>POWER TAKE-OFF SHAFT:<br>SeeCode selection for PTO shaft | |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Electrohydraulic PTO Engagement<br>Wet PTO Clutch<br>Operator Presence Safety Warning - PTO<br>Safety Start Switch<br>Flip Up PTO Shield<br><br>ROCKSHAFT, HITCH AND DRAWBAR:<br>Heavy-duty Drawbar Adjustable Drawbar<br>See code selection for draft link sizing<br>Lower Link Draft Sensing<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Flashing Warning Lamp<br>High Beam Indicator Light<br>Service Transmission Indicator<br>PTO Speed Indicator/Roll Mode<br>Neutral Indicator<br>Tachometer/Hour Meter<br>Engine Oil Pressure<br>Hydraulic Temperature Indicator<br>Coolant Temperature Gauge<br>Diesel Exhaust Fluid Gauge with low DEF Warning Signal<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Exhaust Filter Cleaning Switch<br>Roll Mode for Instrument Cluster<br>PTO Engagement Light<br>4WD Engagement Light<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 950 CCA** with 180 Minute Reserve Capacity<br>90 Amp Alternator<br>7-Pin ASAE Outlet Socket<br><br>LIGHTS:<br>Two Front Halogen Headlights<br>Two Turn/Warning Lights<br>Two Rear Work Lights<br>Dual Tail Lights<br><br>MISCELLANEOUS: | |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Slow-moving Vehicle (SMV) Emblem<br>Front weight support<br><br>* Manufacturer's Rating<br>** Cold Cranking Amps | |
| | **BASE MACHINE** | |
| | *EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington.* | |
| 256DLV | 5115ML Low-Profile Specialty Tractor (ALDI) | USD $79,106.00 |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0184 | Canada | No Added Cost |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual and Decal Kit | In Base Price |
| 0413 | French Operator's Manual and Decal Kit | No Added Cost |
| 0437 | Spanish Operator's Manual and Decal Kit | No Added Cost |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1380 | 16F/16R PowrReverser™ Transmission - 540/540E<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*B-C-D Range Synchronization*<br>*29.6 Gallon Fuel tank*<br>*65mm lift cylinders* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Requires Shiftable 540/540E Rear PTO (code 3820).*<br>*Requires Open Center Hydraulics (code 3221).* | |
| 1370 | 16F/16R PowrQuad Transmission<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | USD $5,143.00 |
| 1375 | 16F/16R PowrQuad Transmission with Creeper<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | USD $8,149.00 |
| 1385 | 32F/16R PowrQuad Transmisson<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch* | USD $7,071.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | |
| | **ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION** | |
| RE229422 | PowrReverser™ Modulation Control Kit | USD $191.40 |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2010 | Isolated Open Operator Station<br>*Low Profile Isolated Open Operator Station with Flat Floor*<br>*Tilt and Telescopic Steering Column*<br>*Low Profile 2-Post Foldable Roll-Over Protection Structure (ROPS)*<br>*Inboard mounted controls*<br>*Low Profile steering wheel*<br>*Speedometer*<br>*Beverage Holder*<br>*Foldable flashing Warning Lights*<br>*Dual Taillights* | In Base Price |
| | **SEAT** | |
| 2115 | Low Profile Seat | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger<br>*Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.* | USD $18.94 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit<br>*Compatible with 10-mm (0.39-in.) mounting bosses and most accessory mounting brackets.*<br>*Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).* | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| | **MIRRORS** | |
| AL80126 | Rear Mirror Mechanical - Left<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| AL80127 | Rear Mirror Mechanical - Right | USD $222.20 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | |
| RE244177 | Rear View Mirror Mounting Kit - Open Operator Station Tractors<br>*RH Mirror Kit for Open Station Tractors*<br>*Fits 5085E, 5090E, 5100E, 5083E, 5093E, 5101E, 5083E Limited, 5093E Limited, 5101E Limited, 5100ML, 5115ML, 5125ML,5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100MH, 5105M, and 5115M Tractors*<br>*Kit contains AL80127 RH mirror kit and brackets for installation onto ROPS.* | USD $50.82 |
| | **OPEN OPERATOR'S STATION** | |
| RE266928 | Canopy mounting kit<br>*NOTE: For 5E 4cyl FT4 5085E, 5090E, 5100E, 5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100ML, 5100MH, 5105M, 5105ML, 5115M, 5115ML, 5125ML, 5103 (S.N. PY5103U013641-), 5203 (S.N. PY5203U005570-), 5303 (S.N. PY5303U007753-), 5403 (S.N. PY5403U000735-), 5525 Hi-Crop, 5225, 5325, 5425, 5425N, 5525N, 5625, 5325N, and 5603 open station tractors*<br><br>*NOTE: Requires LVB25334 canopy* | USD $108.16 |
| RE273698 | OS Convenience Outlet | USD $103.40 |
| RE270484 | Canopy Deluxe<br>*NOTE: For 5E 3cyl, 5M, 5MH and 5ML Tractors* | USD $1,299.11 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Side Exhaust | In Base Price |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**HYDRAULICS** | |
| 3221 | Open Center Hydraulic System | In Base Price |
| 3223 | PFC Hydraulic System | USD $3,199.00 |
| | **REAR SELECTIVE CONTROL VALVES** | |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 3330 | Triple Stackable Rear Deluxe Valve with Lever Controls<br>*Features: Three Selectable Detent Positions on #1 Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Flow Priority to #1 Valve. Pressure Compensated Flow Control for running Hydraulic Motors on #1 Valve.* | In Base Price |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid Valve *(THIS OPTION IS CURRENTLY NOT AVAILABLE. YOU MUST SELECT CODE 3410 OR 3420)<br>*For the PowrQuad Models, THERE IS NO MID SCV FIELD KIT AVAILABLE*<br>*Does not include side frames.* | In Base Price |
| 3410 | Less Mid Valve, Add Engine Side Frames<br>*For the PowrQuad Models, THERE IS NO MID SCV FIELD KIT AVAILABLE* | USD $268.00 |
| 3420 | Dual Stackable Mid Valve with Joystick Control<br>*Includes side frames.* | USD $1,396.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS** | |
| BSJ10282 | POWER BEYOND<br>*For 5075M, 5090M, 5100M, 5100MH, 5115M, 5100ML, 5115ML and 5125ML Tractors*<br>*Compatible with PowrReverser models only.* | USD $416.90 |
| BSJ10283 | CASE DRAIN<br>*For 5075M, 5090M, 5100M, 5100MH, 5100ML, 5115M, 5115ML and 5125ML Tractors*<br>*Supplies non-restricted flow of hydraulic fluid to reservoir.*<br>*Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.*<br>*Compatible with models equipped with OC hydraulics and a PowrReverser Transmission.* | USD $238.70 |
| BSJ10240 | Power Beyond Kit (PFC System)<br>*For 5ML Tractors with Closed Center Hydraulics* | USD $248.60 |
| BSJ10428 | Hydraulic Case Drain Plumbing (PFC and OC)<br>*For 5ML Tractors with Open and Closed Center Hydraulics* | USD $238.70 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| BSJ10465 | Rear SCV Oil Collection System<br>*Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).*<br>*For tractors equipped with a PowrReverser transmission and an Open Center Hydraulic System* | USD $140.80 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| BSJ10440 | 4th rear SCV Conversion Kit (PFC - non proportional EH)<br>*For 5ML Tractors with Closed Center Hydraulics*<br>*Additional Software Required*<br>*Not compatible with EH fender switch kit BSJ10323* | USD $1,339.80 |
| | **MID SELECTIVE CONTROL VALVES** | |
| | *NOTE: If 5ML PowerQuad Open Station Tractor was not configured from factory with mid-scv there is not a kit to add mid-scv's to tractor.* | |
| BSJ10330 | 2 Mechanical Mid-SCV with Joystick lever<br>*For 5075M, 5085M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M and 5130M Tractors*<br>*Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve. Does not include loader/engine side frames.* | USD $2,006.40 |
| RE272027 | Triple Mid-Mount SCV with Joystick | USD $2,198.00 |
| BSJ10472 | 2 to 3 Mid-SCV Conversion Kit (PFC) (5ML)<br>*Fits 5ML PowerQuad Tractors with Closed Center Hydraulics* | USD $1,701.75 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8720 | ROPS Mounted Work Lights (LED)<br>*Upgrades from halogen to LED* | USD $139.00 |
| 8725 | Beacon Light (ROPS Mounted) | USD $236.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**LIGHTING** | |
| BSJ10325 | LED HEADLIGHTS<br>*For 5075M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M,* | USD $473.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *5115M, 5115ML, 5120M, 5125M, 5125ML and 5130M Tractors Upgrades front headlights from halogen to LED including high and low beam* | |
| AXE82059 | LED Work Light - OOS<br>*Includes single LED Hexagon shaped work light. There are a total of four halogen work lights in the base configuration of the tractor.* | USD $163.13 |
| | **BACKUP ALARM** | |
| BSJ10442 | Backup Alarm Kit | USD $203.50 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3820 | Shiftable 540 / 540E Rear PTO | In Base Price |
| 3830 | Three Speed PTO - 540/540E/1000<br>*Requires PFC Hydraulics (Code 3223)* | USD $902.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**POWER TAKE-OFF (PTO)** | |
| SJ14349 | 1000/540/540E - RPM Power Take-Off (PTO) kit<br>*For PR Transmission Only* | USD $2,627.90 |
| | **REAR POWER TAKE-OFF (PTO)** | |
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 23.8 mm x 61.3 mm (0.94 in. x 2.4 in.) 540 RPM, CAT 2R* | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 22 mm x 54 mm (0.87 in. x 2.13 in.) 540 RPM, CAT 1R* | USD $300.30 |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 74.6 mm (1.06 in. x 2.94 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 70.2 mm (1.06 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 28 mm x 70.2 mm (1.1 in. x 2.76 in.)* | USD $300.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *540 RPM, CAT 3R* | |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 30.2 mm x 80 mm (1.2 in. x 3.15 in.)*<br>*540 RPM, CAT 4R* | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 31.75 mm x 81.76 mm (1.25 in. x 3.22 in.) 540 RPM, CAT 4R* | USD $300.00 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**HITCH CONTROLS** | |
| 4010 | Mechanical Hitch Control<br>*Requires Open Center Hydraulics (Code 3221)* | In Base Price |
| 4030 | Electronic Hitch Control<br>*Requires PFC Hydraulics (code 3223), If remote fender switches are needed you must order code 8022 or 8024 Fender Extensions* | USD $540.00 |
| | **DRAFT LINK** | |
| 4110 | Telescoping Draft Links (Cat. 2)<br>*Requires Cat. 2 Center Link (Code 4210) or Cat. 2 Hydraulic Center Link with Ball End (Code 4220)* | In Base Price |
| 4105 | Telescoping Draft Links (Cat. 3)<br>*Requires PFC Hydraulics (Code 3223)*<br>*Requires Cat. 3 Center Link (Code 4215)* | No Added Cost |
| | **LIFT LINK** | |
| 4160 | Left Hand Only Adjustable Lift Links<br>*Right side fixed* | In Base Price |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link (Cat. 2)<br>*Requires Cat 2. Draft Links (Code 4110).* | In Base Price |
| 4215 | Mechanical Center Link (Cat. 3)<br>*Requires PFC Hydraulics (Code 3223).*<br>*Requires Cat. 3 Draft Links (Code 4105).* | No Added Cost |
| 4220 | Hydraulic Center Link with Ball End (Cat. 2) | USD $878.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Requires PFC Hydraulics (Code 3223)*<br>*Requires Cat 2. Telescoping Draft Links (Code 4110)* | |
| | **STABILIZER** | |
| 4420 | Left Hand and Right Hand Stabilizer Bar | In Base Price |
| | **Additional Factory Options**<br>**HITCH CYLINDERS** | |
| 8458 | 70mm hitch lift cylinder | USD $388.00 |
| 8463 | 80mm hitch lift cylinder<br>*Requires PFC Hydraulics (Code 3223).* | USD $437.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**CENTER LINK** | |
| BSJ10309 | Hydraulic Center Link - Ball Type | USD $2,307.80 |
| | **HITCH CYLINDERS** | |
| AHC15531 | Hydraulic cylinder 75 mm (2.95 in.)<br>*NOTE: Upgrades right-hand hydraulic cylinder to 75 mm (2.95 in.) for average of 70-mm (2.75-in.) lift cylinder.*<br>*Heavy-duty hitch kit for PowrReverser transmission* | USD $154.00 |
| AHC18728 | Hydraulic Cylinders to 80 mm (3.15 in.)<br>*NOTE: Order two AHC18728 to replace both left-hand and right-hand hydraulic cylinders to 80 mm (3.15 in.)*<br>*Heavy-duty hitch kit for PowrQuad PLUS and Powr8 transmissions* | USD $1,295.80 |
| | **FRONT HITCH** | |
| BXX10880 | Front 3-Point Hitch<br>*For 5ML Open Station Tractors* | USD $4,098.34 |
| BXX10931 | FRONT HITCH  FIELD INSTALLATION KIT, 5M (Connections to the rear SCV)<br>*For 5M/5ML Tractors* | USD $1,750.06 |
| BXX10994 | FRONT HITCH, MID SCV ROUTING (Connections to the mid SCV)<br>*For 5M/5ML Tractors* | USD $271.83 |
| BXX10778 | Front 3 Point Hitch Support Push Bar Kit - 5M/5ML/5R<br>*NOTE: The Front 3 Point Hitch Support Push Bar Kit is recommended* | USD $1,358.31 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *with ground engaging or high load front implement work.* | |
| | **FRONT AXLE**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6040 | MFWD (4-Wheel Drive)<br>*Limited Slip Differential*<br>*Push Button, On-The-Go Engagement*<br>*Engagement Indicator Light.*<br>*Electrohydraulic MFWD Engagement via On/Auto/Brake*<br>*Auto Engagement Mode.* | In Base Price |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5121 | 16.9 - 30 in. 6PR R1 Bias (Goodyear)<br>*Requires Code 6111.* | No Added Cost |
| 5914 | 19.5L - 24 in. 10PR R4 Bias (Goodyear)<br>*Requires Code 6133.* | In Base Price |
| 5303 | 21.5L - 16.1 in. R3 Bias (Button Tire)<br>*Requires Codes 6111 or 6303.* | USD ($960.00) |
| 5173 | 480/70R28 R1 Radial (Mitas)<br>*Requires Code 6155* | USD $2,237.00 |
| | **REAR TIRE BRAND PREFERENCE** | |
| 5999 | No Rear Tire Brand Preference | In Base Price |
| | **FRONT WHEELS AND TIRES** | |
| | *See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.* | |
| 6111 | 11.2-24 6PR R1 (Goodyear) Bias | USD $416.00 |
| 6133 | 12.5/80-18-in. 12PR I3 Bias (Goodyear) | In Base Price |
| 6303 | 9.5 - 16 in. 6PR R3 Bias | USD ($512.00) |
| 6155 | 380/70R20 R1 (Mitas) | USD $1,120.00 |
| | **FRONT TIRE BRAND PREFERENCE** | |
| 6799 | No Front Tire Brand Preference | In Base Price |
| | **Additional Factory Options** | |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **REAR FENDERS** | |
| 8022 | Rear Fender Extensions<br>*Rear Hitch Fender Control. (PFC Hydraulics are Required (code 3223) )*<br>*To install Rear Hitch Fender Controls you will need the following ordered through service parts:*<br>*24M7117 Washer*<br>*37M7411 SCREW*<br>*AL172871 Control*<br>*AL204342 WIRING HARNESS*<br>*L169912 Boot*<br>*R206454 Plug*<br>*R234273 Frame*<br>*You will also need to order Software Number SJ36662 to activate the switch*<br>*Adds an additional 8.8 inches (224mm) extension per fender* | USD $274.00 |
| 8024 | Rear Fender Extensions - Wide<br>*Adds an additional 15.2 inches (385mm) extension per fender* | USD $471.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |
| RE271547 | Rear Fender Extension Kit with Lights - OOS Tractors with Steel Fenders<br>*For 5M, 5EL, 5E 4cyl, 5MH and 5ML Open Station Tractors with steel fenders* | USD $506.40 |
| | **LOADERS AND BACKHOES**<br>**Additional Factory Options**<br>**FRONT LOADER PREPARATION PACKAGES** | |
| 8912 | Loader Preparation Package<br>*Hydraulic hoses and hydraulic connections still need to be ordered with loader.*<br>*Loader Preparation Package only compatible with 540M and H310 loaders.*<br>*Includes loader mounting frames and hood guard.* | USD $1,949.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Requires mid valve (Code 3420)* | |
| | **GUARDS**<br>**Additional Factory Options**<br>**GUARDS** | |
| 8330 | Skid Plate, Fuel Tank and Steering Line Guarding Package | USD $946.00 |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit<br>*Includes (2) clamps and hardware* | USD $39.27 |
| 5WS812490 | Super Clamp Kit<br>*Includes (2) clamps and hardware* | USD $59.46 |
| 5WS812485 | Clamp Kit<br>*Includes (2) clamps and hardware* | USD $44.88 |
| 5WS812450 | Long Tool Holder (2)<br>*NOTE: Carries (2) long handled tools* | USD $83.02 |
| 5WS812455 | Long Tool Holder (4)<br>*NOTE: Carries (4) long handled tools* | USD $109.95 |
| 5WS812435 | Universal Mount Kit<br>*NOTE: This is used for additional mounting locations of tool holders (garage/ballast box/trailer/etc.)*<br>*NOTE: (2) Self-tapping screws & (2) Lag bolts included* | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box<br>*NOTE: It is not recommended to mount the chain box to the ROPS Rack due to potential height of storage location and total weight.* | USD $131.27 |
| | **AXLE AND BRAKES**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR AXLE** | |
| AL156777 | Hub Extension 111mm, Rear, Tread Adjustment | USD $884.40 |
| | **BRAKES** | |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| BSJ10619 | Brake Reservoir Upgrade Kit<br>*NOTE: Fits Pre-2019 5075M, 5090M, 5100M, 5100ML, 5100MH, 5115M, 5115ML, and 5125ML Tractors*<br><br>*NOTE: Requires additional software* | USD $275.00 |
| | **ENGINE**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**FUEL TANK** | |
| AL213203 | Lockable Filler Cap Fuel Tank | USD $35.01 |
| | **FUEL TANK** | |
| BSJ10480 | Fuel Tank Shield Kit | USD $359.70 |
| BSJ10675 | Fuel Cooler Kit | USD $316.27 |
| SJ14855 | Fuel Tank Skid Plate Kit - Low Profile PR Transmission | USD $950.54 |
| | **COLD WEATHER PACKAGES** | |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |
| | **WEIGHTS AND BALLASTING**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb) | USD $726.00 |
| | **FRONT WEIGHTS** | |
| SU58373 | Front Weight Support, 110 kg (242 lb) (20 front weights)<br>*Requires hardware order separately* | USD $699.60 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| | **FRONT WEIGHTS** | |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |
| | **PRECISION AG TECHNOLOGY**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**MACHINE CONNECTIVITY** | |
| | *For MY23 5M, 5E 4 cylinder models, and 5E 3 cylinder Cab models built with option code 183A (JDLink Capable) will only require installing the M Modem. These machines were equipped from the factory with the necessary harnessing installed.* | |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |
| BSJ10674 | SmartConnector - CAN to Bluetooth® | USD $165.00 |
| PFA11136 | Low Profile - 3.2-m (10.5-ft) Length Antenna<br>*For 5M Open Operator Station using JDLink™ R Modem: 5M, 5100ML, 5115ML, 5125ML, and 5100MH (model year 2015 and newer Final Tier 4 [FT4])* | USD $218.09 |
| TA25456 | MTG Jumper Harness | USD $25.04 |
| PFA12899 | 2 Wire Ethernet Cable - Mini50<br>*Required to connect a display to JDLink™ M Modems* | USD $99.28 |
| | *NOTE: Requires Ethernet Switch Kit to work with Gen 4 4240 Display* | |
| BSJ10451 | JDLink™ R Modem Mounting Kit, OOS models<br>*For FT4 5M, 5MH, 5ML tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)* | USD $661.10 |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630)<br>*This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | USD $275.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 256FLV | **5115ML Low-Profile Specialty Tractor (ALDI)**<br>ENGINE:<br>115 Engine Horsepower @ 2200 rpm*<br>100 PTO Horsepower @ 2100 rpm*<br>EPA Final Tier 4 Emissions Compliant<br>Turbocharger with Intercooler<br>PowerTech Diesel Engine<br>4 Valve HPCR<br>Dry Type Air Cleaner with Safety Element<br>Underhood Muffler with Cornerpost Exhaust Stack<br>(Aftertreatment: DOC/SCR)<br>Cold Start Aid - Air Intake Heater<br>Hand and Foot Throttle<br>Key Engine Shut-Off<br>Water Separator Bowl<br><br>TRANSMISSION:<br>EH Differential Lock<br>Hydraulic Oil Cooler<br>Wet Traction Clutch<br>Park Lock<br>Neutral Start Safety Switch<br><br>REAR AXLE:<br>Flanged Rear Axle<br>Planetary Final Drives<br>8-Position Standard Steel Rear Wheels<br><br>FRONT AXLE:<br>Mechanical Front Wheel Drive Front Axle<br>Planetary Final Drives<br>Electrohydraulic MFWD Engagement via On/Auto/Brake<br><br>STEERING AND BRAKES:<br>Hydrostatic Power Steering<br>Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting<br><br>HYDRAULIC:<br>See code selection for Selective Control Valves (SCVs) and hydraulic system selection<br><br>POWER TAKE-OFF SHAFT:<br>SeeCode selection for PTO shaft | |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Electrohydraulic PTO Engagement<br>Wet PTO Clutch<br>Operator Presence Safety Warning - PTO<br>Safety Start Switch<br>Flip Up PTO Shield<br><br>ROCKSHAFT, HITCH AND DRAWBAR:<br>Heavy-duty Drawbar Adjustable Drawbar<br>See code selection for draft link sizing<br>Lower Link Draft Sensing<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Flashing Warning Lamp<br>High Beam Indicator Light<br>Service Transmission Indicator<br>PTO Speed Indicator/Roll Mode<br>Neutral Indicator<br>Tachometer/Hour Meter<br>Engine Oil Pressure<br>Hydraulic Temperature Indicator<br>Coolant Temperature Gauge<br>Diesel Exhaust Fluid Gauge with low DEF Warning Signal<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Exhaust Filter Cleaning Switch<br>Roll Mode for Instrument Cluster<br>PTO Engagement Light<br>4WD Engagement Light<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 950 CCA** with 180 Minute Reserve Capacity<br>90 Amp Alternator<br>7-Pin ASAE Outlet Socket<br><br>LIGHTS:<br>Two Front Halogen Headlights<br>Two Turn/Warning Lights<br>Two Rear Work Lights<br>Dual Tail Lights<br><br>MISCELLANEOUS: | |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Slow-moving Vehicle (SMV) Emblem<br>Front weight support<br><br>* Manufacturer's Rating<br>** Cold Cranking Amps | |
| | **BASE MACHINE** | |
| | *EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington.* | |
| 256FLV | 5115ML Low-Profile Specialty Tractor (ALDI) | USD $86,055.00 |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0184 | Canada | No Added Cost |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual and Decal Kit | In Base Price |
| 0413 | French Operator's Manual and Decal Kit | No Added Cost |
| 0437 | Spanish Operator's Manual and Decal Kit | No Added Cost |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2010 | Isolated Open Operator Station<br>*Low Profile Isolated Open Operator Station with Flat Floor*<br>*Tilt and Telescopic Steering Column*<br>*Low Profile 2-Post Foldable Roll-Over Protection Structure (ROPS)*<br>*Inboard mounted controls*<br>*Low Profile steering wheel*<br>*Speedometer*<br>*Beverage Holder*<br>*Foldable flashing Warning Lights*<br>*Dual Taillights*<br>*38 U.S. Gallon (145 L) Fuel Tank Capacity* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **SEAT** | |
| 2115 | Low Profile Seat | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger<br>*Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.* | USD $18.94 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit<br>*Compatible with 10-mm (0.39-in.) mounting bosses and most accessory mounting brackets.*<br>*Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).* | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| | **MIRRORS** | |
| AL80126 | Rear Mirror Mechanical - Left<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| AL80127 | Rear Mirror Mechanical - Right<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| RE244177 | Rear View Mirror Mounting Kit - Open Operator Station Tractors<br>*RH Mirror Kit for Open Station Tractors*<br>*Fits 5085E, 5090E, 5100E, 5083E, 5093E, 5101E, 5083E Limited, 5093E Limited, 5101E Limited, 5100ML, 5115ML, 5125ML,5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100MH, 5105M, and 5115M Tractors*<br>*Kit contains AL80127 RH mirror kit and brackets for installation onto ROPS.* | USD $50.82 |
| | **OPEN OPERATOR'S STATION** | |
| RE266928 | Canopy mounting kit<br>*NOTE: For 5E 4cyl FT4 5085E, 5090E, 5100E, 5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100ML, 5100MH, 5105M, 5105ML, 5115M, 5115ML, 5125ML, 5103 (S.N. PY5103U013641-), 5203 (S.N. PY5203U005570-), 5303 (S.N. PY5303U007753-), 5403 (S.N. PY5403U000735-), 5525 Hi-Crop, 5225, 5325, 5425, 5425N, 5525N, 5625, 5325N, and 5603 open station tractors*<br><br>*NOTE: Requires LVB25334 canopy* | USD $108.16 |
| RE273698 | OS Convenience Outlet | USD $103.40 |
| RE270484 | Canopy Deluxe<br>*NOTE: For 5E 3cyl, 5M, 5MH and 5ML Tractors* | USD $1,299.11 |
| | **AG MANAGEMENT SOLUTIONS (AMS)** | |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **Basic Factory Options**<br>**CONNECTIVITY HARDWARE** | |
| 183E | JDLink™ Modem<br>*Includes integrated wiring harness, antenna, JDLink™ Modem (MTG).*<br>** Does not include an ethernet cable to connect the MTG to the display. A 13.5ft ethernet cable with HSAII ends is recommended if wanting to connect them.* | In Base Price |
| | **CONNECTIVITY SUBSCRIPTIONS** | |
| 185A | JDLink™ Connectivity<br>*JDLink™ Connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.*<br><br>*JDLink™ Connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.*<br><br>*Requires JDLink™ Modem to enable JDLink™ Connectivity.* | In Base Price |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1380 | PowrReverser™ 16F/16R 40 km/h Transmission<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*B-C-D Range Synchronization*<br>*29.6 Gallon Fuel tank*<br>*65mm lift cylinders*<br>*Requires Shiftable 540/540E Rear PTO (code 3820).*<br>*Requires Open Center Hydraulics (code 3221).* | In Base Price |
| 1370 | PowrQuad™ PLUS 16F/16R 40 km/h Transmission | USD $5,529.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | |
| 1375 | PowrQuad™ PLUS 16F/16R 40 km/h Transmission with Creeper<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | USD $8,760.00 |
| 1385 | Powr8™ 32F/16R 40 km/h Transmisson<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch* | USD $7,601.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*40km/h at reduced engine speed (ECO Shift)*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | |
| | **ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION** | |
| RE229422 | PowrReverser™ Modulation Control Kit | USD $191.40 |
| | **FRONT AXLE**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6040 | MFWD (4-Wheel Drive)<br>*Limited Slip Differential*<br>*Push Button, On-The-Go Engagement*<br>*Engagement Indicator Light.*<br>*Electrohydraulic MFWD Engagement via On/Auto/Brake*<br>*Auto Engagement Mode.* | In Base Price |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3820 | Shiftable 540 / 540E Rear PTO | In Base Price |
| 3830 | Three Speed PTO - 540/540E/1000<br>*Requires PFC Hydraulics (Code 3223)* | USD $970.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION POWER TAKE-OFF (PTO)** | |
| SJ14349 | 1000/540/540E - RPM Power Take-Off (PTO) kit<br>*For PR Transmission Only* | USD $2,627.90 |
| | **REAR POWER TAKE-OFF (PTO)** | |
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 23.8 mm x 61.3 mm (0.94 in. x 2.4 in.) 540 RPM, CAT 2R* | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.30 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Quik-Knect implement receiver – 22 mm x 54 mm (0.87 in. x 2.13 in.) 540 RPM, CAT 1R* | |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 74.6 mm (1.06 in. x 2.94 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 70.2 mm (1.06 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 28 mm x 70.2 mm (1.1 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.00 |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 30.2 mm x 80 mm (1.2 in. x 3.15 in.) 540 RPM, CAT 4R* | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 31.75 mm x 81.76 mm (1.25 in. x 3.22 in.) 540 RPM, CAT 4R* | USD $300.00 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**HITCH CONTROLS** | |
| 4010 | Mechanical Hitch Control<br>*Requires Open Center Hydraulics (Code 3221)* | In Base Price |
| 4030 | Electronic Hitch Control<br>*Requires PFC Hydraulics (code 3223), If remote fender switches are needed you must order code 8022 or 8024 Fender Extensions* | USD $581.00 |
| | **DRAFT LINK** | |
| 4110 | Telescoping Draft Links (Cat. 2)<br>*Requires Cat. 2 Center Link (Code 4210) or Cat. 2 Hydraulic Center Link with Ball End (Code 4220)* | In Base Price |
| 4105 | Telescoping Draft Links (Cat. 3)<br>*Requires PFC Hydraulics (Code 3223)*<br>*Requires Cat. 3 Center Link (Code 4215)* | No Added Cost |
| | **LIFT LINK** | |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 4160 | Left Hand Only Adjustable Lift Links<br>*Right side fixed* | In Base Price |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link (Cat. 2)<br>*Requires Cat 2. Draft Links (Code 4110).* | In Base Price |
| 4215 | Mechanical Center Link (Cat. 3)<br>*Requires PFC Hydraulics (Code 3223).*<br>*Requires Cat. 3 Draft Links (Code 4105).* | No Added Cost |
| 4220 | Hydraulic Center Link with Ball End (Cat. 2)<br>*Requires PFC Hydraulics (Code 3223)*<br>*Requires Cat 2. Telescoping Draft Links (Code 4110)* | USD $944.00 |
| | **STABILIZER** | |
| 4420 | Left Hand and Right Hand Stabilizer Bar | In Base Price |
| | **Additional Factory Options**<br>**HITCH CYLINDERS** | |
| 8458 | 70mm hitch lift cylinder<br>*Not compatible with PowrQuad Transmissions (Codes 1370, 1375, 1385) as 75mm cylinders are included in base equipment when PowrQuad transmission is selected.* | USD $417.00 |
| 8463 | 80mm hitch lift cylinder<br>*Requires PFC Hydraulics (Code 3223).* | USD $470.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**CENTER LINK** | |
| BSJ10309 | Hydraulic Center Link - Ball Type | USD $2,307.80 |
| | **HITCH CYLINDERS** | |
| AHC15531 | Hydraulic cylinder 75 mm (2.95 in.)<br>*NOTE: Upgrades right-hand hydraulic cylinder to 75 mm (2.95 in.) for average of 70-mm (2.75-in.) lift cylinder.*<br>*Heavy-duty hitch kit for PowrReverser transmission* | USD $154.00 |
| AHC18728 | Hydraulic Cylinders to 80 mm (3.15 in.)<br>*NOTE: Order two AHC18728 to replace both left-hand and right-hand hydraulic cylinders to 80 mm (3.15 in.)*<br>*Heavy-duty hitch kit for PowrQuad PLUS and Powr8 transmissions* | USD $1,295.80 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **FRONT HITCH** | |
| BXX10880 | Front 3-Point Hitch<br>*For 5ML Open Station Tractors* | USD $4,098.34 |
| BXX10931 | FRONT HITCH FIELD INSTALLATION KIT, 5M (Connections to the rear SCV)<br>*For 5M/5ML Tractors* | USD $1,750.06 |
| BXX10994 | FRONT HITCH, MID SCV ROUTING (Connections to the mid SCV)<br>*For 5M/5ML Tractors* | USD $271.83 |
| BXX10778 | Front 3 Point Hitch Support Push Bar Kit - 5M/5ML/5R<br>*NOTE: The Front 3 Point Hitch Support Push Bar Kit is recommended with ground engaging or high load front implement work.* | USD $1,358.31 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**HYDRAULICS** | |
| 3221 | Open Center Hydraulic System | In Base Price |
| 3223 | PFC Hydraulic System | USD $3,439.00 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3330 | Triple Stackable Rear Deluxe Valve with Lever Controls<br>*Features: Three Selectable Detent Positions on #1 Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Flow Priority to #1 Valve. Pressure Compensated Flow Control for running Hydraulic Motors on #1 Valve.* | In Base Price |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3410 | Less Mid Valve, Add Engine Side Frames<br>*For the PowrQuad Models, THERE IS NO MID SCV FIELD KIT AVAILABLE* | In Base Price |
| 3420 | Dual Stackable Mid Valve with Joystick Control<br>*Includes side frames.* | USD $1,237.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HYDRAULICS** | |
| BSJ10282 | POWER BEYOND | USD $416.90 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *For 5075M, 5090M, 5100M, 5100MH, 5115M, 5100ML, 5115ML and 5125ML Tractors*<br>*Compatible with PowrReverser models only.* | |
| BSJ10283 | CASE DRAIN<br>*For 5075M, 5090M, 5100M, 5100MH, 5100ML, 5115M, 5115ML and 5125ML Tractors*<br>*Supplies non-restricted flow of hydraulic fluid to reservoir.*<br>*Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.*<br>*Compatible with models equipped with OC hydraulics and a PowrReverser Transmission.* | USD $238.70 |
| BSJ10240 | Power Beyond Kit (PFC System)<br>*For 5ML Tractors with Closed Center Hydraulics* | USD $248.60 |
| BSJ10428 | Hydraulic Case Drain Plumbing (PFC and OC)<br>*For 5ML Tractors with Open and Closed Center Hydraulics* | USD $238.70 |
| BSJ10465 | Rear SCV Oil Collection System<br>*Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).*<br>*For tractors equipped with a PowrReverser transmission and an Open Center Hydraulic System* | USD $140.80 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| BSJ10440 | 4th rear SCV Conversion Kit (PFC - non proportional EH)<br>*For 5ML Tractors with Closed Center Hydraulics*<br>*Additional Software Required*<br>*Not compatible with EH fender switch kit BSJ10323* | USD $1,339.80 |
| | **MID SELECTIVE CONTROL VALVES** | |
| | *NOTE: If 5ML PowerQuad Open Station Tractor was not configured from factory with mid-scv there is not a kit to add mid-scv's to tractor.* | |
| BSJ10330 | 2 Mechanical Mid-SCV with Joystick lever<br>*For 5075M, 5085M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M and 5130M Tractors*<br>*Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve. Does not include loader/engine side frames.* | USD $2,006.40 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| RE272027 | Triple Mid-Mount SCV with Joystick | USD $2,198.00 |
| BSJ10472 | 2 to 3 Mid-SCV Conversion Kit (PFC) (5ML)<br>*Fits 5ML PowerQuad Tractors with Closed Center Hydraulics* | USD $1,701.75 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8720 | ROPS Mounted Work Lights (LED)<br>*Upgrades from halogen to LED* | USD $149.00 |
| 8727 | LED Beacon Light | USD $332.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**LIGHTING** | |
| BSJ10325 | LED HEADLIGHTS<br>*For 5075M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M, 5125ML and 5130M Tractors*<br>*Upgrades front headlights from halogen to LED including high and low beam* | USD $473.00 |
| AXE82059 | LED Work Light - OOS<br>*Includes single LED Hexagon shaped work light. There are a total of four halogen work lights in the base configuration of the tractor.* | USD $163.13 |
| | **BACKUP ALARM** | |
| BSJ10442 | Backup Alarm Kit | USD $203.50 |
| | **BEACON LIGHTING** | |
| BSJ10638 | LED Beacon Light Kit - Cab<br>*NOTE: Includes LH and RH mounting brackets and (1) Beacon Light*<br>*NOTE: Fits 5M/MH/ML - FT4/IT4 Cab Tractors*<br>*NOTE: Fits 5R Cab Tractors* | USD $225.50 |
| BSJ10640 | LED Beacon Light Kit - OOS<br>*LED Beacon Light Kit – Open Station*<br>*NOTE: Fits 5M/MH - FT4/IT4 tractors*<br>*NOTE: Fits 5E-3 and 4 Cylinder tractors* | USD $225.50 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 5121 | 16.9 - 30 in. 6PR R1 Bias<br>*Requires Code 6111.* | USD $25.00 |
| 5914 | 19.5L - 24 in. 10PR R4 Bias<br>*Requires Code 6133.* | In Base Price |
| 5303 | 21.5L - 16.1 in. R3 Bias (Button Tire)<br>*Requires Codes 6111 or 6303.* | USD ($1,057.00) |
| 5173 | 480/70R28 R1 Radial<br>*Requires Code 6155* | USD $2,459.00 |
| | **REAR TIRE BRAND PREFERENCE** | |
| 5999 | No Rear Tire Brand Preference | In Base Price |
| | **FRONT WHEELS AND TIRES** | |
| | *See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.* | |
| 6111 | 11.2-24 6PR R1 Bias | USD $460.00 |
| 6133 | 12.5/80-18-in. 12PR I3 Bias | In Base Price |
| 6303 | 9.5 - 16 in. 6PR R3 Bias | USD ($561.00) |
| 6155 | 380/70R20 R1 | USD $1,231.00 |
| | **FRONT TIRE BRAND PREFERENCE** | |
| 6799 | No Front Tire Brand Preference | In Base Price |
| | **Additional Factory Options**<br>**REAR FENDERS** | |
| 8022 | Rear Fender Extensions<br>*Rear Hitch Fender Control. (PFC Hydraulics are Required (code 3223) )*<br>*To install Rear Hitch Fender Controls you will need the following ordered through service parts:*<br>*24M7117 Washer*<br>*37M7411 SCREW*<br>*AL172871 Control*<br>*AL204342 WIRING HARNESS*<br>*L169912 Boot*<br>*R206454 Plug*<br>*R234273 Frame* | USD $295.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *You will also need to order Software Number SJ36662 to activate the switch*<br>*Adds an additional 8.8 inches (224mm) extension per fender* | |
| 8024 | Rear Fender Extensions - Wide<br>*Adds an additional 15.2 inches (385mm) extension per fender* | USD $506.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |
| RE271547 | Rear Fender Extension Kit with Lights - OOS Tractors with Steel Fenders<br>*For 5M, 5EL, 5E 4cyl, 5MH and 5ML Open Station Tractors with steel fenders* | USD $506.40 |
| | **LOADERS AND BACKHOES**<br>**Additional Factory Options**<br>**FRONT LOADER PREPARATION PACKAGES** | |
| 8912 | Loader Preparation Package<br>*Hydraulic hoses and hydraulic connections still need to be ordered with loader.*<br>*Loader Preparation Package only compatible with 540M and H310 loaders.*<br>*Includes loader mounting frames and hood guard.*<br>*Requires mid valve (Code 3420)* | USD $2,095.00 |
| | **GUARDS**<br>**Additional Factory Options**<br>**GUARDS** | |
| 8330 | Skid Plate, Fuel Tank and Steering Line Guarding Package | USD $1,017.00 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Side Exhaust | In Base Price |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 5WS812480 | Mini Clamp Kit<br>*Includes (2) clamps and hardware* | USD $39.27 |
| 5WS812490 | Super Clamp Kit<br>*Includes (2) clamps and hardware* | USD $59.46 |
| 5WS812485 | Clamp Kit<br>*Includes (2) clamps and hardware* | USD $44.88 |
| 5WS812450 | Long Tool Holder (2)<br>*NOTE: Carries (2) long handled tools* | USD $83.02 |
| 5WS812455 | Long Tool Holder (4)<br>*NOTE: Carries (4) long handled tools* | USD $109.95 |
| 5WS812435 | Universal Mount Kit<br>*NOTE: This is used for additional mounting locations of tool holders (garage/ballast box/trailer/etc.)*<br>*NOTE: (2) Self-tapping screws & (2) Lag bolts included* | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box<br>*NOTE: It is not recommended to mount the chain box to the ROPS Rack due to potential height of storage location and total weight.* | USD $131.27 |
| | **AXLE AND BRAKES**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR AXLE** | |
| AL156777 | Hub Extension 111mm, Rear, Tread Adjustment | USD $884.40 |
| | **BRAKES** | |
| BSJ10619 | Brake Reservoir Upgrade Kit<br>*NOTE: Fits Pre-2019 5075M, 5090M, 5100M, 5100ML, 5100MH, 5115M, 5115ML, and 5125ML Tractors*<br><br>*NOTE: Requires additional software* | USD $275.00 |
| | **ENGINE**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**FUEL TANK** | |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| AL213203 | Lockable Filler Cap Fuel Tank | USD $35.01 |
| | **FUEL TANK** | |
| BSJ10480 | Fuel Tank Shield Kit | USD $359.70 |
| BSJ10675 | Fuel Cooler Kit | USD $316.27 |
| SJ14855 | Fuel Tank Skid Plate Kit - Low Profile PR Transmission | USD $950.54 |
| | **COLD WEATHER PACKAGES** | |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |
| | **WEIGHTS AND BALLASTING**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb) | USD $726.00 |
| | **FRONT WEIGHTS** | |
| SU58373 | Front Weight Support, 110 kg (242 lb) (20 front weights)<br>*Requires hardware order separately* | USD $699.60 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| | **FRONT WEIGHTS** | |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |
| | **PRECISION AG TECHNOLOGY**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**MACHINE CONNECTIVITY** | |
| | *For MY23 5M, 5E 4 cylinder models, and 5E 3 cylinder Cab models built with option code 183A (JDLink Capable) will only require installing the M Modem. These machines were equipped from the factory with the necessary harnessing installed.*<br>*NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |
| BSJ10674 | SmartConnector - CAN to Bluetooth® | USD $165.00 |
| PFA11136 | Low Profile - 3.2-m (10.5-ft) Length Antenna<br>*For 5M Open Operator Station using JDLink™ R Modem: 5M, 5100ML, 5115ML, 5125ML, and 5100MH (model year 2015 and newer Final Tier 4 [FT4])* | USD $218.09 |
| TA25456 | MTG Jumper Harness | USD $25.04 |

Copyright © Deere & Company. All Rights Reserved.

# 5115ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| PFA12899 | 2 Wire Ethernet Cable - Mini50<br>*Required to connect a display to JDLink™ M Modems*<br><br>*NOTE: Requires Ethernet Switch Kit to work with Gen 4 4240 Display* | USD $99.28 |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630)<br>*This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | USD $275.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 257CLV | **5125ML Low-Profile Specialty Tractor (ALDI)**<br>125 Engine Horsepower @ 2200 rpm*<br>115 PTO Horsepower @ 2100 rpm*<br>EPA Final Tier 4 Emissions Compliant<br>Turbocharger with Intercooler<br>4.5L PowerTech Diesel Engine<br>4 Valve HPCR<br>Dry Type Air Cleaner with Safety Element<br>Underhood Muffler with Side Exhaust (Aftertreatment: DOC/SCR)<br>Cold Start Aid - Air IntakeHeater<br>Hand and Foot Throttle<br>Key Engine Shut-Off<br>Water Separator Bowl<br><br>TRANSMISSION:<br>EH Differential Lock<br>Hydraulic Oil Cooler<br>Wet Traction Clutch<br>Park Lock<br>Neutral Start Safety Switch<br><br>REAR AXLE:<br>Flanged Rear Axle<br>Planetary Final Drives<br>8-Position Standard Steel Rear Wheels<br><br>FRONT AXLE:<br>Mechanical Front Wheel Drive Front Axle<br>Planetary Final Drives<br>Electrohydraulic MFWD Engagement via On/Auto/Brake<br><br>STEERING AND BRAKES:<br>Hydrostatic Power Steering<br>Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting<br><br>HYDRAULIC:<br>PFC Hydraulic System<br>See code selection for Selective Control Valves (SCVs)<br><br>POWER TAKE-OFF SHAFT:<br>Independent "Live" 540 /1000 RPM Rear PTO Shaft @ 2100 Engine RPM | |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Economy PTO Setting for 540 PTO RPM @ 1645 Engine RPM<br>Reversible 540/1000 PTO Shaft<br>Electrohydraulic PTO Engagement<br>Wet PTO Clutch<br>Operator Presence Safety Warning - PTO<br>Safety Start Switch<br>Flip Up PTO Shield<br><br>ROCKSHAFT, HITCH AND DRAWBAR:<br>Heavy-duty Drawbar Adjustable Drawbar<br>See code selection for draft link sizing<br>Lower Link Draft Sensing<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Flashing Warning Lamp<br>High Beam Indicator Light<br>Service Transmission Indicator<br>PTO Speed Indicator/Roll Mode<br>Neutral Indicator<br>Tachometer/Hour Meter<br>Engine Oil Pressure<br>Hydraulic Temperature Indicator<br>Coolant Temperature Gauge<br>Diesel Exhaust Fluid Gauge with low DEF Warning Signal<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Exhaust Filter Cleaning Switch<br>Roll Mode for Instrument Cluster<br>PTO Engagement Light<br>4WD Engagement Light<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 950 CCA** with 180 Minute Reserve Capacity<br>90 Amp Alternator<br>7-Pin ASAE Outlet Socket<br><br>LIGHTS:<br>Two Front Halogen Headlights<br>Two Turn/Warning Lights<br>Two ROPS Mounted Work Lights | |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Dual Tail Lights | |
| | MISCELLANEOUS:<br>Slow-moving Vehicle (SMV) Emblem<br>Front Weight Support | |
| | * Manufacturer's Rating<br>** Cold Cranking Amps | |
| | **BASE MACHINE** | |
| | *EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington.* | |
| 257CLV | 5125ML Low-Profile Specialty Tractor (ALDI) | USD $92,254.00 |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0202 | United States | In Base Price |
| 0184 | Canada | No Added Cost |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual and Decal Kit | In Base Price |
| 0413 | French Operator's Manual and Decal Kit | No Added Cost |
| 0437 | Spanish Operator's Manual and Decal Kit | No Added Cost |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1370 | 16F/16R PowrQuad Transmission<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | |
| 1375 | 16F/16R PowrQuad Transmission with Creeper<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | USD $3,006.00 |
| 1385 | 32F/16R PowrQuad Transmisson<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | USD $1,928.00 |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2010 | Isolated Open Operator Station | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Low Profile Isolated Open Operator Station with Flat Floor*<br>*Tilt and Telescopic Steering Column*<br>*Low Profile 2-Post Foldable Roll-Over Protection Structure (ROPS)*<br>*Inboard mounted controls*<br>*Low Profile steering wheel*<br>*Speedometer*<br>*Beverage Holder*<br>*Foldable flashing Warning Lights*<br>*Dual Taillights* | |
| | **SEAT** | |
| 2115 | Low Profile Seat | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger<br>*Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.* | USD $18.94 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit<br>*Compatible with 10-mm (0.39-in.) mounting bosses and most accessory mounting brackets.*<br><br>*Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).* | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| | **MIRRORS** | |
| AL80126 | Rear Mirror Mechanical - Left<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| AL80127 | Rear Mirror Mechanical - Right<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| RE244177 | Rear View Mirror Mounting Kit - Open Operator Station Tractors<br>*RH Mirror Kit for Open Station Tractors*<br>*Fits 5085E, 5090E, 5100E, 5083E, 5093E, 5101E, 5083E Limited, 5093E Limited, 5101E Limited, 5100ML, 5115ML, 5125ML,5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100MH, 5105M, and 5115M Tractors*<br>*Kit contains AL80127 RH mirror kit and brackets for installation onto ROPS.* | USD $50.82 |
| | **OPEN OPERATOR'S STATION** | |
| RE266928 | Canopy mounting kit<br>*NOTE: For 5E 4cyl FT4 5085E, 5090E, 5100E, 5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100ML, 5100MH, 5105M, 5105ML, 5115M, 5115ML, 5125ML, 5103 (S.N. PY5103U013641-),* | USD $108.16 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *5203 (S.N. PY5203U005570-), 5303 (S.N. PY5303U007753-), 5403 (S.N. PY5403U000735-), 5525 Hi-Crop, 5225, 5325, 5425, 5425N, 5525N, 5625, 5325N, and 5603 open station tractors* | |
| | *NOTE: Requires LVB25334 canopy* | |
| RE273698 | OS Convenience Outlet | USD $103.40 |
| RE270484 | Canopy Deluxe | USD $1,299.11 |
| | *NOTE: For 5E 3cyl, 5M, 5MH and 5ML Tractors* | |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Side Exhaust | In Base Price |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**HYDRAULICS** | |
| 3223 | PFC Hydraulic System | In Base Price |
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3330 | Triple Stackable Rear Deluxe Valve with Lever Controls<br>*Features: Three Selectable Detent Positions on #1 Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Flow Priority to #1 Valve. Pressure Compensated Flow Control for running Hydraulic Motors on #1 Valve.* | In Base Price |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid Valve *(THIS OPTION IS CURRENTLY NOT AVAILABLE. YOU MUST SELECT CODE 3410 OR 3420)<br>*For the PowrQuad Models, THERE IS NO MID SCV FIELD KIT AVAILABLE*<br>*Does not include side frames.* | In Base Price |
| 3410 | Less Mid Valve, Add Engine Side Frames<br>*For the PowrQuad Models, THERE IS NO MID SCV FIELD KIT AVAILABLE* | USD $268.00 |
| 3420 | Dual Stackable Mid Valve with Joystick Control<br>*Includes side frames.* | USD $1,396.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS** | |
| BSJ10240 | Power Beyond Kit (PFC System)<br>*For 5ML Tractors with Closed Center Hydraulics* | USD $248.60 |
| BSJ10428 | Hydraulic Case Drain Plumbing (PFC and OC)<br>*For 5ML Tractors with Open and Closed Center Hydraulics* | USD $238.70 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| BSJ10440 | 4th rear SCV Conversion Kit (PFC - non proportional EH)<br>*For 5ML Tractors with Closed Center Hydraulics*<br>*Additional Software Required*<br>*Not compatible with EH fender switch kit BSJ10323* | USD $1,339.80 |
| | **MID SELECTIVE CONTROL VALVES** | |
| | *NOTE: If 5ML PowerQuad Open Station Tractor was not configured from factory with mid-scv there is not a kit to add mid-scv's to tractor.* | |
| BSJ10472 | 2 to 3 Mid-SCV Conversion Kit (PFC) (5ML)<br>*Fits 5ML PowerQuad Tractors with Closed Center Hydraulics* | USD $1,701.75 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8720 | ROPS Mounted Work Lights (LED)<br>*Upgrades from halogen to LED* | USD $139.00 |
| 8725 | Beacon Light (ROPS Mounted) | USD $236.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION LIGHTING** | |
| BSJ10325 | LED HEADLIGHTS<br>*For 5075M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M, 5125ML and 5130M Tractors*<br>*Upgrades front headlights from halogen to LED including high and low beam* | USD $473.00 |
| AXE82059 | LED Work Light - OOS<br>*Includes single LED Hexagon shaped work light. There are a total of four halogen work lights in the base configuration of the tractor.* | USD $163.13 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **BACKUP ALARM** | |
| BSJ10442 | Backup Alarm Kit | USD $203.50 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3830 | Three Speed PTO - 540/540E/1000<br>*Requires PFC Hydraulics (Code 3223)* | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR POWER TAKE-OFF (PTO)** | |
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 23.8 mm x 61.3 mm (0.94 in. x 2.4 in.) 540 RPM, CAT 2R* | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 22 mm x 54 mm (0.87 in. x 2.13 in.) 540 RPM, CAT 1R* | USD $300.30 |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 74.6 mm (1.06 in. x 2.94 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 70.2 mm (1.06 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 28 mm x 70.2 mm (1.1 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.00 |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 30.2 mm x 80 mm (1.2 in. x 3.15 in.) 540 RPM, CAT 4R* | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 31.75 mm x 81.76 mm (1.25 in. x 3.22 in.) 540 RPM, CAT 4R* | USD $300.00 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**HITCH CONTROLS** | |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 4030 | Electronic Hitch Control<br>*Requires PFC Hydraulics (code 3223), If remote fender switches are needed you must order code 8022 or 8024 Fender Extensions* | In Base Price |
| | **DRAFT LINK** | |
| 4110 | Telescoping Draft Links (Cat. 2)<br>*Requires Cat. 2 Center Link (Code 4210) or Cat. 2 Hydraulic Center Link with Ball End (Code 4220)* | In Base Price |
| 4105 | Telescoping Draft Links (Cat. 3)<br>*Requires PFC Hydraulics (Code 3223)*<br>*Requires Cat. 3 Center Link (Code 4215)* | No Added Cost |
| | **LIFT LINK** | |
| 4160 | Left Hand Only Adjustable Lift Links<br>*Right side fixed* | In Base Price |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link (Cat. 2)<br>*Requires Cat 2. Draft Links (Code 4110).* | In Base Price |
| 4215 | Mechanical Center Link (Cat. 3)<br>*Requires PFC Hydraulics (Code 3223).*<br>*Requires Cat. 3 Draft Links (Code 4105).* | No Added Cost |
| 4220 | Hydraulic Center Link with Ball End (Cat. 2)<br>*Requires PFC Hydraulics (Code 3223)*<br>*Requires Cat 2. Telescoping Draft Links (Code 4110)* | USD $878.00 |
| | **STABILIZER** | |
| 4420 | Left Hand and Right Hand Stabilizer Bar | In Base Price |
| | **Additional Factory Options**<br>**HITCH CYLINDERS** | |
| 8463 | 80mm hitch lift cylinder<br>*Requires PFC Hydraulics (Code 3223).* | USD $437.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**CENTER LINK** | |
| BSJ10309 | Hydraulic Center Link - Ball Type | USD $2,307.80 |
| | **HITCH CYLINDERS** | |
| AHC18728 | Hydraulic Cylinders to 80 mm (3.15 in.) | USD $1,295.80 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *NOTE: Order two AHC18728 to replace both left-hand and right-hand hydraulic cylinders to 80 mm (3.15 in.)*<br>*Heavy-duty hitch kit for PowrQuad PLUS and Powr8 transmissions* | |
| | **FRONT HITCH** | |
| BXX10880 | Front 3-Point Hitch<br>*For 5ML Open Station Tractors* | USD $4,098.34 |
| BXX10931 | FRONT HITCH FIELD INSTALLATION KIT, 5M (Connections to the rear SCV)<br>*For 5M/5ML Tractors* | USD $1,750.06 |
| BXX10994 | FRONT HITCH, MID SCV ROUTING (Connections to the mid SCV)<br>*For 5M/5ML Tractors* | USD $271.83 |
| BXX10778 | Front 3 Point Hitch Support Push Bar Kit - 5M/5ML/5R<br>*NOTE: The Front 3 Point Hitch Support Push Bar Kit is recommended with ground engaging or high load front implement work.* | USD $1,358.31 |
| | **FRONT AXLE**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6040 | MFWD (4-Wheel Drive)<br>*Limited Slip Differential*<br>*Push Button, On-The-Go Engagement*<br>*Engagement Indicator Light.*<br>*Electrohydraulic MFWD Engagement via On/Auto/Brake*<br>*Auto Engagement Mode.* | In Base Price |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5121 | 16.9 - 30 in. 6PR R1 Bias (Goodyear)<br>*Requires Code 6111.* | No Added Cost |
| 5914 | 19.5L - 24 in. 10PR R4 Bias (Goodyear)<br>*Requires Code 6133.* | In Base Price |
| 5303 | 21.5L - 16.1 in. R3 Bias (Button Tire) | USD ($960.00) |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Requires Codes 6111 or 6303.* | |
| 5173 | 480/70R28 R1 Radial (Mitas)<br>*Requires Code 6155* | USD $2,237.00 |
| | **REAR TIRE BRAND PREFERENCE** | |
| 5999 | No Rear Tire Brand Preference | In Base Price |
| | **FRONT WHEELS AND TIRES** | |
| | *See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.* | |
| 6111 | 11.2-24 6PR R1 (Goodyear) Bias | USD $416.00 |
| 6133 | 12.5/80-18-in. 12PR I3 Bias (Goodyear) | In Base Price |
| 6303 | 9.5 - 16 in. 6PR R3 Bias | USD ($512.00) |
| 6155 | 380/70R20 R1 (Mitas) | USD $1,120.00 |
| | **FRONT TIRE BRAND PREFERENCE** | |
| 6799 | No Front Tire Brand Preference | In Base Price |
| | **Additional Factory Options**<br>**REAR FENDERS** | |
| 8022 | Rear Fender Extensions<br>*Rear Hitch Fender Control. (PFC Hydraulics are Required (code 3223) )*<br>*To install Rear Hitch Fender Controls you will need the following ordered through service parts:*<br>*24M7117 Washer*<br>*37M7411 SCREW*<br>*AL172871 Control*<br>*AL204342 WIRING HARNESS*<br>*L169912 Boot*<br>*R206454 Plug*<br>*R234273 Frame*<br>*You will also need to order Software Number SJ36662 to activate the switch*<br>*Adds an additional 8.8 inches (224mm) extension per fender* | USD $274.00 |
| 8024 | Rear Fender Extensions - Wide<br>*Adds an additional 15.2 inches (385mm) extension per fender* | USD $471.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |
| RE271547 | Rear Fender Extension Kit with Lights - OOS Tractors with Steel Fenders<br>*For 5M, 5EL, 5E 4cyl, 5MH and 5ML Open Station Tractors with steel fenders* | USD $506.40 |
| | **LOADERS AND BACKHOES**<br>**Additional Factory Options**<br>**FRONT LOADER PREPARATION PACKAGES** | |
| 8912 | Loader Preparation Package<br>*Hydraulic hoses and hydraulic connections still need to be ordered with loader.*<br>*Loader Preparation Package only compatible with 540M and H310 loaders.*<br>*Includes loader mounting frames and hood guard.*<br>*Requires mid valve (Code 3420)* | USD $1,949.00 |
| | **GUARDS**<br>**Additional Factory Options**<br>**GUARDS** | |
| 8330 | Skid  Plate, Fuel Tank and Steering Line Guarding Package | USD $946.00 |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit<br>*Includes (2) clamps and hardware* | USD $39.27 |
| 5WS812490 | Super Clamp Kit<br>*Includes (2) clamps and hardware* | USD $59.46 |
| 5WS812485 | Clamp Kit<br>*Includes (2) clamps and hardware* | USD $44.88 |
| 5WS812450 | Long Tool Holder (2)<br>*NOTE: Carries (2) long handled tools* | USD $83.02 |
| 5WS812455 | Long Tool Holder (4) | USD $109.95 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *NOTE: Carries (4) long handled tools* | |
| 5WS812435 | Universal Mount Kit<br>*NOTE: This is used for additional mounting locations of tool holders (garage/ballast box/trailer/etc.)*<br>*NOTE: (2) Self-tapping screws & (2) Lag bolts included* | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box<br>*NOTE: It is not recommended to mount the chain box to the ROPS Rack due to potential height of storage location and total weight.* | USD $131.27 |
| | **AXLE AND BRAKES**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR AXLE** | |
| AL156777 | Hub Extension 111mm, Rear, Tread Adjustment | USD $884.40 |
| | **BRAKES** | |
| BSJ10619 | Brake Reservoir Upgrade Kit<br>*NOTE: Fits Pre-2019 5075M, 5090M, 5100M, 5100ML, 5100MH, 5115M, 5115ML, and 5125ML Tractors*<br>*NOTE: Requires additional software* | USD $275.00 |
| | **ENGINE**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**FUEL TANK** | |
| AL213203 | Lockable Filler Cap Fuel Tank | USD $35.01 |
| | **FUEL TANK** | |
| BSJ10480 | Fuel Tank Shield Kit | USD $359.70 |
| BSJ10675 | Fuel Cooler Kit | USD $316.27 |
| | **COLD WEATHER PACKAGES** | |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |
| | **WEIGHTS AND BALLASTING**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| SU57513 | Weight, Rear Wheel - 150 kg (330lb) | USD $726.00 |
| | **FRONT WEIGHTS** | |
| SU58373 | Front Weight Support, 110 kg (242 lb) (20 front weights)<br>*Requires hardware order separately* | USD $699.60 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| | **FRONT WEIGHTS** | |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |
| | **PRECISION AG TECHNOLOGY**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**MACHINE CONNECTIVITY** | |
| | *For MY23 5M, 5E 4 cylinder models, and 5E 3 cylinder Cab models built with option code 183A (JDLink Capable) will only require installing the M Modem. These machines were equipped from the factory with the necessary harnessing installed.*<br>*NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |
| BSJ10674 | SmartConnector - CAN to Bluetooth® | USD $165.00 |
| PFA11136 | Low Profile - 3.2-m (10.5-ft) Length Antenna<br>*For 5M Open Operator Station using JDLink™ R Modem: 5M, 5100ML, 5115ML, 5125ML, and 5100MH (model year 2015 and newer Final Tier 4 [FT4])* | USD $218.09 |
| TA25456 | MTG Jumper Harness | USD $25.04 |
| PFA12899 | 2 Wire Ethernet Cable - Mini50<br>*Required to connect a display to JDLink™ M Modems*<br><br>*NOTE: Requires Ethernet Switch Kit to work with Gen 4 4240 Display* | USD $99.28 |
| BSJ10451 | JDLink™ R Modem Mounting Kit, OOS models<br>*For FT4 5M, 5MH, 5ML tractors. JDLink kit to be ordered separately through whole goods (AMS base code 021RPC). Order less antenna (code 2009) then order PFA11136 through parts. (R4)* | USD $661.10 |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630)<br>*This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | USD $275.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 257FLV | **5125ML Low-Profile Specialty Tractor (ALDI)**<br>125 Engine Horsepower @ 2200 rpm*<br>115 PTO Horsepower @ 2100 rpm*<br>EPA Final Tier 4 Emissions Compliant<br>Turbocharger with Intercooler<br>4.5L PowerTech Diesel Engine<br>4 Valve HPCR<br>Dry Type Air Cleaner with Safety Element<br>Underhood Muffler with Side Exhaust (Aftertreatment: DOC/SCR)<br>Cold Start Aid - Air IntakeHeater<br>Hand and Foot Throttle<br>Key Engine Shut-Off<br>Water Separator Bowl<br><br>TRANSMISSION:<br>EH Differential Lock<br>Hydraulic Oil Cooler<br>Wet Traction Clutch<br>Park Lock<br>Neutral Start Safety Switch<br><br>REAR AXLE:<br>Flanged Rear Axle<br>Planetary Final Drives<br>8-Position Standard Steel Rear Wheels<br><br>FRONT AXLE:<br>Mechanical Front Wheel Drive Front Axle<br>Planetary Final Drives<br>Electrohydraulic MFWD Engagement via On/Auto/Brake<br><br>STEERING AND BRAKES:<br>Hydrostatic Power Steering<br>Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting<br><br>HYDRAULIC:<br>PFC Hydraulic System<br>See code selection for Selective Control Valves (SCVs)<br><br>POWER TAKE-OFF SHAFT:<br>Independent "Live" 540 /1000 RPM Rear PTO Shaft @ 2100 Engine RPM | |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Economy PTO Setting for 540 PTO RPM @ 1645 Engine RPM<br>Reversible 540/1000 PTO Shaft<br>Electrohydraulic PTO Engagement<br>Wet PTO Clutch<br>Operator Presence Safety Warning - PTO<br>Safety Start Switch<br>Flip Up PTO Shield<br><br>ROCKSHAFT, HITCH AND DRAWBAR:<br>Heavy-duty Drawbar Adjustable Drawbar<br>See code selection for draft link sizing<br>Lower Link Draft Sensing<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Flashing Warning Lamp<br>High Beam Indicator Light<br>Service Transmission Indicator<br>PTO Speed Indicator/Roll Mode<br>Neutral Indicator<br>Tachometer/Hour Meter<br>Engine Oil Pressure<br>Hydraulic Temperature Indicator<br>Coolant Temperature Gauge<br>Diesel Exhaust Fluid Gauge with low DEF Warning Signal<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Exhaust Filter Cleaning Switch<br>Roll Mode for Instrument Cluster<br>PTO Engagement Light<br>4WD Engagement Light<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 950 CCA** with 180 Minute Reserve Capacity<br>90 Amp Alternator<br>7-Pin ASAE Outlet Socket<br><br>LIGHTS:<br>Two Front Halogen Headlights<br>Two Turn/Warning Lights<br>Two ROPS Mounted Work Lights | |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Dual Tail Lights | |
| | MISCELLANEOUS:<br>Slow-moving Vehicle (SMV) Emblem<br>Front Weight Support | |
| | * Manufacturer's Rating<br>** Cold Cranking Amps | |
| | **BASE MACHINE** | |
| | *EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington.* | |
| 257FLV | 5125ML Low-Profile Specialty Tractor (ALDI) | USD $100,196.00 |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0184 | Canada | No Added Cost |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual and Decal Kit | In Base Price |
| 0413 | French Operator's Manual and Decal Kit | No Added Cost |
| 0437 | Spanish Operator's Manual and Decal Kit | No Added Cost |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2010 | Isolated Open Operator Station<br>*Low Profile Isolated Open Operator Station with Flat Floor*<br>*Tilt and Telescopic Steering Column*<br>*Low Profile 2-Post Foldable Roll-Over Protection Structure (ROPS)*<br>*Inboard mounted controls*<br>*Low Profile steering wheel*<br>*Speedometer*<br>*Beverage Holder*<br>*Foldable flashing Warning Lights* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Dual Taillights*<br>*38 U.S. Gallon (145 L) Fuel Tank Capacity* | |
| | **SEAT** | |
| 2115 | Low Profile Seat | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger<br>*Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.* | USD $18.94 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit<br>*Compatible with 10-mm (0.39-in.) mounting bosses and most accessory mounting brackets.*<br><br>*Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).* | USD $93.50 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| | **MIRRORS** | |
| AL80126 | Rear Mirror Mechanical - Left<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| AL80127 | Rear Mirror Mechanical - Right<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| RE244177 | Rear View Mirror Mounting Kit - Open Operator Station Tractors<br>*RH Mirror Kit for Open Station Tractors*<br>*Fits 5085E, 5090E, 5100E, 5083E, 5093E, 5101E, 5083E Limited, 5093E Limited, 5101E Limited, 5100ML, 5115ML, 5125ML,5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100MH, 5105M, and 5115M Tractors*<br>*Kit contains AL80127 RH mirror kit and brackets for installation onto ROPS.* | USD $50.82 |
| | **OPEN OPERATOR'S STATION** | |
| RE266928 | Canopy mounting kit<br>*NOTE: For 5E 4cyl FT4 5085E, 5090E, 5100E, 5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100ML, 5100MH, 5105M, 5105ML, 5115M, 5115ML, 5125ML, 5103 (S.N. PY5103U013641-), 5203 (S.N. PY5203U005570-), 5303 (S.N. PY5303U007753-), 5403 (S.N. PY5403U000735-), 5525 Hi-Crop, 5225, 5325, 5425, 5425N, 5525N, 5625, 5325N, and 5603 open station tractors*<br><br>*NOTE: Requires LVB25334 canopy* | USD $108.16 |
| RE273698 | OS Convenience Outlet | USD $103.40 |
| RE270484 | Canopy Deluxe | USD $1,299.11 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *NOTE: For 5E 3cyl, 5M, 5MH and 5ML Tractors* | |
| | **AG MANAGEMENT SOLUTIONS (AMS)**<br>**Basic Factory Options**<br>**CONNECTIVITY HARDWARE** | |
| 183E | JDLink™ Modem<br>*Includes integrated wiring harness, antenna, JDLink™ Modem (MTG).*<br>** Does not include an ethernet cable to connect the MTG to the display. A 13.5ft ethernet cable with HSAII ends is recommended if wanting to connect them.* | In Base Price |
| | **CONNECTIVITY SUBSCRIPTIONS** | |
| 185A | JDLink™ Connectivity<br>*JDLink™ Connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.*<br><br>*JDLink™ Connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.*<br><br>*Requires JDLink™ Modem to enable JDLink™ Connectivity.* | In Base Price |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1370 | PowrQuad™ PLUS 16F/16R 40 km/h Transmission<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | |
| 1375 | PowrQuad™ PLUS 16F/16R 40 km/h Transmission with Creeper<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | USD $3,231.00 |
| 1385 | Powr8™ 32F/16R 40 km/h Transmisson<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*40km/h at reduced engine speed (ECO Shift)*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | USD $2,073.00 |
| | **FRONT AXLE**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6040 | MFWD (4-Wheel Drive) | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Limited Slip Differential*<br>*Push Button, On-The-Go Engagement*<br>*Engagement Indicator Light.*<br>*Electrohydraulic MFWD Engagement via On/Auto/Brake*<br>*Auto Engagement Mode.* | |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3830 | Three Speed PTO - 540/540E/1000<br>*Requires PFC Hydraulics (Code 3223)* | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR POWER TAKE-OFF (PTO)** | |
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 23.8 mm x 61.3 mm (0.94 in. x 2.4 in.) 540 RPM, CAT 2R* | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 22 mm x 54 mm (0.87 in. x 2.13 in.) 540 RPM, CAT 1R* | USD $300.30 |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 74.6 mm (1.06 in. x 2.94 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 70.2 mm (1.06 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 28 mm x 70.2 mm (1.1 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.00 |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 30.2 mm x 80 mm (1.2 in. x 3.15 in.) 540 RPM, CAT 4R* | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 31.75 mm x 81.76 mm (1.25 in. x 3.22 in.) 540 RPM, CAT 4R* | USD $300.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **HITCHES AND DRAWBARS** | |
| | **Basic Factory Options** | |
| | **HITCH CONTROLS** | |
| 4030 | Electronic Hitch Control<br>*Requires PFC Hydraulics (code 3223), If remote fender switches are needed you must order code 8022 or 8024 Fender Extensions* | In Base Price |
| | **DRAFT LINK** | |
| 4110 | Telescoping Draft Links (Cat. 2)<br>*Requires Cat. 2 Center Link (Code 4210) or Cat. 2 Hydraulic Center Link with Ball End (Code 4220)* | In Base Price |
| 4105 | Telescoping Draft Links (Cat. 3)<br>*Requires PFC Hydraulics (Code 3223)*<br>*Requires Cat. 3 Center Link (Code 4215)* | No Added Cost |
| | **LIFT LINK** | |
| 4160 | Left Hand Only Adjustable Lift Links<br>*Right side fixed* | In Base Price |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link (Cat. 2)<br>*Requires Cat 2. Draft Links (Code 4110).* | In Base Price |
| 4215 | Mechanical Center Link (Cat. 3)<br>*Requires PFC Hydraulics (Code 3223).*<br>*Requires Cat. 3 Draft Links (Code 4105).* | No Added Cost |
| 4220 | Hydraulic Center Link with Ball End (Cat. 2)<br>*Requires PFC Hydraulics (Code 3223)*<br>*Requires Cat 2. Telescoping Draft Links (Code 4110)* | USD $944.00 |
| | **STABILIZER** | |
| 4420 | Left Hand and Right Hand Stabilizer Bar | In Base Price |
| | **Additional Factory Options** | |
| | **HITCH CYLINDERS** | |
| 8463 | 80mm hitch lift cylinder<br>*Requires PFC Hydraulics (Code 3223).* | USD $470.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION** | |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **CENTER LINK** | |
| BSJ10309 | Hydraulic Center Link - Ball Type | USD $2,307.80 |
| | **HITCH CYLINDERS** | |
| AHC18728 | Hydraulic Cylinders to 80 mm (3.15 in.)<br>*NOTE: Order two AHC18728 to replace both left-hand and right-hand hydraulic cylinders to 80 mm (3.15 in.)*<br>*Heavy-duty hitch kit for PowrQuad PLUS and Powr8 transmissions* | USD $1,295.80 |
| | **FRONT HITCH** | |
| BXX10880 | Front 3-Point Hitch<br>*For 5ML Open Station Tractors* | USD $4,098.34 |
| BXX10931 | FRONT HITCH FIELD INSTALLATION KIT, 5M (Connections to the rear SCV)<br>*For 5M/5ML Tractors* | USD $1,750.06 |
| BXX10994 | FRONT HITCH, MID SCV ROUTING (Connections to the mid SCV)<br>*For 5M/5ML Tractors* | USD $271.83 |
| BXX10778 | Front 3 Point Hitch Support Push Bar Kit - 5M/5ML/5R<br>*NOTE: The Front 3 Point Hitch Support Push Bar Kit is recommended with ground engaging or high load front implement work.* | USD $1,358.31 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**HYDRAULICS** | |
| 3223 | PFC Hydraulic System | In Base Price |
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3330 | Triple Stackable Rear Deluxe Valve with Lever Controls<br>*Features: Three Selectable Detent Positions on #1 Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Flow Priority to #1 Valve. Pressure Compensated Flow Control for running Hydraulic Motors on #1 Valve.* | In Base Price |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3410 | Less Mid Valve, Add Engine Side Frames<br>*For the PowrQuad Models, THERE IS NO MID SCV FIELD KIT AVAILABLE* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 3420 | Dual Stackable Mid Valve with Joystick Control<br>*Includes side frames.* | USD $1,237.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS** | |
| BSJ10240 | Power Beyond Kit (PFC System)<br>*For 5ML Tractors with Closed Center Hydraulics* | USD $248.60 |
| BSJ10428 | Hydraulic Case Drain Plumbing (PFC and OC)<br>*For 5ML Tractors with Open and Closed Center Hydraulics* | USD $238.70 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| BSJ10440 | 4th rear SCV Conversion Kit (PFC - non proportional EH)<br>*For 5ML Tractors with Closed Center Hydraulics*<br>*Additional Software Required*<br>*Not compatible with EH fender switch kit BSJ10323* | USD $1,339.80 |
| | **MID SELECTIVE CONTROL VALVES** | |
| | *NOTE: If 5ML PowerQuad Open Station Tractor was not configured from factory with mid-scv there is not a kit to add mid-scv's to tractor.* | |
| BSJ10472 | 2 to 3 Mid-SCV Conversion Kit (PFC) (5ML)<br>*Fits 5ML PowerQuad Tractors with Closed Center Hydraulics* | USD $1,701.75 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8720 | ROPS Mounted Work Lights (LED)<br>*Upgrades from halogen to LED* | USD $149.00 |
| 8727 | LED Beacon Light | USD $332.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION LIGHTING** | |
| BSJ10325 | LED HEADLIGHTS<br>*For 5075M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M, 5125ML and 5130M Tractors*<br>*Upgrades front headlights from halogen to LED including high and low beam* | USD $473.00 |
| AXE82059 | LED Work Light - OOS | USD $163.13 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Includes single LED Hexagon shaped work light. There are a total of four halogen work lights in the base configuration of the tractor.* | |
| | **BACKUP ALARM** | |
| BSJ10442 | Backup Alarm Kit | USD $203.50 |
| | **BEACON LIGHTING** | |
| BSJ10638 | LED Beacon Light Kit - Cab<br>*NOTE: Includes LH and RH mounting brackets and (1) Beacon Light*<br>*NOTE: Fits 5M/MH/ML - FT4/IT4 Cab Tractors*<br>*NOTE: Fits 5R Cab Tractors* | USD $225.50 |
| BSJ10640 | LED Beacon Light Kit - OOS<br>*LED Beacon Light Kit – Open Station*<br>*NOTE: Fits 5M/MH - FT4/IT4 tractors*<br>*NOTE: Fits 5E-3 and 4 Cylinder tractors* | USD $225.50 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5121 | 16.9 - 30 in. 6PR R1 Bias<br>*Requires Code 6111.* | USD $25.00 |
| 5914 | 19.5L - 24 in. 10PR R4 Bias<br>*Requires Code 6133.* | In Base Price |
| 5303 | 21.5L - 16.1 in. R3 Bias (Button Tire)<br>*Requires Codes 6111 or 6303.* | USD ($1,057.00) |
| 5173 | 480/70R28 R1 Radial<br>*Requires Code 6155* | USD $2,459.00 |
| | **REAR TIRE BRAND PREFERENCE** | |
| 5999 | No Rear Tire Brand Preference | In Base Price |
| | **FRONT WHEELS AND TIRES** | |
| | *See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.* | |
| 6111 | 11.2-24 6PR R1 Bias | USD $460.00 |
| 6133 | 12.5/80-18-in. 12PR I3 Bias | In Base Price |
| 6303 | 9.5 - 16 in. 6PR R3 Bias | USD ($561.00) |
| 6155 | 380/70R20 R1 | USD $1,231.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **FRONT TIRE BRAND PREFERENCE** | |
| 6799 | No Front Tire Brand Preference | In Base Price |
| | **Additional Factory Options**<br>**REAR FENDERS** | |
| 8022 | Rear Fender Extensions<br>*Rear Hitch Fender Control. (PFC Hydraulics are Required (code 3223) )*<br>*To install Rear Hitch Fender Controls you will need the following ordered through service parts:*<br>*24M7117 Washer*<br>*37M7411 SCREW*<br>*AL172871 Control*<br>*AL204342 WIRING HARNESS*<br>*L169912 Boot*<br>*R206454 Plug*<br>*R234273 Frame*<br>*You will also need to order Software Number SJ36662 to activate the switch*<br>*Adds an additional 8.8 inches (224mm) extension per fender* | USD $295.00 |
| 8024 | Rear Fender Extensions - Wide<br>*Adds an additional 15.2 inches (385mm) extension per fender* | USD $506.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |
| RE271547 | Rear Fender Extension Kit with Lights - OOS Tractors with Steel Fenders<br>*For 5M, 5EL, 5E 4cyl, 5MH and 5ML Open Station Tractors with steel fenders* | USD $506.40 |
| | **LOADERS AND BACKHOES**<br>**Additional Factory Options**<br>**FRONT LOADER PREPARATION PACKAGES** | |
| 8912 | Loader Preparation Package<br>*Hydraulic hoses and hydraulic connections still need to be ordered with loader.* | USD $2,095.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Loader Preparation Package only compatible with 540M and H310 loaders.*<br>*Includes loader mounting frames and hood guard.*<br>*Requires mid valve (Code 3420)* | |
| | **GUARDS**<br>**Additional Factory Options**<br>**GUARDS** | |
| 8330 | Skid Plate, Fuel Tank and Steering Line Guarding Package | USD $1,017.00 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Side Exhaust | In Base Price |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit<br>*Includes (2) clamps and hardware* | USD $39.27 |
| 5WS812490 | Super Clamp Kit<br>*Includes (2) clamps and hardware* | USD $59.46 |
| 5WS812485 | Clamp Kit<br>*Includes (2) clamps and hardware* | USD $44.88 |
| 5WS812450 | Long Tool Holder (2)<br>*NOTE: Carries (2) long handled tools* | USD $83.02 |
| 5WS812455 | Long Tool Holder (4)<br>*NOTE: Carries (4) long handled tools* | USD $109.95 |
| 5WS812435 | Universal Mount Kit<br>*NOTE: This is used for additional mounting locations of tool holders (garage/ballast box/trailer/etc.)*<br>*NOTE: (2) Self-tapping screws & (2) Lag bolts included* | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box | USD $131.27 |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *NOTE: It is not recommended to mount the chain box to the ROPS Rack due to potential height of storage location and total weight.* | |
| | **AXLE AND BRAKES**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR AXLE** | |
| AL156777 | Hub Extension 111mm, Rear, Tread Adjustment | USD $884.40 |
| | **BRAKES** | |
| BSJ10619 | Brake Reservoir Upgrade Kit<br>*NOTE: Fits Pre-2019 5075M, 5090M, 5100M, 5100ML, 5100MH, 5115M, 5115ML, and 5125ML Tractors*<br><br>*NOTE: Requires additional software* | USD $275.00 |
| | **ENGINE**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**FUEL TANK** | |
| AL213203 | Lockable Filler Cap Fuel Tank | USD $35.01 |
| | **FUEL TANK** | |
| BSJ10480 | Fuel Tank Shield Kit | USD $359.70 |
| | **COLD WEATHER PACKAGES** | |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |
| | **WEIGHTS AND BALLASTING**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb) | USD $726.00 |
| | **FRONT WEIGHTS** | |
| SU58373 | Front Weight Support, 110 kg (242 lb) (20 front weights)<br>*Requires hardware order separately* | USD $699.60 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| | **FRONT WEIGHTS** | |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |
| | **PRECISION AG TECHNOLOGY** | |

Copyright © Deere & Company. All Rights Reserved.

# 5125ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY** | |
| | *For MY23 5M, 5E 4 cylinder models, and 5E 3 cylinder Cab models built with option code 183A (JDLink Capable) will only require installing the M Modem. These machines were equipped from the factory with the necessary harnessing installed.* *NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |
| BSJ10674 | SmartConnector - CAN to Bluetooth® | USD $165.00 |
| PFA11136 | Low Profile - 3.2-m (10.5-ft) Length Antenna | USD $218.09 |
| | *For 5M Open Operator Station using JDLink™ R Modem: 5M, 5100ML, 5115ML, 5125ML, and 5100MH (model year 2015 and newer Final Tier 4 [FT4])* | |
| TA25456 | MTG Jumper Harness | USD $25.04 |
| PFA12899 | 2 Wire Ethernet Cable - Mini50 | USD $99.28 |
| | *Required to connect a display to JDLink™ M Modems* | |
| | *NOTE: Requires Ethernet Switch Kit to work with Gen 4 4240 Display* | |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630) | USD $275.00 |
| | *This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | |

Copyright © Deere & Company. All Rights Reserved.

# 5090GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 2734AT | **5090GV Narrow Specialty Tractor (ALDI)**<br>Engine:<br>90 (67.1 kW) 97/68EC Engine Horsepower @ 2300* RPM<br>78 (58 kW) PTO Horsepower @ 2000** RPM<br>4-Cylinder Turbocharged FPT F34 Engine<br>3.4 L Displacement<br>EPA Final Tier 4 Final Compliant<br>(Aftertreatment: DOC/SCR)<br>2.7 U.S. Gallon (10.3 L)DEF Tank<br>Dry Air Cleaner with Safety Element<br>Common Rail Electronic Fuel Injection<br>Hand and Foot Throttle<br>Viscous Fan<br>Water Separation Bowl<br>Engine Shut Off with Key<br>Maintenance Free Closed Cooling System<br>Radiator Screen<br>19.9 U.S. Gallon (75.5 L) Fuel Tank Capacity<br><br>Transmission:<br>Differential Lock<br>Neutral Start Safety Switch<br>Mirrors Left-Hand and Right-Hand<br><br>Axle:<br>Final Drive with three Planetary Gears<br>Flanged Rear Axles<br><br>Steering and Brakes:<br>Hydrostatic Power Steering<br>Hydraulic Wet-Disk Rear Breaks, Self-Equalizing and Self-Adjusting<br>Five Oil Cooled Hydraulically Actuated Disk Brakes per side.<br>Secondary Park Break<br><br>Hydraulics:<br>Open Center Hydraulic System<br>Hitch Control with Center link Draft Sensing<br><br>PTO:<br>Independent “Live 540/540E RPM rear PTO shaft<br>Safety Start Switch | |

Copyright © Deere & Company. All Rights Reserved.

# 5090GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Rockshaft, Hitch, and Drawbar:<br>Mechanical Rockshaft<br>Swinging Drawbar plus Hammer Strap<br>3 Point (category I) Hitch and Sway Blocks<br>Convertible to Category IN<br>Adjustable Drawbar<br><br>Instrumentation:<br>Electric Fuel Gauge<br>Tachometer/Hour Meter<br>Oil Pressure Indicator Light<br>Coolant Temperature Gauge<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Turn Signal Indicator Light<br>High Beam Indicator Light<br>PTO Engagement Light<br>Speedometer<br>Digital Display - Hour Meter<br><br>Electrical:<br>12-Volt (100 amps) Electrical system<br>95 Amp Alternator<br><br>Lights:<br>Two Front Halogen headlights<br>Two Rear Warning and Turn lights<br>Dual Tail Lights<br><br>Miscellaneous:<br>Beverage Holder on Left-Hand Side Console<br>Tool Box<br>SMV Emblem<br>One Piece Tilt-up hood<br>Extra CEE Administration Fee<br>Premium Container Shipment<br><br>*Manufacturer s Rating<br>** Factory Observed | |
| | **BASE MACHINE** | |
| | *EX-WORKS Port of Entry* | |
| 2734AT | 5090GV Narrow Specialty Tractor (ALDI) | USD $69,423.00 |
| | **DESTINATION AND LANGUAGE** | |

Copyright © Deere & Company. All Rights Reserved.

# 5090GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **Basic Factory Options**<br>**DESTINATION** | |
| 0202 | USA<br>*Requires code 0409 (English)* | In Base Price |
| 0184 | Canada<br>*Requires code 0409 (English) or 0413 (French)* | No Added Cost |
| | **OPERATOR'S MANUAL, DECALS, AND MONITORS** | |
| 0409 | English Operator's Manual and Decal Kit | In Base Price |
| 0413 | French Operator's Manual and Decal Kit | No Added Cost |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1380 | 24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper)<br>*Includes:*<br>*Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever.*<br>*Requires: Code 6040 four-wheel drive (4WD).* | USD $6,876.00 |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2065 | Premium Cab<br>*Two front and two rear H3 working lights.*<br>*Openable front windscreen and rear window.*<br>*Cab Deluxe Textile seat.*<br>*Tiltable and Telescopic Steering Wheel.*<br>*Rear Wiper.*<br>*Internal cab Mirror.*<br>*Mechanical Remote Control.*<br>*Opening Right-Hand and Left-Hand door with steps.*<br>*Right-Hand Gear and Left-Hand Range Levers.* | USD $17,077.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Swing Out Front window (One Position).*<br>*Swing Out Rear window.*<br>*Sun visor integrated with the cab roof.*<br>*Blinker lever with integrated lighting functions.*<br>*1-Speed Front Windshield Wiper with Washer.*<br>*Cab with Air Conditioning and Heating.*<br>*Radio ready (includes glass antenna and wiring).*<br>*Position lights as per North America Requirement.*<br>*Power socket as per North America Requirement (7-pin).*<br>*Cigarette lighter (12-V power socket).*<br>*Two storage areas.*<br>*Digital Read Out.*<br>*Base rear Fender.*<br>*Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).* | |
| | **Additional Factory Options**<br>**MIRRORS** | |
| 8230 | Rear view cab mirror<br>*This option is standard equipment on Premium Cab options (2065 and 2068)*<br>*Additional option for Standard Cab (2055)* | USD $98.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**CAB OPERATOR'S STATION** | |
| ER064623 | Carbon Air Filter | USD $482.90 |
| ER064622 | Wiper with Washer Kit - Rear Window | USD $429.00 |
| ER067882 | Rear Speaker For Cab Tractors | USD $168.30 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Exhaust | In Base Price |
| 3020 | Vertical Exhaust Stack<br>*Available on cab tractors only (2055, 2065, or 2068)* | USD $224.00 |
| 3022 | Vertical A Cornerpost Exhaust<br>*Available on cab tractors only (2055, 2065, or 2068)* | USD $893.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**EXHAUST** | |
| ER064910 | Horizontal Exhaust | USD $920.70 |
| ER064700 | Vertical A Cornerpost Exhaust Kit (5G Cab Tractors only) | USD $1,829.30 |
| ER063346 | Vertical A Corner Post Exhaust Kit 5090GV<br>*5G Cab Tractors only* | USD $1,829.30 |
| ER063249 | Mid Mounted Exhaust | USD $1,499.30 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**HYDRAULIC PUMP** | |
| 3220 | Two Pump Hydraulic System<br>*Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.* | In Base Price |
| 3225 | Three Pump Hydraulic System<br>*Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.* | USD $1,117.00 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3312 | Two Rear Selective Control Valves (SCVs) with lever controls<br>*Not orderable with Code 3225 (Three-Pump Hydraulic System).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow divider.* | In Base Price |
| 3334 | Three Rear Selective Control Valves (SCVs) with lever controls<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).* | USD $1,546.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow control.* | |
| 3347 | Four Rear Selective Control Valves (SCVs) with lever controls<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow control.* | USD $3,094.00 |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid-Mounted Couplers | In Base Price |
| 3450 | Five Mid-Mounted Couplers on Right-Hand Side<br>*Requires three rear remote SCVs (code 3334)* | USD $1,840.00 |
| 3470 | Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand)<br>*Requires four rear remote SCVs (code 3347)* | USD $2,577.00 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**FRONT WHEELS AND TIRES** | |
| 6110 | 7.50-16 Diagonal Tire<br>*Requires code 6020* | USD $70.00 |
| 6129 | 6.50-16 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $262.00 |
| 6165 | 260/70R16 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $1,128.00 |
| 6286 | 8.25-16 Heavy Duty (2 position rims) | USD $408.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Requires code 6040* | |
| 6304 | 180/95R16 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $518.00 |
| 6333 | 280/70R18 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $1,343.00 |
| 6451 | 6.50-16 Diagonal Tire<br>*Requires code 6020* | USD $22.00 |
| 6452 | 7.50-R16 | USD $70.00 |
| 6454 | 240/70R16 Heavy Duty (2 Position Rims)<br>*Requires Code 6040* | USD $1,080.00 |
| 6455 | 10.0/75-15.3 Heavy Duty (2 Position Rims)<br>*Requires Code 6040* | USD $471.00 |
| 6124 | 6.00-16<br>*Requires code 6020* | In Base Price |
| | **REAR WHEELS AND TIRES** | |
| 5139 | 9.50R28<br>*Requires code 6124 or 6110* | USD ($456.00) |
| 5157 | 420/70R28<br>*Requires Code 6333* | USD $1,550.00 |
| 5205 | 380/70R24<br>*Requires code 6165* | USD $637.00 |
| 5217 | 360/70R24<br>*Requires Code 6454 when equipped with 4WD front axle*<br>*Requires Code 6124 or 6110 when equipped with 2WD front axle* | USD $561.00 |
| 5220 | 320/85R28<br>*Requires code 6452 when equipped with 4WD front axle*<br>*Requires code 6451 or 6110 when equipped with 2WD front axle* | USD $388.00 |
| 5322 | 340/85R28<br>*Requires Code 6452 or 6286* | USD $542.00 |
| 5323 | 380/85R28<br>*Requires Code 6333* | USD $682.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 5328 | 280/85R28<br>*Requires Code 6165 or 6304 when equipped with 4WD front axle*<br>*Requires Code 6124 or 6110 when equipped with 2WD front axle* | In Base Price |
| 5350 | 340/85R24<br>*Requires Code 6304, 6455, or 6165 when equipped with 4WD front axle*<br>*Requires Code 6124 or 6110 when equipped with 2WD front axle* | USD $429.00 |
| 5351 | 250/85R28<br>*Requires Code 6124 or 6110* | USD ($274.00) |
| 5353 | 360/70R28<br>*Requires Code 6167* | USD $566.00 |
| 5354 | 320/85R24<br>*Requires Code 6304* | USD ($269.00) |
| | **Additional Factory Options**<br>**FRONT FENDERS** | |
| 8014 | Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm)<br>*Requires code 6020* | USD $566.00 |
| 8017 | Stationary Front Fenders 4WD version - Width: 8.9 inches (225 mm)<br>*Requires code 6040* | USD $566.00 |
| | **REAR FENDERS** | |
| 8022 | Rear Fender Extension - Width: 3.1 inches (80 mm)<br>*Not compatible with option code 8023* | USD $358.00 |
| 8023 | Rear Fender Extension - Width: 6.3 inches (160 mm)<br>*Not compatible with option code 8022* | USD $439.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT FENDERS** | |
| ER064762 | MFWD Stationnary Front Fenders 10.4 In (225mm) Wide | USD $577.50 |
| ER064763 | 2WD Stationnary Front Fenders 10.4 In (225mm) Wide | USD $577.50 |
| | **REAR FENDERS** | |
| ER064764 | Rear Fender Extensions 6.3 In (160 mm) Wide | USD $447.70 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| ER064765 | Rear Fender Extensions  3.1 In (80 mm) Wide | USD $363.00 |
| | **AXLE AND BRAKES**<br>**Basic Factory Options**<br>**AXLE** | |
| 6020 | Two-Wheel Drive (2WD) | In Base Price |
| 6040 | Four-Wheel Drive (4WD) | USD $12,312.00 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3822 | Mechanical actuation 540 and 540E rpm<br>*Shiftable without GD Power Take-Off (PTO)*<br>*With PTO shaft cover*<br>*With Safety start switch*<br>*Requires code 1340 or 1341* | In Base Price |
| 3826 | ElectroHydraulic actuation 540 and 540E rpm<br>*Without GD  Power Take-Off (PTO).*<br>*With PTO shaft cover.*<br>*With Safety start switch.*<br>*Requires code 1380* | No Added Cost |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**POWER TAKE-OFF (PTO)** | |
| BLV10953 | John Deere Quik Knect™ PTO receiver<br>*At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.* | USD $140.89 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**THREE-POINT HITCH** | |
| 4130 | 3-Point Hitch with Fixed Ball Ends for Draft Links | In Base Price |
| 4131 | 3-Point Hitch with Adjustable Ball Ends for Draft Links | USD $446.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 4132 | 3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends<br>*Requires Code 8455 or 8456*<br>*Requires Code 4151 or 4152* | USD $634.00 |
| | **THREE-POINT HITCH ROD** | |
| 4151 | Hydraulic Lift Rod | USD $930.00 |
| 4152 | Mechanical Lift Rod | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4002 | Base weight 150 Lbs (68 kg) - W/O Tow Pin | In Base Price |
| | **Additional Factory Options**<br>**HITCH CONTROLS** | |
| 8446 | Mechanical remote control for 3-point hitch | USD $484.00 |
| | **DRAWBAR** | |
| 8455 | Ball Kit for Draft Links (Category 1 and 1N)<br>*Not orderable with option 8456*<br>*Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).* | USD $69.00 |
| 8456 | Ball Kit for Draft Links (Category 2)<br>*Not orderable with option 8455*<br>*Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).* | USD $69.00 |
| 844T | Horizontal Drawbar (Category 1)<br>*Not orderable with Code 844U.* | USD $82.00 |
| 844U | Horizontal Drawbar (Category 2)<br>*not orderable with code 4130* | USD $139.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HITCH CONTROLS** | |
| ER064912 | Mechanical remote hitch control for OOS | USD $492.80 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING EQUIPMENT** | |
| 8725 | Beacon Light | USD $224.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 8731 | Two H4 Belt-Line Lights<br>*Requires: Codes 2055, 2065, or 2068 (cab options)* | USD $374.00 |
| 873B | LED Rear Work Lights<br>*Requires Code 2055 or 2065* | USD $263.00 |
| 873C | LED Front Work Lights<br>*Requires Code 2055 or 2065* | USD $263.00 |
| | **ELECTRICITY** | |
| 8746 | Electronic Battery Switch | USD $935.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**BEACON LIGHTING** | |
| ER064907 | Beacon Light Kit<br>*Cab tractors only* | USD $226.60 |
| ER064768 | Beacon Light OOS tractors<br>*Open Operator Station only. (Code 2000 and 2005).* | USD $226.60 |
| | **LIGHTING** | |
| ER064908 | Two beltline-mounted H4 Horizonal Exhaust headlights | USD $379.50 |
| ER064950 | Two beltline-mounted H4 Vertical Exhaust headlights | USD $379.50 |
| | **ENGINE**<br>**Additional Factory Options**<br>**ENGINE** | |
| 8220 | Intelligent Power Management (IPM)<br>*Provides approximately 10 extra engine hp which is designed to transmit solely to the rear PTO driveline. This power change can be experienced in both driving and parked conditions.*<br>*Requires PR Transmission (code 1380) and requires 4WD (code 6040)* | USD $1,764.00 |
| | **WEIGHTS AND BALLASTING**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT WEIGHTS** | |
| ER063125 | Base Weight 150 lb W/O Tow Pin | USD $1,340.90 |
| | **REAR WHEEL WEIGHTS** | |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb) | USD $726.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Maximum of one per side*<br>*Requires (4) 19M8486 screws, (4) 24M7241 washers and (4) 14M7276 nuts ordered separately* | |

Copyright © Deere & Company. All Rights Reserved.

# 5075GL Narrow, Low-Profile Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 0314AT | **5075GL Narrow, Low-Profile Tractor (ALDI)** | |

Engine:
73 (54 kW) 97/68EC Engine Horsepower @ 2300* RPM
62 (46 kW) PTO Horsepower @ 1900** RPM
4-Cylinder Turbocharged FPT F34 Engine
3.4 L Displacement
EPA Final Tier 4 Final Compliant
(Aftertreatment: DOC/DPF)
Dry Air Cleaner with Safety Element
Common Rail Electronic Fuel Injection
Hand and Foot Throttle
Viscous Fan
Water Separation Bowl
Engine Shut Off with Key
Maintenance Free Closed Cooling System
Radiator Screen
19 U.S. Gallon (73 L) Fuel Tank Capacity
Transmission:
Differential Lock
Neutral Start Safety Switch

Axle:
Final Drive with three Planetary Gears
Flanged Rear Axles
Steering and Brakes:
Hydrostatic Power Steering
Hydraulic Wet-Disk Rear Breaks, Self-Equalizing
and Self-Adjusting
Five Oil Cooled Hydraulically Actuated Disk Brakes per
side.
Secondary Park Break

Hydraulics:
Open Center Hydraulic System
Hitch Control with Center link Draft Sensing

PTO:
Independent "Live 540/540E RPM rear PTO shaft
Safety Start Switch

Rockshaft, Hitch, and Drawbar:
Mechanical Rockshaft
Adjustable Drawbar plus Hammer Strap
3 Point (category II) Hitch and Sway Blocks

Copyright © Deere & Company. All Rights Reserved.

# 5075GL Narrow, Low-Profile Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Convertible to Category I/IN<br>Less Drawbar<br><br>Instrumentation:<br>Electric Fuel Gauge<br>Tachometer/Hour Meter<br>Oil Pressure Indicator Light<br>Coolant Temperature Gauge<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Turn Signal Indicator Light<br>High Beam Indicator Light<br>PTO Engagement Light<br>Speedometer<br>Digital Display - Hour Meter<br><br>Electrical:<br>12-Volt (100 amps) Electrical system<br>95 Amp Alternator<br>Lights:<br>Two Front Halogen headlights<br>Two Rear Warning and Turn lights<br>Dual Tail Lights<br><br>Miscellaneous:<br>Beverage Holder on Left-Hand Side Console<br>SMV Emblem<br>One Piece Tilt-up hood<br>Extra CEE Administration Fee<br>Premium Container Shipment<br>*Manufacturer's Rating<br>** Factory Observed | |
| | **BASE MACHINE** | |
| | *EX-WORKS Port of Entry* | |
| 0314AT | 5075GL Narrow, Low-Profile Tractor (ALDI) | USD $82,544.00 |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| 0202 | USA | In Base Price |
| | *Requires code 0409 (English)* | |
| 0184 | Canada | No Added Cost |

Copyright © Deere & Company. All Rights Reserved.

# 5075GL Narrow, Low-Profile Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Requires code 0409 (English) or 0413 (French)* | |
| | **OPERATOR'S MANUAL, DECALS, AND MONITORS** | |
| 0409 | English Operator's Manual and Decal Kit | In Base Price |
| 0413 | French Operator's Manual and Decal Kit | No Added Cost |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1380 | 24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper)<br>*Includes:*<br>*Oil cooler, neutral start safety switch, PowrReverser Plus, de-clutch button on the gear lever, electrohydraulic Mechanical Front-Wheel Drive (MFWD), Diff lock and PTO actuation.* | In Base Price |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2000 | Standard Isolated Open Operator Station<br>*Isolated Open Operator Station*<br>*Two Post Mid Mount Roll-Over Protective Structure (ROPS)*<br>*RH Gear Levers & LH Range Levers*<br>*Base seat, Polyvinyl Chloride (PVC) with driver sensor under seat*<br>*Glass Debris/Air Deflector with Grab Handles*<br>*Blinker lever with integrated lighting functions*<br>*Left hand access and egress with steps (No footsteps for 20" tires*<br>*Position lights as per North American standard*<br>*Rear power outlet as per North America Requirement (7-Pin)*<br>*12V power outlet*<br>*Rear working light*<br>*Digital Instrument Panel Read Out* | In Base Price |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3011 | Horizontal Exhaust | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5075GL Narrow, Low-Profile Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**HYDRAULIC PUMP** | |
| 3220 | Two Pump Hydraulic System<br>*Hydraulic Flow equals 17.65 gpm (66.8 L/min) plus 7.8 gpm (29.8 L/min) at 2300 rpm.* | In Base Price |
| 3225 | Three Pump Hydraulic System<br>*Hydraulic Flow equals 17.65 gpm (66.8 L/min) plus 7.8 gpm (29.8 L/min) plus an additional 7.8 gpm (29.8 L/min) at 2300 rpm.*<br>*Not compatible with code 3312* | USD $1,117.00 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3312 | Two Rear Selective Control Valves (SCVs) with lever controls<br>*Not orderable with Code 3225 (Three-Pump Hydraulic System).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow divider.* | In Base Price |
| 3336 | Three Rear Selective Control Valves (SCVs) with lever controls<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow control.* | USD $1,546.00 |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid-Mounted Couplers | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5075GL Narrow, Low-Profile Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HYDRAULICS** | |
| ER064911 | Single Hydraulic Lift Rod for Right Hand Side | USD $1,067.00 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**FRONT WHEELS AND TIRES** | |
| 6165 | 260/70R16 Heavy Duty (2 position rims)<br>*Requires Code 6051* | In Base Price |
| 6167 | 280/70R16 Heavy Duty (2 position rims)<br>*Requires Code 6051* | USD $44.00 |
| 6333 | 280/70R18 Heavy Duty (2 position rims)<br>*Requires Code 6051* | USD $215.00 |
| | **REAR WHEELS AND TIRES** | |
| 5158 | 440/65R24<br>*Requires code 6333* | USD $1,401.00 |
| 5205 | 380/70R24<br>*Requires code 6167 or 6333* | USD $1,509.00 |
| 5216 | 380/70R20<br>*Requires code 6165* | In Base Price |
| 5217 | 360/70R24<br>*Requires code 6167* | USD $1,433.00 |
| | **Additional Factory Options**<br>**FRONT FENDERS** | |
| 8017 | Stationary Front Fenders 4WD version - Width: 8.9 inches (225 mm)<br>*Requires code 6051* | USD $566.00 |
| | **REAR FENDERS** | |
| 8022 | Rear Fender Extension - Width: 3.1 inches (80 mm)<br>*Not compatible with option codes 8023 and 8843* | USD $358.00 |
| 8023 | Rear Fender Extension - Width: 6.3 inches (160 mm)<br>*Not compatible with option codes 8022 and 8843* | USD $439.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GL Narrow, Low-Profile Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |
| ER064516 | Rear fender extension width 80 mm | USD $279.80 |
| | **AXLE AND BRAKES**<br>**Basic Factory Options**<br>**AXLE** | |
| 6051 | Four-Wheel Drive (4WD)<br>*Flange to Flange is 1155mm* | In Base Price |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3826 | ElectroHydraulic actuation 540 and 540E rpm<br>*Without GD Power Take-Off (PTO).*<br>*With PTO shaft cover.*<br>*With Safety start switch.*<br>*Requires code 1380* | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**POWER TAKE-OFF (PTO)** | |
| BLV10953 | John Deere Quik Knect™ PTO receiver<br>*At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.* | USD $140.89 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**THREE-POINT HITCH** | |
| 4132 | 3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends<br>*Requires Code 8455 or 8456*<br>*Requires Code 4151 or 4152* | In Base Price |
| | **THREE-POINT HITCH ROD** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075GL Narrow, Low-Profile Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 4151 | Hydraulic Lift Rod | USD $930.00 |
| 4152 | Mechanical Lift Rod | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4002 | Base weight 150 Lbs (68 kg) - W/O Tow Pin | In Base Price |
| | **Additional Factory Options**<br>**HITCH CONTROLS** | |
| 8446 | Mechanical remote control for 3-point hitch | USD $484.00 |
| | **DRAWBAR** | |
| 8455 | Ball Kit for Draft Links (Category 1 and 1N)<br>*Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).*<br>*Not orderable with option 8456* | USD $69.00 |
| 8456 | Ball Kit for Draft Links (Category 2)<br>*Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).*<br>*Not orderable with option 8455* | USD $69.00 |
| 844T | Horizontal Drawbar (Category 1)<br>*Not orderable with Code 844U.* | USD $82.00 |
| 844U | Horizontal Drawbar (Category 2) | USD $139.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HITCH CONTROLS** | |
| ER063312 | Mechanical remote control for OOS | USD $492.80 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING EQUIPMENT** | |
| 8725 | Beacon Light | USD $224.00 |
| | **ELECTRICITY** | |
| 8745 | Mechanical Battery Switch | USD $234.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**BEACON LIGHTING** | |
| ER063308 | Beacon light OOS tractors | USD $226.60 |
| | **WEIGHTS AND BALLASTING** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075GL Narrow, Low-Profile Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION** | |
| | **FRONT WEIGHTS** | |
| ER063125 | Base Weight 150 lb W/O Tow Pin | USD $1,340.90 |
| | **REAR WHEEL WEIGHTS** | |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb)<br>*Maximum of one per side*<br>*Requires (4) 19M8486 screws, (4) 24M7241 washers and (4) 14M7276 nuts ordered separately* | USD $726.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 0414AT | **5075GN Narrow Specialty Tractor (ALDI)**<br>Engine:<br>73 (54 kW) 97/68EC Engine Horsepower @ 2300* RPM<br>62 (46 kW) PTO Horsepower @ 1900** RPM<br>4-Cylinder Turbocharged FPT F34 Engine<br>3.4 L Displacement<br>EPA Final Tier 4 Final Compliant<br>(Aftertreatment: DOC/DPF)<br>Dry Air Cleaner with Safety Element<br>Common Rail Electronic Fuel Injection<br>Hand and Foot Throttle<br>Viscous Fan<br>Water Separation Bowl<br>Engine Shut Off with Key<br>Maintenance Free Closed Cooling System<br>Radiator Screen<br>22.7 U.S. Gallon (86 L) Fuel Tank Capacity<br><br>Transmission:<br>Differential Lock<br>Neutral Start Safety Switch<br>Mirrors Left-Hand and Right-Hand<br><br>Axle:<br>Final Drive with three Planetary Gears<br>Flanged Rear Axles<br><br>Steering and Brakes:<br>Hydrostatic Power Steering<br>Hydraulic Wet-Disk Rear Breaks, Self-Equalizing and Self-Adjusting<br>Five Oil Cooled Hydraulically Actuated Disk Brakes per side.<br>Secondary Park Break<br><br>Hydraulics:<br>Open Center Hydraulic System<br>Hitch Control with Center link Draft Sensing<br><br>PTO:<br>Independent “Live 540/540E RPM rear PTO shaft<br>Safety Start Switch<br><br>Rockshaft, Hitch, and Drawbar: | |

Copyright © Deere & Company. All Rights Reserved.

# 5075GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Mechanical Rockshaft<br>Swinging Drawbar plus Hammer Strap<br>3 Point (category II) Hitch and Sway Blocks<br>Convertible to Category I/IN<br>Adjustable Drawbar<br><br>Instrumentation:<br>Electric Fuel Gauge<br>Tachometer/Hour Meter<br>Oil Pressure Indicator Light<br>Coolant Temperature Gauge<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Turn Signal Indicator Light<br>High Beam Indicator Light<br>PTO Engagement Light<br>Speedometer<br>Digital Display - Hour Meter<br><br>Electrical:<br>12-Volt (100 amps) Electrical system<br>95 Amp Alternator<br><br>Lights:<br>Two Front Halogen headlights<br>Two Rear Warning and Turn lights<br>Dual Tail Lights<br><br>Miscellaneous:<br>Beverage Holder on Left-Hand Side Console<br>Tool Box<br>SMV Emblem<br>One Piece Tilt-up hood<br>Extra CEE Administration Fee<br>Premium Container Shipment<br><br>*Manufacturer s Rating<br>** Factory Observed | |
| | **BASE MACHINE** | |
| | *EX-WORKS Port of Entry* | |
| 0414AT | 5075GN Narrow Specialty Tractor (ALDI) | USD $55,636.00 |
| | **DESTINATION AND LANGUAGE** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **Basic Factory Options**<br>**DESTINATION** | |
| 0202 | USA<br>*Requires code 0409 (English)* | In Base Price |
| 0184 | Canada<br>*Requires code 0409 (English) or 0413 (French)* | No Added Cost |
| | **OPERATOR'S MANUAL, DECALS, AND MONITORS** | |
| 0409 | English Operator's Manual and Decal Kit | In Base Price |
| 0413 | French Operator's Manual and Decal Kit | No Added Cost |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1340 | 12F/12R SyncReverser Transmission with 540/540E PTO<br>*Includes:*<br>*Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, and electrohydraulic differential lock actuation.*<br>*Requires: Code 6020 two-wheel drive (2WD).* | In Base Price |
| 1341 | 12F/12R SyncReverser Transmission with 540/540E PTO<br>*Includes:*<br>*Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation.*<br>*Requires: Code 6040 four-wheel drive (4WD).* | No Added Cost |
| 1380 | 24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper)<br>*Includes:*<br>*Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever.*<br>*Requires: Code 6040 four-wheel drive (4WD).* | USD $6,876.00 |
| | **OPERATOR'S STATION AND CONTROLS** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2000 | Standard Isolated Open Operator Station<br>*Two post Roll Roll-Over Protective Structure (ROPS).*<br>*Basic Polyvinyl Chloride (PVC) seat.*<br>*Air Deflector with Grab Handles.*<br>*Fixed right-hand steering wheel.*<br>*Right-hand and Left-Hand access and egress with steps.*<br>*Right-Hand Gear and Left-Hand Range Levers.*<br>*Swing-Out front two post ROPS.*<br>*Blinker lever with integrated lighting functions.*<br>*Position lights as per North America Requirement.*<br>*Power socket as per North America Requirement (7-pin).*<br>*Cigarette Lighter (12-V power socket).*<br>*Rear working light.*<br>*Digital Read Out.*<br>*Base rear fender.*<br>*Requires: 12F/12R 2WD (1340) or 12F/12R, 4WD (1341).*<br>*Not compatible with Mirror option 8023* | In Base Price |
| 2005 | Premium Isolated Open Operator Station<br>*Requires: 24F/12R, 4WD (1380).*<br>*Not compatible with Mirror option 8023*<br>*Two Roll Roll-Over Protective Structure (ROPS).*<br>*Air suspended Polyvinyl Chloride (PVC) seat.*<br>*Air Deflector with Grab Handles.*<br>*Tiltable & Telescopic steering wheel.*<br>*Mechanical remote control.*<br>*Right-Hand and Left-Hand access and egress with steps.*<br>*Right-Hand and Left-Hand Range Levers.*<br>*Swing Out front two post ROPS.*<br>*Blinker lever with integrated lighting functions.*<br>*Position lights as per North America Requirement.*<br>*Power socket as per North America Requirement (7-pin).*<br>*Cigarette lighter (12-V power socket).* | USD $1,416.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Rear working light.*<br>*Digital Read Out.*<br>*Base rear fender.* | |
| 2055 | Standard Cab<br>*Two front and two rear H3 working lights.*<br>*Openable front windscreen and rear window.*<br>*Comfort Textile seat.*<br>*Fixed Steering Wheel.*<br>*Opening Right-Hand and Left-Hand door with steps.*<br>*Right-Hand Gear and Left-Hand Range Levers.*<br>*Swing Out Front window (One Position).*<br>*Swing Out Rear window.*<br>*Sun visor integrated with the cab roof.*<br>*Blinker lever with integrated lighting functions.*<br>*1-Speed Front Windshield Wiper with Washer.*<br>*Cab with Air Conditioning and Heating.*<br>*Radio ready (includes glass antenna and wiring).*<br>*Position lights as per North America Requirement.*<br>*Power socket as per NA Requirement (7-pin).*<br>*Cigarette lighter (12-V power socket).*<br>*Two storage areas.*<br>*Digital Read Out.*<br>*Base rear Fender.*<br>*Requires: 12F/12R, 2WD (1340) or 12F/12R, 4WD (1341).* | USD $15,640.00 |
| 2065 | Premium Cab<br>*Two front and two rear H3 working lights.*<br>*Openable front windscreen and rear window.*<br>*Cab Deluxe Textile seat.*<br>*Tiltable and Telescopic Steering Wheel.*<br>*Rear Wiper.*<br>*Internal cab Mirror.*<br>*Mechanical Remote Control.*<br>*Opening Right-Hand and Left-Hand door with steps.* | USD $17,077.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Right-Hand Gear and Left-Hand Range Levers.*<br>*Swing Out Front window (One Position).*<br>*Swing Out Rear window.*<br>*Sun visor integrated with the cab roof.*<br>*Blinker lever with integrated lighting functions.*<br>*1-Speed Front Windshield Wiper with Washer.*<br>*Cab with Air Conditioning and Heating.*<br>*Radio ready (includes glass antenna and wiring).*<br>*Position lights as per North America Requirement.*<br>*Power socket as per North America Requirement (7-pin).*<br>*Cigarette lighter (12-V power socket).*<br>*Two storage areas.*<br>*Digital Read Out.*<br>*Base rear Fender.*<br>*Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).* | |
| 2068 | Premium Narrow Cab (V-Cab)<br>*Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).*<br>*Two front and two rear H3 working lights.*<br>*Openable front windscreen and rear window.*<br>*Cab Deluxe Textile seat.*<br>*Tiltable and Telescopic Steering Wheel.*<br>*Rear Wiper.*<br>*Internal cab Mirror.*<br>*Mechanical Remote Control.*<br>*Opening Right-Hand and Left-Hand door with steps.*<br>*Right-Hand Gear and Left-Hand Range Levers.*<br>*Swing Out Front window (One Position).*<br>*Swing Out Rear window.*<br>*Sun visor integrated with the cab roof.*<br>*Blinker lever with integrated lighting functions.*<br>*1-Speed Front Windshield Wiper with Washer.*<br>*Cab with Air Conditioning and Heating.*<br>*Radio ready (includes glass antenna and wiring).* | USD $17,077.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Position lights as per North America Requirement.*<br>*Power socket as per North America Requirement (7-pin).*<br>*Cigarette lighter (12-V power socket).*<br>*Two storage areas.*<br>*Digital Read Out.*<br>*Base rear Fender.* | |
| | **Additional Factory Options**<br>**MIRRORS** | |
| 8230 | Rear view cab mirror<br>*This option is standard equipment on Premium Cab options (2065 and 2068)*<br>*Additional option for Standard Cab (2055)* | USD $98.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**CAB OPERATOR'S STATION** | |
| ER064623 | Carbon Air Filter | USD $482.90 |
| ER064805 | Wiper with Washer Kit - Rear Window | USD $429.00 |
| ER064890 | Air seat suspension kit (Cab Only)<br>*Kit contains seat and seat suspension to change mechanical to air suspension. Only compatible with 5GN models.* | USD $2,206.60 |
| ER067882 | Rear Speaker For Cab Tractors | USD $168.30 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3011 | Horizontal Exhaust | In Base Price |
| 3020 | Vertical Exhaust Stack<br>*Available on cab tractors only (2055, 2065, or 2068)* | USD $224.00 |
| 3022 | Vertical A Cornerpost Exhaust<br>*Available on cab tractors only (2055, 2065, or 2068)* | USD $893.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**EXHAUST** | |
| ER064700 | Vertical A Cornerpost Exhaust Kit (5G Cab Tractors only) | USD $1,829.30 |
| ER063248 | Mid Mounted Exhaust | USD $1,499.30 |
| | **HYDRAULICS** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **Basic Factory Options** | |
| | **HYDRAULIC PUMP** | |
| 3220 | Two Pump Hydraulic System<br>*Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.* | In Base Price |
| 3225 | Three Pump Hydraulic System<br>*Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.* | USD $1,117.00 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3312 | Two Rear Selective Control Valves (SCVs) with lever controls<br>*Not orderable with Code 3225 (Three-Pump Hydraulic System).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow divider.* | In Base Price |
| 3334 | Three Rear Selective Control Valves (SCVs) with lever controls<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow control.* | USD $1,546.00 |
| 3347 | Four Rear Selective Control Valves (SCVs) with lever controls<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).* | USD $3,094.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow control.* | |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid-Mounted Couplers | In Base Price |
| 3450 | Five Mid-Mounted Couplers on Right-Hand Side<br>*Requires three rear remote SCVs (code 3334)* | USD $1,840.00 |
| 3470 | Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand)<br>*Requires four rear remote SCVs (code 3347)* | USD $2,577.00 |
| | **Additional Factory Options**<br>**HYDRAULICS** | |
| 8490 | Additional Lift Cylinder<br>*max lift capacity at ball ends: 3 tons* | USD $558.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HYDRAULICS** | |
| ER064911 | Single Hydraulic Lift Rod for Right Hand Side | USD $1,067.00 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**FRONT WHEELS AND TIRES** | |
| 6110 | 7.50-16 Diagonal Tire<br>*Requires code 6020* | USD $70.00 |
| 6165 | 260/70R16 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $1,128.00 |
| 6286 | 8.25-16 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $408.00 |
| 6333 | 280/70R18 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $1,343.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 6451 | 6.50-16 Diagonal Tire<br>*Requires code 6020* | USD $22.00 |
| 6452 | 7.50-R16 | USD $70.00 |
| 6124 | 6.00-16<br>*Requires code 6020* | In Base Price |
| | **REAR WHEELS AND TIRES** | |
| 5148 | 480/65R28<br>*Requires Code 6333* | USD $2,190.00 |
| 5157 | 420/70R28<br>*Requires Code 6333* | USD $1,550.00 |
| 5205 | 380/70R24<br>*Requires code 6165* | USD $637.00 |
| 5220 | 320/85R28<br>*Requires code 6452 when equipped with 4WD front axle*<br>*Requires code 6124 or 6110 when equipped with 2WD front axle* | USD $388.00 |
| 5322 | 340/85R28<br>*Requires Code 6333, 6452, or 6286 when equipped with 4WD front axle*<br>*Requires Code 6110, or 6451 when equipped with 2WD front axle* | USD $542.00 |
| 5323 | 380/85R28<br>*Requires Code 6333* | USD $682.00 |
| 5328 | 280/85R28<br>*Requires Code 6165 when equipped with 4WD front axle*<br>*Requires Code 6124 or 6110 when equipped with 2WD front axle* | In Base Price |
| 5350 | 340/85R24<br>*Requires code 6124 or 6110* | USD $429.00 |
| | **Additional Factory Options**<br>**FRONT FENDERS** | |
| 8014 | Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm)<br>*Requires code 6020* | USD $566.00 |
| 8016 | Stationary Front Fenders 4WD version - Width: 10.4 inches | USD $670.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | (265 mm)<br>*Requires code 6040* | |
| | **REAR FENDERS** | |
| 8022 | Rear Fender Extension - Width: 3.1 inches (80 mm)<br>*Not compatible with option code 8023* | USD $358.00 |
| 8023 | Rear Fender Extension - Width: 6.3 inches (160 mm)<br>*Not compatible with option code 8022* | USD $439.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT FENDERS** | |
| ER064761 | MFWD Rigid Front Fenders 10.4 In (265 mm) Wide | USD $1,140.70 |
| ER064763 | 2WD Stationnary Front Fenders 10.4 In (225mm) Wide | USD $577.50 |
| | **REAR FENDERS** | |
| ER064764 | Rear Fender Extensions 6.3 In (160 mm) Wide | USD $447.70 |
| ER064765 | Rear Fender Extensions 3.1 In (80 mm) Wide | USD $363.00 |
| | **AXLE AND BRAKES**<br>**Basic Factory Options**<br>**AXLE** | |
| 6020 | Two-Wheel Drive (2WD) | In Base Price |
| 6040 | Four-Wheel Drive (4WD) | USD $12,312.00 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3822 | Mechanical actuation 540 and 540E rpm<br>*Shiftable without GD Power Take-Off (PTO)*<br>*With PTO shaft cover*<br>*With Safety start switch*<br>*Requires code 1340 or 1341* | In Base Price |
| 3826 | ElectroHydraulic actuation 540 and 540E rpm<br>*Without GD Power Take-Off (PTO).*<br>*With PTO shaft cover.*<br>*With Safety start switch.*<br>*Requires code 1380* | No Added Cost |

Copyright © Deere & Company. All Rights Reserved.

# 5075GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**POWER TAKE-OFF (PTO)** | |
| BLV10953 | John Deere Quik Knect™ PTO receiver<br>*At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.* | USD $140.89 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**THREE-POINT HITCH** | |
| 4130 | 3-Point Hitch with Fixed Ball Ends for Draft Links<br>*Not compatible with additional factory option 844T (Horizontal Drawbar Category 1)* | In Base Price |
| 4131 | 3-Point Hitch with Adjustable Ball Ends for Draft Links | USD $446.00 |
| 4132 | 3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends<br>*Requires Code 8455 or 8456*<br>*Requires Code 4151 or 4152* | USD $634.00 |
| | **THREE-POINT HITCH ROD** | |
| 4151 | Hydraulic Lift Rod | USD $930.00 |
| 4152 | Mechanical Lift Rod | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4001 | Front Hitch<br>*Not orderable with Front Base Weight (option 4002)*<br>*Requires Heavy Duty 2 position rim front tires*<br>*Requires 4WD Axle (Option 6040)* | USD $4,337.00 |
| 4002 | Base weight 150 Lbs (68 kg) - W/O Tow Pin | In Base Price |
| | **Additional Factory Options**<br>**HITCH CONTROLS** | |
| 8446 | Mechanical remote control for 3-point hitch | USD $484.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **DRAWBAR** | |
| 8455 | Ball Kit for Draft Links (Category 1 and 1N)<br>*Not orderable with option 8456*<br>*Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).* | USD $69.00 |
| 8456 | Ball Kit for Draft Links (Category 2)<br>*Not orderable with option 8455*<br>*Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).* | USD $69.00 |
| 844T | Horizontal Drawbar (Category 1)<br>*Not orderable with code 4130*<br>*Not orderable with Code 844U.* | USD $82.00 |
| 844U | Horizontal Drawbar (Category 2) | USD $139.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HITCH CONTROLS** | |
| ER064912 | Mechanical remote hitch control for OOS | USD $492.80 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING EQUIPMENT** | |
| 8725 | Beacon Light | USD $224.00 |
| 8731 | Two H4 Belt-Line Lights<br>*Requires: Codes 2055, 2065, or 2068 (cab options)* | USD $374.00 |
| 873B | LED Rear Work Lights<br>*Requires Code 2055, 2065, 2068* | USD $263.00 |
| 873C | LED Front Work Lights<br>*Requires Code 2055, 2065, 2068* | USD $263.00 |
| | **ELECTRICITY** | |
| 8745 | Mechanical Battery Switch | USD $234.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**BEACON LIGHTING** | |
| ER064907 | Beacon Light Kit | USD $226.60 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Cab tractors only* | |
| ER064768 | Beacon Light OOS tractors<br>*Open Operator Station only. (Code 2000 and 2005).* | USD $226.60 |
| | **LIGHTING** | |
| ER064908 | Two beltline-mounted H4 Horizonal Exhaust headlights | USD $379.50 |
| ER064950 | Two beltline-mounted H4 Vertical Exhaust headlights | USD $379.50 |
| | **ENGINE**<br>**Additional Factory Options**<br>**FUEL TANK** | |
| 8313 | External Fuel Tank<br>*Only available on GN models*<br>*Not order-able with Premium Narrow Cab option (2068)* | USD $302.00 |
| | **WEIGHTS AND BALLASTING**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT WEIGHTS** | |
| ER063125 | Base Weight 150 lb W/O Tow Pin | USD $1,340.90 |
| | **REAR WHEEL WEIGHTS** | |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb)<br>*Maximum of one per side*<br>*Requires (4) 19M8486 screws, (4) 24M7241 washers and (4) 14M7276 nuts ordered separately* | USD $726.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5100GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 0434AT | **5100GN Narrow Specialty Tractor (ALDI)**<br>Engine:<br>100 (74.6 kW) 97/68EC Engine Horsepower @ 2300* RPM<br>84 (63 kW) PTO Horsepower @ 2000** RPM<br>4-Cylinder Turbocharged FPT F34 Engine<br>3.4 L Displacement<br>EPA Final Tier 4 Final Compliant<br>(Aftertreatment: DOC/SCR)<br>2.7 U.S. Gallon (10.3 L)DEF Tank<br>Dry Air Cleaner with Safety Element<br>Common Rail Electronic Fuel Injection<br>Hand and Foot Throttle<br>Viscous Fan<br>Water Separation Bowl<br>Engine Shut Off with Key<br>Maintenance Free Closed Cooling System<br>Radiator Screen<br>19.9 U.S. Gallon (75.5 L) Fuel Tank Capacity<br><br>Transmission:<br>Differential Lock<br>Neutral Start Safety Switch<br>Mirrors Left-Hand and Right-Hand<br><br>Axle:<br>Final Drive with three Planetary Gears<br>Flanged Rear Axles<br><br>Steering and Brakes:<br>Hydrostatic Power Steering<br>Hydraulic Wet-Disk Rear Breaks, Self-Equalizing and Self-Adjusting<br>Five Oil Cooled Hydraulically Actuated Disk Brakes per side.<br>Secondary Park Break<br><br>Hydraulics:<br>Open Center Hydraulic System<br>Hitch Control with Center link Draft Sensing<br><br>PTO:<br>Independent “Live 540/540E RPM rear PTO shaft<br>Safety Start Switch | |

Copyright © Deere & Company. All Rights Reserved.

# 5100GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Rockshaft, Hitch, and Drawbar:<br>Mechanical Rockshaft<br>Swinging Drawbar plus Hammer Strap<br>3 Point (category II) Hitch and Sway Blocks<br>Convertible to Category I/IN<br>Adjustable Drawbar<br><br>Instrumentation:<br>Electric Fuel Gauge<br>Tachometer/Hour Meter<br>Oil Pressure Indicator Light<br>Coolant Temperature Gauge<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Turn Signal Indicator Light<br>High Beam Indicator Light<br>PTO Engagement Light<br>Speedometer<br>Digital Display - Hour Meter<br><br>Electrical:<br>12-Volt (100 amps) Electrical system<br>95 Amp Alternator<br><br>Lights:<br>Two Front Halogen headlights<br>Two Rear Warning and Turn lights<br>Dual Tail Lights<br><br>Miscellaneous:<br>Beverage Holder on Left-Hand Side Console<br>Tool Box<br>SMV Emblem<br>One Piece Tilt-up hood<br>Extra CEE Administration Fee<br>Premium Container Shipment<br><br>*Manufacturer s Rating<br>** Factory Observed | |
| | **BASE MACHINE** | |
| | *EX-WORKS Port of Entry* | |
| 0434AT | 5100GN Narrow Specialty Tractor (ALDI) | USD $79,426.00 |
| | **DESTINATION AND LANGUAGE** | |

Copyright © Deere & Company. All Rights Reserved.

# 5100GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **Basic Factory Options**<br>**DESTINATION** | |
| 0202 | USA<br>*Requires code 0409 (English)* | In Base Price |
| 0184 | Canada<br>*Requires code 0409 (English) or 0413 (French)* | No Added Cost |
| | **OPERATOR'S MANUAL, DECALS, AND MONITORS** | |
| 0409 | English Operator's Manual and Decal Kit | In Base Price |
| 0413 | French Operator's Manual and Decal Kit | No Added Cost |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1380 | 24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper)<br>*Includes:*<br>*Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever.*<br>*Requires: Code 6040 four-wheel drive (4WD).* | USD $6,876.00 |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2065 | Premium Cab<br>*Two front and two rear H3 working lights.*<br>*Openable front windscreen and rear window.*<br>*Cab Deluxe Textile seat.*<br>*Tiltable and Telescopic Steering Wheel.*<br>*Rear Wiper.*<br>*Internal cab Mirror.*<br>*Mechanical Remote Control.*<br>*Opening Right-Hand and Left-Hand door with steps.*<br>*Right-Hand Gear and Left-Hand Range Levers.* | USD $17,077.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5100GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Swing Out Front window (One Position).*<br>*Swing Out Rear window.*<br>*Sun visor integrated with the cab roof.*<br>*Blinker lever with integrated lighting functions.*<br>*1-Speed Front Windshield Wiper with Washer.*<br>*Cab with Air Conditioning and Heating.*<br>*Radio ready (includes glass antenna and wiring).*<br>*Position lights as per North America Requirement.*<br>*Power socket as per North America Requirement (7-pin).*<br>*Cigarette lighter (12-V power socket).*<br>*Two storage areas.*<br>*Digital Read Out.*<br>*Base rear Fender.*<br>*Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).* | |
| 2068 | Premium Narrow Cab (V-Cab)<br>*Two front and two rear H3 working lights.*<br>*Openable front windscreen and rear window.*<br>*Cab Deluxe Textile seat.*<br>*Tiltable and Telescopic Steering Wheel.*<br>*Rear Wiper.*<br>*Internal cab Mirror.*<br>*Mechanical Remote Control.*<br>*Opening Right-Hand and Left-Hand door with steps.*<br>*Right-Hand Gear and Left-Hand Range Levers.*<br>*Swing Out Front window (One Position).*<br>*Swing Out Rear window.*<br>*Sun visor integrated with the cab roof.*<br>*Blinker lever with integrated lighting functions.*<br>*1-Speed Front Windshield Wiper with Washer.*<br>*Cab with Air Conditioning and Heating.*<br>*Radio ready (includes glass antenna and wiring).*<br>*Position lights as per North America Requirement.*<br>*Power socket as per North America Requirement (7-pin).* | USD $17,077.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5100GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Cigarette lighter (12-V power socket).*<br>*Two storage areas.*<br>*Digital Read Out.*<br>*Base rear Fender.*<br>*Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).* | |
| | **Additional Factory Options**<br>**MIRRORS** | |
| 8230 | Rear view cab mirror<br>*This option is standard equipment on Premium Cab options (2065 and 2068)*<br>*Additional option for Standard Cab (2055)* | USD $98.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**CAB OPERATOR'S STATION** | |
| ER064623 | Carbon Air Filter | USD $482.90 |
| ER064805 | Wiper with Washer Kit - Rear Window | USD $429.00 |
| ER064890 | Air seat suspension kit (Cab Only)<br>*Kit contains seat and seat suspension to change mechanical to air suspension. Only compatible with 5GN models.* | USD $2,206.60 |
| ER067882 | Rear Speaker For Cab Tractors | USD $168.30 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Exhaust | In Base Price |
| 3020 | Vertical Exhaust Stack<br>*Available on cab tractors only (2055, 2065, or 2068)* | USD $224.00 |
| 3022 | Vertical A Cornerpost Exhaust<br>*Available on cab tractors only (2055, 2065, or 2068)* | USD $893.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**EXHAUST** | |
| ER064910 | Horizontal Exhaust | USD $920.70 |
| ER064700 | Vertical A Cornerpost Exhaust Kit (5G Cab Tractors only) | USD $1,829.30 |
| ER063249 | Mid Mounted Exhaust | USD $1,499.30 |
| | **HYDRAULICS** | |

Copyright © Deere & Company. All Rights Reserved.

# 5100GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **Basic Factory Options** | |
| | **HYDRAULIC PUMP** | |
| 3220 | Two Pump Hydraulic System<br>*Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.* | In Base Price |
| 3225 | Three Pump Hydraulic System<br>*Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.* | USD $1,117.00 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3312 | Two Rear Selective Control Valves (SCVs) with lever controls<br>*Not orderable with Code 3225 (Three-Pump Hydraulic System).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow divider.* | In Base Price |
| 3334 | Three Rear Selective Control Valves (SCVs) with lever controls<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow control.* | USD $1,546.00 |
| 3347 | Four Rear Selective Control Valves (SCVs) with lever controls<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).* | USD $3,094.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5100GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow control.* | |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid-Mounted Couplers | In Base Price |
| 3450 | Five Mid-Mounted Couplers on Right-Hand Side<br>*Requires three rear remote SCVs (code 3334)* | USD $1,840.00 |
| 3470 | Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand)<br>*Requires four rear remote SCVs (code 3347)* | USD $2,577.00 |
| | **Additional Factory Options**<br>**HYDRAULICS** | |
| 8490 | Additional Lift Cylinder<br>*max lift capacity at ball ends: 3 tons* | USD $558.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HYDRAULICS** | |
| ER064911 | Single Hydraulic Lift Rod for Right Hand Side | USD $1,067.00 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**FRONT WHEELS AND TIRES** | |
| 6110 | 7.50-16 Diagonal Tire<br>*Requires code 6020* | USD $70.00 |
| 6165 | 260/70R16 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $1,128.00 |
| 6286 | 8.25-16 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $408.00 |
| 6333 | 280/70R18 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $1,343.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5100GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 6451 | 6.50-16 Diagonal Tire<br>*Requires code 6020* | USD $22.00 |
| 6452 | 7.50-R16 | USD $70.00 |
| 6124 | 6.00-16<br>*Requires code 6020* | In Base Price |
| | **REAR WHEELS AND TIRES** | |
| 5148 | 480/65R28<br>*Requires Code 6333* | USD $2,190.00 |
| 5157 | 420/70R28<br>*Requires Code 6333* | USD $1,550.00 |
| 5205 | 380/70R24<br>*Requires code 6165* | USD $637.00 |
| 5220 | 320/85R28<br>*Requires code 6452 when equipped with 4WD front axle*<br>*Requires code 6124 or 6110 when equipped with 2WD front axle* | USD $388.00 |
| 5322 | 340/85R28<br>*Requires Code 6333, 6452, or 6286 when equipped with 4WD front axle*<br>*Requires Code 6110, or 6451 when equipped with 2WD front axle* | USD $542.00 |
| 5323 | 380/85R28<br>*Requires Code 6333* | USD $682.00 |
| 5328 | 280/85R28<br>*Requires Code 6165 when equipped with 4WD front axle*<br>*Requires Code 6124 or 6110 when equipped with 2WD front axle* | In Base Price |
| 5350 | 340/85R24<br>*Requires code 6124 or 6110* | USD $429.00 |
| | **Additional Factory Options**<br>**FRONT FENDERS** | |
| 8014 | Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm)<br>*Requires code 6020* | USD $566.00 |
| 8016 | Stationary Front Fenders 4WD version - Width: 10.4 inches | USD $670.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5100GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | (265 mm)<br>*Requires code 6040* | |
| | **REAR FENDERS** | |
| 8022 | Rear Fender Extension - Width: 3.1 inches (80 mm)<br>*Not compatible with option code 8023* | USD $358.00 |
| 8023 | Rear Fender Extension - Width: 6.3 inches (160 mm)<br>*Not compatible with option code 8022* | USD $439.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT FENDERS** | |
| ER064761 | MFWD Rigid Front Fenders 10.4 In (265 mm) Wide | USD $1,140.70 |
| ER064763 | 2WD Stationnary Front Fenders 10.4 In (225mm) Wide | USD $577.50 |
| | **REAR FENDERS** | |
| ER064764 | Rear Fender Extensions 6.3 In (160 mm) Wide | USD $447.70 |
| ER064765 | Rear Fender Extensions 3.1 In (80 mm) Wide | USD $363.00 |
| | **AXLE AND BRAKES**<br>**Basic Factory Options**<br>**AXLE** | |
| 6020 | Two-Wheel Drive (2WD) | In Base Price |
| 6040 | Four-Wheel Drive (4WD) | USD $12,312.00 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3822 | Mechanical actuation 540 and 540E rpm<br>*Shiftable without GD Power Take-Off (PTO)*<br>*With PTO shaft cover*<br>*With Safety start switch*<br>*Requires code 1340 or 1341* | In Base Price |
| 3826 | ElectroHydraulic actuation 540 and 540E rpm<br>*Without GD Power Take-Off (PTO).*<br>*With PTO shaft cover.*<br>*With Safety start switch.*<br>*Requires code 1380* | No Added Cost |

Copyright © Deere & Company. All Rights Reserved.

# 5100GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**POWER TAKE-OFF (PTO)** | |
| BLV10953 | John Deere Quik Knect™ PTO receiver<br>*At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.* | USD $140.89 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**THREE-POINT HITCH** | |
| 4130 | 3-Point Hitch with Fixed Ball Ends for Draft Links<br>*Not compatible with additional factory option 844T (Horizontal Drawbar Category 1)* | In Base Price |
| 4131 | 3-Point Hitch with Adjustable Ball Ends for Draft Links | USD $446.00 |
| 4132 | 3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends<br>*Requires Code 8455 or 8456*<br>*Requires Code 4151 or 4152* | USD $634.00 |
| | **THREE-POINT HITCH ROD** | |
| 4151 | Hydraulic Lift Rod | USD $930.00 |
| 4152 | Mechanical Lift Rod | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4001 | Front Hitch<br>*Not orderable with Front Base Weight (option 4002)*<br>*Requires Heavy Duty 2 position rim front tires*<br>*Requires 4WD Axle (Option 6040)* | USD $4,337.00 |
| 4002 | Base weight 150 Lbs (68 kg) - W/O Tow Pin | In Base Price |
| | **Additional Factory Options**<br>**HITCH CONTROLS** | |
| 8446 | Mechanical remote control for 3-point hitch | USD $484.00 |
| | **DRAWBAR** | |

Copyright © Deere & Company. All Rights Reserved.

# 5100GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 8455 | Ball Kit for Draft Links (Category 1 and 1N)<br>*Not orderable with option 8456*<br>*Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).* | USD $69.00 |
| 8456 | Ball Kit for Draft Links (Category 2)<br>*Not orderable with option 8455*<br>*Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).* | USD $69.00 |
| 844T | Horizontal Drawbar (Category 1)<br>*Not orderable with code 4130*<br>*Not orderable with Code 844U.* | USD $82.00 |
| 844U | Horizontal Drawbar (Category 2) | USD $139.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HITCH CONTROLS** | |
| ER064912 | Mechanical remote hitch control for OOS | USD $492.80 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING EQUIPMENT** | |
| 8725 | Beacon Light | USD $224.00 |
| 8731 | Two H4 Belt-Line Lights<br>*Requires: Codes 2055, 2065, or 2068 (cab options)* | USD $374.00 |
| 873B | LED Rear Work Lights<br>*Requires Code 2055, 2065, 2068* | USD $263.00 |
| 873C | LED Front Work Lights<br>*Requires Code 2055, 2065, 2068* | USD $263.00 |
| | **ELECTRICITY** | |
| 8746 | Electronic Battery Switch | USD $935.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**BEACON LIGHTING** | |
| ER064907 | Beacon Light Kit<br>*Cab tractors only* | USD $226.60 |

Copyright © Deere & Company. All Rights Reserved.

# 5100GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| ER064768 | Beacon Light OOS tractors<br>*Open Operator Station only. (Code 2000 and 2005).* | USD $226.60 |
| | **LIGHTING** | |
| ER064908 | Two beltline-mounted H4 Horizonal Exhaust headlights | USD $379.50 |
| ER064950 | Two beltline-mounted H4 Vertical Exhaust headlights | USD $379.50 |
| | **ENGINE**<br>**Additional Factory Options**<br>**ENGINE** | |
| 8220 | Intelligent Power Management (IPM)<br>*Provides approximately 10 extra engine hp which is designed to transmit solely to the rear PTO driveline. This power change can be experienced in both driving and parked conditions.*<br>*Requires PR Transmission (code 1380) and requires 4WD (code 6040)* | USD $1,764.00 |
| | **FUEL TANK** | |
| 8313 | External Fuel Tank<br>*Only available on GN models*<br>*Not order-able with Premium Narrow Cab option (2068)* | USD $302.00 |
| | **WEIGHTS AND BALLASTING**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT WEIGHTS** | |
| ER063125 | Base Weight 150 lb W/O Tow Pin | USD $1,340.90 |
| | **REAR WHEEL WEIGHTS** | |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb)<br>*Maximum of one per side*<br>*Requires (4) 19M8486 screws, (4) 24M7241 washers and (4) 14M7276 nuts ordered separately* | USD $726.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 0444AT | **5090GN Narrow Specialty Tractor (ALDI)** | |

Engine:
90 (67.1 kW) 97/68EC Engine Horsepower @ 2300* RPM
78 (58 kW) PTO Horsepower @ 2000** RPM
4-Cylinder Turbocharged FPT F34 Engine
3.4 L Displacement
EPA Final Tier 4 Final Compliant
(Aftertreatment: DOC/SCR)
2.7 U.S. Gallon (10.3 L)DEF Tank
Dry Air Cleaner with Safety Element
Common Rail Electronic Fuel Injection
Hand and Foot Throttle
Viscous Fan
Water Separation Bowl
Engine Shut Off with Key
Maintenance Free Closed Cooling System
Radiator Screen
19.9 U.S. Gallon (75.5 L) Fuel Tank Capacity

Transmission:
Differential Lock
Neutral Start Safety Switch
Mirrors Left-Hand and Right-Hand

Axle:
Final Drive with three Planetary Gears
Flanged Rear Axles

Steering and Brakes:
Hydrostatic Power Steering
Hydraulic Wet-Disk Rear Breaks, Self-Equalizing and Self-Adjusting
Five Oil Cooled Hydraulically Actuated Disk Brakes per side.
Secondary Park Break

Hydraulics:
Open Center Hydraulic System
Hitch Control with Center link Draft Sensing

PTO:
Independent “Live 540/540E RPM rear PTO shaft
Safety Start Switch

Copyright © Deere & Company. All Rights Reserved.

# 5090GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Rockshaft, Hitch, and Drawbar:<br>Mechanical Rockshaft<br>Swinging Drawbar plus Hammer Strap<br>3 Point (category II) Hitch and Sway Blocks<br>Convertible to Category I/IN<br>Adjustable Drawbar<br><br>Instrumentation:<br>Electric Fuel Gauge<br>Tachometer/Hour Meter<br>Oil Pressure Indicator Light<br>Coolant Temperature Gauge<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Turn Signal Indicator Light<br>High Beam Indicator Light<br>PTO Engagement Light<br>Speedometer<br>Digital Display - Hour Meter<br><br>Electrical:<br>12-Volt (100 amps) Electrical system<br>95 Amp Alternator<br><br>Lights:<br>Two Front Halogen headlights<br>Two Rear Warning and Turn lights<br>Dual Tail Lights<br><br>Miscellaneous:<br>Beverage Holder on Left-Hand Side Console<br>Tool Box<br>SMV Emblem<br>One Piece Tilt-up hood<br>Extra CEE Administration Fee<br>Premium Container Shipment<br><br>*Manufacturer s Rating<br>** Factory Observed | |
| | **BASE MACHINE** | |
| | *EX-WORKS Port of Entry* | |
| 0444AT | 5090GN Narrow Specialty Tractor (ALDI) | USD $69,423.00 |
| | **DESTINATION AND LANGUAGE** | |

Copyright © Deere & Company. All Rights Reserved.

# 5090GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **Basic Factory Options**<br>**DESTINATION** | |
| 0202 | USA<br>*Requires code 0409 (English)* | In Base Price |
| 0184 | Canada<br>*Requires code 0409 (English) or 0413 (French)* | No Added Cost |
| | **OPERATOR'S MANUAL, DECALS, AND MONITORS** | |
| 0409 | English Operator's Manual and Decal Kit | In Base Price |
| 0413 | French Operator's Manual and Decal Kit | No Added Cost |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1380 | 24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper)<br>*Includes:*<br>*Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever.*<br>*Requires: Code 6040 four-wheel drive (4WD).* | USD $6,876.00 |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2065 | Premium Cab<br>*Two front and two rear H3 working lights.*<br>*Openable front windscreen and rear window.*<br>*Cab Deluxe Textile seat.*<br>*Tiltable and Telescopic Steering Wheel.*<br>*Rear Wiper.*<br>*Internal cab Mirror.*<br>*Mechanical Remote Control.*<br>*Opening Right-Hand and Left-Hand door with steps.*<br>*Right-Hand Gear and Left-Hand Range Levers.* | USD $17,077.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Swing Out Front window (One Position).*<br>*Swing Out Rear window.*<br>*Sun visor integrated with the cab roof.*<br>*Blinker lever with integrated lighting functions.*<br>*1-Speed Front Windshield Wiper with Washer.*<br>*Cab with Air Conditioning and Heating.*<br>*Radio ready (includes glass antenna and wiring).*<br>*Position lights as per North America Requirement.*<br>*Power socket as per North America Requirement (7-pin).*<br>*Cigarette lighter (12-V power socket).*<br>*Two storage areas.*<br>*Digital Read Out.*<br>*Base rear Fender.*<br>*Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).* | |
| 2068 | Premium Narrow Cab (V-Cab)<br>*Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).*<br>*Two front and two rear H3 working lights.*<br>*Openable front windscreen and rear window.*<br>*Cab Deluxe Textile seat.*<br>*Tiltable and Telescopic Steering Wheel.*<br>*Rear Wiper.*<br>*Internal cab Mirror.*<br>*Mechanical Remote Control.*<br>*Opening Right-Hand and Left-Hand door with steps.*<br>*Right-Hand Gear and Left-Hand Range Levers.*<br>*Swing Out Front window (One Position).*<br>*Swing Out Rear window.*<br>*Sun visor integrated with the cab roof.*<br>*Blinker lever with integrated lighting functions.*<br>*1-Speed Front Windshield Wiper with Washer.*<br>*Cab with Air Conditioning and Heating.*<br>*Radio ready (includes glass antenna and wiring).*<br>*Position lights as per North America Requirement.* | USD $17,077.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Power socket as per North America Requirement (7-pin).*<br>*Cigarette lighter (12-V power socket).*<br>*Two storage areas.*<br>*Digital Read Out.*<br>*Base rear Fender.* | |
| | **Additional Factory Options**<br>**MIRRORS** | |
| 8230 | Rear view cab mirror<br>*This option is standard equipment on Premium Cab options (2065 and 2068)*<br>*Additional option for Standard Cab (2055)* | USD $98.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**CAB OPERATOR'S STATION** | |
| ER064623 | Carbon Air Filter | USD $482.90 |
| ER064805 | Wiper with Washer Kit - Rear Window | USD $429.00 |
| ER064890 | Air seat suspension kit (Cab Only)<br>*Kit contains seat and seat suspension to change mechanical to air suspension. Only compatible with 5GN models.* | USD $2,206.60 |
| ER067882 | Rear Speaker For Cab Tractors | USD $168.30 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Exhaust | In Base Price |
| 3020 | Vertical Exhaust Stack<br>*Available on cab tractors only (2055, 2065, or 2068)* | USD $224.00 |
| 3022 | Vertical A Cornerpost Exhaust<br>*Available on cab tractors only (2055, 2065, or 2068)* | USD $893.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**EXHAUST** | |
| ER064910 | Horizontal Exhaust | USD $920.70 |
| ER064700 | Vertical A Cornerpost Exhaust Kit (5G Cab Tractors only) | USD $1,829.30 |
| ER063249 | Mid Mounted Exhaust | USD $1,499.30 |
| | **HYDRAULICS** | |

Copyright © Deere & Company. All Rights Reserved.

# 5090GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **Basic Factory Options** | |
| | **HYDRAULIC PUMP** | |
| 3220 | Two Pump Hydraulic System<br>*Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.* | In Base Price |
| 3225 | Three Pump Hydraulic System<br>*Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.* | USD $1,117.00 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3312 | Two Rear Selective Control Valves (SCVs) with lever controls<br>*Not orderable with Code 3225 (Three-Pump Hydraulic System).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow divider.* | In Base Price |
| 3334 | Three Rear Selective Control Valves (SCVs) with lever controls<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow control.* | USD $1,546.00 |
| 3347 | Four Rear Selective Control Valves (SCVs) with lever controls<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).* | USD $3,094.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow control.* | |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid-Mounted Couplers | In Base Price |
| 3450 | Five Mid-Mounted Couplers on Right-Hand Side<br>*Requires three rear remote SCVs (code 3334)* | USD $1,840.00 |
| 3470 | Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand)<br>*Requires four rear remote SCVs (code 3347)* | USD $2,577.00 |
| | **Additional Factory Options**<br>**HYDRAULICS** | |
| 8490 | Additional Lift Cylinder<br>*max lift capacity at ball ends: 3 tons* | USD $558.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HYDRAULICS** | |
| ER064911 | Single Hydraulic Lift Rod for Right Hand Side | USD $1,067.00 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**FRONT WHEELS AND TIRES** | |
| 6110 | 7.50-16 Diagonal Tire<br>*Requires code 6020* | USD $70.00 |
| 6165 | 260/70R16 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $1,128.00 |
| 6286 | 8.25-16 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $408.00 |
| 6333 | 280/70R18 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $1,343.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 6451 | 6.50-16 Diagonal Tire<br>*Requires code 6020* | USD $22.00 |
| 6452 | 7.50-R16 | USD $70.00 |
| 6124 | 6.00-16<br>*Requires code 6020* | In Base Price |
| | **REAR WHEELS AND TIRES** | |
| 5148 | 480/65R28<br>*Requires Code 6333* | USD $2,190.00 |
| 5157 | 420/70R28<br>*Requires Code 6333* | USD $1,550.00 |
| 5205 | 380/70R24<br>*Requires code 6165* | USD $637.00 |
| 5220 | 320/85R28<br>*Requires code 6452 when equipped with 4WD front axle*<br>*Requires code 6124 or 6110 when equipped with 2WD front axle* | USD $388.00 |
| 5322 | 340/85R28<br>*Requires Code 6333, 6452, or 6286 when equipped with 4WD front axle*<br>*Requires Code 6110, or 6451 when equipped with 2WD front axle* | USD $542.00 |
| 5323 | 380/85R28<br>*Requires Code 6333* | USD $682.00 |
| 5328 | 280/85R28<br>*Requires Code 6165 when equipped with 4WD front axle*<br>*Requires Code 6124 or 6110 when equipped with 2WD front axle* | In Base Price |
| 5350 | 340/85R24<br>*Requires code 6124 or 6110* | USD $429.00 |
| | **Additional Factory Options**<br>**FRONT FENDERS** | |
| 8014 | Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm)<br>*Requires code 6020* | USD $566.00 |
| 8016 | Stationary Front Fenders 4WD version - Width: 10.4 inches | USD $670.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | (265 mm)<br>*Requires code 6040* | |
| | **REAR FENDERS** | |
| 8022 | Rear Fender Extension - Width: 3.1 inches (80 mm)<br>*Not compatible with option code 8023* | USD $358.00 |
| 8023 | Rear Fender Extension - Width: 6.3 inches (160 mm)<br>*Not compatible with option code 8022* | USD $439.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT FENDERS** | |
| ER064761 | MFWD Rigid Front Fenders 10.4 In (265 mm) Wide | USD $1,140.70 |
| ER064763 | 2WD Stationnary Front Fenders 10.4 In (225mm) Wide | USD $577.50 |
| | **REAR FENDERS** | |
| ER064764 | Rear Fender Extensions 6.3 In (160 mm) Wide | USD $447.70 |
| ER064765 | Rear Fender Extensions 3.1 In (80 mm) Wide | USD $363.00 |
| | **AXLE AND BRAKES**<br>**Basic Factory Options**<br>**AXLE** | |
| 6020 | Two-Wheel Drive (2WD) | In Base Price |
| 6040 | Four-Wheel Drive (4WD) | USD $12,312.00 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3822 | Mechanical actuation 540 and 540E rpm<br>*Shiftable without GD Power Take-Off (PTO)*<br>*With PTO shaft cover*<br>*With Safety start switch*<br>*Requires code 1340 or 1341* | In Base Price |
| 3826 | ElectroHydraulic actuation 540 and 540E rpm<br>*Without GD Power Take-Off (PTO).*<br>*With PTO shaft cover.*<br>*With Safety start switch.*<br>*Requires code 1380* | No Added Cost |

Copyright © Deere & Company. All Rights Reserved.

# 5090GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**POWER TAKE-OFF (PTO)** | |
| BLV10953 | John Deere Quik Knect™ PTO receiver<br>*At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.* | USD $140.89 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**THREE-POINT HITCH** | |
| 4130 | 3-Point Hitch with Fixed Ball Ends for Draft Links<br>*Not compatible with additional factory option 844T (Horizontal Drawbar Category 1)* | In Base Price |
| 4131 | 3-Point Hitch with Adjustable Ball Ends for Draft Links | USD $446.00 |
| 4132 | 3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends<br>*Requires Code 8455 or 8456*<br>*Requires Code 4151 or 4152* | USD $634.00 |
| | **THREE-POINT HITCH ROD** | |
| 4151 | Hydraulic Lift Rod | USD $930.00 |
| 4152 | Mechanical Lift Rod | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4001 | Front Hitch<br>*Not orderable with Front Base Weight (option 4002)*<br>*Requires Heavy Duty 2 position rim front tires*<br>*Requires 4WD Axle (Option 6040)* | USD $4,337.00 |
| 4002 | Base weight 150 Lbs (68 kg) - W/O Tow Pin | In Base Price |
| | **Additional Factory Options**<br>**HITCH CONTROLS** | |
| 8446 | Mechanical remote control for 3-point hitch | USD $484.00 |
| | **DRAWBAR** | |

Copyright © Deere & Company. All Rights Reserved.

# 5090GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 8455 | Ball Kit for Draft Links (Category 1 and 1N)<br>*Not orderable with option 8456*<br>*Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).* | USD $69.00 |
| 8456 | Ball Kit for Draft Links (Category 2)<br>*Not orderable with option 8455*<br>*Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).* | USD $69.00 |
| 844T | Horizontal Drawbar (Category 1)<br>*Not orderable with code 4130*<br>*Not orderable with Code 844U.* | USD $82.00 |
| 844U | Horizontal Drawbar (Category 2) | USD $139.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HITCH CONTROLS** | |
| ER064912 | Mechanical remote hitch control for OOS | USD $492.80 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING EQUIPMENT** | |
| 8725 | Beacon Light | USD $224.00 |
| 873B | LED Rear Work Lights<br>*Requires Code 2055, 2065, 2068* | USD $263.00 |
| 873C | LED Front Work Lights<br>*Requires Code 2055, 2065, 2068* | USD $263.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**BEACON LIGHTING** | |
| ER064907 | Beacon Light Kit<br>*Cab tractors only* | USD $226.60 |
| ER064768 | Beacon Light OOS tractors<br>*Open Operator Station only. (Code 2000 and 2005).* | USD $226.60 |
| | **LIGHTING** | |
| ER064908 | Two beltline-mounted H4 Horizonal Exhaust headlights | USD $379.50 |

Copyright © Deere & Company. All Rights Reserved.

# 5090GN Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| ER064950 | Two beltline-mounted H4 Vertical Exhaust headlights | USD $379.50 |
| | **ENGINE**<br>**Additional Factory Options**<br>**ENGINE** | |
| 8220 | Intelligent Power Management (IPM)<br>*Provides approximately 10 extra engine hp which is designed to transmit solely to the rear PTO driveline. This power change can be experienced in both driving and parked conditions.*<br>*Requires PR Transmission (code 1380) and requires 4WD (code 6040)* | USD $1,764.00 |
| | **FUEL TANK** | |
| 8313 | External Fuel Tank<br>*Only available on GN models*<br>*Not order-able with Premium Narrow Cab option (2068)* | USD $302.00 |
| | **WEIGHTS AND BALLASTING**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT WEIGHTS** | |
| ER063125 | Base Weight 150 lb W/O Tow Pin | USD $1,340.90 |
| | **REAR WHEEL WEIGHTS** | |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb)<br>*Maximum of one per side*<br>*Requires (4) 19M8486 screws, (4) 24M7241 washers and (4) 14M7276 nuts ordered separately* | USD $726.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 0514AT | **5075GV Narrow Specialty Tractor (ALDI)** | |

Engine:
73 (54 kW) 97/68EC Engine Horsepower @ 2300* RPM
62 (46 kW) PTO Horsepower @ 1900** RPM
4-Cylinder Turbocharged FPT F34 Engine
3.4 L Displacement
EPA Final Tier 4 Final Compliant
(Aftertreatment: DOC/DPF)
Dry Air Cleaner with Safety Element
Common Rail Electronic Fuel Injection
Hand and Foot Throttle
Viscous Fan
Water Separation Bowl
Engine Shut Off with Key
Maintenance Free Closed Cooling System
Radiator Screen
22.7 U.S. Gallon (86 L) Fuel Tank Capacity

Transmission:
Differential Lock
Neutral Start Safety Switch
Mirrors Left-Hand and Right-Hand

Axle:
Final Drive with three Planetary Gears
Flanged Rear Axles

Steering and Brakes:
Hydrostatic Power Steering
Hydraulic Wet-Disk Rear Breaks, Self-Equalizing and Self-Adjusting
Five Oil Cooled Hydraulically Actuated Disk Brakes per side.
Secondary Park Break

Hydraulics:
Open Center Hydraulic System
Hitch Control with Center link Draft Sensing

PTO:
Independent “Live 540/540E RPM rear PTO shaft
Safety Start Switch

Rockshaft, Hitch, and Drawbar:

Copyright © Deere & Company. All Rights Reserved.

# 5075GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Mechanical Rockshaft<br>Swinging Drawbar plus Hammer Strap<br>3 Point (category I) Hitch and Sway Blocks<br>Convertible to Category IN<br>Adjustable Drawbar<br><br>Instrumentation:<br>Electric Fuel Gauge<br>Tachometer/Hour Meter<br>Oil Pressure Indicator Light<br>Coolant Temperature Gauge<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Turn Signal Indicator Light<br>High Beam Indicator Light<br>PTO Engagement Light<br>Speedometer<br>Digital Display - Hour Meter<br><br>Electrical:<br>12-Volt (100 amps) Electrical system<br>95 Amp Alternator<br><br>Lights:<br>Two Front Halogen headlights<br>Two Rear Warning and Turn lights<br>Dual Tail Lights<br><br>Miscellaneous:<br>Beverage Holder on Left-Hand Side Console<br>Tool Box<br>SMV Emblem<br>One Piece Tilt-up hood<br>Extra CEE Administration Fee<br>Premium Container Shipment<br><br>*Manufacturer s Rating<br>** Factory Observed | |
| | **BASE MACHINE** | |
| | *EX-WORKS Port of Entry* | |
| 0514AT | 5075GV Narrow Specialty Tractor (ALDI) | USD $55,636.00 |
| | **DESTINATION AND LANGUAGE** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **Basic Factory Options**<br>**DESTINATION** | |
| 0202 | USA<br>*Requires code 0409 (English)* | In Base Price |
| 0184 | Canada<br>*Requires code 0409 (English) or 0413 (French)* | No Added Cost |
| | **OPERATOR'S MANUAL, DECALS, AND MONITORS** | |
| 0409 | English Operator's Manual and Decal Kit | In Base Price |
| 0413 | French Operator's Manual and Decal Kit | No Added Cost |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1340 | 12F/12R SyncReverser Transmission with 540/540E PTO<br>*Includes:*<br>*Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, and electrohydraulic differential lock actuation.*<br>*Requires: Code 6020 two-wheel drive (2WD).* | In Base Price |
| 1341 | 12F/12R SyncReverser Transmission with 540/540E PTO<br>*Includes:*<br>*Oil cooler, neutral start safety switch, servo assisted Power Take-Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation.*<br>*Requires: Code 6040 four-wheel drive (4WD).* | No Added Cost |
| 1380 | 24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper)<br>*Includes:*<br>*Oil cooler, neutral start safety switch, electrohydraulic Power-Take Off (PTO) actuation, electrohydraulic Mechanical Front-Wheel Drive (MFWD) and differential lock actuation and de-clutch button and hi-low selection on the gear lever.*<br>*Requires: Code 6040 four-wheel drive (4WD).* | USD $6,876.00 |
| | **OPERATOR'S STATION AND CONTROLS** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2000 | Standard Isolated Open Operator Station<br>*Two post Roll Roll-Over Protective Structure (ROPS).*<br>*Basic Polyvinyl Chloride (PVC) seat.*<br>*Air Deflector with Grab Handles.*<br>*Fixed right-hand steering wheel.*<br>*Right-hand and Left-Hand access and egress with steps.*<br>*Right-Hand Gear and Left-Hand Range Levers.*<br>*Swing-Out front two post ROPS.*<br>*Blinker lever with integrated lighting functions.*<br>*Position lights as per North America Requirement.*<br>*Power socket as per North America Requirement (7-pin).*<br>*Cigarette Lighter (12-V power socket).*<br>*Rear working light.*<br>*Digital Read Out.*<br>*Base rear fender.*<br>*Requires: 12F/12R 2WD (1340) or 12F/12R, 4WD (1341).*<br>*Not compatible with Mirror option 8023* | In Base Price |
| 2005 | Premium Isolated Open Operator Station<br>*Two Roll Roll-Over Protective Structure (ROPS).*<br>*Air suspended Polyvinyl Chloride (PVC) seat.*<br>*Air Deflector with Grab Handles.*<br>*Tiltable & Telescopic steering wheel.*<br>*Mechanical remote control.*<br>*Right-Hand and Left-Hand access and egress with steps.*<br>*Right-Hand and Left-Hand Range Levers.*<br>*Swing Out front two post ROPS.*<br>*Blinker lever with integrated lighting functions.*<br>*Position lights as per North America Requirement.*<br>*Power socket as per North America Requirement (7-pin).*<br>*Cigarette lighter (12-V power socket).*<br>*Rear working light.*<br>*Digital Read Out.* | USD $1,416.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Base rear fender.*<br>*Requires: 24F/12R, 4WD (1380).*<br>*Not compatible with Mirror option 8023* | |
| 2055 | Standard Cab<br>*Two front and two rear H3 working lights.*<br>*Openable front windscreen and rear window.*<br>*Comfort Textile seat.*<br>*Fixed Steering Wheel.*<br>*Opening Right-Hand and Left-Hand door with steps.*<br>*Right-Hand Gear and Left-Hand Range Levers.*<br>*Swing Out Front window (One Position).*<br>*Swing Out Rear window.*<br>*Sun visor integrated with the cab roof.*<br>*Blinker lever with integrated lighting functions.*<br>*1-Speed Front Windshield Wiper with Washer.*<br>*Cab with Air Conditioning and Heating.*<br>*Radio ready (includes glass antenna and wiring).*<br>*Position lights as per North America Requirement.*<br>*Power socket as per NA Requirement (7-pin).*<br>*Cigarette lighter (12-V power socket).*<br>*Two storage areas.*<br>*Digital Read Out.*<br>*Base rear Fender.*<br>*Requires: 12F/12R, 2WD (1340) or 12F/12R, 4WD (1341).* | USD $15,640.00 |
| 2065 | Premium Cab<br>*Two front and two rear H3 working lights.*<br>*Openable front windscreen and rear window.*<br>*Cab Deluxe Textile seat.*<br>*Tiltable and Telescopic Steering Wheel.*<br>*Rear Wiper.*<br>*Internal cab Mirror.*<br>*Mechanical Remote Control.*<br>*Opening Right-Hand and Left-Hand door with steps.* | USD $17,077.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Right-Hand Gear and Left-Hand Range Levers.*<br>*Swing Out Front window (One Position).*<br>*Swing Out Rear window.*<br>*Sun visor integrated with the cab roof.*<br>*Blinker lever with integrated lighting functions.*<br>*1-Speed Front Windshield Wiper with Washer.*<br>*Cab with Air Conditioning and Heating.*<br>*Radio ready (includes glass antenna and wiring).*<br>*Position lights as per North America Requirement.*<br>*Power socket as per North America Requirement (7-pin).*<br>*Cigarette lighter (12-V power socket).*<br>*Two storage areas.*<br>*Digital Read Out.*<br>*Base rear Fender.*<br>*Requires: 12/F12R, 4WD (1341) or 24F/12R, 4WD (1380).* | |
| | **Additional Factory Options**<br>**MIRRORS** | |
| 8230 | Rear view cab mirror<br>*This option is standard equipment on Premium Cab options (2065 and 2068)*<br>*Additional option for Standard Cab (2055)* | USD $98.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**CAB OPERATOR'S STATION** | |
| ER064623 | Carbon Air Filter | USD $482.90 |
| ER064622 | Wiper with Washer Kit - Rear Window | USD $429.00 |
| ER067882 | Rear Speaker For Cab Tractors | USD $168.30 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3011 | Horizontal Exhaust | In Base Price |
| 3020 | Vertical Exhaust Stack<br>*Available on cab tractors only (2055, 2065, or 2068)* | USD $224.00 |
| 3022 | Vertical A Cornerpost Exhaust | USD $893.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Available on cab tractors only (2055, 2065, or 2068)* | |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**EXHAUST** | |
| ER064700 | Vertical A Cornerpost Exhaust Kit (5G Cab Tractors only) | USD $1,829.30 |
| ER063248 | Mid Mounted Exhaust | USD $1,499.30 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**HYDRAULIC PUMP** | |
| 3220 | Two Pump Hydraulic System<br>*Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) at 2300 rpm.* | In Base Price |
| 3225 | Three Pump Hydraulic System<br>*Hydraulic Flow equals 17 gpm (64.7 L/min) plus 7.6 gpm (28.9 L/min) plus an additional 7.6 gpm (28.9 L/min) at 2300 rpm.* | USD $1,117.00 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3312 | Two Rear Selective Control Valves (SCVs) with lever controls<br>*Not orderable with Code 3225 (Three-Pump Hydraulic System).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow divider.* | In Base Price |
| 3334 | Three Rear Selective Control Valves (SCVs) with lever controls<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.* | USD $1,546.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Flow control.* | |
| 3347 | Four Rear Selective Control Valves (SCVs) with lever controls<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure).*<br>*Quick Push and Pull Couplers.*<br>*Oil Spillage Collector Cup.*<br>*Flow control.* | USD $3,094.00 |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid-Mounted Couplers | In Base Price |
| 3450 | Five Mid-Mounted Couplers on Right-Hand Side<br>*Requires three rear remote SCVs (code 3334)* | USD $1,840.00 |
| 3470 | Seven Mid-Mounted Couplers (Five on Right-Hand and Two on Left-Hand)<br>*Requires four rear remote SCVs (code 3347)* | USD $2,577.00 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**FRONT WHEELS AND TIRES** | |
| 6110 | 7.50-16 Diagonal Tire<br>*Requires code 6020* | USD $70.00 |
| 6129 | 6.50-16 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $262.00 |
| 6165 | 260/70R16 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $1,128.00 |
| 6286 | 8.25-16 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $408.00 |
| 6304 | 180/95R16 Heavy Duty (2 position rims) | USD $518.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Requires code 6040* | |
| 6333 | 280/70R18 Heavy Duty (2 position rims)<br>*Requires code 6040* | USD $1,343.00 |
| 6451 | 6.50-16 Diagonal Tire<br>*Requires code 6020* | USD $22.00 |
| 6452 | 7.50-R16 | USD $70.00 |
| 6454 | 240/70R16 Heavy Duty (2 Position Rims)<br>*Requires Code 6040* | USD $1,080.00 |
| 6455 | 10.0/75-15.3 Heavy Duty (2 Position Rims)<br>*Requires Code 6040* | USD $471.00 |
| 6124 | 6.00-16<br>*Requires code 6020* | In Base Price |
| | **REAR WHEELS AND TIRES** | |
| 5139 | 9.50R28<br>*Requires code 6124 or 6110* | USD ($456.00) |
| 5157 | 420/70R28<br>*Requires Code 6333* | USD $1,550.00 |
| 5205 | 380/70R24<br>*Requires code 6165* | USD $637.00 |
| 5217 | 360/70R24<br>*Requires Code 6454 when equipped with 4WD front axle*<br>*Requires Code 6124 or 6110 when equipped with 2WD front axle* | USD $561.00 |
| 5220 | 320/85R28<br>*Requires code 6452 when equipped with 4WD front axle*<br>*Requires code 6451 or 6110 when equipped with 2WD front axle* | USD $388.00 |
| 5322 | 340/85R28<br>*Requires Code 6452 or 6286* | USD $542.00 |
| 5323 | 380/85R28<br>*Requires Code 6333* | USD $682.00 |
| 5328 | 280/85R28<br>*Requires Code 6165 or 6304 when equipped with 4WD front axle* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5075GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Requires Code 6124 or 6110 when equipped with 2WD front axle* | |
| 5350 | 340/85R24 | USD $429.00 |
| | *Requires Code 6304, 6455, or 6165 when equipped with 4WD front axle* | |
| | *Requires Code 6124 or 6110 when equipped with 2WD front axle* | |
| 5351 | 250/85R28 | USD ($274.00) |
| | *Requires Code 6124 or 6110* | |
| 5353 | 360/70R28 | USD $566.00 |
| | *Requires Code 6167* | |
| 5354 | 320/85R24 | USD ($269.00) |
| | *Requires Code 6304* | |
| | **Additional Factory Options** | |
| | **FRONT FENDERS** | |
| 8014 | Stationary Front Fenders 2WD version - Width: 8.9 inches (225 mm) | USD $566.00 |
| | *Requires code 6020* | |
| 8017 | Stationary Front Fenders 4WD version - Width: 8.9 inches (225 mm) | USD $566.00 |
| | *Requires code 6040* | |
| | **REAR FENDERS** | |
| 8022 | Rear Fender Extension - Width: 3.1 inches (80 mm) | USD $358.00 |
| | *Not compatible with option code 8023* | |
| 8023 | Rear Fender Extension - Width: 6.3 inches (160 mm) | USD $439.00 |
| | *Not compatible with option code 8022* | |
| | **ATTACHMENTS FOR FIELD CONVERSION** | |
| | **FRONT FENDERS** | |
| ER064762 | MFWD Stationnary Front Fenders 10.4 In (225mm) Wide | USD $577.50 |
| ER064763 | 2WD Stationnary Front Fenders 10.4 In (225mm) Wide | USD $577.50 |
| | **REAR FENDERS** | |
| ER064764 | Rear Fender Extensions 6.3 In (160 mm) Wide | USD $447.70 |
| ER064765 | Rear Fender Extensions 3.1 In (80 mm) Wide | USD $363.00 |
| | **AXLE AND BRAKES** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **Basic Factory Options**<br>**AXLE** | |
| 6020 | Two-Wheel Drive (2WD) | In Base Price |
| 6040 | Four-Wheel Drive (4WD) | USD $12,312.00 |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3822 | Mechanical actuation 540 and 540E rpm<br>*Shiftable without GD Power Take-Off (PTO)*<br>*With PTO shaft cover*<br>*With Safety start switch*<br>*Requires code 1340 or 1341* | In Base Price |
| 3826 | ElectroHydraulic actuation 540 and 540E rpm<br>*Without GD Power Take-Off (PTO).*<br>*With PTO shaft cover.*<br>*With Safety start switch.*<br>*Requires code 1380* | No Added Cost |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**POWER TAKE-OFF (PTO)** | |
| BLV10953 | John Deere Quik Knect™ PTO receiver<br>*At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.* | USD $140.89 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**THREE-POINT HITCH** | |
| 4130 | 3-Point Hitch with Fixed Ball Ends for Draft Links | In Base Price |
| 4131 | 3-Point Hitch with Adjustable Ball Ends for Draft Links | USD $446.00 |
| 4132 | 3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends | USD $634.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Requires Code 8455 or 8456*<br>*Requires Code 4151 or 4152* | |
| | **THREE-POINT HITCH ROD** | |
| 4151 | Hydraulic Lift Rod | USD $930.00 |
| 4152 | Mechanical Lift Rod | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4002 | Base weight 150 Lbs (68 kg) - W/O Tow Pin | In Base Price |
| | **Additional Factory Options**<br>**HITCH CONTROLS** | |
| 8446 | Mechanical remote control for 3-point hitch | USD $484.00 |
| | **DRAWBAR** | |
| 8455 | Ball Kit for Draft Links (Category 1 and 1N)<br>*Not orderable with option 8456*<br>*Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).* | USD $69.00 |
| 8456 | Ball Kit for Draft Links (Category 2)<br>*Not orderable with option 8455*<br>*Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends).* | USD $69.00 |
| 844T | Horizontal Drawbar (Category 1)<br>*Not orderable with Code 844U.* | USD $82.00 |
| 844U | Horizontal Drawbar (Category 2)<br>*not orderable with code 4130* | USD $139.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HITCH CONTROLS** | |
| ER064912 | Mechanical remote hitch control for OOS | USD $492.80 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING EQUIPMENT** | |
| 8725 | Beacon Light | USD $224.00 |
| 8731 | Two H4 Belt-Line Lights<br>*Requires: Codes 2055, 2065, or 2068 (cab options)* | USD $374.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075GV Narrow Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 873B | LED Rear Work Lights<br>*Requires Code 2055 or 2065* | USD $263.00 |
| 873C | LED Front Work Lights<br>*Requires Code 2055 or 2065* | USD $263.00 |
| | **ELECTRICITY** | |
| 8745 | Mechanical Battery Switch | USD $234.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**BEACON LIGHTING** | |
| ER064907 | Beacon Light Kit<br>*Cab tractors only* | USD $226.60 |
| ER064768 | Beacon Light OOS tractors<br>*Open Operator Station only. (Code 2000 and 2005).* | USD $226.60 |
| | **LIGHTING** | |
| ER064908 | Two beltline-mounted H4 Horizonal Exhaust headlights | USD $379.50 |
| ER064950 | Two beltline-mounted H4 Vertical Exhaust headlights | USD $379.50 |
| | **WEIGHTS AND BALLASTING**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**FRONT WEIGHTS** | |
| ER063125 | Base Weight 150 lb W/O Tow Pin | USD $1,340.90 |
| | **REAR WHEEL WEIGHTS** | |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb)<br>*Maximum of one per side*<br>*Requires (4) 19M8486 screws, (4) 24M7241 washers and (4) 14M7276 nuts ordered separately* | USD $726.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 06TSP | **5075EN Cab Narrow Utility Tractor (ALDI)** | |

ENGINE:
Rated Engine Power PS (hp ISO): 75
Rated PTO Power (hp SAE) @ 2100 rpm*: 58
3 Cylinder Turbocharged John Deere PowerTechâ„¢ 3029
EWR Diesel Engine (2.9L)
Oil Cooler
Dry Type Air Cleaner with Safety Element
Anti-Freeze
Water Separator Bowl
Fuel Cooler
Hand and Foot Throttle
Key Engine Shut Off
Fan Finger Guard

TRANSMISSION:
Electrohydraulic (EH) Directional Reverser
Mechanical Differential Lock
Neutral Start Safety Switch
Wet Traction Clutch

REAR AXLE:
Flanged Rear Axle
Planetary Final Drives

STEERING AND BRAKES:
Hydrostatic Power Steering
Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting

HYDRAULICS:
Open Center Hydraulic System
Tandem Gear Pump 17.41 GPM (69.5 LPM)
Maximum Total Flow-
Steering Pump 5.94 GPM (22.5 LPM)
Implement Pump 11.47 GPM (43.4 LPM)
Hydraulic Oil Cooler

POWER TAKE-OFF SHAFT:
Shiftable Rear 540/540E RPM PTO
Electrohydraulic (EH) Engagement
Operator Presence Safety Warning - PTO
Safety Start Switch

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | ROCKSHAFT, HITCH AND DRAWBAR:<br>Electrohydraulic (EH) Rear Rockshaft<br>3-Point Hitch (Category II) -- Convertible to Category I and I-N<br>Interchangeable Hitch Balls<br>Adjustable Drawbar<br>Remote Rear Hitch Control (LH Only)<br><br>CAB:<br>Left Side Door<br>Air Conditioning and Heater<br>Deluxe Adjustable Fabric Covered Seat with Retractable Seat Belt<br>Tilt & Telescopic Steering Wheel<br>Beverage Holder (2)<br>2 Speed Front Windshield Wiper With Washer<br>Roof-Mounted Work Lights - Two Front/Two Rear<br>Warning Lights - Fixed Position - Two Front (Beltline), Two Rear (Fuel Tank)<br>Inside Mirror<br>Convenience Power Outlet - 2 USB Outlets<br>Monitor Mounting Bosses (2 Sets)<br>Swing-Out Rear Window with Removable Rear Plug for Monitor or Control Wiring Harnesses<br>110 Amp Alternator<br>17.43 U.S. Gallon (66 L) Fuel Tank Capacity<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Tachometer/Hour Meter<br>Oil Pressure Indicator Light<br>Coolant Temperature Gauge<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Turn Signal Indicator Light<br>High Beam Indicator Light<br>PTO Engagement Light<br>Speedometer<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 950 CCA**<br>180 Minute Reserve Capacity<br>7-Pin ASAE Outlet Socket | |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | LIGHTS:<br>Two Front Halogen Headlights<br>Two Front & Two Rear Halogen Working Lights<br>Two Turn/Warning Lights<br>Dual Tail Lights<br><br>MISCELLANEOUS:<br>SMV Emblem<br>One Piece Tilt-Up Hood<br>Front Weight Support<br>Service Horn<br><br>MFWD:<br>Push Button, On-the-Go Engagement<br>Engagement Indicator Light<br>Auto Engagement Mode<br>Limited Slip Differential<br><br>* Manufacturer's Rating<br>** Cold Cranking Amps<br><br>The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. | |
| | **BASE MACHINE** | |
| 06TSP | 5075EN Cab Narrow Utility Tractor (ALDI) | USD $72,876.00 |
| | **PACKAGES**<br>**Basic Factory Options**<br>**PACKAGE CONFIGURATIONS** | |
| 0500 | Less Package | In Base Price |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 0437 | Spanish Operator's Manual | No Added Cost |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2050 | Standard Cab<br>*Left Side Door*<br>*Air Conditioning and Heater*<br>*Deluxe Adjustable Fabric Covered Seat with Retractable Seat Belt*<br>*Tilt & Telescopic Steering Column*<br>*Beverage Holder*<br>*Radio Preparation (with speakers, wiring)*<br>*USB Double Outlet*<br>*Front Two Speed Windshield Wiper With Washer*<br>*Roof-Mounted Work Lights - Two Front/Two Rear*<br>*Warning Lights - Fixed Position - Two Front (Beltline), Two Rear (Fuel Tank)*<br>*Inside Rear View Mirror*<br>*Convenience Power Outlet*<br>*Swing-Out Rear Window with Removable Rear Plug for Monitor or Control Wiring Harnesses*<br>*Pass-Through for Rear Cables*<br>*Three Pin Power Outlet* | In Base Price |
| | **SEAT** | |
| 2110 | Mechanical Suspension Seat | In Base Price |
| 2120 | Air Suspension Seat | USD $1,079.00 |
| | **Additional Factory Options**<br>**WINDSHIELD** | |
| 8280 | Rear Window Wiper<br>*Requires Standard Cab (2050).* | USD $301.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger | USD $18.94 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| | **SEAT** | |
| RE265955 | Air Seat Suspension Kit<br>*For 5EN Cab Tractors* | USD $687.69 |
| | **MIRRORS** | |
| LV100112 | Exterior mirror kit Cab (fits either side) | USD $104.50 |
| | **PRECISION AG TECHNOLOGY**<br>**Basic Factory Options** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **GREENSTAR™ AND AUTOTRAC™** | |
| 182A | Less AutoTrac™/GreenStar™<br>*This option includes preinstalled wiring harness and connectors for GreenStar™ Display and ATU only.*<br><br>*Does NOT include harnesses or bracket for StarFire™ receiver or display mounting bracket.* | In Base Price |
| 182F | AutoTrac™ Universal / Greenstar™ Ready<br>*This option includes receiver mounting bracket, display mounting bracket, and preinstalled wiring harnesses only.*<br><br>*Does NOT include receiver, display, or ATU 300. Please review the ATU ordering guide for additional parts needed to complete installation.* | No Added Cost |
| | **RECEIVERS** | |
| 1880 | Less Receiver | In Base Price |
| 188U | StarFire™ 7500 Universal Receiver with SF1<br>*SF1 Provides +/- 15 cm (+/- 6 in) horizontal pass-to-pass accuracy. See Sales Manual for additional information.*<br>*Requires 182F (AutoTrac™ Universal / Greenstar™ Ready).* | USD $4,300.00 |
| 1892 | StarFire™ 7500 Universal Receiver with 1 year SF-RTK license<br>*Includes StarFire 7500 Universal Receiver with 1 year SF-RTK license. SF-RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy, and long-term repeatability. See Sales Manual for more information.*<br>*Requires 182F (AutoTrac™ Universal / Greenstar™ Ready).* | USD $5,800.00 |
| 189D | StarFire™ 7500 with RTK (Base Station) Permanent License<br>*This Code is not a SF-RTK License. This code is for a permanent RTK License. RTK requires access to differential corrections from a local RTK Base Station and additional hardware or licenses may be required. See Sales Manual for additional information. RTK provides +/- 2.5 cm (1.0 in) horizontal pass-to-pass accuracy and long-term repeatability.*<br>*Requires 182F (AutoTrac™ Universal / Greenstar™ Ready).* | USD $11,800.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **DISPLAY** | |
| 1900 | Less Display | In Base Price |
| 190Q | G5 Universal Display<br>*Includes single 25.7-cm (10.1-in) G5 touchscreen display with 1-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD tractor compatibility, RS232, ethernet inputs and permanent, non-transferable licenses for the following precision ag applications: - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access*<br><br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink.*<br>*Requires 182F (AutoTrac™ Universal / Greenstar™ Ready).* | USD $3,495.00 |
| 190R | G5 Universal Display with AutoTrac™ License<br>*Includes single 25.7-cm (10.1-in) HD touchscreen display with 1-analog and 2-digital video ethernet inputs designed for multiple cameras based on vehicle configuration, 2-USB Data ports, CCD tractor compatibility and RS232 inputs and license for the following precision ag applications: - AutoTrac™ - Data Sync - Documentation - Over-the-Air Updates - Remote Display Access*<br><br>*Precision applications require a StarFire™ Receiver and differential correction license. Data Sync, Over-the-Air updates and Remote Display Access require JDLink.*<br>*Requires 182F (AutoTrac™ Universal / Greenstar™ Ready).* | USD $6,495.00 |
| | **DISPLAY APPLICATIONS** | |
| 1950 | Less Application | In Base Price |
| | **CONNECTIVITY HARDWARE** | |
| 183N | JDLink™ Modem<br>*Includes an integrated cab wiring harness, JDLink M Modem- 4G capable. Ethernet hardware connection may vary per configuration.* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *JDLink connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.* | |
| | *JDLink connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See the Precision Ag Technology Sales Manual for details. Not MachineSync capable* | |
| | **ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY** | |
| | *NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |
| BSJ10674 | SmartConnector - CAN to Bluetooth® | USD $165.00 |
| TA25456 | MTG Jumper Harness | USD $25.04 |
| PFA12899 | 2 Wire Ethernet Cable - Mini50<br>*Required to connect a display to JDLink™ M Modems* | USD $99.28 |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630)<br>*This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | USD $275.00 |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1381 | PowrReverser™ 12F/12R with 540/540E PTO | In Base Price |
| 1383 | PowrReverser™ Hi-Lo 24F/12R with 540/540E PTO<br>*Push Button, Electrohydraulic (EH) Hi-Lo* | USD $1,882.00 |
| | **Additional Factory Options**<br>**CREEPER** | |
| 813A | Creeper<br>*Option adds creeper function to either transmission option.* | USD $530.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION CREEPER** | |
| RE170130 | Creeper with 1 additional range of 3 speeds (0,5 kph;1kph;1,5 kph) | USD $752.40 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | | |
| | **AXLE AND BRAKES** | |
| | **Basic Factory Options** | |
| | **FRONT AXLE** | |
| 6040 | MFWD (Mechanical Front Wheel Drive) Front Axle | In Base Price |
| | *Push Button, On-the-Go Engagement* | |
| | *Engagement Indicator Light* | |
| | *Auto Engagement Mode* | |
| | *Limited Slip Differential* | |
| | **ATTACHMENTS FOR FIELD CONVERSION** | |
| | **FRONT AXLE** | |
| BXX11009 | Front Axle Spacer | USD $1,574.54 |
| | *NOTE: Fits MY23 and Newer 5075EN Tractors* | |
| | **REAR AXLE** | |
| L154682 | Rear Axle 1.6 in. Extension (40 mm) | USD $379.72 |
| L154683 | Rear Axle 1.2 in. Extension (30 mm) | USD $372.45 |
| L154684 | Rear Axle 4.4 in. Extension (111 mm) | USD $617.99 |
| | **HITCHES AND DRAWBARS** | |
| | **Basic Factory Options** | |
| | **HITCH CONTROLS** | |
| 4030 | Electronic Hitch Control | In Base Price |
| | **DRAFT LINK** | |
| 4115 | Ball End Draft Links - Category 2 | In Base Price |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link with Ball End - Category 2 | In Base Price |
| | **LIFT LINK** | |
| 4155 | LH and RH Mechanical Lift Link Adjustment | In Base Price |
| | **STABILIZER** | |
| 4424 | LH and RH Stabilizer Bar | In Base Price |
| | **FRONT ATTACHMENTS** | |
| 4004 | Front Weight Support (55 kg/121 lbs) | In Base Price |
| | **DRAWBAR AND TRAILER HITCH** | |
| 4315 | Basic Drawbar | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **DRAFT LINK** | |
| R66432 | Draft Link Conversion Bushing, Cat. II to Cat. I | USD $31.27 |
| | **CENTER LINK** | |
| T12553 | Center Link Conversion Bushing, Cat. II to Cat. I | USD $27.93 |
| | **DRAWBAR** | |
| R133359 | Drawbar - Offset | USD $310.64 |
| RE39829 | Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar | USD $376.85 |
| RE39830 | Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar | USD $345.34 |
| RE19428 | Safety Chain Support Kit | USD $200.38 |
| | **FRONT HITCH** | |
| BXX11105 | Front 3-Point Hitch<br>*For 5075EN Tractors* | USD $5,997.33 |
| | **THREE-POINT HITCH** | |
| TY27545 | Quik-Coupler, Economy, Category 2 | USD $1,023.97 |
| BSJ10595 | Quick-Hitch Category 2 | USD $1,114.30 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**REAR SELECTIVE CONTROL VALVES** | |
| 3320 | Dual Stackable Rear SCV's with Lever Control | In Base Price |
| 3335 | Triple Stackable Rear Deluxe SCV's with Lever Control<br>*Features:*<br>*Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent)*<br>*Float position on EACH valve*<br>*Flow priority to #1 valve*<br>*Pressure compensated flow control for running hydraulic motors on #1 valve* | USD $1,090.00 |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid Valves | In Base Price |
| 3420 | Dual Stackable Mid Valves with Joystick Control<br>*Note: Recommended for applications with front or mid-mount implements.*<br>*Note: Recommended for customers wanting loader compatibility.* | USD $1,193.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR SELECTIVE CONTROL VALVES** | |
| BXX11004 | Cab & OOS Triple Rear Deluxe SCV Kit with Lever Controls<br>*Fits MY23 and newer 5075EN tractors* | USD $1,627.43 |
| | **MID SELECTIVE CONTROL VALVES** | |
| BXX11210 | Dual Mid SCV with Joystick Control Kit - Cab<br>*Fits 5075EN MY23 and newer tractors* | USD $3,042.86 |
| | **HYDRAULICS** | |
| BXX11005 | Power Beyond Coupler Kit<br>*For MY23 and newer 5075EN Tractors* | USD $258.69 |
| BXX11017 | 5EN FT4, Kit Case Drain Line<br>*For MY23 and newer 5075EN Tractors* | USD $270.29 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8731 | Full LED Lighting Package with Headlights<br>*Full LED roof working lights (2 front, 2 rear) + FULL LED hood Headlights (high and low beam)*<br>*Upgrades from 2 front and 2 rear halogen work lights. Also upgrades front headlights from Halogen to LED*<br>*Requires a Cab (2050)* | USD $696.00 |
| | **BACKUP ALARM** | |
| 8782 | Backup Alarm | USD $192.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**BEACON LIGHTING** | |
| BXX11339 | LED Beacon Light Kit CAB<br>*For 5075EN Cab Tractors* | USD $225.91 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options**<br>**REAR WHEELS AND TIRES** | |
| 5101 | 12.4-24 In. 6PR R1 Bias | USD ($27.00) |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Requires Front Tire Option Code 6101.* | |
| 5102 | 14.9-24 In. 8PR R1 Bias<br>*Requires Front Tire Option Code 6110.* | In Base Price |
| 5105 | 14.9-28 In. 6PR R1 Bias<br>*Requires Front Tire Option Code 6111.* | USD $480.00 |
| 5177 | 280/85R28 R1 Radial<br>*Requires Front Tire Option Code 6187.* | USD $1,410.00 |
| 5178 | 420/65R28 R1 Radial<br>*Requires Front Tire Option Code 6188.* | USD $3,121.00 |
| | **FRONT WHEELS AND TIRES** | |
| 6101 | 8.0-16 In. 6PR R1 Bias | USD ($2.00) |
| 6110 | 9.5-16 In. 4PR R1 Bias | In Base Price |
| 6111 | 10.5/80-18 In. 10PR I3 (R4 Type) Bias | USD $481.00 |
| 6187 | 210/95R16 R1 Radial | USD $653.00 |
| 6188 | 280/70R18 R1 Radial | USD $999.00 |
| | **TIRE BRAND PREFERENCE** | |
| 5999 | No Tire Brand Preference | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |
| R119909 | Rear Fender Extension<br>*For 5075EN, 5076EN, 5090EN, 5101EN Tractors* | USD $167.32 |
| TR119752 | Rear Fender Extension<br>*For 5075EN Tractors* | USD $227.30 |
| TR119753 | Rear Fender Extension<br>*For 5075EN Tractors* | USD $231.04 |
| | **WEIGHTS AND BALLASTING**<br>**Additional Factory Options**<br>**FRONT WEIGHT OPTIONS** | |
| 8959 | Four Front Suitcase Weights<br>*Option includes four 95 lb (43 kg) weights.* | USD $578.00 |
| 8960 | Six Front Suitcase Weights | USD $868.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Option includes six 95 lb (43 kg) weights.* | |
| 8961 | Eight Front Suitcase Weights<br>*Option includes eight 95 lb (43 kg) weights.* | USD $1,157.00 |
| 8962 | Ten Front Suitcase Weights<br>*Option includes ten 95 lb (43 kg) weights.* | USD $1,446.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |
| T19293 | Weight, Rear Wheel 106 lb (48 kg) | USD $191.40 |
| | **FRONT WEIGHTS** | |
| R262449 | Front Weight Support, 55kg (121 lb) | USD $483.02 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |
| | **BALLAST** | |
| BW15852 | Large ballast box | USD $1,745.70 |
| BXX10684 | Ballast Box | USD $547.80 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Side Exhaust | USD $641.00 |
| 3020 | Vertical Exhaust<br>*Requires Cab Operators Station (Option 2050).* | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**EXHAUST** | |
| BXX10995 | Side Exhaust for Cab<br>*Fits 5075EN MY23 and Newer Cab Tractors* | USD $867.80 |
| | **LOADERS AND BACKHOES**<br>**Basic Factory Options**<br>**LOADERS** | |
| 1799 | Less Loader Prep Package<br>*5EN is compatible with 500M loader.*<br>*Order tractors with mid valves (3420) and order 500M loader with* | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *5EN mounting frames* | |
| | **POWER TAKE-OFF**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**POWER TAKE-OFF (PTO)** | |
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.30 |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.30 |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.00 |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.00 |
| BLV10953 | John Deere Quik Knect™ PTO receiver | USD $140.89 |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit | USD $39.27 |
| 5WS812490 | Super Clamp Kit | USD $59.46 |
| 5WS812485 | Clamp Kit | USD $44.88 |
| 5WS812450 | Long Tool Holder (2) | USD $83.02 |
| 5WS812455 | Long Tool Holder (4) | USD $109.95 |
| 5WS812435 | Universal Mount Kit | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box | USD $131.27 |
| | **ENGINE**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**COLD WEATHER PACKAGES** | |
| LV150155 | Engine coolant heater Kit (3 cylinder) | USD $122.10 |
| | **GUARDS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**HOOD GUARDS** | |
| BXX10585 | HOODGUARD EXTENSION BRACKET | USD $494.29 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Cab Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *For 5EN MY23 and newer tractors with 500M Loader* | |
| BW15084 | Hood guard<br>*For 520M, 540M, H240, and 500 Series Loaders on 5225,5325, 5325N, 5425, 5425N, 5525, 5525N, 5625, 5603, 5076EN, 5082E, 5076EL, 5090EL (Saltillo), 5083E, 5083E (Limited), 5085E, 5090E (Saltillo), 5090EN, 5093E, 5093E (Limited), 5101E, and 5101E (Limited) Tractors*<br>*and on 5083EN, 5093EN, and 5101EN Cab Tractors.*<br>*NOTE: (Use with non-IT4 Tractors only (prior to IT4 change in spring of MY13)* | USD $536.80 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 06TUP | **5075EN Open Operator Station Narrow Utility Tractor (ALDI)**<br>ENGINE:<br>Rated Engine Power PS (hp ISO): 75<br>Rated PTO Power (hp SAE) @ 2100 rpm*: 60<br>3 Cylinder Turbocharged John Deere<br>John Deere PowerTechâ„¢ 3029 EWR Diesel Engine (2.9L)<br>Oil Cooler<br>Dry Type Air Cleaner with Safety Element<br>Under hood Muffler with Horizontal Exhaust<br>Anti-Freeze<br>Water Separator Bowl<br>Fuel Cooler<br>Hand and Foot Throttle<br>Key Engine Shut Off<br>Fan Finger Guard<br><br>TRANSMISSION:<br>12F/12R PowrReverser<br>Electrohydraulic (EH)<br>Directional Reverser<br>Differential Lock<br>Neutral Start Safety Switch<br>Wet Traction Clutch<br><br>REAR AXLE:<br>Flanged Rear Axle<br>Planetary Final Drives<br><br>STEERING AND BRAKES:<br>Hydrostatic Power Steering<br>Hydraulic Wet Disk Brakes Self-Equalizing and Self-Adjusting<br><br>HYDRAULICS:<br>Open Center Hydraulic System<br>Tandem Gear Pump 17.41 GPM (69.5 LPM)<br>Maximum Total Flow-<br>Steering Pump 5.94 GPM (22.5 LPM)<br>Implement Pump 11.47 GPM (43.4 LPM)<br>Hydraulic Oil Cooler<br>Dual Rear Hydraulic Control Valves | |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | POWER TAKE-OFF SHAFT:<br>Independent "Live" 540/540E RPM<br>Shiftable Rear PTO Shaft<br>Electrohydraulic (EH) Engagement<br>Operator Presence Safety Warning - PTO<br>Safety Start Switch<br><br>ROCKSHAFT, HITCH AND DRAWBAR:<br>Electrohydraulic (EH) Rear Rockshaft<br>3-Point Hitch (Category II) --<br>Convertible to Category I and I-N<br>Interchangeable Hitch Balls<br>LH & RH Stabilizing System<br>Adjustable Drawbar<br>Remote Rear Hitch Control (LH & RH)<br>Telescoping Draft Links with Ball Ends - Category 2<br>Mechanical Center Link with Ball Ends - Category 2<br>LH and RH adjustable Lift Links<br>Open Operator Station:<br>Mid-Mount, Folding Roll-Over Protective Structure (ROPS)<br>Vinyl Covered Seat with Seat Belt<br>Tilt & Telescopic Steering Wheel<br>Beverage Holder<br>Warning Lights - Fixed Position - Two Front (Beltline), Two Rear (Fuel Tank)<br>70 Amp Alternator<br>17.43 U.S. Gallon (66 L) Fuel Tank Capacity<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Tachometer/Hour Meter<br>Oil Pressure Indicator Light<br>Coolant Temperature Gauge<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Turn Signal Indicator Light<br>High Beam Indicator Light<br>PTO Engagement Light<br>Speedometer<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 950 CCA** with<br>Battery Disconnect Switch | |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | 180 Minute Reserve Capacity<br>7-Pin ASAE Outlet Socket<br><br>LIGHTS:<br>Two Front Halogen Headlights<br>Dual Tail Lights<br>Two Turn/Warning Lights<br><br>MISCELLANEOUS:<br>SMV Emblem<br>One Piece Tilt-Up Hood<br>Front Weight Support<br>Service Horn<br><br>MFWD:<br>Push Button, On-the-Go Engagement<br>Engagement Indicator Light<br>Auto Engagement Mode<br>Limited Slip Differential<br>8-Position Standard Steel Rear Wheels<br>2-Position Steel Front Wheels<br><br>* Manufacturer's Rating<br>** Cold Cranking Amps<br><br>The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. | |
| | **BASE MACHINE** | |
| 06TUP | 5075EN Open Operator Station Narrow Utility Tractor (ALDI) | USD $58,001.00 |
| | **PACKAGES**<br>**Basic Factory Options**<br>**PACKAGE CONFIGURATIONS** | |
| 0500 | Less Package | In Base Price |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual | In Base Price |
| 0437 | Spanish Operator's Manual | No Added Cost |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2010 | Isolated Open Operator Station<br>*Isolated Open Operator Station*<br>*Tilt & Telescopic Steering Column*<br>*2 post Foldable Roll- Over Protection Structure (ROPS)*<br>*Adjustable seat with Armrests and seatbelt*<br>*Speedometer*<br>*Cup Holder*<br>*Deluxe Floor Mat*<br>*Grab Handles* | In Base Price |
| | **SEAT** | |
| 2110 | Mechanical Suspension Seat | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger | USD $18.94 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191- | Apple™ Cable, 6 Ft | USD $26.04 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 050594 | | |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| | **MIRRORS** | |
| BSJ10425 | Exterior Mirror Kit (OOS)<br>*For 5076EN and 5090EN Open Station Tractors* | USD $492.83 |
| BSJ10430 | Right-Hand Side Exterior Mirror Kit (OOS)<br>*For 5076EN and 5090EN Open Station Tractors* | USD $242.14 |
| | **PRECISION AG TECHNOLOGY**<br>**Basic Factory Options**<br>**GREENSTAR™ AND AUTOTRAC™** | |
| 182A | Less AutoTrac™/GreenStar™<br>*Does NOT include harnesses or additional components required for GreenStar™ Display, StarFire™ Receivers, ISOBUS Implements or AutoTrac™.* | In Base Price |
| | **RECEIVERS** | |
| 1880 | Less Receiver | In Base Price |
| | **DISPLAY** | |
| 1900 | Less Display | In Base Price |
| | **DISPLAY APPLICATIONS** | |
| 1950 | Less Application | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **CONNECTIVITY HARDWARE** | |
| 183N | JDLink™ Modem<br>*Includes an integrated cab wiring harness, JDLink M Modem- 4G capable. Ethernet hardware connection may vary per configuration.*<br><br>*JDLink connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.*<br><br>*JDLink connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See the Precision Ag Technology Sales Manual for details. Not MachineSync capable* | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**MACHINE CONNECTIVITY** | |
| | *NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |
| BSJ10674 | SmartConnector - CAN to Bluetooth® | USD $165.00 |
| TA25456 | MTG Jumper Harness | USD $25.04 |
| PFA12899 | 2 Wire Ethernet Cable - Mini50<br>*Required to connect a display to JDLink™ M Modems* | USD $99.28 |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630)<br>*This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | USD $275.00 |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1381 | PowrReverser™ 12F/12R with 540/540E PTO | In Base Price |
| 1383 | PowrReverser™ Hi-Lo 24F/12R with 540/540E PTO<br>*Push Button, Electrohydraulic (EH) Hi-Lo* | USD $1,882.00 |
| | **Additional Factory Options**<br>**CREEPER** | |
| 813A | Creeper<br>*Option adds creeper function to either transmission option.* | USD $530.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **ATTACHMENTS FOR FIELD CONVERSION** | |
| | **CREEPER** | |
| RE170130 | Creeper with 1 additional range of 3 speeds (0,5 kph;1kph;1,5 kph) | USD $752.40 |
| | **AXLE AND BRAKES** | |
| | **Basic Factory Options** | |
| | **FRONT AXLE** | |
| 6040 | MFWD (Mechanical Front Wheel Drive) Front Axle<br>*Push Button, On-the-Go Engagement*<br>*Engagement Indicator Light*<br>*Auto Engagement Mode*<br>*Limited Slip Differential* | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION** | |
| | **FRONT AXLE** | |
| BXX11009 | Front Axle Spacer<br>*NOTE: Fits MY23 and Newer 5075EN Tractors* | USD $1,574.54 |
| | **REAR AXLE** | |
| L154682 | Rear Axle 1.6 in. Extension (40 mm) | USD $379.72 |
| L154683 | Rear Axle 1.2 in. Extension (30 mm) | USD $372.45 |
| L154684 | Rear Axle 4.4 in. Extension (111 mm) | USD $617.99 |
| | **HITCHES AND DRAWBARS** | |
| | **Basic Factory Options** | |
| | **HITCH CONTROLS** | |
| 4030 | Electronic Hitch Control | In Base Price |
| | **DRAFT LINK** | |
| 4115 | Ball End Draft Links - Category 2 | In Base Price |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link with Ball End - Category 2 | In Base Price |
| | **LIFT LINK** | |
| 4155 | LH and RH Mechanical Lift Link Adjustment | In Base Price |
| | **STABILIZER** | |
| 4424 | LH and RH Stabilizer Bar | In Base Price |
| | **FRONT ATTACHMENTS** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 4004 | Front Weight Support (55 kg/121 lbs) | In Base Price |
| | **DRAWBAR AND TRAILER HITCH** | |
| 4315 | Basic Drawbar | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**DRAFT LINK** | |
| R66432 | Draft Link Conversion Bushing, Cat. II to Cat. I | USD $31.27 |
| | **CENTER LINK** | |
| T12553 | Center Link Conversion Bushing, Cat. II to Cat. I | USD $27.93 |
| | **DRAWBAR** | |
| R133359 | Drawbar - Offset | USD $310.64 |
| RE39829 | Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar | USD $376.85 |
| RE39830 | Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar | USD $345.34 |
| RE19428 | Safety Chain Support Kit | USD $200.38 |
| | **FRONT HITCH** | |
| BXX11105 | Front 3-Point Hitch<br>*For 5075EN Tractors* | USD $5,997.33 |
| | **THREE-POINT HITCH** | |
| TY27545 | Quik-Coupler, Economy, Category 2 | USD $1,023.97 |
| BSJ10595 | Quick-Hitch Category 2 | USD $1,114.30 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**REAR SELECTIVE CONTROL VALVES** | |
| 3320 | Dual Stackable Rear SCV's with Lever Control | In Base Price |
| 3335 | Triple Stackable Rear Deluxe SCV's with Lever Control<br>*Features:*<br>*Three selectable detent positions on EACH valve (auto kickout, continuous flow, or no detent)*<br>*Float position on EACH valve*<br>*Flow priority to #1 valve*<br>*Pressure compensated flow control for running hydraulic motors on #1 valve* | USD $1,090.00 |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3400 | Less Mid Valves | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 3420 | Dual Stackable Mid Valves with Joystick Control<br>*Note: Recommended for applications with front or mid-mount implements.*<br>*Note: Recommended for customers wanting loader compatibility.* | USD $1,193.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR SELECTIVE CONTROL VALVES** | |
| BXX11004 | Cab & OOS Triple Rear Deluxe SCV Kit with Lever Controls<br>*Fits MY23 and newer 5075EN tractors* | USD $1,627.43 |
| | **MID SELECTIVE CONTROL VALVES** | |
| BXX11002 | Dual Mid SCV with Joystick Control Kit - Open Station<br>*Fits 5075EN MY23 and newer tractors* | USD $3,002.94 |
| | **HYDRAULICS** | |
| BXX11005 | Power Beyond Coupler Kit<br>*For MY23 and newer 5075EN Tractors* | USD $258.69 |
| BXX11017 | 5EN FT4, Kit Case Drain Line<br>*For MY23 and newer 5075EN Tractors* | USD $270.29 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8735 | LED Headlights<br>*Upgrades front headlights from Halogen to LED (high and low beam)*<br>*Requires iOOS 2010* | USD $447.00 |
| | **BACKUP ALARM** | |
| 8782 | Backup Alarm | USD $192.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**BEACON LIGHTING** | |
| BXX11338 | LED Beacon Light Kit Open Station<br>*For 5075EN Open Station Tractors* | USD $204.23 |
| | **WHEELS AND TIRES**<br>**Basic Factory Options** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **REAR WHEELS AND TIRES** | |
| 5101 | 12.4-24 In. 6PR R1 Bias<br>*Requires Front Tire Option Code 6101.* | USD ($27.00) |
| 5102 | 14.9-24 In. 8PR R1 Bias<br>*Requires Front Tire Option Code 6110.* | In Base Price |
| 5105 | 14.9-28 In. 6PR R1 Bias<br>*Requires Front Tire Option Code 6111.* | USD $480.00 |
| 5177 | 280/85R28 R1 Radial<br>*Requires Front Tire Option Code 6187.* | USD $1,410.00 |
| 5178 | 420/65R28 R1 Radial<br>*Requires Front Tire Option Code 6188.* | USD $3,121.00 |
| | **FRONT WHEELS AND TIRES** | |
| 6101 | 8.0-16 In. 6PR R1 Bias | USD ($2.00) |
| 6110 | 9.5-16 In. 4PR R1 Bias | In Base Price |
| 6111 | 10.5/80-18 In. 10PR I3 (R4 Type) Bias | USD $481.00 |
| 6187 | 210/95R16 R1 Radial | USD $653.00 |
| 6188 | 280/70R18 R1 Radial | USD $999.00 |
| | **TIRE BRAND PREFERENCE** | |
| 5999 | No Tire Brand Preference | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |
| R119909 | Rear Fender Extension<br>*For 5075EN, 5076EN, 5090EN, 5101EN Tractors* | USD $167.32 |
| TR119752 | Rear Fender Extension<br>*For 5075EN Tractors* | USD $227.30 |
| TR119753 | Rear Fender Extension<br>*For 5075EN Tractors* | USD $231.04 |
| | **WEIGHTS AND BALLASTING**<br>**Additional Factory Options**<br>**FRONT WEIGHT OPTIONS** | |
| 8959 | Four Front Suitcase Weights | USD $578.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Option includes four 95 lb (43 kg) weights.* | |
| 8960 | Six Front Suitcase Weights<br>*Option includes six 95 lb (43 kg) weights.* | USD $868.00 |
| 8961 | Eight Front Suitcase Weights<br>*Option includes eight 95 lb (43 kg) weights.* | USD $1,157.00 |
| 8962 | Ten Front Suitcase Weights<br>*Option includes ten 95 lb (43 kg) weights.* | USD $1,446.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |
| T19293 | Weight, Rear Wheel 106 lb (48 kg) | USD $191.40 |
| | **FRONT WEIGHTS** | |
| R262449 | Front Weight Support, 55kg (121 lb) | USD $483.02 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |
| | **BALLAST** | |
| BW15852 | Large ballast box | USD $1,745.70 |
| BXX10684 | Ballast Box | USD $547.80 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Side Exhaust | In Base Price |
| | **LOADERS AND BACKHOES**<br>**Basic Factory Options**<br>**LOADERS** | |
| 1799 | Less Loader Prep Package<br>*5EN is compatible with 500M loader.*<br>*Order tractors with mid valves (3420) and order 500M loader with 5EN mounting frames* | In Base Price |
| | **POWER TAKE-OFF**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**POWER TAKE-OFF (PTO)** | |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.30 |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.30 |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.00 |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.00 |
| BLV10953 | John Deere Quik Knect™ PTO receiver | USD $140.89 |
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit | USD $39.27 |
| 5WS812490 | Super Clamp Kit | USD $59.46 |
| 5WS812485 | Clamp Kit | USD $44.88 |
| 5WS812450 | Long Tool Holder (2) | USD $83.02 |
| 5WS812455 | Long Tool Holder (4) | USD $109.95 |
| 5WS812435 | Universal Mount Kit | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box | USD $131.27 |
| | **ENGINE**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**COLD WEATHER PACKAGES** | |
| LV150155 | Engine coolant heater Kit (3 cylinder) | USD $122.10 |
| | **GUARDS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**HOOD GUARDS** | |
| BXX10585 | HOODGUARD EXTENSION BRACKET<br>*For 5EN MY23 and newer tractors with 500M Loader* | USD $494.29 |
| BW15084 | Hood guard<br>*For 520M, 540M, H240, and 500 Series Loaders on 5225,5325, 5325N, 5425, 5425N, 5525, 5525N, 5625, 5603, 5076EN, 5082E, 5076EL, 5090EL (Saltillo), 5083E, 5083E (Limited), 5085E, 5090E* | USD $536.80 |

Copyright © Deere & Company. All Rights Reserved.

# 5075EN Open Operator Station Narrow Utility Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *(Saltillo), 5090EN, 5093E, 5093E (Limited), 5101E, and 5101E (Limited) Tractors and on 5083EN, 5093EN, and 5101EN Cab Tractors. NOTE: (Use with non-IT4 Tractors only (prior to IT4 change in spring of MY13)* | |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 198FLV | **5100ML Low-Profile Specialty Tractor (ALDI)**<br>ENGINE:<br>101.45 Engine Horsepower @ 2100 rpm*<br>85 PTO Horsepower @ 2100 rpm*<br>EPA Final Tier 4 Emissions Compliant<br>Turbocharger with Intercooler<br>PowerTech Diesel Engine<br>4 Valve HPCR<br>Dry Type Air Cleaner with Safety Element<br>Underhood Muffler with Cornerpost Exhaust Stack<br>(Aftertreatment: DOC/SCR)<br>Cold Start Aid - Air IntakeHeater<br>Hand and Foot Throttle<br>Key Engine Shut-Off<br>Water Separator Bowl<br><br>TRANSMISSION:<br>EH Differential Lock<br>Hydraulic Oil Cooler<br>Wet Traction Clutch<br>Park Lock<br>Neutral Start Safety Switch<br><br>REAR AXLE:<br>Flanged Rear Axle<br>Planetary Final Drives<br>8-Position Standard Steel Rear Wheels<br><br>FRONT AXLE:<br>Mechanical Front Wheel Drive Front Axle<br>Planetary Final Drives<br>Electrohydraulic MFWD Engagement via On/Auto/Brake<br><br>STEERING AND BRAKES:<br>Hydrostatic Power Steering<br>Hydraulic Wet Disk Brakes Self-Equalizing<br>and Self-Adjusting<br><br>HYDRAULIC:<br>See code selection for Selective Control Valves (SCVs) and<br>hydraulic system selection<br><br>POWER TAKE-OFF SHAFT:<br>See code selection for PTO Shaft | |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Electrohydraulic PTO Engagement<br>Wet PTO Clutch<br>Operator Presence Safety Warning - PTO<br>Safety Start Switch<br>Flip Up PTO Shield<br><br>ROCKSHAFT, HITCH AND DRAWBAR:<br>Heavy Duty Adjustable Drawbar<br>See code selection for draft link sizing<br><br>INSTRUMENTATION:<br>Electric Fuel Gauge<br>Flashing Warning Lamp<br>High Beam Indicator Light<br>Service Transmission Indicator<br>PTO Speed Indicator/Roll Mode<br>Neutral Indicator<br>Tachometer/Hour Meter<br>Engine Oil Pressure<br>Hydraulic Temperature Indicator<br>Coolant Temperature Gauge<br>Diesel Exhaust Fluid Gauge with low DEF Warning Signal<br>Alternator Indicator Light<br>Air Restriction Indicator Light<br>Exhaust Filter Cleaning Switch<br>Roll Mode for Instrument Cluster<br>PTO Engagement Light<br>4WD Engagement Light<br><br>ELECTRICAL:<br>12-Volt Electrical System<br>One Battery - 950 CCA** with 180 Minute Reserve Capacity<br>90 Amp Alternator<br>7-Pin ASAE Outlet Socket<br><br>LIGHTS:<br>Two Front Halogen Headlights<br>Two Turn/Warning Lights<br>Two Rear Work Lights<br>Dual Tail Lights<br><br>MISCELLANEOUS: | |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | Slow-moving Vehicle (SMV) Emblem<br>Front weight support<br><br>* Manufacturer's Rating<br>** Cold Cranking Amps | |
| | **BASE MACHINE** | |
| | *EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington.* | |
| 198FLV | 5100ML Low-Profile Specialty Tractor (ALDI) | USD $80,135.00 |
| | **DESTINATION AND LANGUAGE**<br>**Basic Factory Options**<br>**DESTINATION** | |
| | North America | |
| 0184 | Canada | No Added Cost |
| 0202 | United States | In Base Price |
| | **OPERATOR'S MANUAL** | |
| 0409 | English Operator's Manual and Decal Kit | In Base Price |
| 0413 | French Operator's Manual and Decal Kit | No Added Cost |
| 0437 | Spanish Operator's Manual and Decal Kit | No Added Cost |
| | **OPERATOR'S STATION AND CONTROLS**<br>**Basic Factory Options**<br>**OPERATOR'S STATION** | |
| 2010 | Isolated Open Operator Station | In Base Price |
| | *Low Profile Isolated Open Operator Station with Flat Floor*<br>*Tilt and Telescopic Steering Column*<br>*Low Profile 2-Post Foldable Roll-Over Protection Structure (ROPS)*<br>*Inboard mounted controls*<br>*Low Profile steering wheel*<br>*Speedometer*<br>*Beverage Holder*<br>*Foldable flashing Warning Lights*<br>*Dual Taillights*<br>*38 U.S. Gallon (145 L) Fuel Tank Capacity* | |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **SEAT** | |
| 2115 | Low Profile Seat | In Base Price |
| | **ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S STATION** | |
| RE574454 | 38.1-mm (1.5–in.) ball mount and socket arm | USD $76.91 |
| RE576490 | 38-mm (1.5–in.) ball with model year 2010 stud | USD $42.29 |
| AL212683 | Mounting Parts - Display Mount RAM | USD $182.72 |
| PF80460 | Mount - RAM U-Bolt | USD $84.28 |
| RE558821 | Mounting Ball Stud | USD $24.13 |
| PF80459 | Bracket, Arm, RAM Double Socket | USD $38.85 |
| UC17356 | RAM Mount Vesa Bracket 1.5 | USD $116.90 |
| PM191-052901 | Dual USB Charger<br>*Dual USB sockets 4.2 Amp output to simultaneously charge 2 USB devices. Cab models only.* | USD $18.94 |
| RE558819 | 76.2-mm (3-in.) tie-rod assembly | USD $20.90 |
| RE561251 | 133.4-mm (5.2-in.) tie-rod assembly | USD $33.00 |
| BXX11195 | RAM X-Grip Cell Phone Holder With Tough Claw Clamp | USD $99.17 |
| PM191-050594 | Apple™ Cable, 6 Ft | USD $26.04 |
| PM191-050860 | Type C USB Cable, 6 Ft | USD $18.94 |
| PM191-050563 | Micro USB Cable, 6 Ft | USD $13.01 |
| BRE10255 | Tablet Mount Kit | USD $129.80 |
| BRE10152 | Self - Leveling Cup Holder | USD $90.20 |
| BRE10015 | Cell Phone Mount Kit<br>*Compatible with 10-mm (0.39-in.) mounting bosses and most accessory mounting brackets.*<br>*Compatible with all accessory mounting brackets (RE343680, RE162262, RE245374, RE317435, BRE10141).* | USD $93.50 |
| AXE59372 | Clamp Style Mount | USD $185.90 |
| BRE10482 | RAM 1 inch T-slot Ball Mount | USD $38.50 |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| BRE10483 | RAM 1.5 inch T-slot Ball Mount | USD $51.70 |
| RE343680 | Accessory Mounting Bracket - Short Bar | USD $95.89 |
| BXE10864 | 12” Tablet Holder Kit (Ipad Pro™) | USD $262.90 |
| BXE10607 | X-Grip Tablet Dual Suction Cup Kit for Tablets | USD $244.20 |
| BXE10606 | Cell Phone Suction Cup Kit | USD $84.70 |
| | **MIRRORS** | |
| AL80126 | Rear Mirror Mechanical - Left<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| AL80127 | Rear Mirror Mechanical - Right<br>*For 5E 3cylinder, 5E 4cylinder and 5M Cab Tractors* | USD $222.20 |
| RE244177 | Rear View Mirror Mounting Kit - Open Operator Station Tractors<br>*RH Mirror Kit for Open Station Tractors*<br>*Fits 5085E, 5090E, 5100E, 5083E, 5093E, 5101E, 5083E Limited, 5093E Limited, 5101E Limited, 5100ML, 5115ML, 5125ML,5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100MH, 5105M, and 5115M Tractors*<br>*Kit contains AL80127 RH mirror kit and brackets for installation onto ROPS.* | USD $50.82 |
| | **OPEN OPERATOR'S STATION** | |
| RE266928 | Canopy mounting kit<br>*NOTE: For 5E 4cyl FT4 5085E, 5090E, 5100E, 5065M, 5075M, 5085M, 5090M, 5095M, 5095MH, 5100M, 5100ML, 5100MH, 5105M, 5105ML, 5115M, 5115ML, 5125ML, 5103 (S.N. PY5103U013641-), 5203 (S.N. PY5203U005570-), 5303 (S.N. PY5303U007753-), 5403 (S.N. PY5403U000735-), 5525 Hi-Crop, 5225, 5325, 5425, 5425N, 5525N, 5625, 5325N, and 5603 open station tractors*<br><br>*NOTE: Requires LVB25334 canopy* | USD $108.16 |
| RE273698 | OS Convenience Outlet | USD $103.40 |
| RE270484 | Canopy Deluxe<br>*NOTE: For 5E 3cyl, 5M, 5MH and 5ML Tractors* | USD $1,299.11 |
| | **AG MANAGEMENT SOLUTIONS (AMS)** | |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **Basic Factory Options**<br>**CONNECTIVITY HARDWARE** | |
| 183E | JDLink™ Modem<br>*Includes integrated wiring harness, antenna, JDLink™ Modem (MTG).*<br>** Does not include an ethernet cable to connect the MTG to the display. A 13.5ft ethernet cable with HSAII ends is recommended if wanting to connect them.* | In Base Price |
| | **CONNECTIVITY SUBSCRIPTIONS** | |
| 185A | JDLink™ Connectivity<br>*JDLink™ Connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.*<br><br>*JDLink™ Connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.*<br><br>*Requires JDLink™ Modem to enable JDLink™ Connectivity.* | In Base Price |
| | **TRANSMISSION**<br>**Basic Factory Options**<br>**TRANSMISSION** | |
| 1380 | PowrReverser™ 16F/16R 40 km/h Transmission<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*B-C-D Range Synchronization*<br>*29.6 Gallon Fuel tank*<br>*65mm lift cylinders*<br>*Requires Shiftable 540/540E Rear PTO (code 3820).*<br>*Requires Open Center Hydraulics (code 3221).* | In Base Price |
| 1370 | PowrQuad™ PLUS 16F/16R 40 km/h Transmission | USD $5,529.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | |
| 1375 | PowrQuad™ PLUS 16F/16R 40 km/h Transmission with Creeper<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch*<br>*38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | USD $8,760.00 |
| 1385 | Powr8™ 32F/16R 40 km/h Transmisson<br>*Electrohydraulic (EH) Directional Reverser*<br>*Electrohydraulic Differential Lock*<br>*Hydraulic Oil Cooler*<br>*Wet Traction Clutch*<br>*Wet PTO Clutch*<br>*Park Lock*<br>*Neutral Start Safety Switch* | USD $7,601.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *38 Gallon Fuel Tank*<br>*75mm lift cylinders*<br>*40km/h at reduced engine speed (ECO Shift)*<br>*Requires Shiftable 540/540E/1000 Rear PTO (code 3830).*<br>*Requires PFC Hydraulics (code 3223).*<br>*Requires EH Hitch Controls (code 4030).* | |
| | **ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION** | |
| RE229422 | PowrReverser™ Modulation Control Kit | USD $191.40 |
| | **FRONT AXLE**<br>**Basic Factory Options**<br>**FRONT AXLE** | |
| 6040 | MFWD (4-Wheel Drive)<br>*Limited Slip Differential*<br>*Push Button, On-The-Go Engagement*<br>*Engagement Indicator Light.*<br>*Electrohydraulic MFWD Engagement via On/Auto/Brake*<br>*Auto Engagement Mode.* | In Base Price |
| | **POWER TAKE-OFF**<br>**Basic Factory Options**<br>**POWER TAKE-OFF (PTO)** | |
| 3820 | Shiftable 540 / 540E Rear PTO | In Base Price |
| 3830 | Three Speed PTO - 540/540E/1000<br>*Requires PFC Hydraulics (Code 3223)* | USD $970.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION POWER TAKE-OFF (PTO)** | |
| SJ14349 | 1000/540/540E - RPM Power Take-Off (PTO) kit<br>*For PR Transmission Only* | USD $2,627.90 |
| | **REAR POWER TAKE-OFF (PTO)** | |
| BLV11199 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 23.8 mm x 61.3 mm (0.94 in. x 2.4 in.) 540 RPM, CAT 2R* | USD $300.30 |
| BLV11177 | John Deere Quik-Knect Driveline Yoke Bundle | USD $300.30 |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Quik-Knect implement receiver – 22 mm x 54 mm (0.87 in. x 2.13 in.) 540 RPM, CAT 1R* | |
| BLV11178 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 74.6 mm (1.06 in. x 2.94 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11200 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 27 mm x 70.2 mm (1.06 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.30 |
| BLV11201 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 28 mm x 70.2 mm (1.1 in. x 2.76 in.) 540 RPM, CAT 3R* | USD $300.00 |
| BLV11202 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 30.2 mm x 80 mm (1.2 in. x 3.15 in.) 540 RPM, CAT 4R* | USD $300.30 |
| BLV11203 | John Deere Quik-Knect Driveline Yoke Bundle<br>*Quik-Knect implement receiver – 31.75 mm x 81.76 mm (1.25 in. x 3.22 in.) 540 RPM, CAT 4R* | USD $300.00 |
| | **HITCHES AND DRAWBARS**<br>**Basic Factory Options**<br>**HITCH CONTROLS** | |
| 4010 | Mechanical Hitch Control<br>*Requires Open Center Hydraulics (Code 3221)* | In Base Price |
| 4030 | Electronic Hitch Control<br>*Requires PFC Hydraulics (code 3223), If remote fender switches are needed you must order code 8022 or 8024 Fender Extensions* | USD $581.00 |
| | **DRAFT LINK** | |
| 4110 | Telescoping Draft Links (Cat. 2)<br>*Requires Cat. 2 Center Link (Code 4210) or Cat. 2 Hydraulic Center Link with Ball End (Code 4220)* | In Base Price |
| 4105 | Telescoping Draft Links (Cat. 3)<br>*Requires PFC Hydraulics (Code 3223)*<br>*Requires Cat. 3 Center Link (Code 4215)* | No Added Cost |
| | **LIFT LINK** | |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| 4160 | Left Hand Only Adjustable Lift Links<br>*Right side fixed* | In Base Price |
| | **CENTER LINK** | |
| 4210 | Mechanical Center Link (Cat. 2)<br>*Requires Cat 2. Draft Links (Code 4110).* | In Base Price |
| 4215 | Mechanical Center Link (Cat. 3)<br>*Requires PFC Hydraulics (Code 3223).*<br>*Requires Cat. 3 Draft Links (Code 4105).* | No Added Cost |
| 4220 | Hydraulic Center Link with Ball End (Cat. 2)<br>*Requires PFC Hydraulics (Code 3223)*<br>*Requires Cat 2. Telescoping Draft Links (Code 4110)* | USD $944.00 |
| | **STABILIZER** | |
| 4420 | Left Hand and Right Hand Stabilizer Bar | In Base Price |
| | **Additional Factory Options**<br>**HITCH CYLINDERS** | |
| 8458 | 70mm hitch lift cylinder<br>*Not compatible with PowrQuad Transmissions (Codes 1370, 1375, 1385) as 75mm cylinders are included in base equipment when PowrQuad transmission is selected.* | USD $417.00 |
| 8463 | 80mm hitch lift cylinder<br>*Requires PFC Hydraulics (Code 3223).* | USD $470.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**CENTER LINK** | |
| BSJ10309 | Hydraulic Center Link - Ball Type | USD $2,307.80 |
| | **HITCH CYLINDERS** | |
| AHC15531 | Hydraulic cylinder 75 mm (2.95 in.)<br>*NOTE: Upgrades right-hand hydraulic cylinder to 75 mm (2.95 in.) for average of 70-mm (2.75-in.) lift cylinder.*<br>*Heavy-duty hitch kit for PowrReverser transmission* | USD $154.00 |
| AHC18728 | Hydraulic Cylinders to 80 mm (3.15 in.)<br>*NOTE: Order two AHC18728 to replace both left-hand and right-hand hydraulic cylinders to 80 mm (3.15 in.)*<br>*Heavy-duty hitch kit for PowrQuad PLUS and Powr8 transmissions* | USD $1,295.80 |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **FRONT HITCH** | |
| BXX10880 | Front 3-Point Hitch<br>*For 5ML Open Station Tractors* | USD $4,098.34 |
| BXX10931 | FRONT HITCH FIELD INSTALLATION KIT, 5M (Connections to the rear SCV)<br>*For 5M/5ML Tractors* | USD $1,750.06 |
| BXX10994 | FRONT HITCH, MID SCV ROUTING (Connections to the mid SCV)<br>*For 5M/5ML Tractors* | USD $271.83 |
| BXX10778 | Front 3 Point Hitch Support Push Bar Kit - 5M/5ML/5R<br>*NOTE: The Front 3 Point Hitch Support Push Bar Kit is recommended with ground engaging or high load front implement work.* | USD $1,358.31 |
| | **HYDRAULICS**<br>**Basic Factory Options**<br>**HYDRAULICS** | |
| 3221 | Open Center Hydraulic System | In Base Price |
| 3223 | PFC Hydraulic System | USD $3,439.00 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| 3330 | Triple Stackable Rear Deluxe Valve with Lever Controls<br>*Features: Three Selectable Detent Positions on #1 Valve (Auto Kickout, Continuous Flow, or No Detent). Float Position on EACH Valve. Flow Priority to #1 Valve. Pressure Compensated Flow Control for running Hydraulic Motors on #1 Valve.* | In Base Price |
| | **MID SELECTIVE CONTROL VALVES** | |
| 3410 | Less Mid Valve, Add Engine Side Frames<br>*For the PowrQuad Models, THERE IS NO MID SCV FIELD KIT AVAILABLE* | In Base Price |
| 3420 | Dual Stackable Mid Valve with Joystick Control<br>*Includes side frames.* | USD $1,237.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**HYDRAULICS** | |
| BSJ10282 | POWER BEYOND | USD $416.90 |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *For 5075M, 5090M, 5100M, 5100MH, 5115M, 5100ML, 5115ML and 5125ML Tractors*<br>*Compatible with PowrReverser models only.* | |
| BSJ10283 | CASE DRAIN<br>*For 5075M, 5090M, 5100M, 5100MH, 5100ML, 5115M, 5115ML and 5125ML Tractors*<br>*Supplies non-restricted flow of hydraulic fluid to reservoir.*<br>*Must have Motor Control Kit (Power Beyond) BSJ10282 Installed.*<br>*Compatible with models equipped with OC hydraulics and a PowrReverser Transmission.* | USD $238.70 |
| BSJ10240 | Power Beyond Kit (PFC System)<br>*For 5ML Tractors with Closed Center Hydraulics* | USD $248.60 |
| BSJ10428 | Hydraulic Case Drain Plumbing (PFC and OC)<br>*For 5ML Tractors with Open and Closed Center Hydraulics* | USD $238.70 |
| BSJ10465 | Rear SCV Oil Collection System<br>*Kit contains Dust Caps with Oil Collection Reservoir, Hoses and Brackets (Hardware included).*<br>*For tractors equipped with a PowrReverser transmission and an Open Center Hydraulic System* | USD $140.80 |
| | **REAR SELECTIVE CONTROL VALVES** | |
| BSJ10440 | 4th rear SCV Conversion Kit (PFC - non proportional EH)<br>*For 5ML Tractors with Closed Center Hydraulics*<br>*Additional Software Required*<br>*Not compatible with EH fender switch kit BSJ10323* | USD $1,339.80 |
| RE272022 | Dual Rear SCV Kit For Open Station<br>*For 5ML Tractors* | USD $1,589.69 |
| | **MID SELECTIVE CONTROL VALVES** | |
| | *NOTE: If 5ML PowerQuad Open Station Tractor was not configured from factory with mid-scv there is not a kit to add mid-scv's to tractor.* | |
| BSJ10330 | 2 Mechanical Mid-SCV with Joystick lever<br>*For 5075M, 5085M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M and 5130M Tractors* | USD $2,006.40 |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *Includes components and parts required to install Dual Mid Control Valve on Tractors not equipped with Mid Control Valve. Does not include loader/engine side frames.* | |
| RE272027 | Triple Mid-Mount SCV with Joystick | USD $2,198.00 |
| BSJ10472 | 2 to 3 Mid-SCV Conversion Kit (PFC) (5ML)<br>*Fits 5ML PowerQuad Tractors with Closed Center Hydraulics* | USD $1,701.75 |
| | **ELECTRONICS AND LIGHTS**<br>**Additional Factory Options**<br>**LIGHTING** | |
| 8720 | ROPS Mounted Work Lights (LED)<br>*Upgrades from halogen to LED* | USD $149.00 |
| 8727 | LED Beacon Light | USD $332.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**LIGHTING** | |
| BSJ10325 | LED HEADLIGHTS<br>*For 5075M, 5090M, 5095M, 5100M, 5100MH, 5100ML, 5105M, 5115M, 5115ML, 5120M, 5125M, 5125ML and 5130M Tractors*<br>*Upgrades front headlights from halogen to LED including high and low beam* | USD $473.00 |
| AXE82059 | LED Work Light - OOS<br>*Includes single LED Hexagon shaped work light. There are a total of four halogen work lights in the base configuration of the tractor.* | USD $163.13 |
| | **BACKUP ALARM** | |
| BSJ10442 | Backup Alarm Kit | USD $203.50 |
| | **BEACON LIGHTING** | |
| BSJ10638 | LED Beacon Light Kit - Cab<br>*NOTE: Includes LH and RH mounting brackets and (1) Beacon Light*<br>*NOTE: Fits 5M/MH/ML - FT4/IT4 Cab Tractors*<br>*NOTE: Fits 5R Cab Tractors* | USD $225.50 |
| BSJ10640 | LED Beacon Light Kit - OOS<br>*LED Beacon Light Kit – Open Station*<br>*NOTE: Fits 5M/MH - FT4/IT4 tractors*<br>*NOTE: Fits 5E-3 and 4 Cylinder tractors* | USD $225.50 |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **WHEELS AND TIRES** | |
| | **Basic Factory Options** | |
| | **REAR WHEELS AND TIRES** | |
| 5121 | 16.9 - 30 in. 6PR R1 Bias<br>*Requires Code 6111.* | USD $25.00 |
| 5914 | 19.5L - 24 in. 10PR R4 Bias<br>*Requires Code 6133.* | In Base Price |
| 5303 | 21.5L - 16.1 in. R3 Bias (Button Tire)<br>*Requires Codes 6111 or 6303.* | USD ($1,057.00) |
| 5173 | 480/70R28 R1 Radial<br>*Requires Code 6155* | USD $2,459.00 |
| | **REAR TIRE BRAND PREFERENCE** | |
| 5999 | No Rear Tire Brand Preference | In Base Price |
| | **FRONT WHEELS AND TIRES** | |
| | *See Loader Section of the Sales Manual for Front Tire/Loader compatibility information.* | |
| 6111 | 11.2-24 6PR R1 Bias | USD $460.00 |
| 6133 | 12.5/80-18-in. 12PR I3 Bias | In Base Price |
| 6303 | 9.5 - 16 in. 6PR R3 Bias | USD ($561.00) |
| 6155 | 380/70R20 R1 | USD $1,231.00 |
| | **FRONT TIRE BRAND PREFERENCE** | |
| 6799 | No Front Tire Brand Preference | In Base Price |
| | **Additional Factory Options** | |
| | **REAR FENDERS** | |
| 8022 | Rear Fender Extensions<br>*Rear Hitch Fender Control. (PFC Hydraulics are Required (code 3223) )*<br>*To install Rear Hitch Fender Controls you will need the following ordered through service parts:*<br>*24M7117 Washer*<br>*37M7411 SCREW*<br>*AL172871 Control*<br>*AL204342 WIRING HARNESS* | USD $295.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *L169912 Boot*<br>*R206454 Plug*<br>*R234273 Frame*<br>*You will also need to order Software Number SJ36662 to activate the switch*<br>*Adds an additional 8.8 inches (224mm) extension per fender* | |
| 8024 | Rear Fender Extensions - Wide<br>*Adds an additional 15.2 inches (385mm) extension per fender* | USD $506.00 |
| | **ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR FENDERS** | |
| RE271547 | Rear Fender Extension Kit with Lights - OOS Tractors with Steel Fenders<br>*For 5M, 5EL, 5E 4cyl, 5MH and 5ML Open Station Tractors with steel fenders* | USD $506.40 |
| | **LOADERS AND BACKHOES**<br>**Additional Factory Options**<br>**FRONT LOADER PREPARATION PACKAGES** | |
| 8912 | Loader Preparation Package<br>*Hydraulic hoses and hydraulic connections still need to be ordered with loader.*<br>*Loader Preparation Package only compatible with 540M and H310 loaders.*<br>*Includes loader mounting frames and hood guard.*<br>*Requires mid valve (Code 3420)* | USD $2,095.00 |
| | **GUARDS**<br>**Additional Factory Options**<br>**GUARDS** | |
| 8330 | Skid Plate, Fuel Tank and Steering Line Guarding Package | USD $1,017.00 |
| | **EXHAUST**<br>**Basic Factory Options**<br>**EXHAUST** | |
| 3010 | Horizontal Side Exhaust | In Base Price |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | **MISCELLANEOUS**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**ACCESSORIES** | |
| 5WS812480 | Mini Clamp Kit<br>*Includes (2) clamps and hardware* | USD $39.27 |
| 5WS812490 | Super Clamp Kit<br>*Includes (2) clamps and hardware* | USD $59.46 |
| 5WS812485 | Clamp Kit<br>*Includes (2) clamps and hardware* | USD $44.88 |
| 5WS812450 | Long Tool Holder (2)<br>*NOTE: Carries (2) long handled tools* | USD $83.02 |
| 5WS812455 | Long Tool Holder (4)<br>*NOTE: Carries (4) long handled tools* | USD $109.95 |
| 5WS812435 | Universal Mount Kit<br>*NOTE: This is used for additional mounting locations of tool holders (garage/ballast box/trailer/etc.)*<br>*NOTE: (2) Self-tapping screws & (2) Lag bolts included* | USD $23.56 |
| 5WS812460 | Chainsaw Holder | USD $97.61 |
| 5WS812466 | Handheld Leaf Blower Holder | USD $166.05 |
| 5WS812470 | Chain Box<br>*NOTE: It is not recommended to mount the chain box to the ROPS Rack due to potential height of storage location and total weight.* | USD $131.27 |
| | **AXLE AND BRAKES**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR AXLE** | |
| AL156777 | Hub Extension 111mm, Rear, Tread Adjustment | USD $884.40 |
| | **BRAKES** | |
| BSJ10619 | Brake Reservoir Upgrade Kit<br>*NOTE: Fits Pre-2019 5075M, 5090M, 5100M, 5100ML, 5100MH, 5115M, 5115ML, and 5125ML Tractors*<br>*NOTE: Requires additional software* | USD $275.00 |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | | |
| | **ENGINE**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**FUEL TANK** | |
| AL213203 | Lockable Filler Cap Fuel Tank | USD $35.01 |
| | **FUEL TANK** | |
| BSJ10480 | Fuel Tank Shield Kit | USD $359.70 |
| BSJ10675 | Fuel Cooler Kit | USD $316.27 |
| SJ14855 | Fuel Tank Skid Plate Kit - Low Profile PR Transmission | USD $950.54 |
| | **COLD WEATHER PACKAGES** | |
| DZ102076 | Engine Block Heater (120V) | USD $153.82 |
| | **WEIGHTS AND BALLASTING**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**REAR WHEEL WEIGHTS** | |
| R213907 | Weight, rear wheel - 43.09 kg (95 lb) | USD $209.00 |
| SU57513 | Weight, Rear Wheel - 150 kg (330lb) | USD $726.00 |
| | **FRONT WEIGHTS** | |
| SU58373 | Front Weight Support, 110 kg (242 lb) (20 front weights)<br>*Requires hardware order separately* | USD $699.60 |
| R127764 | Weight, front suitcase 43 kg (95 lb) quantity of one | USD $155.10 |
| | **FRONT WEIGHTS** | |
| R51680 | Weight, Front Suitcase (100 Lb.) Quantity of One | USD $163.90 |
| | **PRECISION AG TECHNOLOGY**<br>**ATTACHMENTS FOR FIELD CONVERSION**<br>**MACHINE CONNECTIVITY** | |
| | *For MY23 5M, 5E 4 cylinder models, and 5E 3 cylinder Cab models built with option code 183A (JDLink Capable) will only require installing the M Modem. These machines were equipped from the factory with the necessary harnessing installed.*<br>*NOTE: Reference the compatibility guide provided within the JDLink Sales Manual for additional power cables, adapters, and Ethernet switch information* | |
| BSJ10674 | SmartConnector - CAN to Bluetooth® | USD $165.00 |
| PFA11136 | Low Profile - 3.2-m (10.5-ft) Length Antenna<br>*For 5M Open Operator Station using JDLink™ R Modem: 5M,* | USD $218.09 |

Copyright © Deere & Company. All Rights Reserved.

# 5100ML Low-Profile Specialty Tractor (ALDI)

| Code | Description | List price |
|---|---|---|
| | *5100ML, 5115ML, 5125ML, and 5100MH (model year 2015 and newer Final Tier 4 [FT4])* | |
| TA25456 | MTG Jumper Harness | USD $25.04 |
| PFA12899 | 2 Wire Ethernet Cable - Mini50<br>*Required to connect a display to JDLink™ M Modems* | USD $99.28 |
| | *NOTE: Requires Ethernet Switch Kit to work with Gen 4 4240 Display* | |
| BPF12384 | Ethernet Switch Kit - M Modem (Gen 4/2630)<br>*This Ethernet Switch Kit is needed to connect the M Modem to a 2630 or Generation 4 Display* | USD $275.00 |

Copyright © Deere & Company. All Rights Reserved.