

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**1023E Sub-Compact Utility Tractor (15 PTO hp)
Equipment for Base Machine**

ENGINE:
Yanmar 3 Cylinder Liquid Cooled Diesel Engine
Tier IV EPA Emissions Certified
Engine HP 22.4 (16.5 kW), PS
PTO HP 14.5 (11.4 kW)
Rated Speed 3200 RPM
Indirect Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety Element
Fully Enclosed Engine and Muffler With Horizontal Exhaust
5.6 Gallon Fuel Tank Capacity (21.2 L)
Hand Throttle
Key Engine Shut Off

TRANSMISSION:
Hydrostatic Transmission:
Infinitely Variable - 2 Speed
Transaxle
Twin Touch Pedals and Direction Control
Differential Lock

FRONT/REAR AXLE:
Flanged Rear Axle
Spur Gear Final Drive

4WD STEERING AND BRAKES:
Hydrostatic Power Steering
Wheel Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:
Open Center Hydraulic System
Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter

Working Pressure (2000 PSI)
Dual Mid SCV Standard
PTO:
Mid PTO Standard Equipment
Independent Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch
PTO Brake
Separate or Simultaneous
Operation of Mid and Rear PTO
Flip Up PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE:
Rockshaft
Limited Category 1, 3-Pt. Hitch
Rate of Drop/Stop Valve
Hitch Plate

INSTRUMENTATION:
Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
Flashing Warning Light Indicator

ELECTRICAL:
12-Volt Electrical System
Wet Battery With 500 Cold Cranking Amps
40 Amp Alternator
Key Ignition Starter With Neutral Start Switch

LIGHTS:
Two Front Halogen Head Lights
Two Flashing Warning Lights

OPERATOR PROTECTIVE STRUCTURE:

Folding ROPS (Roll-Over Protective Structure)
** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards
Seat Belt
Operator Presence System

MISCELLANEOUS:
SMV Emblem
Front Weight Bracket
Tilt-Up Hood
Cupholder - Left Console
Mower Deck Height Adjustment

BASE MACHINE (4WD):
Engage on the go 4WD
26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires
18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires
Tier IV EPA Emissions Certified
Engine HP 22.4 (16.5 kW), PS
PTO HP 14.5 (11.4 kW)
Rated Speed 3200 RPM

MID-MOUNT LIFT SYSTEM:
Mid-Mower Mechanical Lift Ready
Includes Mid-Mower Lift
Rockshaft
Includes Mechanical Lift Arm Linkage

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

025JLV	1023E Sub-Compact Utility Tractor (15 PTO hp)	12,672.00
--------	---	-----------

DESTINATION

0184	Canada	No Added Cost
0205	Quebec	No Added Cost
0202	United States	In Base Price

OPERATOR'S MANUAL

0409	English Operator's Manual	In Base Price
------	---------------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0413		OPERATOR'S MANUAL Continued... French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5203		26x12-12 (4PR, R3 Turf, 1 Position)	-47.00
5204		26x12-12 (4PR, R4 Industrial, 1 Position)	In Base Price
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6203		18x8.50-10 (4PR, R3 Turf, 1 Position)	-35.00
6204		18x8.50-10 (4PR, R4 Industrial, 1 Position)	In Base Price
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i>	306.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 120R Loader and loader installation charge with the following options:</i> 53 In. (1350mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	4,265.00
1795		Less Loader	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Accessories	
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
LP64809		Canopy Kit - Rigid Plastic <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i> <i>All Bundles are not compatible with cab tractors</i>	463.95

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. All Bundles are not compatible with cab tractors</i>	29.99
LP95637		Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
		Attaching Parts	
BXX10241		Load-N-Go for 60D AutoConnect 7-Iron Deck <i>For use on 5325M and 701CLV mower decks on 1 family tractors.</i>	248.60
		Ballast	
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
		Cold Start Packages	
MIA881629		Engine Block Heater Adapter <i>Only available on Open Operators Station tractors</i>	113.82
		Drawbar	
LP63768		Magnetic hitch pin	18.99
		Engine	
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires MIA881629 Engine Block Heater Adapter (1023E Model Only).</i>	66.00
		Front Weights	
BLV10623		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R, 2032R) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).</i>	223.30
		Front Wheels And Tires	
BLV10859		18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels and Tires	345.40
BLV10857		18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels and Tires	388.30
		Hydraulics	
BLV11143		3rd Function Selective Control Valve <i>Mid-mounted valve required for 3rd function loader applications. Requires BXX10268 (loader hose kit) for use with grapple bucket, 4 in 1 bucket and/or front blade. Not compatible with BLV10688 (Independent mower lift system) and LVB25956 (Power Beyond Kit) The following kits can be installed in conjunction with this kit but cannot be combined: Mower Deck Hydraulic Lift Hose Kit (BLV11205) Power Beyond Kit (BLV11216) Rear Selective Control Valve Kit (BLV11217) Please see compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i>	726.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV11216		<p>Power Beyond Kit <i>For use on 1023E and 1025R Tractors built after July 14th, 2017.</i></p> <p><i>Includes Rear Mounted Hydraulic Couplers and Hose.</i></p> <p><i>Not Compatible with Rear Tubing Kit (BLV10948), Rear Selective Control Valve Kit (BLV11217) or Mauser Cab</i></p> <p><i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	179.30
LVB25956		<p>Power Beyond Kit (1023E, 1025R, 1026R) <i>For use on 1023E and 1025R Tractors built before July 14th, 2017.</i></p> <p><i>Includes Rear Mounted Hydraulic Couplers and Hose.</i></p> <p><i>Not Compatible with Rear Tubing Kit and Rear Selective Control Valve Kit or 3rd Function Selective Control Valve Kit</i></p> <p><i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	184.80
BLV10351		<p>Rear Selective Control Valve Kit <i>Selective control valve provides two work ports to the rear of the tractor</i></p> <p><i>Not compatible with BLV11216 (Power Beyond Kit) or BLV11217 (Rear Hydraulic Kit).</i></p> <p><i>Also not compatible with TLB models.</i></p> <p><i>For use on 1023E and 1025R Tractors built before July 14th, 2017.</i></p>	683.10
BLV11217		<p>Rear Selective Control Valve Kit <i>Not compatible with Power Beyond Kit (BLV11216), Rear Tubing Kit (BLV10948) or Mauser cab</i></p> <p><i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	676.50
LVB25837		<p>Rear Tubing Kit <i>For use on 1023E and 1025R Tractors Built prior to July 14th, 2017.</i></p> <p><i>Routes Dual Mid SCVs to rear of tractor</i></p> <p><i>Not Compatible with Power Beyond Kit or Rear Selective Control Valve kit</i></p> <p><i>Also not compatible with Backhoe.</i></p> <p><i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	323.40
BLV10948		<p>Rear Tubing Kit <i>Routes Dual Mid SCVs to Rear of Tractor.</i></p> <p><i>Not compatible with Power Beyond Kit (BLV11216), Rear Selective Control Valve Kit (BLV11217) or Mauser cab</i></p> <p><i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	323.40
LVB25547		<p>Lighting Auxiliary Rear Work Light Kit (1 Light) <i>Requires Lighting Kit Harness (LVB26026).</i></p> <p><i>Not compatible with Forward Lighting Kit (LVB25546) and Mauser Cab.</i></p> <p><i>All Bundles are not compatible with cab tractors</i></p>	67.10
LVB25546		<p>Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400) and Light Kit Harness (LVB26026)</i></p> <p><i>Not Compatible with Rear Work Light Kit (LVB25547) and Mauser Cab</i></p> <p><i>All Bundles are not compatible with cab tractors</i></p>	114.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400) and Lighting Kit Harness (LVB26026).</i> <i>Not compatible with Mauser Cab All Bundles are not compatible with cab tractors</i>	319.00
LVA21035		Maintenance Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	67.87
LVB26026		Open Operator's Station Rear Work Light Harness Kit <i>Required to use with the following kits: Forward Lighting Kit LVB25546 Rear Work Light LVB25547 LED Work Light Kit BLV10497</i> <i>Not Compatible with Mauser Cab</i>	24.20
BLV11042		Rear License Plate Kit (Includes Light) <i>All Bundles are not compatible with cab tractors</i>	68.20
BLV10953		Rear Power Take-off (Pto) John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
BLV10858		Rear Wheels And Tires 26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels and Tires	474.10
BLV10856		26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels and Tires	535.70
AM108146		Spark Arrester Spark Arrester Screen for Muffler	31.90
LVU12858		Three-point Hitch iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3 in).</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97 in).</i>	26.00
LP19969		iMatch Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	35.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP25004		iMatch Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
PM00353		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 2 to Cat. 1) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM03008.</i>	0.90
PM03008		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 3 to Cat. 2) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM00353.</i>	1.38
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50
		Tire Chains	
TY15958		Tire chains (pair) for 26x12-12 tires <i>Not Compatible with Backhoe installed due to interference with backhoe subframe.</i>	115.26
		Weights	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	140.17
BM17976		50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	70.61
UC13499		70-lb (32-kg) Starter Wheel Weight (1), cast iron, rear 12-in. wheel	178.69
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire	32.10
BM18089		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight on 26x12-12 Tire	24.61
BM17977		Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**1025R Sub-Compact Utility Tractor (18 PTO hp)
Equipment for Base Machine**

ENGINE:
Yanmar 3 Cylinder Liquid Cooled Diesel Engine
Tier IV EPA Emissions Certified Engine HP 24.2 (17.8 kW), PS PTO HP 18.0 (13.4 kW)
Rated Speed 3200 RPM
Indirect Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety Element
Fully Enclosed Engine and Muffler With Horizontal Exhaust
5.6 Gallon Fuel Tank Capacity (21.2 L)
Hand Throttle
Key Engine Shut Off

TRANSMISSION:
Hydrostatic Transmission:
Infinitely Variable - 2 Speed Transaxle
2-Pedal Foot Operated Speed and Direction Control
Differential Lock
Cruise Control

FRONT/REAR AXLE:
Flanged Rear Axle
Spur Gear Final Drive
4WD

STEERING AND BRAKES:
Hydrostatic Power Steering
Tilt Steering
Wheel Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:
Open Center Hydraulic System
Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter

Working Pressure (2000 PSI)
Dual Mid SCV Standard
PTO:
Mid PTO Standard Equipment
Independent Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch
PTO Brake
Separate or Simultaneous Operation of Mid and Rear PTO
Flip Up PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE:
Rockshaft
Limited Category 1, 3-Pt.
Position Control Hitch
Rate of Drop/Stop Valve
Hitch Plate

INSTRUMENTATION:
Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
Flashing Warning Light Indicator

ELECTRICAL:
12-Volt Electrical System
Wet Battery With 500 Cold Cranking Amps
40 Amp Alternator
Key Ignition Starter With Neutral Start Switch

LIGHTS:
Two Front Halogen Head Lights
Two Flashing Warning Lights
Two Fender Lights

OPERATOR PROTECTIVE STRUCTURE:
Folding ROPS (Roll-Over Protective Structure)

** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards
Deluxe Cushion Seat With Seat Belt
Operator Presence System

MISCELLANEOUS:
SMV Emblem
Front Weight Bracket
Tilt-Up Hood
Cupholder - Left Console
Mower Deck Height Adjustment
Tool Box
12V Outlet
Floor Mat

BASE MACHINE (4WD):
Engage on the go 4WD
26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires
18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires

Tier IV EPA Emissions Certified Engine HP 24.2 (17.8 kW), PS
PTO HP 18.0 (13.4 kW)
Rated Speed 3200 RPM

MID-MOWER LIFT SYSTEM:
Mid-Mower Mechanical Lift Ready
Includes Mid-Mower Lift
Rockshaft
Includes Mechanical Lift Arm
Linkage

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

028DLV	1025R Sub-Compact Utility Tractor (18 PTO hp)	14,587.00
--------	---	-----------

DESTINATION

0184	Canada	No Added Cost
0205	Quebec	No Added Cost
0202	United States	In Base Price

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
OPERATOR'S MANUAL			
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
OPERATOR'S STATION			
2000		Open Operator Station	In Base Price
2053		Cab - Heat Only <i>Includes front work lights, front wiper with washer system, two exterior mirrors and 55 amp alternator</i> <i>Not compatible with backhoe</i>	6,566.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5203		26x12-12 (4PR, R3 Turf, 1 Position)	-47.00
5204		26x12-12 (4PR, R4 Industrial, 1 Position)	In Base Price
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6203		18x8.50-10 (4PR, R3 Turf, 1 Position)	-35.00
6204		18x8.50-10 (4PR, R4 Industrial, 1 Position)	In Base Price
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not available with factory installed Tractor/Loader/Backhoe</i>	306.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 120R Loader and loader installation charge with the following options:</i> <i>53 In. (1350mm) Quick Change Materials Bucket</i> <i>Quick Change Attachment Carrier</i> <i>Quik-Park Loader Mounting System</i> <i>Mounting Frame</i> <i>Deluxe Hood Guard</i> <i>Mechanical Bucket Level Indicator</i> <i>Oil Line Cover</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	4,265.00
1795		Less Loader	In Base Price
BACKHOES			

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3701		<p>BACKHOES Continued... 260B Factory Installed Backhoe with Bucket <i>Requires Factory Installed Loader Option (1701 or 1750)</i></p> <p><i>Pricing includes backhoe and installation with the following options:</i></p> <p><i>6 ft. 2 In. (1.89 m) Digging Depth</i> <i>One Double Acting Swing Cylinder</i> <i>150 Degree Swing Angle</i> <i>Two Lever Control</i> <i>Six Spool Control Valve</i> <i>12 In. Bucket</i> <i>Transport Locking Pins</i> <i>Hydraulic Stabilizers</i> <i>Subframe Mounting and Power Beyond Hydraulics</i></p> <p><i>Note: Three-point hitch WILL be included and arrive with the tractor in a box attached to the backhoe.</i> <i>Not available with factory installed iMatch</i></p>	6,706.00
3749		Less Backhoe	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

	Accessories		
LP25001	3-Point Hitch Tractor Receiver Hitch	<i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
LP64809	Canopy Kit - Rigid Plastic	<i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i> <i>All Bundles are not compatible with cab tractors</i>	463.95
LP68694	Seat Cover	<i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i> <i>For use on 1025R and 2025R MY18 and newer tractors.</i> <i>All Bundles are not compatible with cab tractors</i>	34.95
LP95637	Tractor Cover	<i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i> <i>For use on 1, 2 and 3 Family open station tractors.</i>	159.99
BXX10241	Attaching Parts Load-N-Go for 60D AutoConnect 7-Iron Deck	<i>For use on 5325M and 701CLV mower decks on 1 family tractors.</i>	248.60
BW15073	Ballast Ballast Box		302.50
BW15074	Ballast Box Extension		143.00

Cab Operator's Station

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP68116		Beacon Light Kit <i>Includes orange rotating beacon light, mounting bracket and hardware, illuminated rocker switch and wiring. For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	120.00
LVB26198		Cab Radio Installation Kit <i>Includes radio console for mounting, 2x speakers, 1x antenna, wiring for radio (DIN), wiring for speakers.</i>	158.40
LP68119		Console Adapter Kit for Non-Current Tractors <i>Required for all 1026R tractors. Also required for 1025R tractors built prior to calendar year 2016 (- GXXXXXXX). For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	270.00
LP68087		Drop-on cab from Mauser (Heat Only) <i>F.O.B. Milwaukee, Wisconsin Not Compatible with Backhoe. Recommended to use 55 Amp Alternator (BLV11188) when installing cab. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	5,440.00
BLV11246		Illuminated License Plate Kit	81.40
LP68118		Illuminated Rear License Plate Kit <i>For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	80.00
LP68117		Rear LED Work Light Kit <i>Includes LED work light, mounting bracket and hardware, illuminated rocker switch and wiring. For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	105.00
LP68115		Rear Wiper Kit <i>Includes wiper motor, arm, blade, illuminated rocker switch, fuse and wiring. For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	200.00
BLV11241		Rear Wiper Kit <i>Includes wiper motor, arm, blade, illuminated rocker switch, fuse and wiring.</i>	204.60

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP68120		<p>Stereo Kit Includes radio console for mounting, 2x speakers, 1x antenna, wiring for radio (DIN), wiring for speakers. For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</p>	155.00
AM134805		<p>Cold Start Packages Engine Block Heater Adapter</p>	122.63
LP63768		<p>Drawbar Magnetic hitch pin</p>	18.99
BLV10640		<p>Engine Engine Coolant Heater Kit (110 Volt) Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</p>	66.00
LVA15392		<p>Exhaust Spark Arrester Screen for Muffler</p>	45.37
BLV10623		<p>Front Weights Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R, 2032R) Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).</p>	223.30
BLV10859		<p>Front Wheels And Tires 18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels and Tires</p>	345.40
BLV10857		<p>18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels and Tires</p>	388.30
BLV11143		<p>Hydraulics 3rd Function Selective Control Valve Mid-mounted valve required for 3rd function loader applications. Requires BXX10268 (loader hose kit) for use with grapple bucket, 4 in 1 bucket and/or front blade. Not compatible with BLV10688 (Independent mower lift system) and LVB25956 (Power Beyond Kit) The following kits can be installed in conjunction with this kit but cannot be combined: Mower Deck Hydraulic Lift Hose Kit (BLV11205) Power Beyond Kit (BLV11216) Rear Selective Control Valve Kit (BLV11217) Please see compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</p>	726.00
BLV11216		<p>Power Beyond Kit For use on 1023E and 1025R Tractors built after July 14th, 2017. Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with Rear Tubing Kit (BLV10948), Rear Selective Control Valve Kit (BLV11217) or Mauser Cab See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</p>	179.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25956		Power Beyond Kit (1023E, 1025R, 1026R) <i>For use on 1023E and 1025R Tractors built before July 14th, 2017. Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with Rear Tubing Kit and Rear Selective Control Valve Kit or 3rd Function Selective Control Valve Kit See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i>	184.80
BLV10351		Rear Selective Control Valve Kit <i>Selective control valve provides two work ports to the rear of the tractor Not compatible with BLV11216 (Power Beyond Kit) or BLV11217 (Rear Hydraulic Kit). Also not compatible with TLB models. For use on 1023E and 1025R Tractors built before July 14th, 2017.</i>	683.10
BLV11217		Rear Selective Control Valve Kit <i>Not compatible with Power Beyond Kit (BLV11216), Rear Tubing Kit (BLV10948) or Mauser cab See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i>	676.50
LVB25837		Rear Tubing Kit <i>For use on 1023E and 1025R Tractors Built prior to July 14th, 2017. Routes Dual Mid SCVs to rear of tractor Not Compatible with Power Beyond Kit or Rear Selective Control Valve kit Also not compatible with Backhoe. See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i>	323.40
BLV10948		Rear Tubing Kit <i>Routes Dual Mid SCVs to Rear of Tractor. Not compatible with Power Beyond Kit (BLV11216), Rear Selective Control Valve Kit (BLV11217) or Mauser cab See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i>	323.40
LVB25547		Lighting Auxiliary Rear Work Light Kit (1 Light) <i>Includes Required Wiring Harness Not Compatible with Forward Lighting Kit (LVB25546) and Mauser Cab. All Bundles are not compatible with cab tractors</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400) Not Compatible with Rear Work Light Kit (LVB25547) and Mauser Cab All Bundles are not compatible with cab tractors</i>	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400). Not compatible with Mauser Cab All Bundles are not compatible with cab tractors</i>	319.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10673		Premium LED Work Light Kit <i>Includes 2 Fender mounted (Near Beam) LED Lights, 1 Rear mounted (Near Beam LED Light for PTO and Hitch Illumination and 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection.</i> <i>Not compatible with Mauser Cab</i>	432.30
BLV11244		Rear LED Work Light Kit <i>Includes LED work light, mounting bracket and hardware, illuminated rocker switch and wiring.</i> <i>Cab Only</i>	106.70
BXX10310		Rotating Beacon Light <i>Includes: Orange rotating beacon light Mounting bracket and hardware Illuminated rocker switch and wiring</i> <i>Cab Only</i>	122.10
BLV10400		Warning Light Brush Guard Kit (Two Guards) <i>Not compatible with Mauser Cab All Bundles are not compatible with cab tractors</i>	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i> <i>Not compatible with Mauser Cab All Bundles are not compatible with cab tractors</i>	84.70
LVA21036		Maintenance Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	67.75
BLV11042		Open Operator's Station Rear License Plate Kit (Includes Light) <i>All Bundles are not compatible with cab tractors Not compatible with Mauser Cab</i>	68.20
BXE10606		Operator's Station Cell Phone Suction Cup Kit	64.90
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
BXE10607		X-Grip Tablet Dual Suction Cup Kit for Tablets	190.30
BLV10953		Rear Power Take-off (Pto) John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Rear Wheels And Tires			
BLV10858		26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels and Tires	474.10
BLV10856		26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels and Tires	535.70
Three-point Hitch			
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3 in).</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97 in).</i>	26.00
LP19969		iMatch Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	35.00
LP25004		iMatch Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
PM00353		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 2 to Cat. 1) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM03008.</i>	0.90
PM03008		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 3 to Cat. 2) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM00353.</i>	1.38
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50
Tire Chains			
TY15958		Tire chains (pair) for 26x12-12 tires <i>Not Compatible with Backhoe installed due to interference with backhoe subframe.</i>	115.26
Weights			
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	140.17
BM17976		50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	70.61
UC13499		70-lb (32-kg) Starter Wheel Weight (1), cast iron, rear 12-in. wheel	178.69
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire	32.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM18089	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight on 26x12-12 Tire	24.61
	BM17977	Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
	UC13263	Quik-Tatch Weight, 42 lb (19 kg)	60.99

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**1023E Sub-Compact Utility Tractor (15 PTO hp)
Equipment for Base Machine**

ENGINE:
Yanmar 3 Cylinder Liquid Cooled Diesel Engine
Tier IV EPA Emissions Certified
Engine HP 22.4 (16.5 kW), PS
PTO HP 14.5 (11.4 kW)
Rated Speed 3200 RPM
Indirect Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety Element
Fully Enclosed Engine and Muffler With Horizontal Exhaust
5.6 Gallon Fuel Tank Capacity (21.2 L)
Hand Throttle
Key Engine Shut Off

TRANSMISSION:
Hydrostatic Transmission:
Infinitely Variable - 2 Speed
Transaxle
Twin Touch Pedals and Direction Control
Differential Lock

FRONT/REAR AXLE:
Flanged Rear Axle
Spur Gear Final Drive

4WD STEERING AND BRAKES:
Hydrostatic Power Steering
Wheel Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:
Open Center Hydraulic System
Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter

Working Pressure (2000 PSI)
Dual Mid SCV Standard
PTO:
Mid PTO Standard Equipment
Independent Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch
PTO Brake
Separate or Simultaneous
Operation of Mid and Rear PTO
Flip Up PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE:
Rockshaft
Limited Category 1, 3-Pt. Hitch
Rate of Drop/Stop Valve
Hitch Plate

INSTRUMENTATION:
Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
Flashing Warning Light Indicator

ELECTRICAL:
12-Volt Electrical System
Wet Battery With 500 Cold Cranking Amps
40 Amp Alternator
Key Ignition Starter With Neutral Start Switch

LIGHTS:
Two Front Halogen Head Lights
Two Flashing Warning Lights

OPERATOR PROTECTIVE STRUCTURE:

Folding ROPS (Roll-Over Protective Structure)
** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards
Seat Belt
Operator Presence System

MISCELLANEOUS:
SMV Emblem
Front Weight Bracket
Tilt-Up Hood
Cupholder - Left Console
Mower Deck Height Adjustment

BASE MACHINE (4WD):
Engage on the go 4WD
26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires
18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires
Tier IV EPA Emissions Certified
Engine HP 22.4 (16.5 kW), PS
PTO HP 14.5 (11.4 kW)
Rated Speed 3200 RPM

MID-MOUNT LIFT SYSTEM:
Mid-Mower Mechanical Lift Ready
Includes Mid-Mower Lift
Rockshaft
Includes Mechanical Lift Arm Linkage

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

025BLV	1023E Sub-Compact Utility Tractor (15 PTO hp)	12,672.00
--------	---	-----------

DESTINATION

0184	North America Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	No Added Cost

OPERATOR'S MANUAL

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
OPERATOR'S MANUAL Continued...			
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
OPERATOR'S STATION			
2000		Open Operator Station 2 Post Folding Rops (Meets OECD code 7 standard) Yellow deluxe seat with mechanical suspension. Rear Fenders with Handrails Front Work Lights mounted on Rear Fenders	In Base Price
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 Includes one set of bushings	306.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
5206		26x12-12 (4PR, R3, 1 Position) Requires Front Tire 6206	-47.00
5207		26x12-12 (4PR, R4 Industrial, 1 Position) Requires Front Tire 6207	In Base Price
5208		26x12-12 (4PR, R3 Turf, 1 Position) Radial Ply Requires Front Tire option 6208	125.00
FRONT WHEELS AND TIRES			
6206		18x8.50-10 (4PR, R3 Turf, 1 Position) Requires Front Tire 5206	-35.00
6207		18x8.50-10 (4PR, R4 Industrial, 1 Position) Requires Rear Tire 5207	In Base Price
6208		18x8.50-10 (4PR, R3 Turf, 1 Position) Radial Ply Requires Rear Tire option 5208	80.00
LOADERS			
1701		Factory Installed Loader with Bucket Pricing includes 120R Loader and loader installation charge with the following options: 53 In. (1350mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast	4,265.00

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**1023E Sub-Compact Utility Tractor (15 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS Continued...			
<i>Requirements" in the Sales Manual for Proper Ballasting.</i>			
1795		Less Loader	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
LP64809		Canopy Kit - Rigid Plastic <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. All Bundles are not compatible with cab tractors</i>	463.95
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. All Bundles are not compatible with cab tractors</i>	29.99
LP95637		Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
Attaching Parts			
BXX10241		Load-N-Go for 60D AutoConnect 7-Iron Deck <i>For use on 5325M and 701CLV mower decks on 1 family tractors.</i>	248.60
Ballast			
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
Cold Start Packages			
MIA881629		Engine Block Heater Adapter <i>Only available on Open Operators Station tractors</i>	113.82
Drawbar			
LP63768		Magnetic hitch pin	18.99
Engine			
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires MIA881629 Engine Block Heater Adapter (1023E Model Only).</i>	66.00
Front Weights			
BLV10623		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R, 2032R) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).</i>	223.30
Front Wheels And Tires			

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**1023E Sub-Compact Utility Tractor (15 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10859		18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels and Tires	345.40
BLV10857		18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels and Tires	388.30
BLV11143		<p>Hydraulics 3rd Function Selective Control Valve <i>Mid-mounted valve required for 3rd function loader applications. Requires BXX10268 (loader hose kit) for use with grapple bucket, 4 in 1 bucket and/or front blade.</i></p> <p><i>Not compatible with BLV10688 (Independent mower lift system) and LVB25956 (Power Beyond Kit)</i></p> <p><i>The following kits can be installed in conjunction with this kit but cannot be combined: Mower Deck Hydraulic Lift Hose Kit (BLV11205) Power Beyond Kit (BLV11216) Rear Selective Control Valve Kit (BLV11217)</i></p> <p><i>Please see compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	726.00
BLV11216		<p>Power Beyond Kit <i>For use on 1023E and 1025R Tractors built after July 14th, 2017.</i></p> <p><i>Includes Rear Mounted Hydraulic Couplers and Hose.</i></p> <p><i>Not Compatible with Rear Tubing Kit (BLV10948), Rear Selective Control Valve Kit (BLV11217) or Mauser Cab</i></p> <p><i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	179.30
LVB25956		<p>Power Beyond Kit (1023E, 1025R, 1026R) <i>For use on 1023E and 1025R Tractors built before July 14th, 2017. Includes Rear Mounted Hydraulic Couplers and Hose.</i></p> <p><i>Not Compatible with Rear Tubing Kit and Rear Selective Control Valve Kit or 3rd Function Selective Control Valve Kit</i></p> <p><i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	184.80
LVB25837		<p>Rear Tubing Kit <i>For use on 1023E and 1025R Tractors Built prior to July 14th, 2017. Routes Dual Mid SCVs to rear of tractor</i></p> <p><i>Not Compatible with Power Beyond Kit or Rear Selective Control Valve kit</i></p> <p><i>Also not compatible with Backhoe.</i></p> <p><i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	323.40
BLV10948		<p>Rear Tubing Kit <i>Routes Dual Mid SCVs to Rear of Tractor.</i></p> <p><i>Not compatible with Power Beyond Kit (BLV11216), Rear Selective Control Valve Kit (BLV11217) or Mauser cab</i></p> <p><i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	323.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Lighting	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Requires Lighting Kit Harness (LVB26026).</i> <i>Not compatible with Forward Lighting Kit (LVB25546) and Mauser Cab.</i> <i>All Bundles are not compatible with cab tractors</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400) and Light Kit Harness (LVB26026)</i> <i>Not Compatible with Rear Work Light Kit (LVB25547) and Mauser Cab</i> <i>All Bundles are not compatible with cab tractors</i>	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights.</i> <i>Each light has 360 degree rotation.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400) and Lighting Kit Harness (LVB26026).</i> <i>Not compatible with Mauser Cab</i> <i>All Bundles are not compatible with cab tractors</i>	319.00
LVB26026		Open Operator's Station Rear Work Light Harness Kit <i>Required to use with the following kits:</i> <i>Forward Lighting Kit LVB25546</i> <i>Rear Work Light LVB25547</i> <i>LED Work Light Kit BLV10497</i> <i>Not Compatible with Mauser Cab</i>	24.20
BLV11042		Rear License Plate Kit (Includes Light) <i>All Bundles are not compatible with cab tractors</i>	68.20
BLV10953		Rear Power Take-off (Pto) John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
BLV10858		Rear Wheels And Tires 26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels and Tires	474.10
BLV10856		26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels and Tires	535.70
AM108146		Spark Arrester Spark Arrester Screen for Muffler	31.90
LVU12858		Three-point Hitch iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3 in).</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97 in).</i>	26.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1023E Sub-Compact Utility Tractor (15 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP19969		iMatch Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	35.00
LP25004		iMatch Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
PM00353		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 2 to Cat. 1) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM03008.</i>	0.90
PM03008		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 3 to Cat. 2) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM00353.</i>	1.38
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50
		Tire Chains	
TY15958		Tire chains (pair) for 26x12-12 tires <i>Not Compatible with Backhoe installed due to interference with backhoe subframe.</i>	115.26
		Weights	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	140.17
BM17976		50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	70.61
UC13499		70-lb (32-kg) Starter Wheel Weight (1), cast iron, rear 12-in. wheel	178.69
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire	32.10
BM18089		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight on 26x12-12 Tire	24.61
BM17977		Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**1025R Sub-Compact Utility Tractor (18 PTO hp)
Equipment for Base Machine**

ENGINE:
Yanmar 3 Cylinder Liquid Cooled Diesel Engine
Tier IV EPA Emissions Certified Engine HP 24.2 (17.8 kW), PS
PTO HP 18.0 (13.4 kW)
Rated Speed 3200 RPM
Indirect Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety Element
Fully Enclosed Engine and Muffler With Horizontal Exhaust
5.6 Gallon Fuel Tank Capacity (21.2 L)
Hand Throttle
Key Engine Shut Off

TRANSMISSION:
Hydrostatic Transmission:
Infinitely Variable - 2 Speed Transaxle
2-Pedal Foot Operated Speed and Direction Control
Differential Lock
Cruise Control

FRONT/REAR AXLE:
Flanged Rear Axle
Spur Gear Final Drive
4WD

STEERING AND BRAKES:
Hydrostatic Power Steering
Tilt Steering
Wheel Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:
Open Center Hydraulic System
Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter

Working Pressure (2000 PSI)
Dual Mid SCV Standard
PTO:
Mid PTO Standard Equipment
Independent Mid and Rear PTO
540-RPM Rear PTO
Hydraulic PTO Clutch
PTO Brake
Separate or Simultaneous Operation of Mid and Rear PTO
Flip Up PTO Shield
ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE:
Rockshaft
Limited Category 1, 3-Pt.
Position Control Hitch
Rate of Drop/Stop Valve
Hitch Plate

INSTRUMENTATION:
Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Light
Alternator Indicator Light
Flashing Warning Light Indicator

ELECTRICAL:
12-Volt Electrical System
Wet Battery With 500 Cold Cranking Amps
40 Amp Alternator
Key Ignition Starter With Neutral Start Switch

LIGHTS:
Two Front Halogen Head Lights
Two Flashing Warning Lights
Two Fender Lights

OPERATOR PROTECTIVE STRUCTURE:
Folding ROPS (Roll-Over Protective Structure)

** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards
Deluxe Cushion Seat With Seat Belt
Operator Presence System

MISCELLANEOUS:
SMV Emblem
Front Weight Bracket
Tilt-Up Hood
Cupholder - Left Console
Mower Deck Height Adjustment
Tool Box
12V Outlet
Floor Mat

BASE MACHINE (4WD):
Engage on the go 4WD
26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires
18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires

Tier IV EPA Emissions Certified Engine HP 24.2 (17.8 kW), PS
PTO HP 18.0 (13.4 kW)
Rated Speed 3200 RPM

MID-MOWER LIFT SYSTEM:
Mid-Mower Mechanical Lift Ready
Includes Mid-Mower Lift
Rockshaft
Includes Mechanical Lift Arm
Linkage

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

028BLV	1025R Sub-Compact Utility Tractor (18 PTO hp)	14,627.00
--------	---	-----------

DESTINATION

0184	North America Canada	No Added Cost
0202	United States	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0205		DESTINATION Continued... Quebec	No Added Cost
OPERATOR'S MANUAL			
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
OPERATOR'S STATION			
2000		Open Operator Station <i>2 Post Folding Rops (Meets OECD code 7 standard)</i> <i>Yellow deluxe seat with mechanical suspension.</i> <i>Rear Fenders with Handrails</i> <i>Front Work Lights mounted on Rear Fenders</i>	In Base Price
2053		Cab - Heat Only <i>Includes front work lights, front wiper with washer system, two exterior mirrors and 55 amp alternator</i> <i>Factory installed cab comes equipped with loader frames. If a loader is not needed, frames can be removed.</i> <i>Not compatible with backhoe</i>	6,567.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not available with factory installed Tractor/Loader/Backhoe</i>	306.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
5206		26x12-12 (4PR, R3, 1 Position) <i>Requires Front Tire 6206</i>	-47.00
5207		26x12-12 (4PR, R4 Industrial, 1 Position) <i>Requires Front Tire 6207</i>	In Base Price
5208		26x12-12 (4PR, R3 Turf, 1 Position) Radial Ply <i>Requires Front Tire option 6208</i>	125.00
FRONT WHEELS AND TIRES			
6206		18x8.50-10 (4PR, R3 Turf, 1 Position) <i>Requires Front Tire 5206</i>	-35.00
6207		18x8.50-10 (4PR, R4 Industrial, 1 Position) <i>Requires Rear Tire 5207</i>	In Base Price
6208		18x8.50-10 (4PR, R3 Turf, 1 Position) Radial Ply <i>Requires Rear Tire option 5208</i>	80.00

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS			
1701		<p>Factory Installed Loader with Bucket <i>Pricing includes 120R Loader and loader installation charge with the following options:</i></p> <p><i>53 In. (1350mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover</i></p> <p><i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	4,265.00
1795		Less Loader	In Base Price
BACKHOES			
3701		<p>260B Factory Installed Backhoe with Bucket <i>Requires Factory Installed Loader Option (1701 or 1750)</i></p> <p><i>Pricing includes backhoe and installation with the following options:</i></p> <p><i>6 ft. 2 In. (1.89 m) Digging Depth One Double Acting Swing Cylinder 150 Degree Swing Angle Two Lever Control Six Spool Control Valve 12 In. Bucket Transport Locking Pins Hydraulic Stabilizers Subframe Mounting and Power Beyond Hydraulics</i></p> <p><i>Note: Three-point hitch WILL be included and arrive with the tractor in a box attached to the backhoe. Not available with factory installed iMatch</i></p>	6,706.00
3749		Less Backhoe	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		<p>3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i></p>	139.00
LP64809		<p>Canopy Kit - Rigid Plastic <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. All Bundles are not compatible with cab tractors</i></p>	463.95
LP68694		<p>Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1025R and 2025R MY18 and newer tractors. All Bundles are not compatible with cab tractors</i></p>	34.95

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP95637		Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
BXX10241		Attaching Parts Load-N-Go for 60D AutoConnect 7-Iron Deck <i>For use on 5325M and 701CLV mower decks on 1 family tractors.</i>	248.60
BW15073		Ballast Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
LP68116		Cab Operator's Station Beacon Light Kit <i>Includes orange rotating beacon light, mounting bracket and hardware, illuminated rocker switch and wiring. For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	120.00
LP68119		Console Adapter Kit for Non-Current Tractors <i>Required for all 1026R tractors. Also required for 1025R tractors built prior to calendar year 2016 (- GXXXXXXX). For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	270.00
LP68087		Drop-on cab from Mauser (Heat Only) <i>F.O.B. Milwaukee, Wisconsin. Not Compatible with Backhoe. Recommended to use 55 Amp Alternator (BLV11188) when installing cab. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	5,440.00
BLV11246		Illuminated License Plate Kit	81.40
LP68118		Illuminated Rear License Plate Kit <i>For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	80.00
LP68117		Rear LED Work Light Kit <i>Includes LED work light, mounting bracket and hardware, illuminated rocker switch and wiring. For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	105.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP68115	Rear Wiper Kit <i>Includes wiper motor, arm, blade, illuminated rocker switch, fuse and wiring. For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	200.00
	BLV11241	Rear Wiper Kit <i>Includes wiper motor, arm, blade, illuminated rocker switch, fuse and wiring.</i>	204.60
	LP68120	Stereo Kit <i>Includes radio console for mounting, 2x speakers, 1x antenna, wiring for radio (DIN), wiring for speakers. For use with drop-on cab (LP68087). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	155.00
	AM134805	Cold Start Packages Engine Block Heater Adapter	122.63
	LP63768	Drawbar Magnetic hitch pin	18.99
	BLV10640	Engine Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	66.00
	LVA15392	Exhaust Spark Arrester Screen for Muffler	45.37
	BLV10623	Front Weights Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R, 2032R) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).</i>	223.30
	BLV10859	Front Wheels And Tires 18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels and Tires	345.40
	BLV10857	18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels and Tires	388.30
	BLV11143	Hydraulics 3rd Function Selective Control Valve <i>Mid-mounted valve required for 3rd function loader applications. Requires BXX10268 (loader hose kit) for use with grapple bucket, 4 in 1 bucket and/or front blade. Not compatible with BLV10688 (Independent mower lift system) and LVB25956 (Power Beyond Kit) The following kits can be installed in conjunction with this kit but cannot be combined: Mower Deck Hydraulic Lift Hose Kit (BLV11205) Power Beyond Kit (BLV11216) Rear Selective Control Valve Kit (BLV11217) Please see compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i>	726.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV11216		<p>Power Beyond Kit For use on 1023E and 1025R Tractors built after July 14th, 2017.</p> <p><i>Includes Rear Mounted Hydraulic Couplers and Hose.</i></p> <p><i>Not Compatible with Rear Tubing Kit (BLV10948), Rear Selective Control Valve Kit (BLV11217) or Mauser Cab</i></p> <p><i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	179.30
LVB25956		<p>Power Beyond Kit (1023E, 1025R, 1026R) For use on 1023E and 1025R Tractors built before July 14th, 2017. <i>Includes Rear Mounted Hydraulic Couplers and Hose.</i> <i>Not Compatible with Rear Tubing Kit and Rear Selective Control Valve Kit or 3rd Function Selective Control Valve Kit</i> <i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	184.80
LVB25837		<p>Rear Tubing Kit For use on 1023E and 1025R Tractors Built prior to July 14th, 2017. <i>Routes Dual Mid SCVs to rear of tractor</i> <i>Not Compatible with Power Beyond Kit or Rear Selective Control Valve kit</i> <i>Also not compatible with Backhoe.</i> <i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	323.40
BLV10948		<p>Rear Tubing Kit <i>Routes Dual Mid SCVs to Rear of Tractor.</i></p> <p><i>Not compatible with Power Beyond Kit (BLV11216), Rear Selective Control Valve Kit (BLV11217) or Mauser cab</i></p> <p><i>See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed</i></p>	323.40
LVB25547		<p>Lighting Auxiliary Rear Work Light Kit (1 Light) <i>Includes Required Wiring Harness</i></p> <p><i>Not Compatible with Forward Lighting Kit (LVB25546) and Mauser Cab.</i> <i>All Bundles are not compatible with cab tractors</i></p>	67.10
LVB25546		<p>Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400)</i></p> <p><i>Not Compatible with Rear Work Light Kit (LVB25547) and Mauser Cab</i> <i>All Bundles are not compatible with cab tractors</i></p>	114.40
BLV10497		<p>LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i></p> <p><i>Requires Warning Light Brush Guard Kit (BLV10400).</i></p> <p><i>Not compatible with Mauser Cab</i> <i>All Bundles are not compatible with cab tractors</i></p>	319.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10673		Premium LED Work Light Kit <i>Includes 2 Fender mounted (Near Beam) LED Lights, 1 Rear mounted (Near Beam LED Light for PTO and Hitch Illumination and 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection.</i> <i>Not compatible with Mauser Cab</i>	432.30
BLV11244		Rear LED Work Light Kit <i>Includes LED work light, mounting bracket and hardware, illuminated rocker switch and wiring.</i> <i>Cab Only</i>	106.70
BXX10310		Rotating Beacon Light <i>Includes: Orange rotating beacon light Mounting bracket and hardware Illuminated rocker switch and wiring</i> <i>Cab Only</i>	122.10
BLV10400		Warning Light Brush Guard Kit (Two Guards) <i>Not compatible with Mauser Cab All Bundles are not compatible with cab tractors</i>	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i> <i>Not compatible with Mauser Cab All Bundles are not compatible with cab tractors</i>	84.70
BLV11042		Open Operator's Station Rear License Plate Kit (Includes Light) <i>All Bundles are not compatible with cab tractors Not compatible with Mauser Cab</i>	68.20
BXE10606		Operator's Station Cell Phone Suction Cup Kit	64.90
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
BXE10607		X-Grip Tablet Dual Suction Cup Kit for Tablets	190.30
BLV10953		Rear Power Take-off (Pto) John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
BLV10858		Rear Wheels And Tires 26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels and Tires	474.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10856		26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels and Tires	535.70
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3 in).</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97 in).</i>	26.00
LP19969		iMatch Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	35.00
LP25004		iMatch Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
PM00353		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 2 to Cat. 1) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM03008.</i>	0.90
PM03008		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 3 to Cat. 2) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM00353.</i>	1.38
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50
		Tire Chains	
TY15958		Tire chains (pair) for 26x12-12 tires <i>Not Compatible with Backhoe installed due to interference with backhoe subframe.</i>	115.26
		Weights	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	140.17
BM17976		50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	70.61
UC13499		70-lb (32-kg) Starter Wheel Weight (1), cast iron, rear 12-in. wheel	178.69
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire	32.10
BM18089		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight on 26x12-12 Tire	24.61

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

1025R Sub-Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM17977	Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
	UC13263	Quik-Tatch Weight, 42 lb (19 kg)	60.99

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2025R Compact Utility Tractor (18 PTO hp)
Equipment for Base Machine**

<p>ENGINE: Yanmar 3 Cylinder Liquid Cooled Diesel Engine Final Tier IV EPA Emissions Certified Engine Power 23.9 HP (17.8 kW) 24.2 PS ** PTO Power 18.0 HP (13.4 kW) **Manufacturer's Estimate of Power (ISO) per SAE J1995 Rated Speed 3200 RPM 77.3 Cu. In. Displacement (1.267 L) Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element and Mechanical Restriction Indicator Fully Enclosed Engine and Muffler with Horizontal Exhaust 6.2 Gallon Fuel Tank Capacity (23.5 L) Hand Throttle Key Engine Shut Off</p> <p>TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle TwinTouch (2-Pedal) Foot Operated Speed and Direction Control Differential Lock Cruise Control</p> <p>FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive 4WD</p> <p>STEERING AND BRAKES: Hydrostatic Power Steering Tilt Steering Wheel Brakes Park Brake Wet Disk Brakes</p> <p>HYDRAULICS: Open Center Hydraulic System 9.0cc Gear Pump Maximum Total Flow 7.5 GPM (28.5 LPM) Working Pressure (2000 PSI) Dual Mid SCV Standard</p>	<p>PTO: Independent Mid and Rear PTO 540-RPM Rear PTO 2000-RPM Mid PTO Hydraulic PTO Clutch Mid PTO Brake Rear PTO Brake Separate or Simultaneous Operation of Mid and Rear PTO (Single Lever Control) Flip Up Rear PTO Shield ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE / DRAWBAR: Rockshaft Limited Category 1, 3-Pt. Hitch Position Control Hitch Rate of Drop/Stop Valve Hitch Plate Adjustable Sway Chains INSTRUMENTATION: Analog Style Fuel Gauge in Left Hand Fender Tachometer/Hour Meter Oil Pressure Indicator Light Analog Engine Coolant Temperature Gauge Coolant Over-Temperature Warning Light Alternator Charge Indicator Light PTO Engagement Light Park Brake Light Flashing Amber Warning Light</p> <p>ELECTRICAL: 12-Volt Outlet 12-Volt Electrical System Wet Battery with 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter with Over-Start Protection Neutral Start Switch</p> <p>LIGHTS: Two Front Halogen Head Lights Two Forward Flashing Warning Lights Two Rearward Flashing Warning Lights Two Fender Lights Brake Indicator Lights **Turn Signal Indication per Current ASABE Lighting Standard</p> <p>OPERATOR PROTECTIVE STRUCTURE:</p>	<p>Folding ROPS (Roll-Over-Protective Structure) **Meets OECD 7 Standard Deluxe Cushion Seat with Seat Belt Isolated Foot Deck Operator Presence System</p> <p>MISCELLANEOUS: SMV Emblem Front Weight Bracket Tilt-Up Hood with Gas-Lift Shocks Cup holder Integrated Storage in Right Fender (Open) Mower Deck Height Adjustment Tool Box Floor Mat High Back Mechanical Suspension Seat Adjustable Armrests Fuel fill location on LH fender Chrome Plated Row Finder on Hood Seat close out Fender close outs Fender grab handles - LH & RH</p> <p>BASE MACHINE (4WD): Engage on-the-go 4WD Anti-Wrapping Guard for 4WD Drive Shaft 12-16.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires 23x8.50-12 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels & Tires</p> <p>MID-MOWER LIFT SYSTEM: Mid-Mower Mechanical Lift Ready Includes Mid-Mower Lift Rockshaft Includes Mechanical Lift Arm Linkage</p>
--	--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

151BLV	2025R Compact Utility Tractor (18 PTO hp)	17,043.00
--------	---	-----------

DESTINATION

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
024H		DESTINATION Continued... United States Minor Outlying Islands	No Added Cost
0184		North America Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec	No Added Cost
OPERATOR'S MANUAL			
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual and Decal Kit	No Added Cost
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
OPERATOR'S STATION			
2000		Open Operator Station	In Base Price
2053		Cab - Heat Only <i>Not compatible with backhoe Includes front work lights, front wiper with washer system, two exterior mirrors and 55 amp alternator</i> <i>Factory installed cab comes equipped with loader frames. If a loader is not needed, frames can be removed.</i>	6,567.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Not available with factory installed Tractor/Loader/Backhoe Includes one set of bushings</i>	306.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
5203		12-16.5 (6PR, R4 Industrial, 1 Position) Bias Ply	125.00
5204		280/70 R16 (R3 Turf, 1 Position) Radial	245.00
5205		12-16.5 (4PR, R3 Turf, 1 Position) Bias Ply	In Base Price
FRONT WHEELS AND TIRES			
6203		23 X 8.50-12 (6PR, R4 Industrial, 1 Position) Bias Ply	45.00
6204		220/55 R12 (R3 Turf, 1 Position) Radial	162.00
6205		23 X 8.50-12 (4PR, R3 Turf, 1 Position) Bias Ply	In Base Price
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 120R Loader and loader installation charge with the following options:</i>	4,265.00

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2025R Compact Utility Tractor (18 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<p>LOADERS Continued... 53 In. (1350mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover</p> <p><i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	
1795		Less Loader	In Base Price
		<p>BACKHOES</p>	
3701		<p>260B Factory Installed Backhoe with Bucket Not available with factory installed iMatch Requires Factory Installed Loader Option (1701 or 1750)</p> <p><i>Pricing includes backhoe and installation with the following options:</i></p> <p>6 ft. 2 In. (1.89 m) Digging Depth One Double Acting Swing Cylinder 150 Degree Swing Angle Two Lever Control Six Spool Control Valve 12 In. Bucket Transport Locking Pins Hydraulic Stabilizers Subframe Mounting and Power Beyond Hydraulics</p> <p><i>Note: Three-point hitch WILL be included and arrive with the tractor in a box attached to the backhoe.</i></p>	6,706.00
3749		Less Backhoe	In Base Price
		<p>ATTACHMENTS FOR FIELD CONVERSION</p>	
		<p>Accessories</p>	
LP25001		<p>3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</p>	139.00
LP64809		<p>Canopy Kit - Rigid Plastic For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. All Bundles are not compatible with cab tractors</p>	463.95
LP70011		Rear Wiper Kit	200.00
LP68694		<p>Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1025R and 2025R MY18 and newer tractors. All Bundles are not compatible with cab tractors</p>	34.95

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP95637	Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
	BXX10241	Attaching Parts Load-N-Go for 60D AutoConnect 7-Iron Deck <i>For 2025R installation also order TR107595 Kit BXX10241 (Load-N-Go) is not compatible with the Power Flow Material Collection System option due to an interference fit issue For use on 701ALV and 701CLV mower decks on MY2017 and newer 2025R tractors</i>	248.60
	BW15073	Ballast Ballast Box	302.50
	BW15074	Ballast Box Extension	143.00
	AM134805	Cold Start Packages Engine Block Heater Adapter	122.63
	BLV10784	Engine Auto-Throttle Kit <i>Kit contains cables and necessary hardware to connect the TwinTouch pedals to the engine throttle. This allows engine speed to increase or decrease as the transmission speed changes. This feature works in both the forward and reverse directions.</i>	240.90
	BLV10640	Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	66.00
	LVA15392	Exhaust Spark Arrester Screen for Muffler	45.37
	BLV10945	Front Fenders Turnable Front Fender Kit with Quick Release Mechanism <i>Not compatible while mid-mount mower is installed.</i>	491.70
	BLV10680	Front Hitch Front Attaching Support kit (model year 2017- 2025R, 2026R)	298.10
	BLV10880	Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	319.00
	BLV10708	Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	832.70
	BLV10681	Front Power Take-off (Pto) 2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	424.79
	BLV10623	Front Weights Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R, 2032R) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).</i>	223.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Front Wheels And Tires			
BLV10745		220/55-12 (R3 Turf) Radial Front Wheels & Tires	375.10
BLV10741		23x8.5-12 (R3 Turf) Bias Ply Front Wheels & Tires	455.40
BLV10743		23x8.5-12 (R4 Industrial) Bias Ply Front Wheels & Tires	512.60
Hydraulics			
BLV11156		3rd Function Selective Control Valve <i>Mid-mounted valve required for 3rd function loader applications.</i>	726.00
		<i>Requires Loader bundle BXX10210 (Third Function Loader Hose Kit) for use with grapple bucket, 4 in 1 bucket and/or front blade.</i>	
		<i>Not compatible for use in conjunction with BLV10933 (Independent mower lift system) as functionality will be limited. However, if using with independent mower lift, also order BLV11115.</i>	
		<i>Please reference the compatibility matrix located on the Value Selling Navigator for additional parts that might be needed.</i>	
BLV10746		Power Beyond Kit <i>For use on MY 2017 and Newer 2025R Tractors</i> <i>Not compatible with Third SCV Kit (BLV11025) or Rear Outlet Kit (BLV10775)</i>	184.80
BLV11238		Power Beyond Kit <i>Not compatible with Drop On Cab from Mauser (LP68087).</i>	184.80
BLV11025		Rear Selective Control Valve Kit <i>For use on MY 2017 and newer 2025R tractors</i>	696.30
		<i>Not compatible with Mauser Cab, Power Beyond Kit (BLV11238) or Rear Tubing Kit (BLV10775)</i>	
BLV10775		Rear Tubing Kit <i>Routes dual mid SCVs to rear of tractor</i>	323.40
		<i>Not compatible with Power Beyond Kit (BLV11238), Rear SCV Kit (BLV11025), Backhoe or Tire Chains</i>	
Lighting			
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Required Wiring Harness</i>	67.10
		<i>Not Compatible with Forward Lighting Kit (LVB25546) and Mauser Cab.</i> <i>All Bundles are not compatible with cab tractors</i>	
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400)</i>	114.40
		<i>Not Compatible with Rear Work Light Kit (LVB25547) and Mauser Cab</i> <i>All Bundles are not compatible with cab tractors</i>	
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	319.00
		<i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	
		<i>Not compatible with Mauser Cab</i> <i>All Bundles are not compatible with cab tractors</i>	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10673		Premium LED Work Light Kit <i>Includes 2 Fender mounted (Near Beam) LED Lights, 1 Rear mounted (Near Beam LED Light for PTO and Hitch Illumination and 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection.</i> <i>Not compatible with Mauser Cab</i>	432.30
BXX10310		Rotating Beacon Light <i>Includes: Orange rotating beacon light Mounting bracket and hardware Illuminated rocker switch and wiring</i> <i>Cab Only</i>	122.10
BLV10400		Warning Light Brush Guard Kit (Two Guards) <i>Not compatible with Mauser Cab All Bundles are not compatible with cab tractors</i>	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i> <i>Not compatible with Mauser Cab All Bundles are not compatible with cab tractors</i>	84.70
BLV11042		Open Operator's Station Rear License Plate Kit (Includes Light) <i>All Bundles are not compatible with cab tractors Not compatible with Mauser Cab</i>	68.20
BXE10606		Operator's Station Cell Phone Suction Cup Kit	64.90
BXE10607		X-Grip Tablet Dual Suction Cup Kit for Tablets	190.30
BLV10930		Rear Fenders Rear Fender Extension Kit	86.90
BLV10953		Rear Power Take-off (Pto) John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
BM17987		Rear Wheel Weights Attaching Hardware for Rear Wheel Weight, 60 lb	16.50
BM17965		Rear Wheel Weight, 60 lb (27.2 kg)	140.80
BLV10740		Rear Wheels And Tires 12-16.5 (R3 Turf) Bias Ply Rear Wheels & Tires	894.30
BLV10742		12x16.5 (R4 Industrial) Bias Ply Rear Wheels & Tires	1,051.60

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10744		280/70-16 (R3 Turf) Radial Rear Wheels & Tires	845.90
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3 in).</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97 in).</i>	26.00
LP19969		iMatch Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	35.00
LP25004		iMatch Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
PM00353		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 2 to Cat. 1) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM03008.</i>	0.90
PM03008		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 3 to Cat. 2) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM00353.</i>	1.38
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
		Wheels And Tires	
TY15201		Tire Chains <i>For use with 280/70-16 (R3 - Radial) rear tires.</i>	223.30

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2025R Compact Utility Tractor (18 PTO hp)
Equipment for Base Machine**

<p>ENGINE: Yanmar 3 Cylinder Liquid Cooled Diesel Engine Final Tier IV EPA Emissions Certified Engine Power 23.9 HP (17.8 kW) 24.2 PS ** PTO Power 18.0 HP (13.4 kW) **Manufacturer's Estimate of Power (ISO) per SAE J1995 Rated Speed 3200 RPM 77.3 Cu. In. Displacement (1.267 L) Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element and Mechanical Restriction Indicator Fully Enclosed Engine and Muffler with Horizontal Exhaust 6.2 Gallon Fuel Tank Capacity (23.5 L) Hand Throttle Key Engine Shut Off</p> <p>TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle TwinTouch (2-Pedal) Foot Operated Speed and Direction Control Differential Lock Cruise Control</p> <p>FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive 4WD</p> <p>STEERING AND BRAKES: Hydrostatic Power Steering Tilt Steering Wheel Brakes Park Brake Wet Disk Brakes</p> <p>HYDRAULICS: Open Center Hydraulic System 9.0cc Gear Pump Maximum Total Flow 7.5 GPM (28.5 LPM) Working Pressure (2000 PSI) Dual Mid SCV Standard</p>	<p>PTO: Independent Mid and Rear PTO 540-RPM Rear PTO 2000-RPM Mid PTO Hydraulic PTO Clutch Mid PTO Brake Rear PTO Brake Separate or Simultaneous Operation of Mid and Rear PTO (Single Lever Control) Flip Up Rear PTO Shield ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE / DRAWBAR: Rockshaft Limited Category 1, 3-Pt. Hitch Position Control Hitch Rate of Drop/Stop Valve Hitch Plate Adjustable Sway Chains INSTRUMENTATION: Analog Style Fuel Gauge in Left Hand Fender Tachometer/Hour Meter Oil Pressure Indicator Light Analog Engine Coolant Temperature Gauge Coolant Over-Temperature Warning Light Alternator Charge Indicator Light PTO Engagement Light Park Brake Light Flashing Amber Warning Light</p> <p>ELECTRICAL: 12-Volt Outlet 12-Volt Electrical System Wet Battery with 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter with Over-Start Protection Neutral Start Switch</p> <p>LIGHTS: Two Front Halogen Head Lights Two Forward Flashing Warning Lights Two Rearward Flashing Warning Lights Two Fender Lights Brake Indicator Lights **Turn Signal Indication per Current ASABE Lighting Standard</p> <p>OPERATOR PROTECTIVE STRUCTURE:</p>	<p>Folding ROPS (Roll-Over-Protective Structure) **Meets OECD 7 Standard Deluxe Cushion Seat with Seat Belt Isolated Foot Deck Operator Presence System</p> <p>MISCELLANEOUS: SMV Emblem Front Weight Bracket Tilt-Up Hood with Gas-Lift Shocks Cup holder Integrated Storage in Right Fender (Open) Mower Deck Height Adjustment Tool Box Floor Mat High Back Mechanical Suspension Seat Adjustable Armrests Fuel fill location on LH fender Chrome Plated Row Finder on Hood Seat close out Fender close outs Fender grab handles - LH & RH</p> <p>BASE MACHINE (4WD): Engage on-the-go 4WD Anti-Wrapping Guard for 4WD Drive Shaft 12-16.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires 23x8.50-12 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels & Tires</p> <p>MID-MOWER LIFT SYSTEM: Mid-Mower Mechanical Lift Ready Includes Mid-Mower Lift Rockshaft Includes Mechanical Lift Arm Linkage</p>
--	--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

151DLV	2025R Compact Utility Tractor (18 PTO hp)	17,003.00
--------	---	-----------

DESTINATION

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0184		DESTINATION Continued... Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec, Canada	No Added Cost
024H		United States Minor Outlying Islands	No Added Cost
OPERATOR'S MANUAL			
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
OPERATOR'S STATION			
2000		Open Operator Station	In Base Price
2053		Cab - Heat Only <i>Includes front work lights, front wiper with washer system and two exterior mirrors. Not compatible with backhoe</i>	6,567.00
REAR WHEELS AND TIRES			
5203		12-16.5 (6PR, R4 Industrial, 1 Position) Bias Ply	125.00
5205		12-16.5 (4PR, R3 Turf, 1 Position) Bias Ply	In Base Price
5204		280/70 R16 (R3 Turf, 1 Position) Radial	245.00
FRONT WHEELS AND TIRES			
6203		23 X 8.50-12 (6PR, R4 Industrial, 1 Position) Bias Ply	45.00
6205		23 X 8.50-12 (4PR, R3 Turf, 1 Position) Bias Ply	In Base Price
6204		220/55 R12 (R3 Turf, 1 Position) Radial	162.00
THREE-POINT HITCH			
4061		Less iMatch Quick Hitch	In Base Price
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings.</i>	306.00
LOADERS			
1795		Less Loader	In Base Price
1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 120R Loader with the following options: 53 In.(1350 mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System</i>	4,265.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS Continued...			
<i>Mounting Frame</i>			
<i>Deluxe Hood Guard</i>			
<i>Mechanical Bucket Level Indicator</i>			
<i>Oil Line Cover</i>			
<i>Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>			
<hr/>			
BACKHOES			
3701		260B Factory Installed Backhoe with Bucket <i>Requires Factory Installed Loader Option (1701 or 1750)</i>	6,706.00
<i>Pricing includes backhoe and installation with the following options:</i>			
<i>6 ft. 2 In. (1.89 m) Digging Depth</i>			
<i>One Double Acting Swing Cylinder</i>			
<i>150 Degree Swing Angle</i>			
<i>Two Lever Control</i>			
<i>Six Spool Control Valve</i>			
<i>12 In. Bucket</i>			
<i>Transport Locking Pins</i>			
<i>Hydraulic Stabilizers</i>			
<i>Subframe Mounting and Power Beyond Hydraulics</i>			
<i>Note: Three-point hitch WILL be included and arrive with the tractor in a box attached to the backhoe.</i>			
<i>*Not available with factory installed iMatch</i>			
3749		Less Backhoe	In Base Price
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
LP64809		Canopy Kit - Rigid Plastic <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	463.95
LP70014		Illuminated Rear License Plate Kit <i>For use with drop-on cab (LP70009).</i> <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i> <i>All bundles listed in this section are specific to the drop on Mauser cab.</i> <i>These kits are not compatible with open station tractors</i>	90.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP70011		<p>Rear Wiper Kit Includes wiper motor, arm, blade, illuminated rocker switch, fuse and wiring. For use with drop-on cab (LP70009). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer All bundles listed in this section are specific to the drop on Mauser cab. These kits are not compatible with open station tractors</p>	200.00
LP68694		<p>Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1025R and 2025R MY18 and newer tractors.</p>	34.95
LP70016		<p>Stereo Kit Includes radio console for mounting, 2x speakers, 1x antenna, wiring for radio (DIN), wiring for speakers. For use with drop-on cab (LP70009). Recommended radio SWJHD1130WP For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. All bundles listed in this section are specific to the drop on Mauser cab. These kits are not compatible with open station tractors</p>	87.00
LP95637		<p>Tractor Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</p>	159.99
BXX10241		<p>Attaching Parts Load-N-Go for 60D AutoConnect 7-Iron Deck For 2025R installation also order TR107595 Kit BXX10241 (Load-N-Go) is not compatible with the Power Flow Material Collection System option due to an interference fit issue For use on 701ALV and 701CLV mower decks on MY2017 and newer 2025R tractors</p>	248.60
BW15073		<p>Ballast Ballast Box</p>	302.50
BW15074		Ballast Box Extension	143.00
LP70009		<p>Cab Operator's Station Drop-on cab from Mauser (Heat Only) F.O.B. Milwaukee, Wisconsin Not Compatible with Backhoe. Recommended to use 55 Amp Alternator (BLV11188) when installing cab. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. All bundles listed in this section are specific to the drop on Mauser cab. These kits are not compatible with open station tractors</p>	5,790.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP70013		Rear LED Work Light Kit <i>All bundles listed in this section are specific to the drop on Mauser cab. These kits are not compatible with open station tractors. Includes LED work light, mounting bracket and hardware, illuminated rocker switch and wiring. For use with drop-on cab (LP70009). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	79.00
BLV11241		Rear Wiper Kit <i>Includes wiper motor, arm, blade, illuminated rocker switch, fuse and wiring. All bundles listed in this section are specific to the drop on Mauser cab. These kits are not compatible with open station tractors</i>	204.60
AM134805		Cold Start Packages Engine Block Heater Adapter	122.63
BLV10784		Engine Auto-Throttle Kit <i>Kit contains cables and necessary hardware to connect the TwinTouch pedals to the engine throttle. This allows engine speed to increase or decrease as the transmission speed changes. This feature works in both the forward and reverse directions.</i>	240.90
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	66.00
LVA15392		Exhaust Spark Arrester Screen for Muffler	45.37
BLV10945		Front Fenders Turnable Front Fender Kit with Quick Release Mechanism <i>Not compatible while mid-mount mower is installed.</i>	491.70
BLV10680		Front Hitch Front Attaching Support kit (model year 2017- 2025R, 2026R)	298.10
BLV10880		Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	319.00
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	832.70
BLV10681		Front Power Take-off (Pto) 2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	424.79
BLV10623		Front Weights Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R, 2032R) <i>Required for installation of front toolbox in conjunction with front weights. Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).</i>	223.30
BLV10745		Front Wheels And Tires 220/55-12 (R3 Turf) Radial Front Wheels & Tires	375.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10741		23x8.5-12 (R3 Turf) Bias Ply Front Wheels & Tires	455.40
BLV10743		23x8.5-12 (R4 Industrial) Bias Ply Front Wheels & Tires	512.60
		Hydraulics	
BLV11156		3rd Function Selective Control Valve <i>Mid-mounted valve required for 3rd function loader applications Requires Loader bundle BXX10210 (Third Function Hydraulic Kit) for use with grapple bucket, 4 in 1 bucket and/or front blade Not compatible with BLV10933 (Premium Independent Hydraulic Mower Lift Kit) If using 3rd Function SCV with Independent Mower Lift, also order BLV11115 Please reference the compatibility matrix located on the Value Selling Navigator for additional parts that might be needed</i>	726.00
BLV11238		Power Beyond Kit <i>For use on MY 2017 and Newer 2026R Tractors. Not compatible with Third SCV Kit (BLV10702 or BLV10703) or Rear Tubing Kit (BLV10775). For use on MY 2017 and Newer 2025R Tractors. Not compatible with Third SCV Kit (BLV11025) or Rear Tubing Kit (BLV10775)</i>	184.80
BLV11025		Rear Selective Control Valve Kit <i>For use on MY 2017 and Newer 2025R Tractors. Not compatible with Power Beyond Kit (BLV10746) or Rear Outlet Kit (BLV10775).</i>	696.30
BLV10775		Rear Tubing Kit <i>Routes Dual Mid SCVs to Rear of Tractor. Not compatible with Power Beyond Kit (BLV10746) or Third SCV Kit (BLV11025). Not compatible with Tire Chains.</i>	323.40
		Lighting	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	67.10
LP70012		Beacon Light Kit <i>All bundles listed in this section are specific to the drop on Mauser cab. These kits are not compatible with open station tractors Includes orange rotating beacon light, mounting bracket and hardware, illuminated rocker switch and wiring. For use with drop-on cab (LP70009). For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	120.00
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	319.00
BLV10673		Premium LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection. Includes 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation. Includes 2 Fender mounted (Near Beam) LED Lights. Includes 1 Rear mounted (Near Beam) LED Light for PTO and Hitch Illumination.</i>	432.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BXX10310		Rotating Beacon Light <i>Includes orange rotating beacon light, mounting bracket and hardware, illuminated rocker switch and wiring.</i>	122.10
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		Open Operator's Station	
BLV11042		Rear License Plate Kit (Includes Light)	68.20
		Operator's Station	
BXE10606		Cell Phone Suction Cup Kit <i>Compatible with Mauser cabs All bundles listed in this section are specific to the drop on Mauser cab. These kits are not compatible with open station tractors</i>	64.90
BXE10607		X-Grip Tablet Dual Suction Cup Kit for Tablets <i>All bundles listed in this section are specific to the drop on Mauser cab. These kits are not compatible with open station tractors Compatible with Mauser cabs</i>	190.30
		Rear Fenders	
BLV10930		Rear Fender Extension Kit	86.90
		Rear Power Take-off (Pto)	
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM17987		Attaching Hardware for Rear Wheel Weight, 60 lb	16.50
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
		Rear Wheels And Tires	
BLV10740		12-16.5 (R3 Turf) Bias Ply Rear Wheels & Tires	894.30
BLV10742		12x16.5 (R4 Industrial) Bias Ply Rear Wheels & Tires	1,051.60
BLV10744		280/70-16 (R3 Turf) Radial Rear Wheels & Tires	845.90
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3in).</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97in).</i>	26.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2025R Compact Utility Tractor (18 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP19969		iMatch Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	35.00
LP25004		iMatch Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
PM00353		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 2 to Cat. 1) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM03008.</i>	0.90
PM03008		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 3 to Cat. 2) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM00353.</i>	1.38
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
		Wheels And Tires	
TY15201		Tire Chains <i>For Use with 280/70-16 (R3 - Radial) Rear Tires.</i>	223.30

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2032R Compact Utility Tractor (25 PTO hp)
Equipment for Base Machine**

ENGINE:

Yanmar 3 Cylinder Liquid Cooled Diesel Engine
Final Tier IV EPA Emissions Certified
Engine Power 30.8 HP (23.0 kW)
31.2 PS **
PTO Power 25.0 HP (18.6 kW)
**Manufacturer's Estimate of Power (ISO) per SAE J1995
Rated Speed 2500 RPM
100.2 Cu. In. Displacement (1.642 L)
Direct Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety Element and Electronic Restriction Indicator
Fully Enclosed Engine and Muffler with Side Outlet Exhaust
8.6 Gallon Fuel Tank Capacity (32.5 L)
Hand Throttle
eThrottle - Automotive Style Throttle Control (Hydro Pedal Increases Engine RPM) - Selectable
Key Engine Shut Off

TRANSMISSION:

Hydrostatic Transmission:
Infinitely Variable - 2 Speed Transaxle
TwinTouch (2-Pedal) Foot Operated Speed and Direction Control
Differential Lock
Cruise Control

FRONT/REAR AXLE:

Flanged Rear Axle
Spur Gear Final Drive
4WD

STERING AND BRAKES:

Hydrostatic Power Steering
Tilt Steering
Individual Wheel (Turning) Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:

Open Center Hydraulic System
Dual Gear Pumps
8.2cc Gear Pump (Implement)
6.1cc Gear Pump (Steering)
Maximum Total Flow 9.1 GPM (34.2 LPM)

Steering Pump 3.9 GPM (14.6 LPM)
Implement Pump 5.2 GPM (19.6 LPM)
Working Pressure (2500 PSI)
Dual Mid SCV Standard

PTO:

Independent Mid and Rear PTO
540-RPM Rear PTO
2000-RPM Mid PTO
Hydraulic PTO Clutch
Mid PTO Brake
Rear PTO Brake
Separate or Simultaneous Operation of Mid and Rear PTO (Single Lever Control)
Flip Up Rear PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND

HITCH PLATE / DRAWBAR:
Rockshaft
Category 1, 3-Pt. Hitch
Position Control Hitch
Rate of Drop/Stop Valve
Adjustable Drawbar
Adjustable Sway Chains

INSTRUMENTATION:

Analog Style Fuel Gauge in Instrument Panel
Tachometer/Hour Meter
Premium Instrument Panel with Advanced Diagnostic Capabilities
Dot Matrix Display with Multiple Language Support
Oil Pressure Indicator Light
Air Filter Restriction Indicator Light
Analog Engine Coolant Temperature Gauge
Coolant Over-Temperature Warning Light
Alternator Charge Indicator Light
PTO Engagement Light
Park Brake Light
Flashing Amber Warning Light
Cruise Control Indicator Light
MFWD Indicator Light
Digital PTO Speed Indicator

ELECTRICAL:

12-Volt Outlet
12-Volt Electrical System
Wet Battery with 500 Cold Cranking Amps
85 Amp Alternator
Key Ignition Starter with Over-Start Protection
Neutral Start Switch
Pre-Wired for Backup Alarm

LIGHTS:

Two Front Halogen Head Lights
Two Forward Flashing Warning Lights
Two Rearward Flashing Warning Lights
Two Fender Lights
Brake Indicator Lights
**Turn Signal Indication per Current ASABE Lighting Standard

OPERATOR PROTECTIVE STRUCTURE:

Folding ROPS (Roll-Over-Protective Structure)
**Meets OECD 7 Standard
Deluxe Cushion Seat with Seat Belt
Isolated Foot Deck
Operator Presence System

MISCELLANEOUS:

SMV Emblem
Front Weight Bracket
Tilt-Up Hood with Gas-Lift Shocks
Cup holder
Integrated Storage in Left Fender (Covered)
Integrated Storage in Right Fender (Open)
Floor Mat
High Back Mechanical Suspension Seat
Adjustable Armrests
Fuel fill location on LH fender
Chrome Plated Row Finder on Hood
Seat close out
Fender close outs
Fender grab handles - LH & RH

BASE MACHINE (4WD):

Engage on-the-go 4WD
Anti-Wrapping Guard for 4WD Drive Shaft
14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires
23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
BASE MACHINE Continued...			
<i>F.O.B. Grovetown, Georgia</i>			
1534LV		2032R Compact Utility Tractor (25 PTO hp)	23,214.00
DESTINATION			
North America			
0184		Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec	No Added Cost
Central America			
024H		United States Minor Outlying Islands	No Added Cost
OPERATOR'S MANUAL			
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings.</i>	306.00
4061		Less iMatch Quick Hitch	In Base Price
REAR WHEELS AND TIRES			
5206		12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply	-503.00
5207		14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply	-63.00
5208		14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
5209		300/70 R20 (R3 Turf, 1 Position) Radial	770.00
FRONT WHEELS AND TIRES			
6206		7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply	-280.00
6207		23X8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply	-62.00
6208		23X8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
6209		200/60 R15 (R3 Turf, 1 Position) Radial	35.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 220R Loader with the following options:</i>	4,798.00
		<i>Non Self-Leveling Boom</i>	
		<i>Hoses and Hydraulic Couplers</i>	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<p>LOADERS Continued... 57 In. (1450 mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator</p> <p><i>Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	
1750		<p>Factory Installed Loader less Bucket Pricing includes loader installation charge and 220R Loader with the following options:</p> <p><i>Non Self-Leveling Boom Hoses and Hydraulic Couplers Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator</i></p> <p><i>Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	4,023.00
1795		Less Loader	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

		<p>Accessories</p>	
LP25001		<p>3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</p>	139.00
RE19428		Safety Chain Support Kit	158.04
LP95637		<p>Tractor Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</p>	159.99
		<p>Ballast</p>	
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
		<p>Drawbar</p>	
LP63768		Magnetic hitch pin	18.99
		<p>Engine</p>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
		<p>Front Fenders</p>	
BLV10520		Rear FenderExtension Kit	287.10
BLV10999		Turnable Front Fender Kit	491.70
		<p>Front Hitch</p>	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10637		A-Frame Quick Attach System (3120-3720, 3033R-3046R, model year 2017- 2032R, 2036R, and 2038R tractors)	220.00
BLV10634		Auxiliary front hydraulic coupler kit (model year 2017- 2032R, 2036R, and 2038R tractors) <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>	97.90
BLV10631		Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors)	1,421.20
BLV10638		Hydraulic accumulator kit for Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors) <i>For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	128.70
		Front Power Take-off (Pto)	
BLV10633		2000 RPM Front PTO (model year 2017- 2032R, 2036R, and 2038R) <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	330.00
		Front Weights	
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB24952.</i>	99.00
		Front Wheels And Tires	
BLV10601		200/60 R15 (R3 Turf, 1 Position) Radial - Front Wheels & Tires	930.60
BLV10598		23x8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels & Tires	807.40
BLV10600		23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires	888.80
BLV10596		7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply - Front Wheels & Tires	535.70
		Hydraulic Connection	
BW16970		Single Point Connector <i>For use with 220R loaders on 2032R and 2038R tractors, MY17 and newer</i>	634.70
		Hydraulics	
BLV10882		Dual Outlet Rear Selective Control Valve Kit With Continuous Flow <i>Includes Valve, Tubing, Hydraulic Couplers, Continuous Flow Switch, and Replacement Panel for R.H. Console. For use on MY17 and newer 2032R and 2038R Tractors.</i>	904.20
BLV10881		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on MY17 and newer 2032R and 2038R Tractors.</i>	435.60
		Lighting	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	319.00
BLV10673		Premium LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection. Includes 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation. Includes 2 Fender mounted (Near Beam) LED Lights. Includes 1 Rear mounted (Near Beam) LED Light for PTO and Hitch Illumination.</i>	432.30
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		Miscellaneous	
BLV10430		Wheel Spacer Set, 60MM (each side) <i>For use on MY17 and newer 2032R and 2038R tractors only.</i>	337.70
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV10677		Rear License Plate Kit (Includes Light)	68.20
TY25324		Weather Protection Umbrella	114.87
		Rear Power Take-off (Pto)	
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM17987		Attaching Hardware for Rear Wheel Weight, 60 lb <i>For 16 In. Wheel (Additional Weight, 60 Lb.)</i>	16.50
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
		Rear Wheels And Tires	
BLV10595		12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply - Rear Wheels & Tires	778.80
BLV10597		14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires	1,329.90
BLV10599		14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires	1,410.20
BLV10602		300/70 R20 (R3 Turf, 1 Position) Radial - Rear Wheels & Tires	2,378.20

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2032R Compact Utility Tractor (25 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY4460		Tire Chains <i>For Use with 14-17.5 In. (R3 and R4) Rear Tires. Wheel Spacer Kit (BLV10430) is required when Backhoe Sub-Frame is installed on tractor.</i>	291.64
LUV12858		Three-point Hitch iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3in).</i>	24.54
LUV15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97in).</i>	26.00
LP19969		iMatch Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	35.00
LP25004		iMatch Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
PM00353		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 2 to Cat. 1) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM03008.</i>	0.90
PM03008		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 3 to Cat. 2) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM00353.</i>	1.38
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LUV15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50
BLV10641		Transmission Transmission Oil Heater	88.00
LVB24952		Weights Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights. Black in Color.</i>	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB24952.</i>	60.99

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2038R Compact Utility Tractor (30 PTO hp)
Equipment for Base Machine**

ENGINE:

Yanmar 3 Cylinder Liquid Cooled Diesel Engine
Final Tier IV EPA Emissions Certified
Engine Power 36.8 HP (27.4 kW) 37.3 PS **
PTO Power 30.0 HP (22.4 kW)
**Manufacturer's Estimate of Power (ISO) per SAE J1995
Rated Speed 2500 RPM
95.7 Cu. In. Displacement (1.568 L)
Direct Fuel Injection
Auto Bleed Fuel System
Glow Plug Cold Starting Aid
Anti-Freeze
Dry Type Air Cleaner With Safety Element and Electronic Restriction Indicator
Fully Enclosed Engine and Muffler with Side Outlet Exhaust
8.6 Gallon Fuel Tank Capacity (32.5 L)
Hand Throttle
eThrottle - Automotive Style Throttle Control (Hydro Pedal Increases Engine RPM) - Selectable
Key Engine Shut Off

TRANSMISSION:

Hydrostatic Transmission:
Infinitely Variable - 2 Speed Transaxle
TwinTouch (2-Pedal) Foot Operated Speed and Direction Control
Differential Lock
Cruise Control

FRONT/REAR AXLE:

Flanged Rear Axle
Spur Gear Final Drive
4WD

STERING AND BRAKES:

Hydrostatic Power Steering
Tilt Steering
Individual Wheel (Turning) Brakes
Park Brake
Wet Disk Brakes

HYDRAULICS:

Open Center Hydraulic System
Dual Gear Pumps
8.2cc Gear Pump (Implement)
6.1cc Gear Pump (Steering)
Maximum Total Flow 9.1 GPM (34.2 LPM)

Steering Pump 3.9 GPM (14.6 LPM)
Implement Pump 5.2 GPM (19.6 LPM)
Working Pressure (2500 PSI)
Dual Mid SCV Standard

PTO:

Independent Mid and Rear PTO
540-RPM Rear PTO
2000-RPM Mid PTO
Hydraulic PTO Clutch
Mid PTO Brake
Rear PTO Brake
Separate or Simultaneous Operation of Mid and Rear PTO (Single Lever Control)
Flip Up Rear PTO Shield

ROCKSHAFT, 3-PT. HITCH, AND

HITCH PLATE / DRAWBAR:
Rockshaft
Category 1, 3-Pt. Hitch
Position Control Hitch
Rate of Drop/Stop Valve
Adjustable Drawbar
Adjustable Sway Chains

INSTRUMENTATION:

Analog Style Fuel Gauge in Instrument Panel
Tachometer/Hour Meter
Premium Instrument Panel with Advanced Diagnostic Capabilities
Dot Matrix Display with Multiple Language Support
Oil Pressure Indicator Light
Air Filter Restriction Indicator Light
Analog Engine Coolant Temperature Gauge
Coolant Over-Temperature Warning Light
Alternator Charge Indicator Light
PTO Engagement Light
Park Brake Light
Flashing Amber Warning Light
Cruise Control Indicator Light
MFWD Indicator Light
Digital PTO Speed Indicator

ELECTRICAL:

12-Volt Outlet
12-Volt Electrical System
Wet Battery with 500 Cold Cranking Amps
85 Amp Alternator
Key Ignition Starter with Over-Start Protection
Neutral Start Switch
Pre-Wired for Backup Alarm

LIGHTS:

Two Front Halogen Head Lights
Two Forward Flashing Warning Lights
Two Rearward Flashing Warning Lights
Two Fender Lights
Brake Indicator Lights
**Turn Signal Indication per Current ASABE Lighting Standard

OPERATOR PROTECTIVE STRUCTURE:

Folding ROPS (Roll-Over-Protective Structure)
**Meets OECD 7 Standard
Deluxe Cushion Seat with Seat Belt
Isolated Foot Deck
Operator Presence System

MISCELLANEOUS:

SMV Emblem
Front Weight Bracket
Tilt-Up Hood with Gas-Lift Shocks
Cup holder
Integrated Storage in Left Fender (Covered)
Integrated Storage in Right Fender (Open)
Floor Mat
High Back Mechanical Suspension Seat
Adjustable Armrests
Fuel fill location on LH fender
Chrome Plated Row Finder on Hood
Seat close out
Fender close outs
Fender grab handles - LH & RH

BASE MACHINE (4WD):

Engage on-the-go 4WD
Anti-Wrapping Guard for 4WD Drive Shaft
14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires
23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
BASE MACHINE Continued...			
<i>F.O.B. Grovetown, Georgia</i>			
1554LV		2038R Compact Utility Tractor (30 PTO hp)	25,171.00
DESTINATION			
North America			
0184		Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec	No Added Cost
Central America			
024H		United States Minor Outlying Islands	No Added Cost
OPERATOR'S MANUAL			
0409		English	In Base Price
0413		French	No Added Cost
0437		Spanish	No Added Cost
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings.</i>	306.00
4061		Less iMatch Quick Hitch	In Base Price
REAR WHEELS AND TIRES			
5206		12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply	-503.00
5207		14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply	-63.00
5208		14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
5209		300/70 R20 (R3 Turf, 1 Position) Radial	770.00
FRONT WHEELS AND TIRES			
6206		7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply	-280.00
6207		23X8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply	-62.00
6208		23X8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
6209		200/60 R15 (R3 Turf, 1 Position) Radial	35.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 220R Loader with the following options:</i>	4,798.00
		<i>Non Self-Leveling Boom</i>	
		<i>Hoses and Hydraulic Couplers</i>	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<p>LOADERS Continued... 57 In. (1450 mm) Quick Change Materials Bucket Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator</p> <p><i>Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	
1750		<p>Factory Installed Loader less Bucket Pricing includes loader installation charge and 220R Loader with the following options:</p> <p><i>Non Self-Leveling Boom Hoses and Hydraulic Couplers Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator</i></p> <p><i>Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	4,023.00
1795		Less Loader	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

		<p>Accessories</p>	
LP25001		<p>3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</p>	139.00
RE19428		Safety Chain Support Kit	158.04
LP95637		<p>Tractor Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</p>	159.99
		<p>Ballast</p>	
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
		<p>Drawbar</p>	
LP63768		Magnetic hitch pin	18.99
		<p>Engine</p>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
		<p>Front Fenders</p>	
BLV10520		Rear FenderExtension Kit	287.10
BLV10999		Turnable Front Fender Kit	491.70
		<p>Front Hitch</p>	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10637		A-Frame Quick Attach System (3120-3720, 3033R-3046R, model year 2017- 2032R, 2036R, and 2038R tractors)	220.00
BLV10634		Auxiliary front hydraulic coupler kit (model year 2017- 2032R, 2036R, and 2038R tractors) <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>	97.90
BLV10631		Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors)	1,421.20
BLV10638		Hydraulic accumulator kit for Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors) <i>For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	128.70
		Front Power Take-off (Pto)	
BLV10633		2000 RPM Front PTO (model year 2017- 2032R, 2036R, and 2038R) <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	330.00
		Front Weights	
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB24952.</i>	99.00
		Front Wheels And Tires	
BLV10601		200/60 R15 (R3 Turf, 1 Position) Radial - Front Wheels & Tires	930.60
BLV10598		23x8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels & Tires	807.40
BLV10600		23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires	888.80
BLV10596		7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply - Front Wheels & Tires	535.70
		Hydraulic Connection	
BW16970		Single Point Connector <i>For use with 220R loaders on 2032R and 2038R tractors, MY17 and newer</i>	634.70
		Hydraulics	
BLV10882		Dual Outlet Rear Selective Control Valve Kit With Continuous Flow <i>Includes Valve, Tubing, Hydraulic Couplers, Continuous Flow Switch, and Replacement Panel for R.H. Console. For use on MY17 and newer 2032R and 2038R Tractors.</i>	904.20
BLV10881		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on MY17 and newer 2032R and 2038R Tractors.</i>	435.60
		Lighting	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

2038R Compact Utility Tractor (30 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	319.00
BLV10673		Premium LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection. Includes 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation. Includes 2 Fender mounted (Near Beam) LED Lights. Includes 1 Rear mounted (Near Beam) LED Light for PTO and Hitch Illumination.</i>	432.30
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		Miscellaneous	
BLV10430		Wheel Spacer Set, 60MM (each side) <i>For use on MY17 and newer 2032R and 2038R tractors only.</i>	337.70
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV10677		Rear License Plate Kit (Includes Light)	68.20
TY25324		Weather Protection Umbrella	114.87
		Rear Power Take-off (Pto)	
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM17987		Attaching Hardware for Rear Wheel Weight, 60 lb <i>For 16 In. Wheel (Additional Weight, 60 Lb.)</i>	16.50
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
		Rear Wheels And Tires	
BLV10595		12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply - Rear Wheels & Tires	778.80
BLV10597		14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires	1,329.90
BLV10599		14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires	1,410.20
BLV10602		300/70 R20 (R3 Turf, 1 Position) Radial - Rear Wheels & Tires	2,378.20

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**2038R Compact Utility Tractor (30 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY4460		Tire Chains <i>For Use with 14-17.5 In. (R3 and R4) Rear Tires. Wheel Spacer Kit (BLV10430) is required when Backhoe Sub-Frame is installed on tractor.</i>	291.64
LUV12858		Three-point Hitch iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3in).</i>	24.54
LUV15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97in).</i>	26.00
LP19969		iMatch Bushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	35.00
LP25004		iMatch Bushing Kit <i>Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.70
PM00353		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 2 to Cat. 1) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM03008.</i>	0.90
PM03008		iMatch Quick Hitch Upper Adapter Bushing <i>Includes one top link bushing (Cat. 3 to Cat. 2) - Length 50.8mm (2.0in). For a double reduction in size, use together with PM00353.</i>	1.38
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LUV15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50
BLV10641		Transmission Transmission Oil Heater	88.00
LVB24952		Weights Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights. Black in Color.</i>	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB24952.</i>	60.99

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3025D Compact Utility Tractor
Equipment for Base Machine**

<p>ENGINE: Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 24.7 (18.2 kW)** Rated Speed 2400 RPM **Engine HP (kW), gross SAE J1995: 24.7 (18.2) @ 2400 rpm, PS Displacement, cu in. (L): 100.20 (1.642)</p> <p>TRANSMISSION: 4-Wheel Drive Gear Transmission 8F/8R Differential Lock</p> <p>HYDRAULICS: 8.5 GPM (32 LPM) Total Flow</p>	<p>5.0 GPM (19 LPM) Implement Pump 3.5 GPM (13 LPM) Steering Pump</p> <p>PTO: Independent 540 RPM Rear PTO Mechanically Engaged Wet Clutch</p> <p>ELECTRICAL: 12-Volt System 55 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Maintenance Free Battery with 600 Cold Cranking Amps</p> <p>OPERATOR PROTECTIVE STRUCTURE: Adjustable Vinyl Seat without suspension Folding ROPS Meets ASABE S478.1 and OSHA</p>	<p>1928.5l ROPS Certification Standards Retractable Seat Belt Operator Presence with Safety Interlock System</p> <p>BASE MACHINE (4WD): 11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires</p>
---	--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1680LV		3025D Compact Utility Tractor	17,023.00
--------	--	-------------------------------	-----------

DESTINATION

0184		Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec	No Added Cost

OPERATOR'S MANUAL

0437		Spanish North American Operators Manual and Decal Kit	No Added Cost
0409		English North American Operators Manual and Decal Kit	In Base Price
0413		French Canadian Operators Manual and Decal Kit	No Added Cost

LOADERS

1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i> 61 In. (1550 mm) Quick Change Materials Bucket Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	5,247.00
1750		Factory Installed Loader less Bucket	4,459.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3025D Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS Continued...			
<i>Pricing includes loader installation charge and 300E loader with the following options:</i>			
<i>Mounting Frame</i>			
<i>Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit</i>			
<i>Hood Guard</i>			
<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>			
1795		Less Loader	In Base Price
DRAFT LINK			
4110		Draft Links - Flat Bar (Standard)	In Base Price
4120		Draft Links - Telescoping	327.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch (Category 1) <i>Includes 1 set of bushings</i> <i>Not compatible with Telescoping Draft Links</i>	306.00
4061		Less iMatch Quick Hitch	In Base Price
DRAWBAR AND TRAILER HITCH			
4310		Rear Drawbar <i>Includes support bracket and retention pin.</i>	No Added Cost
REAR WHEELS AND TIRES			
5210		15-19.5 6PR R4 Industrial <i>1 Position</i>	155.00
5211		11.20-24 6PR R1 Bar <i>1 Position</i>	In Base Price
5213		41x14-20 4PR R3 Turf <i>1 Position</i>	20.00
FRONT WHEELS AND TIRES			
6210		25x8.50-14 6PR R4 Industrial <i>2 Position</i>	60.00
6211		7-14 6PR R1 Bar <i>2 Position</i>	In Base Price
6213		27x8.50-15 6PR R3 Turf <i>2 Position</i>	70.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3025D Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
RE19428		Safety Chain Support Kit	158.04
Ballast			
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
Draft Link			
BLV10908		Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	411.40
Drawbar			
BLV10904		Rear Drawbar Kit	156.20
Engine			
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
BLV10906		Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out.</i>	38.50
Exhaust			
BLV11105		Spark Arrester Screen	234.30
Front Weights			
BLV11045		Front Weight Bracket Extension <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>	193.60
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV11045.</i>	99.00
Front Wheels And Tires			
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	657.80
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	669.90
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	583.00
Hydraulics			
BLV10901		Rear Hydraulic Kit	937.20
Lighting			
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	67.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3025D Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11094		Rear License Plate Kit (Include Light)	68.20
		Rear Power Take-off (Pto)	
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	140.80
		Rear Wheels And Tires	
BLV10937		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,625.80
BLV10936		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels and Tires	1,820.50
BLV10942		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,651.10
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	349.42

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3025D Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook	383.90
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV11045.</i>	60.99
		Wheel Tread Width	
BLV10985		Wheel Spacer Kit	337.70

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3035D Compact Utility Tractor
Equipment for Base Machine**

ENGINE: Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 34.7 (25.5 kW)** Rated Speed 2800 RPM **Engine HP (kW), gross SAE J1995: 34.7 (25.5) @ 2800 rpm, PS Displacement, cu in. (L): 100.20 (1.642)	Pump 3.5 GPM (13.0 LPM) Steering Pump PTO: Independent 540 RPM Rear PTO Mechanically Engaged Wet Clutch ELECTRICAL: 12-Volt System 55 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Maintenance Free Battery with 600 Cold Cranking Amps OPERATOR PROTECTIVE STRUCTURE: Adjustable Vinyl Seat without suspension Folding ROPS Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification	Standards Retractable Seat Belt Operator Presence with Safety Interlock System BASE MACHINE (4WD): 11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires
---	--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1690LV		3035D Compact Utility Tractor	21,008.00
--------	--	-------------------------------	-----------

DESTINATION

0184		Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec	No Added Cost

OPERATOR'S MANUAL

0437		Spanish North American Operators Manual and Decal Kit	No Added Cost
0409		English North American Operators Manual and Decal Kit	In Base Price
0413		French Canadian Operators Manual and Decal Kit	No Added Cost

LOADERS

1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i> 61 In. (1550 mm) Quick Change Materials Bucket Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	5,247.00
------	--	---	----------

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3035D Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1750		LOADERS Continued... Factory Installed Loader less Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i> <i>Mounting Frame</i> <i>Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit</i> <i>Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	4,459.00
1795		Less Loader	In Base Price
DRAFT LINK			
4110		Draft Links - Flat Bar (Standard)	In Base Price
4120		Draft Links - Telescoping	327.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch (Category 1) <i>Includes 1 set of bushings</i> <i>Not compatible with Telescoping Draft Links</i>	306.00
4061		Less iMatch Quick Hitch	In Base Price
DRAWBAR AND TRAILER HITCH			
4310		Rear Drawbar <i>Includes support bracket and retention pin.</i>	No Added Cost
REAR WHEELS AND TIRES			
5210		15-19.5 6PR R4 Industrial <i>1 Position</i>	155.00
5211		11.20-24 6PR R1 Bar <i>1 Position</i>	In Base Price
5213		41x14-20 4PR R3 Turf <i>1 Position</i>	20.00
FRONT WHEELS AND TIRES			
6210		25x8.50-14 6PR R4 Industrial <i>2 Position</i>	60.00
6211		7-14 6PR R1 Bar <i>2 Position</i>	In Base Price
6213		27x8.50-15 6PR R3 Turf <i>2 Position</i>	70.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3035D Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
RE19428		Safety Chain Support Kit	158.04
Ballast			
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
Draft Link			
BLV10908		Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	411.40
Drawbar			
BLV10904		Rear Drawbar Kit	156.20
Engine			
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
BLV10906		Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out.</i>	38.50
Exhaust			
BLV11105		Spark Arrester Screen	234.30
Front Weights			
BLV11045		Front Weight Bracket Extension <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>	193.60
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV11045.</i>	99.00
Front Wheels And Tires			
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	657.80
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	669.90
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	583.00
Hydraulics			
BLV10901		Rear Hydraulic Kit	937.20
Lighting			
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	67.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3035D Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11094		Rear License Plate Kit (Include Light)	68.20
		Rear Power Take-off (Pto)	
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	140.80
		Rear Wheels And Tires	
BLV10937		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,625.80
BLV10936		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels and Tires	1,820.50
BLV10942		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,651.10
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	349.42

JOHN DEERE TURF & UTILITY PRODUCTS
 COMPACT UTILITY TRACTORS

3035D Compact Utility Tractor
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Three-point Hitch	
LUV12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook	383.90
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV11045.</i>	60.99
		Wheel Tread Width	
BLV10985		Wheel Spacer Kit	337.70

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3043D Compact Utility Tractor
Equipment for Base Machine**

ENGINE:
Yanmar Liquid Cooled Diesel
Engine
Tier IV EPA Emissions Certified
Engine HP 42.2 (31 kW)**
Rated Speed 2800 RPM
**Engine HP (kW), gross SAE
J1995: 42.2 (31) @ 2800 rpm, PS
Displacement, cu in. (L): 95.69
(1.568)

TRANSMISSION:
4-Wheel Drive
Gear Transmission
8F/8R
Differential Lock

HYDRAULICS:
8.5 GPM (32 LPM) Total Flow
5.0 GPM (19 LPM) Implement Pump

3.5 GPM (13 LPM) Steering Pump
PTO:
Independent 540 RPM Rear PTO
Mechanically Engaged Wet Clutch

ELECTRICAL:
12-Volt System
55 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Maintenance Free Battery with
600 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Adjustable Vinyl Seat without
suspension
Folding ROPS
Meets ASABE S478.1 and OSHA
1928.51 ROPS Certification

Standards
Retractable Seat Belt
Operator Presence with Safety
Interlock System

BASE MACHINE (4WD):
11.20-24 (6PR, R1 Bar, 1
Position) Rear Wheels & Tires
7-14 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

16A0LV		3043D Compact Utility Tractor	24,195.00
--------	--	-------------------------------	-----------

DESTINATION

0184		Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec	No Added Cost

OPERATOR'S MANUAL

0437		Spanish North American Operators Manual and Decal Kit	No Added Cost
0409		English North American Operators Manual and Decal Kit	In Base Price
0413		French Canadian Operators Manual and Decal Kit	No Added Cost

LOADERS

1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i> 61 In. (1550 mm) Quick Change Materials Bucket Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	5,247.00
1750		Factory Installed Loader less Bucket	4,459.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3043D Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS Continued...			
<i>Pricing includes loader installation charge and 300E loader with the following options:</i>			
<i>Mounting Frame</i>			
<i>Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit</i>			
<i>Hood Guard</i>			
<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>			
1795		Less Loader	In Base Price
DRAFT LINK			
4110		Draft Links - Flat Bar (Standard)	In Base Price
4120		Draft Links - Telescoping	327.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch (Category 1) <i>Includes 1 set of bushings</i> <i>Not compatible with Telescoping Draft Links</i>	306.00
4061		Less iMatch Quick Hitch	In Base Price
DRAWBAR AND TRAILER HITCH			
4310		Rear Drawbar <i>Includes support bracket and retention pin.</i>	No Added Cost
REAR WHEELS AND TIRES			
5210		15-19.5 6PR R4 Industrial <i>1 Position</i>	155.00
5211		11.20-24 6PR R1 Bar <i>1 Position</i>	In Base Price
5213		41x14-20 4PR R3 Turf <i>1 Position</i>	20.00
FRONT WHEELS AND TIRES			
6210		25x8.50-14 6PR R4 Industrial <i>2 Position</i>	60.00
6211		7-14 6PR R1 Bar <i>2 Position</i>	In Base Price
6213		27x8.50-15 6PR R3 Turf <i>2 Position</i>	70.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3043D Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
RE19428		Safety Chain Support Kit	158.04
Ballast			
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
Draft Link			
BLV10908		Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	411.40
Drawbar			
BLV10904		Rear Drawbar Kit	156.20
Engine			
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
BLV10906		Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out.</i>	38.50
Exhaust			
BLV11105		Spark Arrester Screen	234.30
Front Weights			
BLV11045		Front Weight Bracket Extension <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>	193.60
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV11045.</i>	99.00
Front Wheels And Tires			
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	657.80
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	669.90
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	583.00
Hydraulics			
BLV10901		Rear Hydraulic Kit	937.20
Lighting			
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	67.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3043D Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11094		Rear License Plate Kit (Include Light)	68.20
		Rear Power Take-off (Pto)	
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	140.80
		Rear Wheels And Tires	
BLV10937		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,625.80
BLV10936		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels and Tires	1,820.50
BLV10942		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,651.10
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	349.42

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3043D Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Three-point Hitch	
LUV12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook	383.90
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV11045.</i>	60.99
		Wheel Tread Width	
BLV10985		Wheel Spacer Kit	337.70

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3025E Compact Utility Tractor
Equipment for Base Machine**

<p>ENGINE: Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 24.7 (18.2 kW)** PTO HP 19.4 (14.4 kW) HST Rated Speed 2500 RPM **Engine HP (kW), gross SAE J1995: 24.7 (18.2) @ 2500 rpm, PS Displacement, cu in. (L): 100.20 (1.642)</p> <p>TRANSMISSION: 4-Wheel Drive HST Transmission 2 Ranges Differential Lock (Control Integrated with Brake Pedal)</p> <p>HYDRAULICS: 9.3 GPM (35.2 LPM) Total Flow 5.3 GPM (20.1 LPM) Implement</p>	<p>Pump 4.0 GPM (15.1 LPM) Steering Pump</p> <p>ROCKSHAFT, HITCH AND DRAWBAR: Drawbar PTO: Independent 540 RPM Rear PTO Electronically Engaged Wet Clutch</p> <p>ELECTRICAL: 12-Volt System 55 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Maintenance Free Battery with 500 Cold Cranking Amps</p> <p>OPERATOR PROTECTIVE STRUCTURE: Adjustable Vinyl Seat without suspension Folding ROPS</p>	<p>Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification Standards Retractable Seat Belt Operator Presence with Safety Interlock System</p> <p>BASE MACHINE (4WD): 11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires</p>
--	---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1359LV	3025E Compact Utility Tractor	18,330.00
--------	-------------------------------	-----------

DESTINATION

0202	North America United States	In Base Price
0184	Canada	No Added Cost
0205	Quebec	No Added Cost
024H	Oceania United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost

THREE-POINT HITCH

4060	iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	306.00
------	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3025E Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4061		THREE-POINT HITCH Continued... Less iMatch Quick Hitch Category 1	In Base Price
DRAFT LINK			
4110		Draft Links - Flat Bar (Standard)	In Base Price
4120		Draft Links - Telescoping	327.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5210		15-19.5 6PR R4 Industrial 1 Position	155.00
5213		41x14-20 4PR R3 Turf 1 Position	20.00
5211		11.20-24 6PR R1 Bar 1 Position	In Base Price
5214		43x16-20 6PR R4 Industrial 1 Position	177.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6210		25x8.50-14 6PR R4 Industrial 2 Position	60.00
6213		27x8.50-15 6PR R3 Turf 2 Position	70.00
6211		7-14 6PR R1 Bar 2 Position	In Base Price
6214		27x8.50-15 6PR R4 Industrial 2 Position	135.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 300E Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier 61 In. (1550 mm) Quick Change Materials Bucket Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,247.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 300E Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier</i>	4,459.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3025E Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued... <i>Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard</i>	
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1795		Less Loader	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

		Accessories	
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
RE19428		Safety Chain Support Kit	158.04
LP95637		Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
		Ballast	
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
		Draft Link	
BLV10919		Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	411.40
		Drawbar	
LP63768		Magnetic hitch pin	18.99
BLV10918		Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	163.90
		Engine	
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	66.00
BLV11022		Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out. It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	38.50
		Exhaust	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3025E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV11104		Spark Arrester Screen <i>For MY18 and newer Tractors.</i>	234.30
		Front Weights	
BLV10443		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Green in Color.</i>	193.60
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV10443.</i>	99.00
		Front Wheels And Tires	
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	657.80
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	752.40
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	669.90
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	583.00
		Hydraulics	
BLV10903		Dual Rear Selective Control Valve <i>For MY18 and newer Tractors.</i> <i>Not Compatible with Power Beyond Kit (BLV11068)</i>	937.20
BLV11068		Power Beyond Kit <i>Not Compatible with Dual Rear Selective Control Valve Kit (BLV10903)</i> <i>Includes Rear Mounted Hydraulic Couplers and Hoses. For use with Backhoe on 3025E-3038E Open Station Tractors</i>	435.60
		Lighting	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights.</i> <i>Each light has 360 degree rotation.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11034		Left Hand Mirror Kit	201.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3025E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer Tractors.</i>	68.20
BLV11035		Right Hand Mirror Kit	201.30
TY25324		Weather Protection Umbrella	114.87
		Rear Power Take-off (Pto)	
BLV10953		John Deere Quik Knect PTO receiver	189.20
		Rear Wheel Weights	
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	140.80
		Rear Wheels And Tires	
BLV10854		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,625.80
BLV10852		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	1,820.50
BLV10850		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,651.10
BLV10988		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,850.20
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	349.42
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
		Transmission	
BLV10898		Cruise Control Kit <i>For MY18 and newer Tractors. It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	264.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3025E Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10641		Transmission Oil Heater <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	88.00
LVB24952		Weights Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV10443 or LVB24952.</i>	60.99

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3032E Compact Utility Tractor
Equipment for Base Machine**

ENGINE:
Yanmar Liquid Cooled Diesel
Engine
Tier IV EPA Emissions Certified
Engine HP 31.1 (22.3 kW)*
PTO HP 25.0 (18.6 kW) HST
Rated Speed 2500 RPM
**Engine HP (kW), gross SAE
J1995: 31.1 (22.3) @ 2500 rpm,
PS
Displacement, cu in. (L): 100.20
(1.642)

TRANSMISSION:
4-Wheel Drive
HST Transmission
2 Ranges
Differential Lock (Control
Integrated with Brake Pedal)

HYDRAULICS:
9.3 GPM (35.2 LPM) Total Flow

5.3 GPM (20.1 LPM) Implement
Pump
4.0 GPM (15.1 LPM) Steering Pump
ROCKSHAFT, HITCH AND DRAWBAR:
Drawbar

PTO:
Independent 540 RPM Rear PTO
Electronically Engaged Wet
Clutch

ELECTRICAL:
12-Volt System
55 Amp Alternator
Key Ignition Starter with
Pre-Heat While Cranking
Maintenance Free Battery with
500 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Adjustable Vinyl Seat without
suspension

Folding ROPS
Meets ASABE S478.1 and OSHA
1928.51 ROPS Certification
Standards
Retractable Seat Belt
Operator Presence with Safety
Interlock System

BASE MACHINE (4WD):
11.20-24 (6PR, R1 Bar, 1
Position) Rear Wheels & Tires
7-14 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1479LV	3032E Compact Utility Tractor	20,719.00
--------	-------------------------------	-----------

DESTINATION

0202	North America United States	In Base Price
0184	Canada	No Added Cost
0205	Quebec	No Added Cost
024H	Oceania United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost

THREE-POINT HITCH

4060	iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	306.00
------	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4061		THREE-POINT HITCH Continued... Less iMatch Quick Hitch Category 1	In Base Price
DRAFT LINK			
4110		Draft Links - Flat Bar (Standard)	In Base Price
4120		Draft Links - Telescoping	327.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5210		15-19.5 6PR R4 Industrial 1 Position	155.00
5213		41x14-20 4PR R3 Turf 1 Position	20.00
5211		11.20-24 6PR R1 Bar 1 Position	In Base Price
5214		43x16-20 6PR R4 Industrial 1 Position	177.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6210		25x8.50-14 6PR R4 Industrial 2 Position	60.00
6213		27x8.50-15 6PR R3 Turf 2 Position	70.00
6211		7-14 6PR R1 Bar 2 Position	In Base Price
6214		27x8.50-15 6PR R4 Industrial 2 Position	135.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 300E Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier 61 In. (1550 mm) Quick Change Materials Bucket Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,247.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 300E Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier</i>	4,459.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued... <i>Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard</i>	
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1795		Less Loader	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

		Accessories	
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
RE19428		Safety Chain Support Kit	158.04
LP95637		Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
		Ballast	
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
		Draft Link	
BLV10919		Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	411.40
		Drawbar	
LP63768		Magnetic hitch pin	18.99
BLV10918		Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	163.90
		Engine	
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	66.00
BLV11022		Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out. It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	38.50

Front Weights

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10443		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Green in Color.</i>	193.60
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV10443.</i>	99.00
		Front Wheels And Tires	
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	657.80
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	752.40
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	669.90
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	583.00
		Hydraulics	
BLV10903		Dual Rear Selective Control Valve <i>For MY18 and newer Tractors.</i> <i>Not Compatible with Power Beyond Kit (BLV11068)</i>	937.20
BLV11068		Power Beyond Kit <i>Not Compatible with Dual Rear Selective Control Valve Kit (BLV10903)</i> <i>Includes Rear Mounted Hydraulic Couplers and Hoses. For use with Backhoe on 3025E-3038E Open Station Tractors</i>	435.60
		Lighting	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights.</i> <i>Each light has 360 degree rotation.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11034		Left Hand Mirror Kit	201.30
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer Tractors.</i>	68.20
BLV11035		Right Hand Mirror Kit	201.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY25324		Weather Protection Umbrella	114.87
		Rear Power Take-off (Pto)	
BLV10953		John Deere Quik Knect PTO receiver	189.20
		Rear Wheel Weights	
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	140.80
		Rear Wheels And Tires	
BLV10854		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,625.80
BLV10852		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	1,820.50
BLV10850		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,651.10
BLV10988		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,850.20
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	349.42
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
		Transmission	
BLV10898		Cruise Control Kit <i>For MY18 and newer Tractors. It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	264.00
BLV10641		Transmission Oil Heater <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	88.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3032E Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Weights	
LVB24952		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV10443 or LVB24952.</i>	60.99

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3038E Compact Utility Tractor
Equipment for Base Machine**

ENGINE:
Yanmar Liquid Cooled Diesel
Engine
Tier IV EPA Emissions Certified
Engine HP 37.3 (27.4 kW)*
PTO HP 30.0 (22.4 kW) HST
Rated Speed 2500 RPM
**Engine HP (kW), gross SAE
J1995: 37.3 (27.4) @ 2500 rpm,
PS
Displacement, cu in. (L): 95.68
(1.568)

TRANSMISSION:
4-Wheel Drive
HST Transmission
2 Ranges
Differential Lock (Control
Integrated with Brake Pedal)

HYDRAULICS:
9.3 GPM (35.2 LPM) Total Flow

5.3 GPM (20.1 LPM) Implement
Pump
4.0 GPM (15.1 LPM) Steering Pump
ROCKSHAFT, HITCH AND DRAWBAR:
Drawbar

PTO:
Independent 540 RPM Rear PTO
Electronically Engaged Wet
Clutch

ELECTRICAL:
12-Volt System
55 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Maintenance Free Battery with
500 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Adjustable Vinyl Seat without
suspension

Folding ROPS
Meets ASABE S478.1 and OSHA
1928.51 ROPS Certification
Standards
Retractable Seat Belt
Operator Presence with Safety
Interlock System

BASE MACHINE (4WD):
11.20-24 (6PR, R1 Bar, 1
Position) Rear Wheels & Tires
7-14 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1489LV	3038E Compact Utility Tractor	23,108.00
--------	-------------------------------	-----------

DESTINATION

0202	North America United States	In Base Price
0184	Canada	No Added Cost
0205	Quebec	No Added Cost
024H	Oceania United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost

THREE-POINT HITCH

4060	iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	306.00
------	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4061		THREE-POINT HITCH Continued... Less iMatch Quick Hitch Category 1	In Base Price
DRAFT LINK			
4110		Draft Links - Flat Bar (Standard)	In Base Price
4120		Draft Links - Telescoping	327.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5210		15-19.5 6PR R4 Industrial 1 Position	155.00
5213		41x14-20 4PR R3 Turf 1 Position	20.00
5211		11.20-24 6PR R1 Bar 1 Position	In Base Price
5214		43x16-20 6PR R4 Industrial 1 Position	177.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6210		25x8.50-14 6PR R4 Industrial 2 Position	60.00
6213		27x8.50-15 6PR R3 Turf 2 Position	70.00
6211		7-14 6PR R1 Bar 2 Position	In Base Price
6214		27x8.50-15 6PR R4 Industrial 2 Position	135.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 300E Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier 61 In. (1550 mm) Quick Change Materials Bucket Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,247.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 300E Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier</i>	4,459.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued... <i>Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard</i>	
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1795		Less Loader	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

		Accessories	
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
RE19428		Safety Chain Support Kit	158.04
LP95637		Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
		Ballast	
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
		Draft Link	
BLV10919		Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	411.40
		Drawbar	
LP63768		Magnetic hitch pin	18.99
BLV10918		Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	163.90
		Engine	
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	66.00
BLV11022		Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out. It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	38.50

Front Weights

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10443		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Green in Color.</i>	193.60
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV10443.</i>	99.00
		Front Wheels And Tires	
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	657.80
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	752.40
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	669.90
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	583.00
		Hydraulics	
BLV10903		Dual Rear Selective Control Valve <i>For MY18 and newer Tractors.</i> <i>Not Compatible with Power Beyond Kit (BLV11068)</i>	937.20
BLV11068		Power Beyond Kit <i>Not Compatible with Dual Rear Selective Control Valve Kit (BLV10903)</i> <i>Includes Rear Mounted Hydraulic Couplers and Hoses. For use with Backhoe on 3025E-3038E Open Station Tractors</i>	435.60
		Lighting	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights.</i> <i>Each light has 360 degree rotation.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards)	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i> <i>Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11034		Left Hand Mirror Kit	201.30
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer Tractors.</i>	68.20
BLV11035		Right Hand Mirror Kit	201.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY25324		Weather Protection Umbrella	114.87
		Rear Power Take-off (Pto)	
BLV10953		John Deere Quik Knect PTO receiver	189.20
		Rear Wheel Weights	
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	140.80
		Rear Wheels And Tires	
BLV10854		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	1,625.80
BLV10852		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	1,820.50
BLV10850		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,651.10
BLV10988		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,850.20
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	349.42
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
		Transmission	
BLV10898		Cruise Control Kit <i>For MY18 and newer Tractors. It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	264.00
BLV10641		Transmission Oil Heater <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	88.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3038E Compact Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Weights	
LVB24952		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i> <i>Black in Color.</i>	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV10443 or LVB24952.</i>	60.99

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3033R Compact Utility Tractor (24 PTO hp)
Equipment for Base Machine**

ENGINE:

Yanmar Liquid Cooled Diesel
Engine Tier IV EPA Emissions
Certified
Engine HP 32.2 (23.7 kW)
PTO HP 24.8 (18.5 kW) PRT
PTO HP 24.3 (18.1 kW) HST
Engine HP (kW), Gross SAE J1995:
32.2 (23.7) @ 2600 rpm, PS
Displacement, L: 1.642

TRANSMISSION:

4-Wheel Drive
PRT Transmission
Differential Lock
HYDRAULICS:
Dual Mid Selective Control Valve
with Joystick Control Lever,
Float, Regenerative Function,
and SCV and Regenerative Lockout

PTO:

Independent 540 RPM Rear PTO
Electronically Engaged with
Mechanical Mid-Both-Rear
Selector

ELECTRICAL: 12-Volt Electrical
System

75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position

Maintenance Free Battery with
770 Cold Cranking Amps
OPERATOR PROTECTIVE STRUCTURE:
Deluxe Adjustable Vinyl Seat
with Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure) meets SAE
J2194 and OSHA 1928 ROPS
Certification Standards
Isolated Foot Rest

CAB (OPTIONAL):

12-Volt Auxiliary Power Outlet
Air Conditioning and Heater
Cell Phone Holder
Deluxe Fabric Covered Seat with
Retractable Seat Belt
Armrests
Dual Forward Work Lights
Exclusive Raised Header Bar
Two-Speed Front Windshield
Wiper/Washer
Fully Isolated Cab
High Impact Polymer Fenders with
Integrated Tail Lights
Radio Preparation (with antenna,
speakers, wiring, media player
storage slot)
Molded Rubber Floor Mat
Operator Manual Holder

Rearview Mirror (Inside)
Monitor Mounting Bosses (2 sets)
Right Hand and Left Hand Console
Storage
Right Hand Control Center
Sealed Quiet Cabin
Sun Visor Swing-Out Rear Window
with removable rear plug for
monitor or controller wiring
harnesses
Tilt Steering
Two Front/Two Rear Roof Mounted
Warning Lights
Operator Presence with Safety
Interlock System
Reverse Implement Option (RIO)
BASE MACHINE (4WD):
11.20-24 (6PR, R1 Bar, 5
Position) Rear Wheels & Tires
7-14 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1369LV	3033R Compact Utility Tractor (24 PTO hp)	24,642.00
--------	---	-----------

DESTINATION

	North America	
0184	Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	No Added Cost
	Oceania	
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3033R Compact Utility Tractor (24 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
OPERATOR'S MANUAL Continued...			
TRANSMISSION			
1381		12F/12R PowrReverser <i>Requires Operators Station 2000, SCV 3320, and PTO 3400</i>	In Base Price
1520		eHydro <i>3 Range Electronic Controlled Hydrostatic Transmission (featuring LoadMatch, SpeedMatch, and MotionMatch)</i>	1,393.00
OPERATOR'S STATION			
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) the following set of options are required: 3330 (Dual Mid & Single EH Rear SCV) and 3420 (Mid PTO) OR 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i> <i>If ordering transmission option 1381 (PowrReverser) the following set of options are required: 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i>	In Base Price
2050		Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3320 (Dual Mid SCV), and 3400 (Less Mid PTO)</i>	8,709.00
2051		Snow Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3400 (Less Mid PTO), and 3330 (Dual Mid & Single EH rear SCV)</i>	9,464.00
RADIO			
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.</i> <i>Available ONLY on Cab configurations.</i>	495.00
2650		Less Radio	In Base Price
MID POWER TAKE-OFF (PTO)			
3420		Mid PTO <i>Requires option 3330 (Dual Mid & Single EH Rear SCV)</i> <i>Available only as Dealer-installed option on 3033R Cab Tractors and 3039R Cab with Standard Seat Tractors.</i> <i>Mid PTO is not offered on PRT configurations.</i>	757.00
3400		Less Mid PTO <i>Requires SCV option 3320 (Dual Mid SCV).</i>	In Base Price
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	306.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4061		THREE-POINT HITCH Continued... Less iMatch Quick Hitch Category 1	In Base Price
SELECTIVE CONTROL VALVES			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat configuration (option code 2050).</i>	1,035.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5211		11.2-24 (6PR, R1 Bar, 5 Position)	In Base Price
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-232.00
5233		41LLx18-16.1 (6PR, R3 Turf Special, 1 Position)	548.00
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-97.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-75.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6211		180/95 - 14 (6PR, R1 Bar, 2 Position) <i>Standard Measurement: 7 -14 (6PR, R1 Bar, 2 Position)</i>	In Base Price
6223		27x8.5-15 (6PR, R3 Turf, 2 Position)	70.00
6233		25/10.50LLx15 (6PR, R3 Turf Special, 2 Position)	135.00
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	60.00
6230		27x8.50-15 (6PR, R4 Industrial, 2 Position)	135.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i> <i>61 In. (1550mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,143.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier Mounting Frame Hood Guard</i>	5,355.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS Continued...			
<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>			
1795		Less Loader	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD dealer.</i>	139.00
BLV10359		Horn Kit	62.70
LVB24851		Horn Kit (Cab Only) <i>Horn Kit (Cab Only)</i>	50.60
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
LVB24930		Tool Box Kit <i>Compatible with cab tractors only</i>	64.90
LP95637		Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
Backup Alarm			
BLV10358		Back-up Alarm Kit <i>For open operator station tractors</i>	138.60
BLV10648		Back-up Alarm Kit <i>For cab tractors</i>	138.60
Ballast			
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
Bracket			
BXE10864		12 Tablet Holder Kit (Ipad Pro)	204.60
Cab Operator's Station			
RE343680		Accessory Mounting Bracket	55.81
LVB24983		Air Seat Suspension Kit (Cab Only)	749.10
BRE10015		Cell Phone Mount Kit	67.10
LVB24856		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017</i>	267.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV11052		Rear License Plate Kit (Cab Only) (Includes Light) <i>For MY18 and newer tractors</i>	68.20
BLV10938		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017</i>	267.30
BRE10152		Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Compatible with cab models only.</i>	66.00
SWJHD1630		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option code 8244 when configuring tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	246.05
BRE10255		Tablet Mount Kit	92.40
LVB25308		Draft Link Telescoping Draft Links <i>For use on tractors equipped with Horizontal-Bar Stabilizers CAT 1 balls</i>	365.20
LP63768		Drawbar Magnetic hitch pin	18.99
BLV10640		Engine Engine Coolant Heater Kit (110 Volt)	66.00
BLV10606		Exhaust Vertical Exhaust Kit (Non Turbo) <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts</i>	506.00
BLV10895		Front Fenders Turnable Front Fender Kit (Cab Only)	594.00
BLV10475		Front Power Take-off (Pto) 2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements Requires BLV10439 (Front Three-Point Hitch).</i>	319.93
BLV10452		Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R) <i>Requires BLV10439 (Front Three-Point Hitch).</i>	97.90
BLV10439		Front Quick-hitch Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket)</i>	1,435.50
LVB25705		Front Weights Front Quik-Tatch Weight Kit <i>Includes rod and spring pins for Front Quik-Tatch Weights</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to ten front Quik-Tatch weights</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to twelve front Quik-Tatch weights</i>	262.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	99.00
		Front Wheels And Tires	
BLV10868		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	738.10
BLV10864		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	644.60
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	752.40
BLV10866		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	656.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	583.00
TY15651		Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. Not for use with Front Fender Kit.</i>	115.96
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. Not for use with Front Fender Kit.</i>	114.51
		Hood Guards	
BW16585		Deluxe Hood Guard Attachment	346.50
BW15219		Hood Guard	283.80
		Hydraulics	
BLV10500		EH Third SCV (OOS Only) <i>For MY15 and newer tractors</i> <i>Includes:</i> <i>Rear mounted couplers</i> <i>Hydraulic lines</i> <i>SCV lever</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	968.00
BLV10961		EH Third SCV (Cab Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> <i>Rear mounted couplers</i> <i>Hydraulic lines</i> <i>SCV lever</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	968.00
BLV10649		Electric Diverter Kit (Cab Only) <i>Includes:</i> <i>Diverter valve</i> <i>Electric diverter switch</i> <i>Hydraulic lines</i> <i>Two SCV couplers</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering details</i>	1,591.70

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10983		Electric Diverter Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> <i>Diverter valve</i> <i>Electric diverter switch</i> <i>Hydraulic lines</i> <i>Two SCV couplers</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	1,531.20
BLV10962		Power Beyond Kit <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i> <i>Includes:</i> <i>Rear mounted hydraulic couplers and hose</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	435.60
BLV10964		Power Beyond Kit (Cab Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> <i>Rear mounted hydraulic couplers and hose</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	435.60
BLV11010		Power Beyond Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i> <i>Includes:</i> <i>Rear mounted hydraulic couplers and hoses for use with backhoe</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) or ordering details</i>	435.60
BLV10650		Top and Tilt Field Kit <i>Requires Electric Diverter Kit</i>	1,394.80
LVB24852		Lighting Beacon Light Kit (Cab Only)	260.70
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is pre-wired</i>	161.70
LVB25547		Lighting Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness</i> <i>Not compatible with Forward Lighting Kit (LVB25546)</i> <i>Not available on cab tractors</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i> <i>Not compatible with Rear Work Light Kit (LVB25547)</i>	114.40
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620)</i> <i>Includes two ROPS mounted LED lights</i> <i>Each light has 360 degree rotation</i>	319.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes two guards</i>	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes two guards</i> <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i>	84.70
		Lighting Equipment	
BLV10174		7-Pin Trailer Connector (OOS Only)	108.90
BLV11095		7-Pin Trailer Connector Connector (Cab Only)	136.40
		Maintenance	
LVA21038		Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	195.16
		Mid power Take-off (Pto)	
BLV10848		Mid PTO Control Kit (Cab Only) <i>Not compatible with PRT configurations.</i>	163.90
LVB25537		Mid Power Take-Off (PTO) Kit <i>Not compatible with PRT configurations.</i> <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1) 19M7788 Through Parts.</i> <i>Cab Tractor also Requires BLV10848, Mid PTO Controls.</i>	788.70
		Mirrors	
LVB24844		External Mirror Kit (Cab Only)	203.50
		Open Operator's Station	
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension only. Used with seat that ships with tractor.</i>	680.90
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11034		Left Hand Mirror Kit	201.30
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer tractors</i>	68.20
BLV11035		Right Hand Mirror Kit	201.30
TY25324		Weather Protection Umbrella	114.87
		Operator's Station	
BXE10606		Cell Phone Suction Cup Kit	64.90
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Compatible with cab models only.</i>	25.96
BXE10607		X-Grip Tablet Dual Suction Cup Kit for Tablets	190.30
		Rear Fenders	
BLV10892		Rear Fender Extension Kit (Cab Only)	354.20

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10893		Rear Fender Extension Kit (OOS Only)	281.60
		Rear Power Take-off (Pto)	
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	11.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and additional weight for 19.5 and 20 in. wheels</i>	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg) <i>Starter and additional weight for 24 in. wheels. Requires attaching hardware for each of 03H1605 (Bolt) and 14H1039 (Nut) for starter weight and BM19940 for additional weight. Starter and additional weight for 24 and 28 in. wheels.</i>	171.60
		Rear Wheels And Tires	
BLV10861		11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,905.20
BLV10865		15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,785.30
BLV10867		41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,619.20
BLV10869		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,580.60
BLV10863		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,813.90
TY4453		Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	349.42
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in)</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1). Length 50 mm (1.97 in)</i>	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507)</i>	383.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3033R Compact Utility Tractor (24 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes:</i> Two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2) Two lower reducer bushings (Cat. 2 to Cat. 1) Two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.	104.50
LVB26139		Transmission PRT Oil Cooler Kit	310.20
BLV10641		Transmission Oil Heater <i>HST models only</i>	88.00
UC13263		Weights Quik-Tatch Weight, 42 lb (19 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	60.99

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3039R Compact Utility Tractor (31 PTO hp)
Equipment for Base Machine**

ENGINE:

Yanmar Liquid Cooled Diesel
Engine Tier IV EPA Emissions
Certified

Engine HP 38.7 (28.5 kW)
PTO HP 31.1 (23.2 kW) HST
PTO HP 31.6 (23.6 kW) PRT
Engine HP (kW), Gross SAE J1995:
38.7 (28.5) @ 2600 rpm, PS
Displacement, L: 1.496

TRANSMISSION:

4-Wheel Drive
PRT Transmission
Differential Lock

HYDRAULICS:

Dual Mid Selective Control Valve
with Joystick Control Lever,
Float, Regenerative Function,
and SCV and Regenerative Lockout

PTO:

Independent 540 RPM Rear PTO
Electronically Engaged with
Mechanical Mid-Both-Rear
Selector

ELECTRICAL:

12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with

Accessory and Pre-Heat Position
Maintenance Free Battery with
770 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:

Deluxe Adjustable Vinyl Seat
with Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure) meets SAE
J2194 and OSHA 1928 ROPS
Certification Standards
Isolated Foot Rest

COMFORTGARD CAB (OPTIONAL):

12-Volt Auxiliary Power Outlet
Air Conditioning and Heater
Cell Phone Holder
Deluxe Fabric Covered Seat with
Retractable Seat Belt
Armrests
Dual Forward Work Lights
Exclusive Raised Header Bar
Two-Speed Front Windshield
Wiper/Washer
Fully Isolated Cab
High Impact Polymer Fenders with
Integrated Tail Lights
Radio Preparation (with antenna,
speakers, wiring, media player
storage slot)
Molded Rubber Floormat
Operator Manual Holder

Rearview Mirror (Inside)
Monitor Mounting Bosses (2 sets)
Right Hand and Left Hand Console
Storage
Right Hand Control Center
Sealed Quiet Cabin
Sun Visor
Swing-Out Rear Window with
removable rear plug for monitor
or controller wiring harnesses
Tilt Steering
Two Front/Two Rear Roof Mounted
Warning Lights
Operator Presence with Safety
Interlock System Reverse
Implement Option (RIO)

BASE MACHINE (4WD):

11.20-24 (6PR, R1 Bar, 5
Position) Rear Wheels & Tires
7-14 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

1389LV	3039R Compact Utility Tractor (31 PTO hp)	27,222.00
--------	---	-----------

DESTINATION

	North America	
0184	Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	No Added Cost
Oceania		
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3039R Compact Utility Tractor (31 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0437		OPERATOR'S MANUAL Continued... Spanish Operator's Manual and Decal Kit	No Added Cost
TRANSMISSION			
1381		12F/12R PowrReverser <i>Requires Operators Station 2000, SCV 3320, and PTO 3400</i>	In Base Price
1520		eHydro <i>3 Range Electronic Controlled Hydrostatic Transmission (featuring LoadMatch, SpeedMatch, and MotionMatch)</i>	1,393.00
OPERATOR'S STATION			
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) the following set of options are required: 3330 (Dual Mid & Single EH Rear SCV) and 3420 (Mid PTO) OR 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i> <i>If ordering transmission option 1381 (PowrReverser) the following set of options are required: 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i>	In Base Price
2050		Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3320 (Dual Mid SCV), and 3400 (Less Mid PTO)</i>	8,709.00
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and Rear Work Light.</i> <i>The following set of options are required: 1520 (eHydro), 3330 (Mid DSCV and Single Electrohydraulic Rear SCV), and 3420 (Mid PTO)</i>	9,630.00
2051		Snow Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3400 (Less Mid PTO), and 3330 (Dual Mid & Single EH rear SCV)</i>	9,464.00
RADIO			
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband.</i> <i>SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.</i> <i>Available ONLY on Cab configurations.</i>	495.00
2650		Less Radio	In Base Price
MID POWER TAKE-OFF (PTO)			
3420		Mid PTO <i>Requires option 3330 (Dual Mid & Single EH Rear SCV)</i> <i>Available only as Dealer-installed option on 3033R Cab Tractors and 3039R Cab with Standard Seat Tractors.</i> <i>Mid PTO is not offered on PRT configurations.</i>	757.00
3400		Less Mid PTO <i>Requires SCV option 3320 (Dual Mid SCV).</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MID POWER TAKE-OFF (PTO) Continued...			
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	306.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
SELECTIVE CONTROL VALVES			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat configuration (option code 2050).</i>	1,035.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5211		11.2-24 (6PR, R1 Bar, 5 Position)	In Base Price
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-232.00
5233		41LLx18-16.1 (6PR, R3 Turf Special, 1 Position)	548.00
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-97.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-75.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6211		180/95 - 14 (6PR, R1 Bar, 2 Position) <i>Standard Measurement: 7 -14 (6PR, R1 Bar, 2 Position)</i>	In Base Price
6223		27x8.5-15 (6PR, R3 Turf, 2 Position)	70.00
6233		25/10.50LLx15 (6PR, R3 Turf Special, 2 Position)	135.00
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	60.00
6230		27x8.50-15 (6PR, R4 Industrial, 2 Position)	135.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i> <i>61 In. (1550mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast</i>	6,143.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
LOADERS Continued...			
<i>Requirements" in the Sales Manual for Proper Ballasting.</i>			
1750		Factory Installed Loader less Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier</i> <i>Mounting Frame</i> <i>Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	5,355.00
1795		Less Loader	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD dealer.</i>	139.00
BLV10359		Horn Kit	62.70
LVB24851		Horn Kit (Cab Only) <i>Horn Kit (Cab Only)</i>	50.60
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
LVB24930		Tool Box Kit <i>Compatible with cab tractors only</i>	64.90
LP95637		Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
BLV10358		Backup Alarm Back-up Alarm Kit <i>For open operator station tractors</i>	138.60
BLV10648		Back-up Alarm Kit <i>For cab tractors</i>	138.60
BW15073		Ballast Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
BXE10864		Bracket 12 Tablet Holder Kit (Ipad Pro)	204.60

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Cab Operator's Station	
RE343680		Accessory Mounting Bracket	55.81
LVB24983		Air Seat Suspension Kit (Cab Only)	749.10
BRE10015		Cell Phone Mount Kit	67.10
LVB24856		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017</i>	267.30
BLV11052		Rear License Plate Kit (Cab Only) (Includes Light) <i>For MY18 and newer tractors</i>	68.20
BLV10938		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017</i>	267.30
BRE10152		Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Compatible with cab models only.</i>	66.00
SWJHD1630		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option code 8244 when configuring tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	246.05
BRE10255		Tablet Mount Kit	92.40
		Draft Link	
LVB25308		Telescoping Draft Links <i>For use on tractors equipped with Horizontal-Bar Stabilizers CAT 1 balls</i>	365.20
		Drawbar	
LP63768		Magnetic hitch pin	18.99
		Engine	
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
		Exhaust	
BLV10605		Turbo Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts</i>	506.00
		Front Fenders	
BLV10895		Turnable Front Fender Kit (Cab Only)	594.00
		Front Power Take-off (Pto)	
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements Requires BLV10439 (Front Three-Point Hitch).</i>	319.93
BLV10452		Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R) <i>Requires BLV10439 (Front Three-Point Hitch).</i>	97.90
		Front Quick-hitch	
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket)</i>	1,435.50
		Front Weights	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25705		Front Quik-Tatch Weight Kit <i>Includes rod and spring pins for Front Quik-Tatch Weights</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to ten front Quik-Tatch weights</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to twelve front Quik-Tatch weights</i>	262.90
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	99.00
		Front Wheels And Tires	
BLV10868		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	738.10
BLV10864		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	644.60
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	752.40
BLV10866		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	656.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	583.00
TY15651		Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. Not for use with Front Fender Kit.</i>	115.96
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. Not for use with Front Fender Kit.</i>	114.51
		Hood Guards	
BW16585		Deluxe Hood Guard Attachment	346.50
BW15219		Hood Guard	283.80
		Hydraulics	
BLV10500		EH Third SCV (OOS Only) <i>For MY15 and newer tractors</i> <i>Includes: Rear mounted couplers Hydraulic lines SCV lever</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	968.00
BLV10961		EH Third SCV (Cab Only) <i>For MY18 and newer tractors</i> <i>Includes: Rear mounted couplers Hydraulic lines SCV lever</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	968.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10649		Electric Diverter Kit (Cab Only) <i>Includes:</i> Diverter valve Electric diverter switch Hydraulic lines Two SCV couplers <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering details</i>	1,591.70
BLV10983		Electric Diverter Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> Diverter valve Electric diverter switch Hydraulic lines Two SCV couplers <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	1,531.20
BLV10962		Power Beyond Kit <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i> <i>Includes:</i> Rear mounted hydraulic couplers and hose <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	435.60
BLV10964		Power Beyond Kit (Cab Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> Rear mounted hydraulic couplers and hose <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	435.60
BLV11010		Power Beyond Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i> <i>Includes:</i> Rear mounted hydraulic couplers and hoses for use with backhoe <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) or ordering details</i>	435.60
BLV10650		Top and Tilt Field Kit <i>Requires Electric Diverter Kit</i>	1,394.80
LVB24852		Lighting Beacon Light Kit (Cab Only)	260.70
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is pre-wired</i>	161.70
LVB25547		Lighting Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness</i> <i>Not compatible with Forward Lighting Kit (LVB25546)</i> <i>Not available on cab tractors</i>	67.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i> <i>Not compatible with Rear Work Light Kit (LVB25547)</i>	114.40
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620)</i> <i>Includes two ROPS mounted LED lights</i> <i>Each light has 360 degree rotation</i>	319.00
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes two guards</i>	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes two guards</i> <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i>	84.70
		Lighting Equipment	
BLV10174		7-Pin Trailer Connector (OOS Only)	108.90
BLV11095		7-Pin Trailer Connector Connector (Cab Only)	136.40
		Maintenance	
LVA21038		Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	195.16
		Mid power Take-off (Pto)	
BLV10848		Mid PTO Control Kit (Cab Only) <i>Not compatible with PRT configurations.</i>	163.90
LVB25537		Mid Power Take-Off (PTO) Kit <i>Not compatible with PRT configurations.</i> <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927,</i> <i>(3) 19M7785 and (1)19M7788 Through Parts.</i> <i>Cab Tractor also Requires BLV10848, Mid PTO Controls.</i>	788.70
		Mirrors	
LVB24844		External Mirror Kit (Cab Only)	203.50
		Open Operator's Station	
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension only. Used with seat that ships with tractor.</i>	680.90
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11034		Left Hand Mirror Kit	201.30
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer tractors</i>	68.20
BLV11035		Right Hand Mirror Kit	201.30
TY25324		Weather Protection Umbrella	114.87
		Operator's Station	
BXE10606		Cell Phone Suction Cup Kit	64.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Compatible with cab models only.</i>	25.96
BXE10607		X-Grip Tablet Dual Suction Cup Kit for Tablets	190.30
		Rear Fenders	
BLV10892		Rear Fender Extension Kit (Cab Only)	354.20
BLV10893		Rear Fender Extension Kit (OOS Only)	281.60
		Rear Power Take-off (Pto)	
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	11.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and additional weight for 19.5 and 20 in. wheels</i>	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg) <i>Starter and additional weight for 24 in. wheels. Requires attaching hardware for each of 03H1605 (Bolt) and 14H1039 (Nut) for starter weight and BM19940 for additional weight. Starter and additional weight for 24 and 28 in. wheels.</i>	171.60
		Rear Wheels And Tires	
BLV10861		11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,905.20
BLV10865		15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,785.30
BLV10867		41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,619.20
BLV10869		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,580.60
BLV10863		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,813.90
TY4453		Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	349.42

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3039R Compact Utility Tractor (31 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Three-point Hitch	
LUV12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in)</i>	24.54
LUV15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1). Length 50 mm (1.97 in)</i>	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507)</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes: Two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2) Two lower reducer bushings (Cat. 2 to Cat. 1) Two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50
		Transmission	
LVB26139		PRT Oil Cooler Kit	310.20
BLV10641		Transmission Oil Heater <i>HST models only</i>	88.00
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	60.99

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**3046R Compact Utility Tractor (34 PTO hp)
Equipment for Base Machine**

ENGINE:
Yanmar Liquid Cooled Diesel
Engine Tier IV EPA Emissions
Certified
Engine HP 45.3 (33.3 kW)
PTO HP 34.1 (25.4 kW) HST
Engine HP (kW), Gross SAE J1995:
45.3 (33.3) @ 2600 rpm, PS
Displacement, L: 1.496

TRANSMISSION:
4-Wheel Drive
HST Transmission
Differential Lock
Cruise Control
eThrottle
Load Match
Speed Match
Motion Match

HYDRAULICS:
Dual Mid Selective Control Valve
with Joystick Control Lever,
Float, Regenerative Function,
and SCV and Regenerative Lockout

PTO:
Independent 540 RPM Rear PTO
Electronically Engaged with
Mechanical Mid-Both-Rear
Selector

ELECTRICAL:

12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Maintenance Free Battery with
770 Cold Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Deluxe Adjustable Vinyl Seat
with Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure) meets SAE
J2194 and OSHA 1928 ROPS
Certification Standards
Isolated Foot Rest

COMFORTGARD CAB (OPTIONAL):
12-Volt Auxiliary Power Outlet
Air Conditioning and Heater
Cell Phone Holder
Deluxe Fabric Covered Seat with
Retractable Seat Belt
Armrests
Dual Forward Work Lights
Exclusive Raised Header Bar
Two-Speed Front Windshield
Wiper/Washer
Fully Isolated Cab
High Impact Polymer Fenders with
Integrated Tail Lights
Radio Preparation (with antenna,
speakers, wiring, media player
storage slot)

Molded Rubber Floormat
Operator Manual Holder
Rearview Mirror (Inside)
Monitor Mounting Bosses (2 sets)
Right Hand and Left Hand Console
Storage
Right Hand Control Center
Sealed Quiet Cabin
Sun Visor
Swing-Out Rear Window with
removable rear plug for monitor
or controller wiring harnesses
Tilt Steering
Two Front/Two Rear Roof Mounted
Warning Lights
Operator Presence with Safety
Interlock System Reverse
Implement Option (RIO)

BASE MACHINE (4WD):
11.20-24 (6PR, R1 Bar, 5
Position) Rear Wheels & Tires
7-14 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0299LV	3046R Compact Utility Tractor (34 PTO hp)	31,622.00
--------	---	-----------

DESTINATION

	North America	
0184	Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	No Added Cost
Oceania		
024H	United States Minor Outlying Islands	No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
OPERATOR'S MANUAL Continued...			
0437		Spanish Operator's Manual and Decal Kit	No Added Cost
TRANSMISSION			
1520		eHydro <i>3 Range Electronic Controlled Hydrostatic Transmission (featuring LoadMatch, SpeedMatch, and MotionMatch)</i>	In Base Price
OPERATOR'S STATION			
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) the following set of options are required: 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i>	In Base Price
2005		Open Station with Air Ride Seat <i>The following set of options are required: 1520 (eHydro), 3330 (Dual Mid & Single EH Rear SCV), and 3420 (Mid PTO).</i>	520.00
2050		Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3320 (Dual Mid SCV), and 3400 (Less Mid PTO)</i>	8,709.00
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and Rear Work Light.</i> <i>The following set of options are required: 1520 (eHydro), 3330 (Mid DSCV and Single Electrohydraulic Rear SCV), and 3420 (Mid PTO)</i>	9,630.00
2051		Snow Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3400 (Less Mid PTO), and 3330 (Dual Mid & Single EH rear SCV)</i>	9,464.00
RADIO			
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband.</i> <i>SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.</i> <i>Available ONLY on Cab configurations.</i>	495.00
2650		Less Radio	In Base Price
MID POWER TAKE-OFF (PTO)			
3420		Mid PTO <i>Requires SCV option 3330 (Dual Mid & Single EH Rear SCV).</i>	757.00
3400		Less Mid PTO <i>Requires SCV option 3320 (Dual Mid SCV).</i>	In Base Price
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>	306.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
THREE-POINT HITCH Continued...			
4061		Less iMatch Quick Hitch Category 1	In Base Price
SELECTIVE CONTROL VALVES			
3320		Dual Mid Selective Control Valve	In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat configuration (option code 2050).</i>	1,035.00
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5211		11.2-24 (6PR, R1 Bar, 5 Position)	In Base Price
5223		41x14-20 (4PR, R3 Turf, 2 Position)	-232.00
5233		41LLx18-16.1 (6PR, R3 Turf Special, 1 Position)	548.00
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	-97.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	-75.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6211		180/95 - 14 (6PR, R1 Bar, 2 Position) <i>Standard Measurement: 7 -14 (6PR, R1 Bar, 2 Position)</i>	In Base Price
6223		27x8.5-15 (6PR, R3 Turf, 2 Position)	70.00
6233		25/10.50LLx15 (6PR, R3 Turf Special, 2 Position)	135.00
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	60.00
6230		27x8.50-15 (6PR, R4 Industrial, 2 Position)	135.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i> <i>61 In. (1550mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Hood Guard</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,143.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier Mounting Frame</i>	5,355.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		LOADERS Continued...	
		<i>Hood Guard</i>	
		<i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	
1795		Less Loader	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD dealer.</i>	139.00
BLV10359		Horn Kit	62.70
LVB24851		Horn Kit (Cab Only) <i>Horn Kit (Cab Only)</i>	50.60
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	29.99
LVB24930		Tool Box Kit <i>Compatible with cab tractors only</i>	64.90
LP95637		Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	159.99
Backup Alarm			
BLV10358		Back-up Alarm Kit <i>For open operator station tractors</i>	138.60
BLV10648		Back-up Alarm Kit <i>For cab tractors</i>	138.60
Ballast			
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
Bracket			
BXE10864		12 Tablet Holder Kit (Ipad Pro)	204.60
Cab Operator's Station			
RE343680		Accessory Mounting Bracket	55.81
LVB24983		Air Seat Suspension Kit (Cab Only)	749.10
BRE10015		Cell Phone Mount Kit	67.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB24856		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017</i>	267.30
BLV11052		Rear License Plate Kit (Cab Only) (Includes Light) <i>For MY18 and newer tractors</i>	68.20
BLV10938		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017</i>	267.30
BRE10152		Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Compatible with cab models only.</i>	66.00
SWJHD1630		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option code 8244 when configuring tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	246.05
BRE10255		Tablet Mount Kit	92.40
		Draft Link	
LVB25308		Telescoping Draft Links <i>For use on tractors equipped with Horizontal-Bar Stabilizers CAT 1 balls</i>	365.20
		Drawbar	
LP63768		Magnetic hitch pin	18.99
		Engine	
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
		Exhaust	
BLV10605		Turbo Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts</i>	506.00
		Front Fenders	
BLV10895		Turnable Front Fender Kit (Cab Only)	594.00
		Front Power Take-off (Pto)	
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements Requires BLV10439 (Front Three-Point Hitch).</i>	319.93
BLV10452		Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R) <i>Requires BLV10439 (Front Three-Point Hitch).</i>	97.90
		Front Quick-hitch	
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket)</i>	1,435.50
		Front Weights	
LVB25705		Front Quik-Tatch Weight Kit <i>Includes rod and spring pins for Front Quik-Tatch Weights</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to ten front Quik-Tatch weights</i>	246.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10441		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to twelve front Quik-Tatch weights</i>	262.90
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	99.00
		Front Wheels And Tires	
BLV10868		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	738.10
BLV10864		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	644.60
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	752.40
BLV10866		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	656.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	583.00
TY15651		Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. Not for use with Front Fender Kit.</i>	115.96
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. Not for use with Front Fender Kit.</i>	114.51
		Hood Guards	
BW16585		Deluxe Hood Guard Attachment	346.50
BW15219		Hood Guard	283.80
		Hydraulics	
BLV10500		EH Third SCV (OOS Only) <i>For MY15 and newer tractors</i> <i>Includes: Rear mounted couplers Hydraulic lines SCV lever</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	968.00
BLV10961		EH Third SCV (Cab Only) <i>For MY18 and newer tractors</i> <i>Includes: Rear mounted couplers Hydraulic lines SCV lever</i> <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	968.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10649		Electric Diverter Kit (Cab Only) <i>Includes:</i> Diverter valve Electric diverter switch Hydraulic lines Two SCV couplers <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering details</i>	1,591.70
BLV10983		Electric Diverter Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> Diverter valve Electric diverter switch Hydraulic lines Two SCV couplers <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	1,531.20
BLV10962		Power Beyond Kit <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i> <i>Includes:</i> Rear mounted hydraulic couplers and hose <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	435.60
BLV10964		Power Beyond Kit (Cab Only) <i>For MY18 and newer tractors</i> <i>Includes:</i> Rear mounted hydraulic couplers and hose <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	435.60
BLV11010		Power Beyond Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i> <i>Includes:</i> Rear mounted hydraulic couplers and hoses for use with backhoe <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) or ordering details</i>	435.60
BLV10650		Top and Tilt Field Kit <i>Requires Electric Diverter Kit</i>	1,394.80
LVB24852		Lighting Beacon Light Kit (Cab Only)	260.70
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is pre-wired</i>	161.70
LVB25547		Lighting Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness</i> <i>Not compatible with Forward Lighting Kit (LVB25546)</i> <i>Not available on cab tractors</i>	67.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i> <i>Not compatible with Rear Work Light Kit (LVB25547)</i>	114.40
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620)</i> <i>Includes two ROPS mounted LED lights</i> <i>Each light has 360 degree rotation</i>	319.00
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes two guards</i>	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes two guards</i> <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i>	84.70
		Lighting Equipment	
BLV10174		7-Pin Trailer Connector (OOS Only)	108.90
BLV11095		7-Pin Trailer Connector Connector (Cab Only)	136.40
		Maintenance	
LVA21038		Filter Pak <i>Includes oil filter, air filter, fuel filter and hydraulic filter</i>	195.16
		Mid power Take-off (Pto)	
BLV10848		Mid PTO Control Kit (Cab Only) <i>Not compatible with PRT configurations.</i>	163.90
LVB25537		Mid Power Take-Off (PTO) Kit <i>Not compatible with PRT configurations.</i> <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927,</i> <i>(3) 19M7785 and (1)19M7788 Through Parts.</i> <i>Cab Tractor also Requires BLV10848, Mid PTO Controls.</i>	788.70
		Mirrors	
LVB24844		External Mirror Kit (Cab Only)	203.50
		Open Operator's Station	
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension only. Used with seat that ships with tractor.</i>	680.90
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11034		Left Hand Mirror Kit	201.30
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer tractors</i>	68.20
BLV11035		Right Hand Mirror Kit	201.30
TY25324		Weather Protection Umbrella	114.87
		Operator's Station	
BXE10606		Cell Phone Suction Cup Kit	64.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Compatible with cab models only.</i>	25.96
BXE10607		X-Grip Tablet Dual Suction Cup Kit for Tablets	190.30
		Rear Fenders	
BLV10892		Rear Fender Extension Kit (Cab Only)	354.20
BLV10893		Rear Fender Extension Kit (OOS Only)	281.60
		Rear Power Take-off (Pto)	
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	11.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and additional weight for 19.5 and 20 in. wheels</i>	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg) <i>Starter and additional weight for 24 in. wheels. Requires attaching hardware for each of 03H1605 (Bolt) and 14H1039 (Nut) for starter weight and BM19940 for additional weight. Starter and additional weight for 24 and 28 in. wheels.</i>	171.60
		Rear Wheels And Tires	
BLV10861		11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,905.20
BLV10865		15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,785.30
BLV10867		41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,619.20
BLV10869		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,580.60
BLV10863		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,813.90
TY4453		Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	349.42

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

3046R Compact Utility Tractor (34 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Three-point Hitch	
LUV12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in)</i>	24.54
LUV15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1). Length 50 mm (1.97 in)</i>	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507)</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes: Two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2) Two lower reducer bushings (Cat. 2 to Cat. 1) Two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	104.50
		Transmission	
BLV10641		Transmission Oil Heater <i>HST models only</i>	88.00
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	60.99

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4044M Compact Utility Tractor (33 PTO hp)
Equipment for Base Machine**

<p>ENGINE: Yanmar 4 Cylinder Naturally Aspirated Diesel Engine Tier IV EPA Emissions Certified Engine HP 43.1 (31.7 kW)** PTO HP 32.5 (23.0 kW) **Engine HP (kW), Gross SAE J1995: 43.1 (31.7) @ 2600 rpm, PS Displacement, L: 2.2</p> <p>TRANSMISSION: PowrReverser Synchronized - 4 Speeds Forward, 4 Speeds Reverse Dual Multi-Disk Wet Clutches Differential Lock 4-Wheel Drive LoadMatch MotionMatch</p> <p>INSTRUMENTATION:</p>	<p>Performance Tracking System Diagnostic Control Panel Hour Meter PTO Hour Meter Filter Cleaning Tracking</p> <p>ELECTRICAL: 12-Volt Electrical System 75 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Wet Battery with 770 Cold Cranking Amps</p> <p>OPERATOR PROTECTIVE STRUCTURE: Adjustable Vinyl Seat with Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) Meets SAE J2194 and OSHA 1928 ROPS Certification Standards for North America and Europe</p>	<p>Flat Foot Deck Operator Presence with Safety Interlock</p> <p>HYDRAULICS: Not included in base machine</p> <p>BASE MACHINE (4WD): 13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires 8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires</p>
--	--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0319LV		4044M Compact Utility Tractor (33 PTO hp)	28,443.00
--------	--	---	-----------

DESTINATION

024H		United States Minor Outlying Islands	No Added Cost
0184		North America Canada	No Added Cost
0202		United States	In Base Price
0205		Quebec	Call For Prices

OPERATOR'S MANUAL

0409		English Operator's Manual and Decal Kit	In Base Price
0413		French Operator's Manual and Decal Kit	Call For Prices
0437		Spanish Operator's Manual and Decal Kit	No Added Cost

TRANSMISSION

1381		12F/12R PowrReverser	In Base Price
1520		eHydro	1,162.00

OPERATOR'S STATION

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
OPERATOR'S STATION Continued...			
2000		Open Station with Standard Seat	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totaling 11 inches (5.5 inches each).</i>	442.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	306.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-42.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-485.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	563.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	142.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	82.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i> <i>73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,291.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i>	5,360.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<p>LOADERS Continued... <i>Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader</i></p> <p><i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	
1795		Less Loader	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		<p>Accessories</p>	
LP25001		<p>3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i></p>	139.00
BLV10359		Horn Kit	62.70
LP95233		<p>Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i></p>	29.99
LVB24865		<p>Tool Box Kit <i>For use on 4M tractors less loader.</i></p>	174.90
BLV10358		<p>Backup Alarm Back-up Alarm Kit <i>For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.</i></p>	138.60
BW15073		<p>Ballast Ballast Box</p>	302.50
BW15074		Ballast Box Extension	143.00
BLV10375		<p>Draft Link Telescoping Draft Links <i>For use on tractors equipped with horizontal-bar stabilizers.</i></p>	411.40
LP63768		<p>Drawbar Magnetic hitch pin</p>	18.99
BLV10844		Tractor Drawbar Assembly	291.50
BLV10640		<p>Engine Engine Coolant Heater Kit (110 Volt)</p>	66.00
BLV10608		<p>Exhaust Vertical Exhaust Kit (Non Turbo) <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i></p>	419.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Front Weights			
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	262.90
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
Front Wheels And Tires			
BLV10872		10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	916.30
BLV10874		27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	743.60
BLV10876		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	840.40
BLV10870		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	737.00
Hood Guards			
BW16335		Hood Guard <i>Compatible with 4M less loader only.</i>	306.90
Hydraulics			
BLV10050		4th and 5th Selective Control Valve Kit (OOS Only) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i> <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	918.50
BLV11029		Dual Mid Valve Kit <i>For 4M H180/440R compatibility and 4M Less Loader configurations.</i> <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details</i> <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	722.70
BLV10767		Electrohydraulic Third SCV Kit with Rear Tubing <i>For 4M D170 / 400E Loader Configurations</i> <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,025.20
BLV10764		Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i> <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,005.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	435.60
BLV10965		Top and Tilt Field Kit (OOS Only) <i>For MY18 and newer Tractors. Not compatible with 3 Point Hitch Downforce Kit (BLV10968).</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS). Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,345.30
LVB25547		Lighting Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i> <i>Includes 1 Light.</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards.</i>	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
BLV10174		Lighting Equipment 7-Pin Trailer Connector (OOS Only)	108.90
LVA21039		Maintenance Filter Pak	207.02
LVB25334		Open Operator's Station Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11034		Left Hand Mirror Kit	201.30
BLV10401		Premium Seat Kit (OOS Only)	872.30
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer tractors.</i>	68.20
BLV11035		Right Hand Mirror Kit	201.30
TY25324		Weather Protection Umbrella	114.87
		Rear Power Take-off (Pto)	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg) <i>For 20 In. Wheel only.</i>	11.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Rear Wheels And Tires	
BLV10871		13.60-28 (4PR, R1 Bar, 5 Position)	2,589.40
BLV10873		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,535.50
BLV10877		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,296.70
BLV10875		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,981.10
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	436.81
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	679.42
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	428.16
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit	104.50

JOHN DEERE TURF & UTILITY PRODUCTS
 COMPACT UTILITY TRACTORS

4044M Compact Utility Tractor (33 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Transmission	
BLV10388		Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	72.60
BLV10641		Transmission Oil Heater	88.00
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	60.99
		Wheel Tread Width	
BLV10029		Wheel Spacer Set, 140 mm (each side)	570.90
		Wheels And Tires	
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	223.30

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4052M Compact Utility Tractor (40 PTO hp)
Equipment for Base Machine**

ENGINE:
Yanmar
4 Cylinder Turbocharged Diesel
Engine Tier IV EPA Emissions
Certified
Engine HP 51.5 (37.9 kW)**
PTO HP 39.9 (29.7 kW)
**Engine HP (kW), Gross SAE
J1995: 51.5 (37.9) @ 2600 rpm,
PS
Displacement, L: 2.1

TRANSMISSION:
PowrReverser
Synchronized - 4 Speeds
Forward, 4 Speeds Reverse
Dual Multi-Disk Wet Clutches
Differential Lock
4-Wheel Drive
LoadMatch
MotionMatch

INSTRUMENTATION:
Performance Tracking System
Diagnostic Control Panel
Hour Meter
PTO Hour Meter
Filter Cleaning Tracking

ELECTRICAL:
12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Wet Battery with 770 Cold
Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Adjustable Vinyl Seat with
Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
Meets SAE J2194 and OSHA 1928
ROPS Certification Standards for

North America and Europe
Flat Foot Deck
Operator Presence with Safety
Interlock

HYDRAULICS:
Not included in base machine

BASE MACHINE (4WD):
13.60-28 (4PR, R1 Bar, 5
Position) Rear Wheels & Tires
8-16 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0359LV	4052M Compact Utility Tractor (40 PTO hp)	31,396.00
--------	---	-----------

DESTINATION

024H	United States Minor Outlying Islands North America	No Added Cost
0184	Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	Call For Prices

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Call For Prices
0437	Spanish Operator's Manual and Decal Kit	No Added Cost

TRANSMISSION

1381	12F/12R PowrReverser	In Base Price
1520	eHydro	1,162.00

OPERATOR'S STATION

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
OPERATOR'S STATION Continued...			
2000		Open Station with Standard Seat	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totaling 11 inches (5.5 inches each).</i>	442.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	306.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-42.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-485.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	563.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	142.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	82.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i> <i>73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,291.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i>	5,360.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<p>LOADERS Continued... <i>Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader</i></p> <p><i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	
1795		Less Loader	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		<p>Accessories</p>	
LP25001		<p>3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i></p>	139.00
BLV10359		Horn Kit	62.70
LP95233		<p>Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i></p>	29.99
LVB24865		<p>Tool Box Kit <i>For use on 4M tractors less loader.</i></p>	174.90
BLV10358		<p>Backup Alarm Back-up Alarm Kit <i>For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.</i></p>	138.60
BW15073		<p>Ballast Ballast Box</p>	302.50
BW15074		Ballast Box Extension	143.00
BLV10375		<p>Draft Link Telescoping Draft Links <i>For use on tractors equipped with horizontal-bar stabilizers.</i></p>	411.40
LP63768		<p>Drawbar Magnetic hitch pin</p>	18.99
BLV10844		Tractor Drawbar Assembly	291.50
BLV10640		<p>Engine Engine Coolant Heater Kit (110 Volt)</p>	66.00
BLV10609		<p>Exhaust Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i></p>	419.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Front Weights			
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	262.90
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
Front Wheels And Tires			
BLV10872		10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	916.30
BLV10874		27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	743.60
BLV10876		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	840.40
BLV10870		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	737.00
Hood Guards			
BW16335		Hood Guard <i>Compatible with 4M less loader only.</i>	306.90
Hydraulics			
BLV10050		4th and 5th Selective Control Valve Kit (OOS Only) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i> <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	918.50
BLV11029		Dual Mid Valve Kit <i>For 4M H180/440R compatibility and 4M Less Loader configurations.</i> <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details</i> <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	722.70
BLV10767		Electrohydraulic Third SCV Kit with Rear Tubing <i>For 4M D170 / 400E Loader Configurations</i> <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,025.20
BLV10764		Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i> <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,005.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	435.60
BLV10965		Top and Tilt Field Kit (OOS Only) <i>For MY18 and newer Tractors. Not compatible with 3 Point Hitch Downforce Kit (BLV10968).</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS). Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,345.30
LVB25547		Lighting Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i> <i>Includes 1 Light.</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards.</i>	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
BLV10174		Lighting Equipment 7-Pin Trailer Connector (OOS Only)	108.90
LVA21039		Maintenance Filter Pak	207.02
LVB25334		Open Operator's Station Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11034		Left Hand Mirror Kit	201.30
BLV10401		Premium Seat Kit (OOS Only)	872.30
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer tractors.</i>	68.20
BLV11035		Right Hand Mirror Kit	201.30
TY25324		Weather Protection Umbrella	114.87
		Rear Power Take-off (Pto)	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg) <i>For 20 In. Wheel only.</i>	11.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Rear Wheels And Tires	
BLV10871		13.60-28 (4PR, R1 Bar, 5 Position)	2,589.40
BLV10873		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,535.50
BLV10877		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,296.70
BLV10875		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,981.10
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	436.81
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	679.42
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	428.16
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit	104.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Compact Utility Tractor (40 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Transmission	
BLV10388		Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	72.60
BLV10641		Transmission Oil Heater	88.00
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	60.99
		Wheel Tread Width	
BLV10029		Wheel Spacer Set, 140 mm (each side)	570.90
		Wheels And Tires	
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	223.30

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4066M Compact Utility Tractor (52 PTO hp)
Equipment for Base Machine**

ENGINE:

Yanmar 4 Cylinder Intercooled
Turbocharged Diesel Engine Tier
IV EPA Emissions Certified
Engine HP 65.9 (48.5 kW)**
PTO HP 52 (38.8 kW)
**Engine HP (kW), Gross SAE
J1995: 65.9 (48.5) @ 2600 rpm,
PS
Displacement, L: 2.1

TRANSMISSION:

PowrReverser
Synchronized - 4 Speeds
Forward, 4 Speeds Reverse
Dual Multi-Disk Wet Clutches
Differential Lock
4-Wheel Drive
LoadMatch
MotionMatch

INSTRUMENTATION:

Performance Tracking System
Diagnostic Control Panel
Hour Meter
PTO Hour Meter
Filter Cleaning Tracking

ELECTRICAL:

12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Wet Battery with 770 Cold
Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:

Adjustable Vinyl Seat with
Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
Meets SAE J2194 and OSHA 1928
ROPS Certification Standards for
North America and Europe

Flat Foot Deck
Operator Presence with Safety
Interlock

HYDRAULICS:

Not included in base machine

BASE MACHINE (4WD):

13.60-28 (4PR, R1 Bar, 5
Position) Rear Wheels & Tires
8-16 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0379LV	4066M Compact Utility Tractor (52 PTO hp)	37,152.00
--------	---	-----------

DESTINATION

024H	United States Minor Outlying Islands North America	No Added Cost
0184	Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	Call For Prices

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Call For Prices
0437	Spanish Operator's Manual and Decal Kit	No Added Cost

TRANSMISSION

1381	12F/12R PowrReverser	In Base Price
1520	eHydro	1,162.00

OPERATOR'S STATION

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
OPERATOR'S STATION Continued...			
2000		Open Station with Standard Seat	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totalling 11 inches (5.5 inches each).</i>	442.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	306.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-42.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-485.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	563.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	142.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	82.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i> <i>73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,291.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 400E Loader and loader installation charge with the following options:</i>	5,360.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<p>LOADERS Continued... <i>Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader</i></p> <p><i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	
1795		Less Loader	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		<p>Accessories</p>	
LP25001		<p>3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i></p>	139.00
BLV10359		Horn Kit	62.70
LP95233		<p>Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i></p>	29.99
LVB24865		<p>Tool Box Kit <i>For use on 4M tractors less loader.</i></p>	174.90
BLV10358		<p>Backup Alarm Back-up Alarm Kit <i>For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.</i></p>	138.60
BW15073		<p>Ballast Ballast Box</p>	302.50
BW15074		Ballast Box Extension	143.00
BLV10375		<p>Draft Link Telescoping Draft Links <i>For use on tractors equipped with horizontal-bar stabilizers.</i></p>	411.40
LP63768		<p>Drawbar Magnetic hitch pin</p>	18.99
BLV10844		Tractor Drawbar Assembly	291.50
BLV10640		<p>Engine Engine Coolant Heater Kit (110 Volt)</p>	66.00
BLV10609		<p>Exhaust Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i></p>	419.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Front Weights			
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	262.90
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
Front Wheels And Tires			
BLV10872		10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	916.30
BLV10874		27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	743.60
BLV10876		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	840.40
BLV10870		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	737.00
Hood Guards			
BW16335		Hood Guard <i>Compatible with 4M less loader only.</i>	306.90
Hydraulics			
BLV10050		4th and 5th Selective Control Valve Kit (OOS Only) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i> <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	918.50
BLV11029		Dual Mid Valve Kit <i>For 4M H180/440R compatibility and 4M Less Loader configurations.</i> <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details</i> <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	722.70
BLV10767		Electrohydraulic Third SCV Kit with Rear Tubing <i>For 4M D170 / 400E Loader Configurations</i> <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,025.20
BLV10764		Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i> <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,005.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	435.60
BLV10965		Top and Tilt Field Kit (OOS Only) <i>For MY18 and newer Tractors. Not compatible with 3 Point Hitch Downforce Kit (BLV10968).</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS). Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,345.30
		Lighting	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i> <i>Includes 1 Light.</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards) <i>Includes 2 guards.</i>	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	84.70
		Lighting Equipment	
BLV10174		7-Pin Trailer Connector (OOS Only)	108.90
		Maintenance	
LVA21039		Filter Pak	207.02
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11034		Left Hand Mirror Kit	201.30
BLV10401		Premium Seat Kit (OOS Only)	872.30
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer tractors.</i>	68.20
BLV11035		Right Hand Mirror Kit	201.30
TY25324		Weather Protection Umbrella	114.87
		Rear Power Take-off (Pto)	

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg) <i>For 20 In. Wheel only.</i>	11.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Rear Wheels And Tires	
BLV10871		13.60-28 (4PR, R1 Bar, 5 Position)	2,589.40
BLV10873		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,535.50
BLV10877		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,296.70
BLV10875		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,981.10
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	436.81
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	679.42
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	428.16
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit	104.50

JOHN DEERE TURF & UTILITY PRODUCTS
 COMPACT UTILITY TRACTORS

4066M Compact Utility Tractor (52 PTO hp)
 Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Transmission	
BLV10388		Cruise Control Kit <i>For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.</i>	72.60
BLV10641		Transmission Oil Heater	88.00
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	60.99
		Wheel Tread Width	
BLV10029		Wheel Spacer Set, 140 mm (each side)	570.90
		Wheels And Tires	
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	223.30

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4052M Heavy Duty Compact Utility Tractor (40 PTO hp)
Equipment for Base Machine**

ENGINE:
Yanmar
4 Cylinder
Turbocharged Diesel Engine
Tier IV EPA Emissions Certified
Engine HP 51.5 (37.9 kW)**
PTO HP 39.9 (29.7 kW) HST
**Engine HP (kW), Gross SAE
J1995: 51.5 (37.9) @ 2600 rpm,
PS
Displacement, L: 2.2

TRANSMISSION:
HST Transmission
3 Range
Differential Lock
4-Wheel Drive
Cruise Control
LoadMatch
MotionMatch
SpeedMatch
eThrottle

HYDRAULICS:
Dual Mid Selective Control
Valve with Joystick Control
Lever, Float, Regenerative
Function, and Regenerative
Lockout
Single Rear Selective Control
Valve

INSTRUMENTATION:
Performance Tracking System
Diagnostic Control Panel
Hour Meter

ELECTRICAL:
12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Wet Battery with 770 Cold
Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Deluxe Adjustable Vinyl Seat
with Arm Rests and Retractable
Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
Meets SAE J2194 and OSHA 1928
ROPS Certification Standards for
North America
Isolated Foot Rest
Center Console Tool Storage
Operator Presence with Safety
Interlock

LIGHTS:
Two Front Halogen Head Lights
Two Front Flashing Warning
Lights
Two Fender LED Work Lights

One Rear LED Work Light
Two Rearward Flashing Warning
Lights
Brake Indicator Lights
**Turn Signal Indication per
Current ASABE Lighting Standard

HITCH:
Telescoping Draft Links with
Sway Bar
Aux. 3 Point Hitch Control

HOOD GUARD:
Heavy Duty Hood Guard with Front
Weight Support

BASE MACHINE (4WD):
16.9-24 (8PR, R4 Industrial, 2
Position) Rear Wheels & Tires
31.5x13-16.5 (10PR, R4
Industrial, 2 Position) Front
Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

035ALV	4052M Heavy Duty Compact Utility Tractor (40 PTO hp)	37,096.00
--------	--	-----------

DESTINATION

	North America	
0184	Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Heavy Duty Compact Utility Tractor (40 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRANSMISSION			
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
OPERATOR'S STATION			
2000		Open Station with Standard Seat	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
THREE-POINT HITCH			
4061		Less iMatch Quick Hitch Category 1	In Base Price
MID SELECTIVE CONTROL VALVES			
3420		Dual Mid Selective Control Valve (SCV)	In Base Price
REAR SELECTIVE CONTROL VALVES			
3310		Single Rear Selective Control Valve (SCV)	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5244		16.9-24 (8PR, R4 Industrial, 2 Position)	In Base Price
5246		19.5L-24 (8PR, R4 Industrial, 2 Postition)	1,848.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6244		31.5x13-16.5 (10PR, R4 Industrial, 2 Position)	In Base Price
LOADERS			
1711		Factory Installed Loader with Bucket <i>Pricing includes 440R Non-Self Leveling Loader installation charge with the following options:</i> <i>73in. (1850mm) Heavy Duty Skid Steer Bucket with Loops Skid Steer Carrier Mounting Frame Two Function Single Lever Control Hydraulic Hoses to Tractor Mid Valve Hood Guard with Front Weight Support</i> <i>Three-Point Hitch Ballast is required for stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for proper ballasting</i>	7,452.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 440R Non Self Leveling Loader and loader installation charge with the following options:</i> <i>Skid Steer Carrier Mounting Frame</i>	6,149.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Heavy Duty Compact Utility Tractor (40 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<p>LOADERS Continued... <i>Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Hood Guard with Front Weight Support</i></p> <p><i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting</i></p>	
1795		<p>Less Loader <i>Includes Hood Guard with Front Weight Support</i></p>	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		<p>Accessories</p>	
LP25001		<p>3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i></p>	139.00
BLV10359		Horn Kit	62.70
		<p>Ballast</p>	
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
		<p>Drawbar</p>	
LP63768		Magnetic hitch pin	18.99
		<p>Engine</p>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
		<p>Exhaust</p>	
BLV10609		<p>Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i></p>	419.10
		<p>Front Hitch</p>	
BLV10088		<p>Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10989.</i></p>	745.80
BLV10091		<p>Heavy-Duty Push Bar <i>Requires Front Three-Point Hitch BLV10989.</i></p>	451.00
		<p>Hydraulics</p>	
BLV10969		<p>Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details. Also order Oil Line LVA17974.</i></p>	435.60
		<p>Maintenance</p>	
LVA21039		Filter Pak	207.02
		<p>Miscellaneous</p>	
BW15852		Large ballast box	1,269.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Heavy Duty Compact Utility Tractor (40 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
R51680		Weight, Front Suitcase (100 Lb.) Quantity of One <i>If installing 2 weights, also order 19H1926 (2), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2).</i> <i>If installing 4 - 6 weights, also order 08H4744 (2), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2).</i> <i>If installing 8 weights, also order 08H4744 (1), 08H4225 (1), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2).</i> <i>If installing 10 weights, also order 08H4744 (3), L169060 (1), L12491 (1), AR68801 (3) and 12M7044 (3).</i>	141.90
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11034		Left Hand Mirror Kit	201.30
BLV11035		Right Hand Mirror Kit	201.30
		Rear Power Take-off (Pto)	
BLV10385		2 Speed Power Take-Off (PTO) Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	797.50
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	13.20
T19293		Weight, Rear Wheel 106 lb (48 kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Three-point Hitch	
TY27545		Quik-Coupler, Economy, Category 2	586.18
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit	104.50
		Transmission	
BLV10641		Transmission Oil Heater	88.00
		Wheel Tread Width	
BLV10029		Wheel Spacer Set, 140 mm (each side)	570.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052M Heavy Duty Compact Utility Tractor (40 PTO hp)
Continued

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4066M Heavy Duty Compact Utility Tractor (52 PTO hp)
Equipment for Base Machine**

ENGINE:
Yanmar
4 Cylinder Intercooled
Turbocharged Diesel Engine
Tier IV EPA Emissions Certified
Engine HP 65.9 (48.5 kW)**
PTO HP 52 (38.8 kW) HST
**Engine HP (kW), Gross SAE
J1995: 65.9 (48.5) @ 2600 rpm,
PS
Displacement, L: 2.2

TRANSMISSION:
HST Transmission
3 Range
Differential Lock
4-Wheel Drive
Cruise Control
LoadMatch
MotionMatc
SpeedMatch
eThrottle

HYDRAULICS:
Dual Mid Selective Control
Valve with Joystick Control
Lever, Float, Regenerative
Function, and Regenerative
Lockout
Single Rear Selective Control
Valve

INSTRUMENTATION:
Performance Tracking System
Diagnostic Control Panel
Hour Meter

ELECTRICAL:
12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Wet Battery with 770 Cold
Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Deluxe Adjustable Vinyl Seat
with Arm Rests and Retractable
Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
Meets SAE J2194 and OSHA 1928
ROPS Certification Standards for
North America
Isolated Foot Rest
Center Console Tool Storage
Operator Presence with Safety
Interlock

LIGHTS:
Two Front Halogen Head Lights
Two Front Flashing Warning
Lights
Two Fender LED Work Lights

One Rear LED Work Light
Two Rearward Flashing Warning
Lights
Brake Indicator Lights
**Turn Signal Indication per
Current ASABE Lighting Standard

HITCH:
Telescoping Draft Links with
Sway Bar
Aux. 3 Point Hitch Control

HOOD GUARD:
Heavy Duty Hood Guard with Front
Weight Support

BASE MACHINE (4WD):
16.9-24 (8PR, R4 Industrial, 2
Position) Rear Wheels & Tires
31.5x13-16.5 (10PR, R4
Industrial, 2 Position) Front
Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

037ALV	4066M Heavy Duty Compact Utility Tractor (52 PTO hp)	42,881.00
--------	--	-----------

DESTINATION

	North America	
0184	Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Heavy Duty Compact Utility Tractor (52 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRANSMISSION			
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
OPERATOR'S STATION			
2000		Open Station with Standard Seat	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
THREE-POINT HITCH			
4061		Less iMatch Quick Hitch Category 1	In Base Price
MID SELECTIVE CONTROL VALVES			
3420		Dual Mid Selective Control Valve (SCV)	In Base Price
REAR SELECTIVE CONTROL VALVES			
3310		Single Rear Selective Control Valve (SCV)	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5244		16.9-24 (8PR, R4 Industrial, 2 Position)	In Base Price
5246		19.5L-24 (8PR, R4 Industrial, 2 Postition)	1,848.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6244		31.5x13-16.5 (10PR, R4 Industrial, 2 Position)	In Base Price
LOADERS			
1711		Factory Installed Loader with Bucket <i>Pricing includes 440R Non-Self Leveling Loader installation charge with the following options:</i> <i>73in. (1850mm) Heavy Duty Skid Steer Bucket with Loops Skid Steer Carrier Mounting Frame Two Function Single Lever Control Hydraulic Hoses to Tractor Mid Valve Hood Guard with Front Weight Support</i> <i>Three-Point Hitch Ballast is required for stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for proper ballasting</i>	7,452.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 440R Non Self Leveling Loader and loader installation charge with the following options:</i> <i>Skid Steer Carrier Mounting Frame</i>	6,149.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Heavy Duty Compact Utility Tractor (52 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<p>LOADERS Continued... <i>Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Hood Guard with Front Weight Support</i></p> <p><i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting</i></p>	
1795		<p>Less Loader <i>Includes Hood Guard with Front Weight Support</i></p>	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		<p>Accessories</p>	
LP25001		<p>3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i></p>	139.00
BLV10359		Horn Kit	62.70
		<p>Ballast</p>	
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
		<p>Drawbar</p>	
LP63768		Magnetic hitch pin	18.99
		<p>Engine</p>	
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
		<p>Exhaust</p>	
BLV10609		<p>Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i></p>	419.10
		<p>Front Hitch</p>	
BLV10088		<p>Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10989.</i></p>	745.80
BLV10091		<p>Heavy-Duty Push Bar <i>Requires Front Three-Point Hitch BLV10989.</i></p>	451.00
		<p>Hydraulics</p>	
BLV10969		<p>Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details. Also order Oil Line LVA17974.</i></p>	435.60
		<p>Maintenance</p>	
LVA21039		Filter Pak	207.02
		<p>Miscellaneous</p>	
BW15852		Large ballast box	1,269.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Heavy Duty Compact Utility Tractor (52 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
R51680		Weight, Front Suitcase (100 Lb.) Quantity of One <i>If installing 2 weights, also order 19H1926 (2), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2).</i> <i>If installing 4 - 6 weights, also order 08H4744 (2), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2).</i> <i>If installing 8 weights, also order 08H4744 (1), 08H4225 (1), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2).</i> <i>If installing 10 weights, also order 08H4744 (3), L169060 (1), L12491 (1), AR68801 (3) and 12M7044 (3).</i>	141.90
		Open Operator's Station	
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11034		Left Hand Mirror Kit	201.30
BLV11035		Right Hand Mirror Kit	201.30
		Rear Power Take-off (Pto)	
BLV10385		2 Speed Power Take-Off (PTO) Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	797.50
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	13.20
T19293		Weight, Rear Wheel 106 lb (48 kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Three-point Hitch	
TY27545		Quik-Coupler, Economy, Category 2	586.18
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit	104.50
		Transmission	
BLV10641		Transmission Oil Heater	88.00
		Wheel Tread Width	
BLV10029		Wheel Spacer Set, 140 mm (each side)	570.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066M Heavy Duty Compact Utility Tractor (52 PTO hp)
Continued

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4044R Compact Utility Tractor (33 PTO hp)
Equipment for Base Machine**

<p>ENGINE: Yanmar 4 Cylinder Naturally Aspirated Diesel Engine Tier IV EPA Emissions Certified Engine HP 43.1 (31.7)** PTO HP 32.5 (23.0 kW) HST **Engine HP (kW), Gross SAE J1995: 43.1 (31.7) @ 2600 rpm, PS Displacement, L: 2.2</p> <p>TRANSMISSION: HST Transmission 3 Range Differential Lock 4-Wheel Drive Cruise Control LoadMatch MotionMatch SpeedMatch eThrottle</p> <p>HYDRAULICS: Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function</p> <p>INSTRUMENTATION: Performance Tracking System Diagnostic Control Panel Hour Meter Speedometer</p> <p>ELECTRICAL: 12-Volt Electrical System</p>	<p>75 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Wet Battery with 770 Cold Cranking Amps</p> <p>OPERATOR PROTECTIVE STRUCTURE: Deluxe Adjustable Vinyl Seat with Arm Rests, Swivel and Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) Meets SAE J2194 and OSHA 1928 ROPS Certification Standards for North America and Europe Isolated Foot Rest Center Console Tool Storage Operator Presence with Safety Interlock</p> <p>CAB (OPTIONAL): 12 Volt Auxiliary Power Outlet Air Conditioning and Heater Cell Phone Holder Deluxe Fabric Covered Seat with Retractable Seat Belt and Armrests Dual Forward Work Lights Two Speed Front Windshield Wiper/Washer Fully Isolated Deluxe Cab High Impact Polymer Fenders with Integrated Tail Lights Radio Preparation (w/antenna, speakers, wiring, media player)</p>	<p>storage slot Molded Rubber Floormat Operator Manual Holder Rearview Mirror (inside) Monitor Bosses (2 sets) Right Hand and Left Hand Console Storage Right Hand Control Center Sealed Quiet Cabin Sun visor Swing-Out Rear Window w/removable plug for monitor or controller harnesses Tilt Steering Two Front/Two Rear Roof Mounted Warning Lights</p> <p>HITCH: HitchAssist Aux. 3 Point Hitch Control</p> <p>BASE MACHINE (4WD): 13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires 8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires</p>
---	---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0329LV	4044R Compact Utility Tractor (33 PTO hp)	32,648.00
--------	---	-----------

DESTINATION

0184	North America Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRANSMISSION			
1381		12F/12R PowrReverser <i>Includes response control feature. Requires Operator Station option 2005 (Open Station with Deluxe Seat).</i>	-1,162.00
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
OPERATOR'S STATION			
<i>If wanting to order your 4044R, 4052R, and 4066R with an open station, use base codes 0321LV, 0361LV, and 0382LV.</i>			
2005		Open Station with Deluxe Seat	In Base Price
2050		Cab with Standard Seat <i>Requires Transmission option 1520 (eHydro)</i>	8,709.00
RADIO			
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately. Available ONLY with option codes 2050 and 2060.</i>	495.00
2650		Less Radio	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totalling 11 inches (5.5 inches each).</i>	442.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	306.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-42.00
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-485.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	563.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	142.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	82.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i> <i>73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	7,024.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,093.00
1795		Less Loader	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00
BLV10359		Horn Kit	62.70
BLV10358		Backup Alarm Back-up Alarm Kit <i>For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.</i>	138.60
BLV10648		Back-up Alarm Kit <i>For Cab Tractors. Standard on 4R eHydro Transmission Tractors.</i>	138.60

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Ballast	
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
		Bracket	
BXE10864		12 Tablet Holder Kit (Ipad Pro)	204.60
		Cab Operator's Station	
RE343680		Accessory Mounting Bracket <i>For Cab Tractors only.</i>	55.81
LVB24983		Air Seat Suspension Kit (Cab Only)	749.10
BRE10015		Cell Phone Mount Kit	67.10
LVB24856		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017.</i>	267.30
BLV11052		Rear License Plate Kit (Cab Only) (Includes Light) <i>For MY18 and newer Cab Tractors only.</i>	68.20
BLV10938		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017.</i>	267.30
BRE10152		Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	66.00
SWJHD1630		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	246.05
BRE10255		Tablet Mount Kit	92.40
		Draft Link	
BLV10375		Telescoping Draft Links <i>For use on tractors equipped with horizontal-bar stabilizers.</i>	411.40
		Drawbar	
LP63768		Magnetic hitch pin	18.99
BLV10844		Tractor Drawbar Assembly	291.50
		Engine	
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
		Exhaust	
BLV11103		Upward Exhaust Kit (Non Turbo) <i>Cab Tractors Only.</i> <i>This conversion kit routes exhaust heat upward for compatibility with front fenders.</i>	289.30
BLV10608		Vertical Exhaust Kit (Non Turbo) <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	419.10

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Front Fenders	
BLV10791		Fixed Front Fender Kit <i>For 4R Series Cab Tractors. Also requires Upward Exhaust Kit if side exhaust is currently installed on the tractor.</i>	557.70
BLV10896		Turnable Front Fender Kit <i>For 4R Series Cab Tractors. Also requires Upward Exhaust Kit if side exhaust is currently installed on the tractor.</i>	661.10
		Front Hitch	
BLV10088		Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10989.</i>	745.80
BLV10091		Heavy-Duty Push Bar <i>Requires Front Three-Point Hitch BLV10989.</i>	451.00
		Front Weights	
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	262.90
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
		Front Wheels And Tires	
BLV10872		10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	916.30
BLV10874		27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	743.60
BLV10876		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	840.40
BLV10870		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	737.00
		Hydraulics	
BLV10045		4th and 5th Selective Control Valve Kit (Cab Only) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i> <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	999.90
BLV10050		4th and 5th Selective Control Valve Kit (OOS Only) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i> <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	918.50

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

4044R Compact Utility Tractor (33 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10089		Aux. Hydraulic Coupler Kit 1 <i>Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	227.70
BLV10090		Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch. Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	232.10
BLV10966		Electric 3 Spool Diverter Kit (Cab and OOS) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information. Includes two additional SCV's. Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,608.20
BLV10763		Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information. Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,005.40
BLV10764		Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,005.40
BLV10457		Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (Hydraulic Ordering Guide) for ordering details. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	408.10
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	435.60
BLV10967		Top and Tilt Field Kit (Cab Only) <i>For MY18 and newer Tractors. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information. Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab).</i>	1,345.30
BLV10965		Top and Tilt Field Kit (OOS Only) <i>For MY18 and newer Tractors. Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS). Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,345.30

Lighting

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB24852		Beacon Light Kit (Cab Only)	260.70
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights. Cab is Pre-Wired.</i>	161.70
LVB25547		Lighting Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Not for use with Cab Tractors.</i> <i>Includes 1 Light.</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	319.00
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i> <i>Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
		Lighting Equipment	
BLV10174		7-Pin Trailer Connector (OOS Only)	108.90
BLV11095		7-Pin Trailer Connector Connector (Cab Only)	136.40
		Maintenance	
LVA21039		Filter Pak	207.02
		Mirrors	
LVB24844		External Mirror Kit (Cab Only)	203.50
		Open Operator's Station	
BLV10379		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	764.50
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11034		Left Hand Mirror Kit	201.30
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer tractors.</i>	68.20
BLV11035		Right Hand Mirror Kit	201.30
TY25324		Weather Protection Umbrella	114.87
		Operator's Station	
BXE10606		Cell Phone Suction Cup Kit	64.90

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
BXE10607		X-Grip Tablet Dual Suction Cup Kit for Tablets	190.30
		Rear Fenders	
BLV10698		Rear Fender Extension Kit (Cab Only)	347.60
BLV10892		Rear Fender Extension Kit (Cab Only)	354.20
		Rear Power Take-off (Pto)	
BLV10832		2 Speed Power Take-Off (PTO) Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	797.50
BLV10385		2 Speed Power Take-Off (PTO) Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	797.50
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg) <i>For 20 In. Wheel only.</i>	11.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Rear Wheels And Tires	
BLV10871		13.60-28 (4PR, R1 Bar, 5 Position)	2,589.40
BLV10873		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,535.50
BLV10877		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,296.70
BLV10875		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,981.10
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	436.81
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	679.42

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4044R Compact Utility Tractor (33 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	428.16
BLV10968		Three-point Hitch 3-Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch. Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i> <i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456. Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i> <i>Not compatible with Top and Tilt Kit (BLV10040, BLV10499, BLV10965, BLV10967) or Electric 3 Spool Diverter Kit (BLV10968).</i>	1,150.60
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit	104.50
BLV10641		Transmission Transmission Oil Heater	88.00
UC13263		Weights Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	60.99
BLV10029		Wheel Tread Width Wheel Spacer Set, 140 mm (each side)	570.90
TY15201		Wheels And Tires Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	223.30

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4052R Compact Utility Tractor (40 PTO hp)
Equipment for Base Machine**

ENGINE:
Yanmar 4 Cylinder Turbocharged
Diesel Engine Tier IV EPA
Emissions Certified
Engine HP 51.5 (37.9 kW)**
PTO HP 39.9 (29.7 kW) HST
**Engine HP (kW), Gross SAE
J1995: 51.5 (37.9) @ 2600 rpm,
PS
Displacement, L: 2.2

TRANSMISSION:
HST Transmission
3 Range
Differential Lock
4-Wheel Drive
Cruise Control
LoadMatch
MotionMatch
SpeedMatch
eThrottle

HYDRAULICS:
Dual Mid Selective Control
Valve with Joystick Control
Lever, Float, Regenerative
Function, and Regenerative
Lockout

INSTRUMENTATION:
Performance Tracking System
Diagnostic Control Panel
Hour Meter
Speedometer

ELECTRICAL:

12-Volt Electrical System
75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Wet Battery with 770 Cold
Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:
Deluxe Adjustable Vinyl Seat
with Arm Rests, Swivel and
Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
Meets SAE J2194 and OSHA 1928
ROPS Certification Standards for
North America and Europe
Isolated Foot Rest
Center Console Tool Storage
Operator Presence with Safety
Interlock

CAB (OPTIONAL):
12 Volt Auxiliary Power Outlet
Air Conditioning and Heater
Armrests
Cell Phone Holder
Deluxe Fabric Covered Seat with
Retractable Seat Belt
Dual Forward Work Lights
Two Speed Front Windshield
Wiper/Washer
Fully Isolated Deluxe Cab
High Impact Polymer Fenders with
Integrated Tail Lights
Radio Preparation (w/antenna,
speakers, wiring, media player

storage slot
Molded Rubber Floormat
Operator Manual Holder
Rearview Mirror (inside)
Monitor Bosses (2 sets)
Right Hand and Left Hand Console
Storage
Right Hand Control Center
Sealed Quiet Cabin
Sun visor
Swing-Out Rear Window
w/removable plug for monitor or
controller harnesses
Tilt Steering
Two Front/Two Rear Roof Mounted
Warning Lights

HITCH:
HitchAssist
Aux. 3 Point Hitch Control

BASE MACHINE (4WD):
13.60-28 (4PR, R1 Bar, 5
Position) Rear Wheels & Tires
8-16 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0369LV	4052R Compact Utility Tractor (40 PTO hp)	35,630.00
--------	---	-----------

DESTINATION

	North America	
0184	Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRANSMISSION			
1381		12F/12R PowrReverser <i>Requires Operator Station option 2005 (Open Station with Deluxe Seat). Includes response control feature.</i>	-1,162.00
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
OPERATOR'S STATION			
<i>If wanting to order your 4044R, 4052R, and 4066R with an open station, use base codes 0321LV, 0361LV, and 0382LV.</i>			
2005		Open Station with Deluxe Seat	In Base Price
2050		Cab with Standard Seat <i>Requires Transmission option 1520 (eHydro)</i>	8,709.00
2051		Snow Cab with Air Ride Seat <i>Requires Transmission option code 1520 (eHydro). Includes Rear Wiper, 2 Rear Work Lights, 4th and 5th Rear SCVs, License Plate Bracket, Beacon Light, Engine Coolant Heater.</i>	11,438.00
RADIO			
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately. Available ONLY with option codes 2050 and 2060.</i>	495.00
2650		Less Radio	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totaling 11 inches (5.5 inches each).</i>	442.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	306.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-42.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REAR WHEELS AND TIRES Continued...			
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-485.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	563.00
5201		Nokian TRI 2 360/80R28 Rear Snow Tires	655.00
<hr/>			
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	142.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	82.00
6201		Nokian 250/75R16 TRI2 Steel Front Snow Tires	612.00
<hr/>			
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i> <i>73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	7,024.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i> <i>Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader</i> <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,093.00
1795		Less Loader	In Base Price
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
LP25001		Accessories 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10359		Horn Kit	62.70
		Backup Alarm	
BLV10358		Back-up Alarm Kit <i>For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.</i>	138.60
BLV10648		Back-up Alarm Kit <i>For Cab Tractors. Standard on 4R eHydro Transmission Tractors.</i>	138.60
		Ballast	
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
		Bracket	
BXE10864		12 Tablet Holder Kit (Ipad Pro)	204.60
		Cab Operator's Station	
RE343680		Accessory Mounting Bracket <i>For Cab Tractors only.</i>	55.81
LVB24983		Air Seat Suspension Kit (Cab Only)	749.10
BRE10015		Cell Phone Mount Kit	67.10
LVB24856		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017.</i>	267.30
BLV11052		Rear License Plate Kit (Cab Only) (Includes Light) <i>For MY18 and newer Cab Tractors only.</i>	68.20
BLV10938		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017.</i>	267.30
BRE10152		Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	66.00
SWJHD1630		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	246.05
BRE10255		Tablet Mount Kit	92.40
		Draft Link	
BLV10375		Telescoping Draft Links <i>For use on tractors equipped with horizontal-bar stabilizers.</i>	411.40
		Drawbar	
LP63768		Magnetic hitch pin	18.99
BLV10844		Tractor Drawbar Assembly	291.50
		Engine	
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Exhaust	
BLV11102		Upward Exhaust Kit <i>Cab Tractors Only.</i> <i>This conversion kit routes exhaust heat upward for compatibility with front fenders.</i>	289.30
BLV10609		Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	419.10
Front Fenders			
BLV10791		Fixed Front Fender Kit <i>For 4R Series Cab Tractors. Also requires Upward Exhaust Kit if side exhaust is currently installed on the tractor.</i>	557.70
BLV10896		Turnable Front Fender Kit <i>For 4R Series Cab Tractors. Also requires Upward Exhaust Kit if side exhaust is currently installed on the tractor.</i>	661.10
Front Hitch			
BLV10088		Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10989.</i>	745.80
BLV10091		Heavy-Duty Push Bar <i>Requires Front Three-Point Hitch BLV10989.</i>	451.00
Front Weights			
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	262.90
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
Front Wheels And Tires			
BLV10872		10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	916.30
BLV10874		27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	743.60
BLV10876		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	840.40
BLV10870		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	737.00
Hydraulics			
BLV10045		4th and 5th Selective Control Valve Kit (Cab Only) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i> <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	999.90

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

4052R Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10050		4th and 5th Selective Control Valve Kit (OOS Only) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	918.50
BLV10089		Aux. Hydraulic Coupler Kit 1 <i>Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	227.70
BLV10090		Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch. Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	232.10
BLV10966		Electric 3 Spool Diverter Kit (Cab and OOS) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information. Includes two additional SCV's. Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,608.20
BLV10763		Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information. Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,005.40
BLV10764		Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,005.40
BLV10457		Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (Hydraulic Ordering Guide) for ordering details. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	408.10
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	435.60
BLV10967		Top and Tilt Field Kit (Cab Only) <i>For MY18 and newer Tractors. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information. Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab).</i>	1,345.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10965		Top and Tilt Field Kit (OOS Only) <i>For MY18 and newer Tractors. Not compatible with 3 Point Hitch Downforce Kit (BLV10968).</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS). Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,345.30
LVB24852		Lighting Beacon Light Kit (Cab Only)	260.70
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights. Cab is Pre-Wired.</i>	161.70
LVB25547		Lighting Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Not for use with Cab Tractors.</i> <i>Includes 1 Light.</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	319.00
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
BLV10174		Lighting Equipment 7-Pin Trailer Connector (OOS Only)	108.90
BLV11095		7-Pin Trailer Connector Connector (Cab Only)	136.40
LVA21039		Maintenance Filter Pak	207.02
LVB24844		Mirrors External Mirror Kit (Cab Only)	203.50
BLV10379		Open Operator's Station Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	764.50
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11034		Left Hand Mirror Kit	201.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer tractors.</i>	68.20
BLV11035		Right Hand Mirror Kit	201.30
TY25324		Weather Protection Umbrella	114.87
		Operator's Station	
BXE10606		Cell Phone Suction Cup Kit	64.90
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
BXE10607		X-Grip Tablet Dual Suction Cup Kit for Tablets	190.30
		Rear Fenders	
BLV10698		Rear Fender Extension Kit (Cab Only)	347.60
BLV10892		Rear Fender Extension Kit (Cab Only)	354.20
		Rear Power Take-off (Pto)	
BLV10832		2 Speed Power Take-Off (PTO) Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	797.50
BLV10385		2 Speed Power Take-Off (PTO) Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	797.50
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg) <i>For 20 In. Wheel only.</i>	11.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Rear Wheels And Tires	
BLV10871		13.60-28 (4PR, R1 Bar, 5 Position)	2,589.40
BLV10873		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,535.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4052R Compact Utility Tractor (40 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10877		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,296.70
BLV10875		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,981.10
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	436.81
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	679.42
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	428.16
		Three-point Hitch	
BLV10968		3-Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch. Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i> <i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456. Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i> <i>Not compatible with Top and Tilt Kit (BLV10040, BLV10499, BLV10965, BLV10967) or Electric 3 Spool Diverter Kit (BLV10968).</i>	1,150.60
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit	104.50
		Transmission	
BLV10641		Transmission Oil Heater	88.00
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	60.99
		Wheel Tread Width	
BLV10029		Wheel Spacer Set, 140 mm (each side)	570.90
		Wheels And Tires	
TY15201		Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	223.30

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4066R Compact Utility Tractor (52 PTO hp)
Equipment for Base Machine**

ENGINE:

Yanmar 4 Cylinder Intercooled
Turbocharged Diesel Engine Tier
IV EPA Emissions Certified
Engine HP 65.9 (48.5 kW)**
PTO HP 52 (38.8 kW) HST
**Engine HP (kW), Gross SAE
J1995: 65.9 (48.5) @ 2600 rpm,
PS
Displacement, L: 2.2

TRANSMISSION:

HST Transmission
3 Range
Differential Lock
Cruise Control
4-Wheel Drive
LoadMatch
MotionMatch
SpeedMatch
eThrottle

HYDRAULICS:

Dual Mid Selective Control Valve
with Joystick Control Lever,
Float, Regenerative Function,
and Regenerative Lockout

INSTRUMENTATION:

Performance Tracking System
Diagnostic Control Panel
Hour Meter
Speedometer

ELECTRICAL:

12-Volt Electrical System

75 Amp Alternator
Key Ignition Starter with
Accessory and Pre-Heat Position
Wet Battery with 770 Cold
Cranking Amps

OPERATOR PROTECTIVE STRUCTURE:

Deluxe Adjustable Vinyl Seat
with Arm Rests, Swivel and
Retractable Seat Belt
Folding ROPS (Roll-Over
Protective Structure)
Meets SAE J2194 and OSHA 1928
ROPS Certification Standards for
North America and Europe
Isolated Foot Rest
Center Console Tool Storage
Operator Presence with Safety
Interlock

CAB (OPTIONAL):

12 Volt Auxiliary Power Outlet
Air Conditioning and Heater
Armrests
Cell Phone Holder
Deluxe Fabric Covered Seat with
Retractable Seat Belt
Dual Forward Work Lights
Two Speed Front Windshield
Wiper/Washer
Fully Isolated Deluxe Cab
High Impact Polymer Fenders with
Integrated Tail Lights
Radio Preparation (w/antenna,
speakers, wiring, media player
storage slot

Molded Rubber Floormat
Operator Manual Holder
Rearview Mirror (inside)
Monitor Bosses (2 sets)
Right Hand and Left Hand Console
Storage
Right Hand Control Center
Sealed Quiet Cabin
Sun visor
Swing-Out Rear Window
w/removable plug for monitor or
controller harnesses
Tilt Steering
Two Front/Two Rear Roof Mounted
Warning Lights

HITCH:

HitchAssist
Aux. 3 Point Hitch Control

BASE MACHINE (4WD):

13.60-28 (4PR, R1 Bar, 5
Position) Rear Wheels & Tires
8-16 (6PR, R1 Bar, 2 Position)
Front Wheels & Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Grovetown, Georgia

0389LV	4066R Compact Utility Tractor (52 PTO hp)	41,415.00
--------	---	-----------

DESTINATION

0184	North America Canada	No Added Cost
0202	United States	In Base Price
0205	Quebec	No Added Cost

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
TRANSMISSION			
1381		12F/12R PowrReverser <i>Requires Operator Station option 2005 (Open Station with Deluxe Seat). Includes response control feature.</i>	-1,162.00
1520		eHydro <i>Includes premium eHydro features (SpeedMatch, LoadMatch, MotionMatch, and eThrottle).</i>	In Base Price
OPERATOR'S STATION			
<i>If wanting to order your 4044R, 4052R, and 4066R with an open station, use base codes 0321LV, 0361LV, and 0382LV.</i>			
2005		Open Station with Deluxe Seat	In Base Price
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and 2 Rear Work Lights. Requires Transmission option 1520 (eHydro)</i>	9,630.00
2051		Snow Cab with Air Ride Seat <i>Requires Transmission option code 1520 (eHydro). Includes Rear Wiper, 2 Rear Work Lights, 4th and 5th Rear SCVs, License Plate Bracket, Beacon Light, Engine Coolant Heater.</i>	11,438.00
RADIO			
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately. Available ONLY with option codes 2050 and 2060.</i>	495.00
2650		Less Radio	In Base Price
REAR AXLE			
5090		Less Wheel Spacer	In Base Price
5091		Wheel Spacer <i>Totaling 11 inches (5.5 inches each).</i>	442.00
THREE-POINT HITCH			
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	306.00
4061		Less iMatch Quick Hitch Category 1	In Base Price
REAR WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
5221		13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240		16.9-24 (6PR, R4 Industrial, 2 Position)	-42.00

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

**4066R Compact Utility Tractor (52 PTO hp)
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REAR WHEELS AND TIRES Continued...			
5243		44x18-20 (4PR, R3 Turf, 1 Position)	-485.00
5253		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	563.00
5201		Nokian TRI 2 360/80R28 Rear Snow Tires	655.00
FRONT WHEELS AND TIRES			
<i>All tires offered are of bias ply construction.</i>			
6221		8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240		10-16.5 (6PR, R4 Industrial, 2 Position)	142.00
6243		27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253		27x12LL-15 (6PR, R3 Turf Special, 2 Position)	82.00
6201		Nokian 250/75R16 TRI2 Steel Front Snow Tires	612.00
LOADERS			
1701		Factory Installed Loader with Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i> 73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	7,024.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 440R Loader and loader installation charge with the following options:</i> Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	6,093.00
1795		Less Loader	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Accessories	
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	139.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10359		Horn Kit	62.70
		Backup Alarm	
BLV10358		Back-up Alarm Kit <i>For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.</i>	138.60
BLV10648		Back-up Alarm Kit <i>For Cab Tractors. Standard on 4R eHydro Transmission Tractors.</i>	138.60
		Ballast	
BW15073		Ballast Box	302.50
BW15074		Ballast Box Extension	143.00
		Bracket	
BXE10864		12 Tablet Holder Kit (Ipad Pro)	204.60
		Cab Operator's Station	
RE343680		Accessory Mounting Bracket <i>For Cab Tractors only.</i>	55.81
LVB24983		Air Seat Suspension Kit (Cab Only)	749.10
BRE10015		Cell Phone Mount Kit	67.10
LVB24856		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017.</i>	267.30
BLV11052		Rear License Plate Kit (Cab Only) (Includes Light) <i>For MY18 and newer Cab Tractors only.</i>	68.20
BLV10938		Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017.</i>	267.30
BRE10152		Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	66.00
SWJHD1630		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	246.05
BRE10255		Tablet Mount Kit	92.40
		Draft Link	
BLV10375		Telescoping Draft Links <i>For use on tractors equipped with horizontal-bar stabilizers.</i>	411.40
		Drawbar	
LP63768		Magnetic hitch pin	18.99
BLV10844		Tractor Drawbar Assembly	291.50
		Engine	
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Exhaust	
BLV11102		Upward Exhaust Kit <i>Cab Tractors Only.</i> <i>This conversion kit routes exhaust heat upward for compatibility with front fenders.</i>	289.30
BLV10609		Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.</i>	419.10
Front Fenders			
BLV10791		Fixed Front Fender Kit <i>For 4R Series Cab Tractors. Also requires Upward Exhaust Kit if side exhaust is currently installed on the tractor.</i>	557.70
BLV10896		Turnable Front Fender Kit <i>For 4R Series Cab Tractors. Also requires Upward Exhaust Kit if side exhaust is currently installed on the tractor.</i>	661.10
Front Hitch			
BLV10088		Category 1 Three-Point Hitch Lift Arms and Torsion Tube <i>Requires Front Three-Point Hitch BLV10989.</i>	745.80
BLV10091		Heavy-Duty Push Bar <i>Requires Front Three-Point Hitch BLV10989.</i>	451.00
Front Weights			
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i> <i>Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.</i>	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.</i>	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.</i>	262.90
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
Front Wheels And Tires			
BLV10872		10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	916.30
BLV10874		27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	743.60
BLV10876		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	840.40
BLV10870		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	737.00
Hydraulics			
BLV10045		4th and 5th Selective Control Valve Kit (Cab Only) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i> <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	999.90

**JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS**

4066R Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10050		4th and 5th Selective Control Valve Kit (OOS Only) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.</i>	918.50
BLV10089		Aux. Hydraulic Coupler Kit 1 <i>Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	227.70
BLV10090		Aux. Hydraulic Coupler Kit 2 <i>Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch. Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	232.10
BLV10966		Electric 3 Spool Diverter Kit (Cab and OOS) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information. Includes two additional SCV's. Not compatible with 3 Point Hitch Downforce Kit (BLV10037).</i>	1,608.20
BLV10763		Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only) <i>Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information. Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.</i>	1,005.40
BLV10764		Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) <i>Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,005.40
BLV10457		Load Center Assembly (Cab Only) <i>Electronic housing for powering all electric hydraulic kits. See Sales Manual (Hydraulic Ordering Guide) for ordering details. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	408.10
BLV10969		Power Beyond Kit (Cab and OOS) <i>Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	435.60
BLV10967		Top and Tilt Field Kit (Cab Only) <i>For MY18 and newer Tractors. Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information. Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab).</i>	1,345.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10965		Top and Tilt Field Kit (OOS Only) <i>For MY18 and newer Tractors. Not compatible with 3 Point Hitch Downforce Kit (BLV10968).</i> <i>Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS). Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.</i>	1,345.30
LVB24852		Lighting Beacon Light Kit (Cab Only)	260.70
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Includes 2 Lights. Cab is Pre-Wired.</i>	161.70
LVB25547		Lighting Auxiliary Rear Work Light Kit (1 Light) <i>Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Not for use with Cab Tractors.</i> <i>Includes 1 Light.</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.</i>	319.00
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).</i>	84.70
BLV10174		Lighting Equipment 7-Pin Trailer Connector (OOS Only)	108.90
BLV11095		7-Pin Trailer Connector Connector (Cab Only)	136.40
LVA21039		Maintenance Filter Pak	207.02
LVB24844		Mirrors External Mirror Kit (Cab Only)	203.50
BLV10379		Open Operator's Station Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	764.50
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
BLV11034		Left Hand Mirror Kit	201.30

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer tractors.</i>	68.20
BLV11035		Right Hand Mirror Kit	201.30
TY25324		Weather Protection Umbrella	114.87
		Operator's Station	
BXE10606		Cell Phone Suction Cup Kit	64.90
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
BXE10607		X-Grip Tablet Dual Suction Cup Kit for Tablets	190.30
		Rear Fenders	
BLV10698		Rear Fender Extension Kit (Cab Only)	347.60
BLV10892		Rear Fender Extension Kit (Cab Only)	354.20
		Rear Power Take-off (Pto)	
BLV10832		2 Speed Power Take-Off (PTO) Kit (Cab Only) <i>Also order software part number LVU29170 through JDPoint.</i>	797.50
BLV10385		2 Speed Power Take-Off (PTO) Kit (OOS Only) <i>Requires Service Advisor software order number LVU29170. See instruction sheet for more details.</i>	797.50
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	189.20
		Rear Wheel Weights	
BM19936		Attaching Hardware for Rear Wheel Starter Weight, 45 lb	12.10
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg) <i>For 20 In. Wheel only.</i>	11.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg) <i>Starter and Additional Weight for 24 and 28 In. Wheel.</i>	171.60
		Rear Wheels And Tires	
BLV10871		13.60-28 (4PR, R1 Bar, 5 Position)	2,589.40
BLV10873		16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,535.50

JOHN DEERE TURF & UTILITY PRODUCTS
COMPACT UTILITY TRACTORS

4066R Compact Utility Tractor (52 PTO hp)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10877		22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	3,296.70
BLV10875		44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	1,981.10
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	436.81
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029.</i>	679.42
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	428.16
BLV10968		Three-point Hitch 3-Point Hitch Downforce Kit <i>Provides additional down-pressure to 3 point hitch. Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.</i> <i>Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456. Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.</i> <i>Not compatible with Top and Tilt Kit (BLV10040, BLV10499, BLV10965, BLV10967) or Electric 3 Spool Diverter Kit (BLV10968).</i>	1,150.60
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).</i>	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit	104.50
BLV10641		Transmission Transmission Oil Heater	88.00
UC13263		Weights Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	60.99
BLV10029		Wheel Tread Width Wheel Spacer Set, 140 mm (each side)	570.90
TY15201		Wheels And Tires Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	223.30

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 1023E, 1025R, 1025R TLB, 1026R, 1026R TLB Compact Tractors
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. Must remove Backhoe prior to use (If Equipped).</i>	139.00
LP64809		Canopy Kit - Rigid Plastic <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	463.95
LP95233		Large Seat Cover <i>For use on 1023E Model Only.</i>	29.99
Ballast			
BW15073		Ballast Box <i>Must remove Backhoe prior to use (If Equipped).</i>	302.50
BW15074		Ballast Box Extension	143.00
Bucket Level Indicator (Bli)			
BW15476		Bucket Level Indicator <i>Requires Loader.</i>	69.30
Buckets			
LVB24976		12 In. Backhoe Bucket (0.90 Cu. Ft.) <i>Requires Backhoe.</i>	452.10
LVB24977		16 In. Backhoe Bucket (1.31 Cu. Ft.) <i>Requires Backhoe.</i>	502.70
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change <i>Requires Loader.</i>	849.20
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change <i>Requires Loader.</i>	900.90
LVB24975		8 In. Backhoe Bucket (0.63 Cu. Ft.) <i>Requires Backhoe.</i>	383.90
Buckets			
BW15896		1250 mm (49 in.) Pin-on materials bucket <i>Requires Loader.</i>	746.90
BW14144		1250-mm (49-in.) Loader Materials Bucket - Quick Change <i>Requires Loader.</i>	806.30

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 1023E, 1025R, 1025R TLB, 1026R, 1026R TLB Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Cab Operator's Station	
LP68116		Beacon Light Kit <i>Includes orange rotating beacon light, mounting bracket and hardware, illuminated rocker switch and wiring.</i> <i>For use with drop-on cab (LP68087).</i> <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	120.00
LP68119		Console Adapter Kit for Non-Current Tractors <i>Required for all 1026R tractors. Also required for 1025R tractors built prior to calendar year 2016 (- GXXXXXXX).</i> <i>For use with drop-on cab (LP68087).</i> <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	270.00
LP68087		Drop-on cab from Mauser (Heat Only) <i>F.O.B. Milwaukee, Wisconsin</i> <i>Not Compatible with Backhoe.</i> <i>Recommended to use 55 Amp Alternator (LVB25015) when installing cab.</i> <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	5,440.00
LP68118		Illuminated Rear License Plate Kit <i>For use with drop-on cab (LP68087).</i> <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	80.00
LP68117		Rear LED Work Light Kit <i>Includes LED work light, mounting bracket and hardware, illuminated rocker switch and wiring.</i> <i>For use with drop-on cab (LP68087).</i> <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	105.00
LP68115		Rear Wiper Kit <i>Includes wiper motor, arm, blade, illuminated rocker switch, fuse and wiring.</i> <i>For use with drop-on cab (LP68087).</i> <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	200.00
LP68120		Stereo Kit <i>Includes radio console for mounting, 2x speakers, 1x antenna, wiring for radio (DIN), wiring for speakers.</i> <i>For use with drop-on cab (LP68087).</i> <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	155.00

Cold Start Packages

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 1023E, 1025R, 1025R TLB, 1026R, 1026R TLB Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM134805	Engine Block Heater Adapter	122.63
	MIA881629	Engine Block Heater Adapter <i>For use on 1023E Model Only.</i>	113.82
	BLV10640	Engine Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R). Requires MIA881629 Engine Block Heater Adapter (1023E Model Only).</i>	66.00
	LVA15392	Exhaust Spark Arrester Screen for Muffler <i>For use on 1025R Model Only.</i>	45.37
	BLV10623	Front Weights Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R, 2032R) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).</i>	223.30
	BW15901	Hood Guards Deluxe Hood Guard (1 Series, 2025R Deere MY17 & newer) <i>Standard on H120 Loaders.</i>	253.00
	BW15900	Hood Guards Hood Guard (1023E, 1025R & 1026R Tractors) <i>Standard on D120 Loaders.</i>	228.80
	LVB25956	Hydraulics Power Beyond Kit (1023E, 1025R, 1026R) <i>Includes Rear Mounted Hydraulic Couplers and Hose. Not Compatible with LVB25837 (Rear Hydraulic Kit) and BLV10351 (Third SCV Kit). Also not compatible with drop-on cab from Mauser (LP68087).</i>	184.80
	BLV10351	Rear Selective Control Valve Kit <i>BLV10351 is the preferred kit for open station 1 family tractors because the handle will not interfere with the seat. Not compatible with LVB25956 (Power Beyond Kit) or LVB25837 (Rear Hydraulic Kit). Also not compatible with Backhoe or with drop-on cab from Mauser (LP68087).</i>	683.10
	LVB25837	Rear Tubing Kit <i>Routes Dual Mid SCVs to Rear of Tractor. Not compatible with LVB25956 (Power Beyond Kit) or BLV10531 (Third SCV Kit). Also not compatible with TLB models.</i>	323.40
	LVB25016	Lighting Warning Light Brush Guard Kit (Two Guards) <i>S/N Break (- 310000).</i>	82.50
	LVB25547	Lighting Auxiliary Rear Work Light Kit (1 Light) <i>1023E tractors require lighting kit harness (LVB26026). 1025R and 1026R tractors already include the necessary wire harness. Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.</i>	67.10

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 1023E, 1025R, 1025R TLB, 1026R, 1026R TLB Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25546		Forward Lighting Kit (2 Lights) <i>1023E tractors require lighting kit harness (LVB26026). 1025R and 1026R tractors already include the necessary wire harness. Requires Warning Light Brush Guard Kit BLV10400 (310001 -). Not Compatible with Rear Work Light Kit (LVB25547). 1023E tractors require lighting kit harness (LVB26026). 1025R and 1026R tractors already include the necessary wire harness. Requires Light Brush Guard Kit LVB25016 (- 310000). Cannot be used with Rear Work Lighting Kit (LVB25547) at the same time.</i>	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED lights. Each light has 360 degree rotation. Requires warning light brush guard kit LVB25016 (- 310000). Requires warning light brush guard kit BLV10400 (310001 -). 1023E tractors require lighting kit harness (LVB26026). 1025R and 1026R tractors do not require additional wire harness.</i>	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards) <i>S/N Break (310001 -).</i>	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires light brush guard kit LVB25016 (- 310000). Requires light brush guard kit BLV10400 (310001 -).</i>	84.70
		Maintenance	
LVA21035		Filter Pak <i>For use on 1023E Model Only.</i>	67.87
LVA21036		Filter Pak <i>For use on 1025R Model Only.</i>	67.75
		Miscellaneous	
LVB26110		Loader Mount Toolbox Kit	69.30
BM19556		Rubber Street Pad Kit <i>Requires Backhoe.</i>	138.60
LVB24982		Stabilizer Cylinder Protection Kit <i>Requires Backhoe.</i>	130.90
		Open Operator's Station	
LVB26026		Rear Work Light Harness Kit <i>For use on 1023E Model Only. Required to use with the following kits: Forward Lighting Kit LVB25546 Rear Work Light LVB25547 LED Work Light Kit BLV10497</i>	24.20
TY25324		Weather Protection Umbrella	114.87
		Operator Manual and Decal Kit	
BLV10710		French North American Owner's Manual and Decal Kit	0.00
LVB26209		Spanish North American Owner's Manual and Decal Kit	0.00
BLV10709		Spanish North American Owner's Manual and Decal Kit	0.00

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 1023E, 1025R, 1025R TLB, 1026R, 1026R TLB Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Spark Arrester	
AM108146		Spark Arrester Screen for Muffler	31.90
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507). Must remove Backhoe prior to use (If Equipped).</i>	383.90
		Tire Chains	
TY15958		Tire chains (pair) for 26x12-12 tires <i>Not Compatible with Backhoe installed due to interference with backhoe subframe.</i>	115.26
		Weights	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	140.17
BM17976		50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	70.61
UC13499		70-lb (32-kg) Starter Wheel Weight (1), cast iron, rear 12-in. wheel	178.69
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire	32.10
BM18089		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight on 26x12-12 Tire	24.61
BM17977		Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	60.99
		Wheels and Tires Front	
LVB25850		18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels & Tires	339.90
LVB25848		18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	381.70
		Wheels and Tires Rear	
LVB25849		26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	465.30
LVB25847		26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires	528.00

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 2320, 2520, 2720 Compact Tractors
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
LP64809		Canopy Kit - Rigid Plastic <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	463.95
RE19428		Safety Chain Support Kit	158.04
Cold Start Packages			
AM134805		Engine Block Heater Adapter <i>For use on 2320 Model Only.</i>	122.63
Engine			
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	66.00
Fenders			
LVB25652		Rear Fender Extension Kit	180.40
Front Weights			
BLV10623		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R, 2032R) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).</i>	223.30
Hood Guards			
BW15217		Hood Guard	267.30
BW15634		Hood Guard	283.80
Hydraulics			
LVB25606		Rear Hydraulic Outlet Kit <i>Routes Dual Mid SCVs to Rear of Tractor.</i>	335.50
BLV10731		Third Selective Control Valve Kit Without Detent <i>Not compatible with Power Beyond Kit (BLV10381). For use on 2320, 2520, 2720, MY '16 and Older 2025R and MY '16 and Older 2032R Tractors.</i>	1,178.10
Hydraulics			
LVB25822		Loader and Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with mechanical mower lift system.</i>	440.84
LVB25823		Loader and Mower Mechanical Diverter Valve Kit (MY16 and Older 2032R, 2520, 2720) <i>Diverter is not compatible with Mechanical Mower Lift system.</i>	587.40
Lighting			
LVB25016		Warning Light Brush Guard Kit (Two Guards)	82.50

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 2320, 2520, 2720 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Lighting	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Light Brush Guard Kit, LVB25016. Not Compatible with Rear Work Lighting Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	319.00
		Miscellaneous	
LVB19942		High Capacity Alternator Kit (35 amp) <i>For 2305, 2320, and 2520 Models (Serial - 406007).</i>	555.50
LP95223		Medium Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	27.99
		Mountings, Hydraulics And Subframe	
BLV10381		Power Beyond Kit <i>Not Compatible with Third SCV kit (BLV10731). Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on 2320, 2520, 2720, MY '16 and Older 2025R and MY '16 and Older 2032R Tractors.</i>	507.10
		Open Operator's Station	
TY25324		Weather Protection Umbrella	114.87
		Operator Manual and Decal Kit	
LVB25994		Spanish North American Operator's Manual and Decal Kit <i>For Use with 2720 Model Only.</i>	0.00
LVB25993		Spanish North American Operator's Manual and Decal Kit <i>For Use with 2520 Model Only.</i>	0.00
LVB25992		Spanish North American Operator's Manual and Decal Kit <i>For Use with 2320 Model Only.</i>	0.00
		Rear Wheel Weights	
BM17987		Attaching Hardware for Rear Wheel Weight, 60 lb	16.50
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
		Spark Arrester	
AM108146		Spark Arrester Screen for Muffler	31.90
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 2320, 2520, 2720 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Transmission	
BLV10641		Transmission Oil Heater	88.00
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1)M128726 Rod, and (4)A15147 Spring Clips (2320 Model Only).</i> <i>Requires (1) H148916 Rod and (2) AR60372 Spring Clips (2520 and 2720 Models Only).</i>	60.99
		Weights	
H148916		Front Weight Retainer Shaft <i>For Use on 2520 and 2720 Models Only.</i>	44.27
AR60372		Spring Locking Pin <i>For Use on 2520 and 2720 Models Only.</i>	3.86
		Wheels and Tires Front	
LVB24806		23x8.50-12 (4PR, R3 Turf, 1 Position) Front Wheels & Tires <i>For Use on 2320 Model Only.</i>	446.60
LVB24804		23x8.50-12 (6PR, R4 Industrial, 1 Position) Front Wheels & Tires	504.90
LVB25556		24x8.50-14 (4PR, R3 Turf, 1 Position) Front Wheels & Tires <i>For Use on 2520 and 2720 Models Only.</i>	566.50
		Wheels and Tires Rear	
LVB24803		12-16.50 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires <i>For Use on 2320 Model Only.</i>	1,028.50
LVB25557		14-17.50 (6PR, R4 Industrial, 2 Position) <i>For Use on 2520 and 2720 Models Only.</i>	1,382.70
LVB24805		31x13.50-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires <i>For Use on 2320 Model Only.</i>	874.50
LVB25555		36x14-15 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires <i>For Use on 2520 and 2720 Models Only.</i>	1,068.10

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3005, 4005 Compact Tractors
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
Cold Start Packages			
AM134805		Engine Block Heater Adapter	122.63
Engine			
AT118553		Air Cleaner Service Indicator (Donaldson)	64.32
Engine			
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
Hydraulics			
LVB25658		Dual Selective Control Valve Kit (3005 Model Only) <i>Standard on 4WD tractors only.</i>	1,164.90
BM18005		Power Beyond Kit (3005, 790, 770)	335.50
BM18046		Rear Hydraulic Quik Coupler Kit (2 Hose Kit) <i>Requires Dual SCV. Not compatible with 4005 model.</i>	240.90
Lighting			
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	319.00
Operator Environment			
AM107212		10 In. Extension for Roll-Gard Cross Tube <i>Required for Use with 7 Backhoe on 3005, 790 and 770 Tractors.</i>	226.40
RE19445		Canopy - Premium <i>For Use on 4005 Model Only.</i>	1,329.90
Operator Manual and Decal Kit			
LVB25999		Spanish North American Operator's Manual and Decal Kit <i>For Use with 4005 Model Only.</i>	0.00
LVB26000		Spanish North American Operator's Manual and Decal Kit <i>For Use with 3005 Model Only.</i>	0.00
PTO			
LVB25659		Mid-PTO 2100 RPM (3005 Model Only)	701.80
Rear Wheel Weights			
BM19939		Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg) <i>For Use on 4005 Model Only.</i>	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg) <i>For Use on 4005 Model Only.</i>	55.00
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For Use on 3005 Model Only.</i>	11.00

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3005, 4005 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg) <i>For Use on 4005 Model Only.</i>	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	11.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 In. Wheel (3005 Model Only). Starter and Additional Weight for 20 In. Wheel (4005 Model Only). Additional Weight for 24 In. Wheel.</i>	140.80
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for 16 In. and 19.5 In. Wheel (3005 Model Only).</i>	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg) <i>For Use on 4005 Model Only.</i>	171.60
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
		Weights	
CH15318		Front Quik-Tatch Weight Kit (790, 3005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	17.49
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	29.97
BM17998		Front Weight Bracket Extension Kit (790, 3005) <i>Includes Front Weight Bracket and Hardware to Allow up to Four 42 Lb. Additional Quik-Tatch Weights. Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	247.50
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires CH15318, Pin (3005 Model Only). Requires CH14083 Pin (4005 Model Only).</i>	60.99
		Weights	
LVB25572		Attaching Hardware for Additional Rear Wheel Weight, 60 Lb. <i>For 16 In. and 19.5 In. Wheel (Additional Weight). For Use on 3005 Model Only.</i>	35.20
LVB25571		Attaching Hardware for Rear Wheel Starter Weight, 45 Lb. <i>For Use on 3005 Model Only.</i>	13.20
BM17969		Rear Wheel Starter Weight, 45 lb <i>For use with 11.2-24 R1 Agricultural Rear Tires on 24 In. Wheel (3005 Model Only).</i>	140.80
		Wheels and Tires Front	
BM16869		25x8.50-14 (4PR, R3 Turf, 1 Position) Front Wheels & Tires <i>For Use on 3005 Model Only.</i>	515.90
LVB25420		25x8.50-14 (6PR, R4 Industrial) Front Wheels & Tires <i>For Use on 3005 Model Only.</i>	644.60
LVB25043		27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires <i>For Use on 4005 Model Only.</i>	728.20

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3005, 4005 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB00011		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires <i>For Use on 3005 Model Only.</i>	573.10
LVB25042		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires <i>For Use on 4005 Model Only.</i>	724.90
		Wheels and Tires Rear	
LVB00009		11.20-24 (4PR, R1 Bar, 2 Position) Rear Wheels & Tires <i>For Use on 3005 Model Only.</i>	1,808.40
BM16841		13.60-16 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires <i>For Use on 3005 Model Only.</i>	1,294.70
LVB25048		14.90-24 (4PR, R1 Bar, 8 Position) Rear Wheels & Tires <i>For Use on 4005 Model Only.</i>	1,643.40
LVB25982		17.50L-24 (8PR, R4 Industrial, 8 Position) Rear Wheels & Tires <i>For Use on 4005 Model Only.</i>	2,382.60
LVB25000		44x18-20 (4PR, R3 Turf) Rear Wheels & Tires <i>For Use on 4005 Model Only.</i>	1,941.50

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 2305, 2305 TLB Compact Tractors Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. Must remove Backhoe prior to use (If Equipped).</i>	139.00
LP64809		Canopy Kit - Rigid Plastic <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	463.95
Bucket Level Indicator (Bli)			
BW15476		Bucket Level Indicator	69.30
Buckets			
LVB24976		12 In. Backhoe Bucket (0.90 Cu. Ft.)	452.10
LVB24977		16 In. Backhoe Bucket (1.31 Cu. Ft.)	502.70
BW14145		53 In. (1350mm) Loader Materials Bucket - Quik Change	849.20
BW14146		61 In. (1550mm) Loader Materials Bucket - Quik Change	900.90
LVB24975		8 In. Backhoe Bucket (0.63 Cu. Ft.)	383.90
Buckets			
BW14144		1250-mm (49-in.) Loader Materials Bucket - Quick Change	806.30
Cold Start Packages			
AM134805		Engine Block Heater Adapter	122.63
Engine			
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).</i>	66.00
Front Weights			
BLV10623		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R, 2032R) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).</i>	223.30
Front Wheels And Tires			
BM20954		18x8.50-10 front turf tires	335.99
Hydraulics			
LVB24981		Power Beyond Kit <i>Includes Rear Mounted Hydraulic Couplers and Hose. Kit is included with the Backhoe Subframe as Standard Equipment. For Stand-Alone Use Only.</i>	242.00
Hydraulics			
LVB25822		Loader and Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with mechanical mower lift system.</i>	440.84

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 2305, 2305 TLB Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Lighting	
LVB25016		Warning Light Brush Guard Kit (Two Guards)	82.50
		Lighting	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	67.10
		Miscellaneous	
LVB24813		Cruise Control Kit	204.60
LVB19942		High Capacity Alternator Kit (35 amp) <i>For 2305, 2320, and 2520 Models (Serial - 406007).</i>	555.50
LVB24982		Stabilizer Cylinder Protection Kit	130.90
		Operator Manual and Decal Kit	
LVB25991		Spanish North American Operator's Manual and Decal Kit <i>For 2305 Tractor. Not compatible with 260 backhoe.</i>	0.00
		Spark Arrester	
AM108146		Spark Arrester Screen for Muffler	31.90
		Three-point Hitch	
LVU12858		iMatch Quick Hitch Bushings	24.54
		Tire Chains	
TY15958		Tire chains (pair) for 26x12-12 tires	115.26
		Weights	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	140.17
BM17976		50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	70.61
UC13499		70-lb (32-kg) Starter Wheel Weight (1), cast iron, rear 12-in. wheel	178.69
BM18101		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire	32.10
BM18089		Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight on 26x12-12 Tire	24.61
BM17977		Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1)M128726 Rod, and (2)A15147 Spring Clips.</i>	60.99
		Weights	
H148916		Front Weight Retainer Shaft	44.27
AR60372		Spring Locking Pin	3.86

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320, 3520, 3720 Compact Tractors
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
LVB24851		Horn Kit (Cab Only)	50.60
LP95233		Large Seat Cover	29.99
LVB24930		Tool Box Kit <i>Cab Only.</i>	64.90
Backup Alarm			
BLV10648		Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	138.60
Cab Operator's Station			
LVB24983		Air Seat Suspension Kit (Cab Only)	749.10
BRE10015		Cell Phone Mount Kit	67.10
LVB24856		Rear Wiper Kit (Cab Only)	267.30
BLV10938		Rear Wiper Kit (Cab Only)	267.30
BRE10152		Self - Leveling Cup Holder	66.00
SWJHD1630		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 9520 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio. For 4320, 4520 and 4720 Tractors.</i>	246.05
Draft Link			
LVB25308		Telescoping Draft Links <i>For Use on Tractors Equipped with Horizontal-Bar Stabilizers.</i>	365.20
Engine			
LVB25884		Vertical Exhaust Kit	411.40
Engine			
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
Exhaust			
LVA13457		Spark Arrester Screen	73.29
Fenders			
LVB25686		Front Fender Kit	550.00
LVB24860		Rear Fender Extension Kit (Cab Only)	281.60
Front Weights			
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	246.40

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320, 3520, 3720 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	99.00
		Front Wheels And Tires	
BLV10864		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	644.60
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	752.40
BLV10866		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	656.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	583.00
TY15651		Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires.</i>	115.96
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. Not for use with Front Fender Kit.</i>	114.51
		Hood Guards	
BWA1190		Deluxe Hood Guard	611.60
BW16585		Deluxe Hood Guard Attachment	346.50
BW15219		Hood Guard	283.80
		Hydraulics	
LVB26035		4th & 5th Selective Control Valve Kit (OOS Only) <i>For 3x20 Tractors only. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Please refer to Selective control valve (SCV) reference table for any additional parts.</i> <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever.</i>	882.20
LVB24854		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's Additional SCV's (Either Third and Fourth or Fourth and Fifth). Not compatible with MY2011 tractors. See sales manual for details.</i>	1,662.10
LVB26076		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's Additional SCV's (Either Third and Fourth or Fourth and Fifth) Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break</i>	1,623.60
LVB25507		Electric Diverter Kit (OOS Only) <i>Includes Diverter Valve, Two Sets of Rear Mounted couplers, Hydraulic Lines and Selector Switch. Not compatible with MY2011 tractors. See sales manual for details.</i>	1,531.20
LVB26075		Electric Diverter Kit (OOS Only) <i>Includes Diverter Valve, Two Sets of Rear Mounted couplers, Hydraulic Lines and Selector Switch. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,622.50

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320, 3520, 3720 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB26031		Electrohydraulic Third SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,184.70
LVB26030		Electrohydraulic Third SCV Kit (OOS Only) <i>For 3120-3720 Tractors, Dual SCV is Standard. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,255.10
LVB25311		Top and Tilt Field Kit <i>Requires Electric Diverter Kit. For 3320 and 3520 MY2011 and prior</i>	1,270.50
		Hydraulics	
BLV11010		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	435.60
LVB25506		Third Selective Control Valve (SCV) Kit <i>For 3120-3720 Tractors, Dual SCV is Standard. Not compatible with MY2011 or newer tractors. See sales manual for details.</i>	299.20
LVB24845		Third Selective control Valve (SCV) Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or newer tractors. See sales manual for details.</i>	352.00
BLV10650		Top and Tilt Field Kit <i>Requires Electric Diverter Kit. Prior to MY2011 order LVB25311.</i>	1,394.80
		Lighting	
LVB25016		Warning Light Brush Guard Kit (Two Guards)	82.50
		Lighting	
LVB24852		Beacon Light Kit (Cab Only)	260.70
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired.</i>	161.70
		Lighting	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547). Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
		Mid power Take-off (Pto)	
LVB24846		Mid PTO Control Kit (Cab Only)	163.90

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320, 3520, 3720 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25537		Mid Power Take-Off (PTO) Kit <i>Note: 3X20 Tractors equipped with RIO(Reverse Implement Option) and PRT transmission are not compatible with mid-mount mowers(for grooming). Tractors with serial numbers ending with 910000(OOS) and above will have RIO. Tractors with serial numbers ending with 940000(cab) and above will have RIO.</i>	788.70
		Mirrors	
LVB24844		External Mirror Kit (Cab Only)	203.50
		Miscellaneous	
LVB25971		7-Pin Trailer Connector (Cab) <i>For 3320 Tractors Serial # (H500599 -) For 3520 Tractors Serial # (H512472 -) For 3720 Tractors Serial # (H522565 -)</i>	134.20
LVB25960		7-Pin Trailer Connector (Open Station)	280.50
LVB25866		Automotive Style Cruise, Load Match, Speed Match, and Upgraded Motion Match Switch	119.90
AL113087		Lockable Fuel Tank <i>Cab Only.</i>	29.27
		Mountings, Hydraulics And Subframe	
LVB25781		Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720 Cab Tractors. Only compatible with MY2011 tractors and older. See sales manual for details.</i>	435.60
LVB26069		Power Beyond Kit (Cab Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for use with Backhoe on 3120-3720 Cab Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for details.</i>	435.60
LVB25505		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2010 tractors and older. See sales manual for details.</i>	435.60
		Open Operator's Station	
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	680.90
LVB25334		Canopy - Standard	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
TY25324		Weather Protection Umbrella	114.87
		Operator Environment	
LVB26065		Cab Speaker and Radio Mount Kit <i>Cab Only. Compatible only with MY2010 or previous models. See sales manual for details.</i>	96.80
LVB24876		Cigarette Lighter/Ashtray Kit (Cab Only) <i>For 3320, 3520, 3720, 4320, 4520 and 4720 Tractors.</i>	50.60

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320, 3520, 3720 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Operator Manual and Decal Kit	
LVB25997		Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors.</i> <i>For 3320 and 3520 Tractors</i>	0.00
LVB25989		Spanish North American Operator's Manual and Decal Kit <i>Open Station Tractors.</i> <i>For 3320 and 3520 Tractors</i>	0.00
LVB26181		Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors.</i>	0.00
LVB26180		Spanish North American Operator's Manual and Decal Kit <i>Open Station Tractors.</i>	0.00
		Operator's Station	
RE289852		Deere Delco Stereo Radio with Weatherband, Single Compact Disc Player, Clock, and Four Speakers <i>For 3520 and 3720 Tractors.</i>	See Parts
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
		Rear Fenders	
LVB25684		Rear Fender Extension Kit (Open Station Only)	281.60
		Rear Hitch	
BLV10012		Tractor Drawbar Assembly	286.00
		Rear Wheel Weights	
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	11.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg) <i>Starter and Additional Weight for 24 In. Wheel.</i> <i>Requires Attaching Hardware 4 each of 03H1605 (Bolt) and 14H1039 (Nut) for Starter Weight and BM19940 for Additional Weight.</i>	171.60
		Rear Wheels And Tires	
BLV10861		11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	1,905.20
BLV10865		15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,785.30
BLV10867		41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	1,619.20
BLV10869		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	2,580.60
BLV10863		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	1,813.90

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 3320, 3520, 3720 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY4453		Tire Chains <i>For use with BLV10393 and LVB25495 Rear Tires. Not for use with Cab Tractors.</i>	333.45
TY4457		Tire Chains <i>For Use With LVB25496 Rear Tires.</i>	349.42
LVB25976		Three-point Hitch iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
LVB26139		Transmission PRT Oil Cooler Kit	310.20
BLV10641		Transmission Oil Heater	88.00
BKK10018		Wheel Slip Control	5,809.10
LVA11189		Transmission Load Match Switch	24.50
LVBM19607		Weights Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	48.40
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVBM19607, Front Quik-Tatch Weight Kit, BLV10442 or BLV10441 (Front Weight Bracket Extension Kit).</i>	60.99

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4105 Compact Tractors Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
Draft Link			
LVB25308		Telescoping Draft Links	365.20
Engine			
AT118553		Air Cleaner Service Indicator (Donaldson)	64.32
LVB25884		Vertical Exhaust Kit	411.40
Engine			
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
Exhaust			
LVA13457		Spark Arrester Screen	73.29
Front Weights			
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	246.40
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV10443.</i>	99.00
Front Wheels And Tires			
BLV10872		10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	916.30
Hood Guards			
BW16040		Hood Guard <i>For Tractor serial numbers 1LV4105HKAH410001 and above. For Tractors 1LV4105HKAH410001 and below, use BW15783.</i>	283.80
BW15783		Hood Guards Hood Guard (4105) <i>For Tractor serial numbers 1LV4105HKAH410001 and below For Tractors 1LV4105HKAH410001 and above use BW16040.</i>	251.90
Hydraulics			
LVB26030		Electrohydraulic Third SCV Kit (OOS Only) <i>For 3120-3720 and 4105 Tractors, Dual SCV is Standard. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,255.10
LVB25089		Third Selective Control Valve Kit <i>Requires Dual SCV. Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever, Valve Not Included.</i>	327.80
Hydraulics			
BLV11010		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2011 tractors and newer. See Sales Manual for MY2011 serial number break.</i>	435.60

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4105 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25084		Third Selective Control Valve (SCV) Kit <i>Requires dual SCV. Includes rear mounted couplers. Hydraulic lines and SCV lever, valve not included. If tractor is equipped with loader, LVB25084 is recommended to raise and lower mid-mount mowers.</i>	341.00
LVB25016		Lighting Warning Light Brush Guard Kit (Two Guards)	82.50
LVB25547		Lighting Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547). Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
LVB26021		Miscellaneous Cruise Control Kit	324.50
LVB25505		Mountings, Hydraulics And Subframe Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hoses for Use with Backhoe on 3120-3720, 4105 Open Station Tractors. Only compatible with 2010 tractors and older. See sales manual for details.</i>	435.60
LVB25334		Open Operator's Station Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
LVB25990		Operator Manual and Decal Kit Spanish North American Operators Manual and Decal Kit <i>For 4105 Tractor</i>	0.00
LVB26188		Spanish North American Operators Manual and Decal Kit	0.00
BM19940		Rear Wheel Weights Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	13.20
T19293		Weight, Rear Wheel 106 lb (48 kg)	171.60
TY16202		Rear Wheels And Tires Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires.</i>	679.42
LVU15507		Three-point Hitch iMatch Quick Hitch Bushings	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
BLV10641		Transmission Transmission Oil Heater	88.00

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4105 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Weights	
	LVBM19607	Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	48.40
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Requires CH15318, Pin.</i>	60.99
		Wheels and Tires Rear	
	LVB26029	17.50L-24 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	2,269.30

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4120, 4320, 4520, 4720 Compact Tractors Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Accessories			
LP25001		3-Point Hitch Tractor Receiver Hitch	139.00
LVB24851		Horn Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	50.60
LP95233		Large Seat Cover	29.99
LVB24865		Tool Box Kit	174.90
Backup Alarm			
BLV10648		Back-up Alarm Kit <i>Requires eHydro Transmission Option.</i>	138.60
Cab Operator's Station			
LVB24983		Air Seat Suspension Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	749.10
BRE10015		Cell Phone Mount Kit	67.10
LVB24856		Rear Wiper Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	267.30
BLV10938		Rear Wiper Kit (Cab Only)	267.30
BRE10152		Self - Leveling Cup Holder	66.00
SWJHD1630		Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option Code 9520 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio. For 4320, 4520 and 4720 Tractors.</i>	246.05
Cold Start Packages			
RE527545		Engine Block Heater	161.54
Engine			
LVB25765		Vertical Exhaust Kit <i>For 4120 Tractors PRT Serial #(615001 -), HST Serial #(610001 -). For 4320 Tractors PRT Serial #(630001 -), HST Serial #(620001 -). For 4520 Tractors PRT Serial #(655001 -), HST Serial #(650001 -). For 4720 Tractors Serial #(670001 -).</i>	411.40
RE51650		Water Separator Clear Bowl	70.60
Engine			
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
Fenders			
LVB25685		Front Fender Kit	550.00
LVB24860		Rear Fender Extension Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	281.60

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25683		Rear Fender Extension Kit (Open Station Only)	281.60
		Front Weights	
LVB25705		Front Quik-Tatch Weight Kit <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	46.20
BLV10441		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to twelve front Quik-Tatch weights.</i>	262.90
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) LVB25705, Front Quik-Tatch Weight Kit.</i>	99.00
		Front Wheels And Tires	
BLV10872		10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	916.30
BLV10874		27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	743.60
BLV10876		27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	840.40
BLV10870		8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	737.00
		Hood Guards	
BW15221		Hood Guard	283.80
		Hydraulics	
LVB26072		4th & 5th Electrohydraulic SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Also see SCV Options Table under Notes for the appropriate parts needed for installation.</i>	1,455.30
LVB26037		4th & 5th Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. Please refer to Selective control valve (SCV) reference table for any additional parts. For 4120, 4320 and 4720 Tractors.</i>	908.60
LVB24855		Electric Diverter Kit (Cab Only) <i>Includes Two Additional SCV's (Either Third and Fourth or Fourth and Fifth) Not compatible with MY2011 and later tractors. See sales manual for details.</i>	1,576.30
LVB25511		Electric Diverter Kit (OOS Only) <i>Includes Two Additional SCV's (Either Third and Fourth or Fourth and Fifth) Not compatible with MY2011 tractors. See sales manual for details.</i>	1,531.20
LVB26077		Electric Diverter Kit (OOS Only) <i>Includes two additional SCV's.</i>	1,576.30
LVB26033		Electrohydraulic Third SCV Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break. For 4320, 4520 and 4720 Tractors.</i>	1,184.70

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB26032		Electrohydraulic Third SCV Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	1,184.70
LVB26078		Electronic Diverter Kit (Cab Only) <i>Includes two additional SCV's. For 4320, 4520 and 4720 Tractors.</i>	1,576.30
LVB24848		Third Selective Control Valve Kit (Cab Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or newer tractors. See sales manual for details. For 4320, 4520 and 4720 Tractors.</i>	297.00
LVB25513		Third Selective Control Valve Kit (OOS Only) <i>Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. Not compatible with MY2011 or older tractors. See sales manual for details.</i>	293.70
LVB25312		Top and Tilt Field Kit <i>Requires Electric Diverter Kit. For 4120, 4320 and 4520 MY2011 and prior.</i>	1,200.10
LVB26161		Top and Tilt Field Kit <i>Requires Electric Diverter Kit. Prior to MY2011 order LVB25312.</i>	1,318.90
		Lighting	
LVB25236		Warning Light Brush Guard Kit (Two Guards) <i>Open Station Only.</i>	82.50
		Lighting	
LVB24852		Beacon Light Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	260.70
LVB24853		Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is Pre-Wired. For 4320, 4520 and 4720 Tractors.</i>	161.70
		Lighting	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.</i>	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547). Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	319.00
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards.</i>	84.70
		Mirrors	
LVB24844		External Mirror Kit (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	203.50
		Miscellaneous	

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25971		7-Pin Trailer Connector (Cab) <i>Serial # (H670871 -)</i> <i>For 4320, 4520 and 4720 Tractors.</i>	134.20
LVB25960		7-Pin Trailer Connector (Open Station)	280.50
LVB25867		Automotive Style Cruise Load Match, Speed Match and Upgraded Motion Match Switch <i>For 4520 Tractors Serial # (655001 -)</i> <i>For 4720 Tractors Serial # (670001 -)</i>	119.90
LVB25866		Automotive Style Cruise, Load Match, Speed Match, and Upgraded Motion Match Switch <i>For 4520 Tractors Serial # (-655000)</i> <i>For 4720 Tractors Serial # (-670000)</i>	119.90
AL113087		Lockable Fuel Tank <i>Cab Only.</i> <i>For 4320, 4520 and 4720 Tractors.</i>	29.27
		Mountings, Hydraulics And Subframe	
LVB25780		Power Beyond Kit (Cab Only) <i>Not compatible with MY2011 tractors. See sales manual for details.</i> <i>For 4320, 4520 and 4720 Tractors.</i>	435.60
LVB26071		Power Beyond Kit (Cab Only) <i>Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i> <i>For 4320, 4520 and 4720 Tractors.</i>	435.60
LVB25512		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Not compatible with MY2011 tractors. See sales manual for details.</i>	435.60
LVB26066		Power Beyond Kit (OOS Only) <i>Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe on 4510-4710 and 4120-4720 Open Station Tractors. Starting with MY2011. Not backward compatible. See Sales Manual for MY2011 serial number break.</i>	435.60
		Open Operator's Station	
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.</i>	680.90
LVB25334		Canopy - Standard	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	78.10
LVB25501		Seat Armrest Kit <i>Open Station Only, Standard on Cab Tractors.</i>	154.00
TY25324		Weather Protection Umbrella	114.87
		Operator Environment	
LVB26065		Cab Speaker and Radio Mount Kit <i>Cab Only. Compatible only with MY2010 or previous models. See sales manual for details.</i> <i>For 4320, 4520 and 4720 Tractors.</i>	96.80

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB24876		Cigarette Lighter/Ashtray Kit (Cab Only) <i>For 3320, 3520, 3720, 4320, 4520 and 4720 Tractors.</i> <i>For 4320, 4520 and 4720 Tractors.</i>	50.60
LVB25996		Operator Manual and Decal Kit Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors.</i> <i>For 4120, 4320 and 4520 Tractors</i>	0.00
LVB26186		Spanish North American Operator's Manual and Decal Kit <i>Cab Tractors.</i>	0.00
LVB25988		Spanish North American Operators Manual and Decal Kit <i>Open Station Tractors.</i> <i>For 4120, 4320 and 4520 Tractors.</i>	0.00
LVB26185		Spanish North American Operators Manual and Decal Kit <i>Open Station Tractors.</i>	0.00
RE289852		Operator's Station Deere Delco Stereo Radio with Weatherband, Single Compact Disc Player, Clock, and Four Speakers <i>For 4720 Tractors.</i>	See Parts
RE566705		Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.</i>	25.96
LVB24847		PTO Mid PTO Controls (Cab Only) <i>For 4320, 4520 and 4720 Tractors.</i>	178.20
LVB25959		Mid PTO Kit <i>4X20 Tractors with SN ending in 916000 (OOS) and 946000 (Cab) and after are NOT compatible with mid-mount mowers.</i> <i>Cab Tractors Require LVB24847 Mid PTO Controls.</i>	788.70
LVB25309		Rear Hitch Telescoping Draft Links	403.70
BLV10011		Tractor Drawbar Assembly	286.00
BM19939		Rear Wheel Weights Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	38.50
LVB25004		Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	55.00
BM19940		Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	13.20
BM19937		Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	11.00
BM17968		Rear Wheel Weight, 48.5 lb <i>Starter and Additional Weight for 19.5 and 20 In. Wheel.</i>	140.80
T19293		Weight, Rear Wheel 106 lb (48 kg)	171.60
BLV10871		Rear Wheels And Tires 13.60-28 (4PR, R1 Bar, 5 Position)	2,589.40

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 4120, 4320, 4520, 4720 Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY15988		Tire Chains <i>For Use with 44X18.00-20 In. 4PR (R3) Rear Tires.</i>	436.81
TY16202		Tire Chains <i>For Use with 17.5L-24 In. 8 (R4) Rear Tires.</i>	679.42
TY4462		Tire Chains <i>For Use with 13.6-28 In. 4PR (R1) Rear Tires.</i>	428.16
LVA13458		Spark Arrester Spark Arrester Screen	81.64
LVB25976		Three-point Hitch iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	383.90
LVB25865		Transmission PowrReverser Transmission (PRT) Oil Cooler Kit <i>For 4120, 4320 and 4520 Tractors.</i>	306.90
BLV10641		Transmission Oil Heater	88.00
BKK10018		Wheel Slip Control <i>For 4720 Tractors.</i>	5,809.10
UC13263		Weights Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) LVB25705, Front Weight Pin Kit.</i>	60.99
TY15201		Wheels And Tires Tire Chains <i>For Use with 10-16.5 In. 6 PR (R4) Front Tires.</i>	223.30
BLV10328		Wheels and Tires Rear 16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	2,486.00
BM19208		22.50LLx16.1 (6PR, R3 Turf Special) Rear Wheels & Tires	3,230.70
LVB25000		44x18-20 (4PR, R3 Turf) Rear Wheels & Tires	1,941.50

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 110 TLB Compact Tractors Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Buckets			
LVB25348		18 In. Pin-on Heavy Duty Backhoe Bucket 4 Digging Teeth	931.70
LVB25749		18 In. Quick Coupler Heavy-Duty Backhoe Bucket 4 Digging Teeth	1,050.50
LVB25754		20 In. Pin-On Heavy-Duty Backhoe Bucket 4 Digging Teeth	1,029.60
LVB25750		20 In. Quick Coupler Heavy Duty Backhoe Bucket 4 Digging Teeth	1,096.70
LVB25349		24 In. Pin-on Heavy Duty Backhoe Bucket 4 Digging Teeth	893.16
LVB25751		24 In. Quick Coupler Heavy Duty Backhoe Bucket 4 Digging Teeth	1,221.00
LVB25350		30 In. Pin-on Heavy Duty Backhoe Bucket No Digging Teeth	1,247.40
LVB25752		30 In. Quick Coupler Heavy-Duty Backhoe Bucket 5 Digging Teeth	1,317.80
LVB25351		36 In. Pin-on Heavy Duty Backhoe Bucket No Digging Teeth	1,388.20
LVB25753		36 In. Quick Coupler Heavy-duty Backhoe Bucket No Digging Teeth	1,455.30
LVB25342		72 In. Quik-Tatch Heavy Duty Front Loader Bucket w/Replaceable Cutting Edge	1,493.80
LVB25341		72 In. Quik-Tatch Standard Front Loader Bucket	1,241.90
LVB25345		84 In. Light Material Bucket <i>For Light Material Handling.</i>	1,529.00
Engine			
BLV10640		Engine Coolant Heater Kit (110 Volt)	66.00
Miscellaneous			
LVB25735		3 In. Retractable Seat Belt	157.30
AL113087		Lockable Fuel Tank	29.27
LVA12133		Solid Rubber Stabilizer Pad (4 Required)	47.68
Rear Hitch			
LVB24858		Regular 3-Pt Hitch	961.40

JOHN DEERE TURF & UTILITY PRODUCTS

Attachments for 110 TLB Compact Tractors

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Spark Arrester	
	LVA15311	Spark Arrester Assembly	145.00
		Transmission	
	BLV10641	Transmission Oil Heater	88.00