

**AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS**

**5045E Utility Tractor
Equipment for Base Machine**

ENGINE:

50 (37.2 kW) 97/68/EC Engine Horsepower @ 2100*
RPM

37 (27.5 kW) PTO Horsepower @ 2100 RPM
3 Cylinder Turbocharged John Deere PowerTech
Diesel Engine 179 C.I.D. (2.9L)
EPA Final Tier 4 Compliant
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack
Anti-Freeze
Hand and Foot Throttles
Key Engine Shutoff
Fan Finger Guard
Slide-out Cleaning Screen
Heavy Duty Air Intake Pre-Heater
Fuel Cooler
19.6 U.S. Gallon (74 L) Fuel Tank Capacity

TRANSMISSION:

Differential Lock
Neutral Start Safety Switch

REAR AXLE:

Flanged Rear Axle
Planetary Final Drives
STEERING AND BRAKES:
Hydrostatic Power Steering
Hydraulically Actuated Wet Disk Brakes
Self-Equalizing and Self-Adjusting
HYDRAULICS:
Open Center Hydraulic System
Tandem Gear Pump 18.2 GPM (68.9 LPM) Maximum Total
Flow

Steering Pump 6.8 GPM (25.7 LPM)
Implement Pump 11.4 GPM (43.1 LPM)

POWER TAKE OFF SHAFT:

Operator Presence Safety Warning PTO
Flip Up PTO Shield
Safety Start Switch

ROCKSHAFT, HITCH AND DRAWBAR:

Rear Rockshaft with Position Control, Draft
Control, and Adjustable Rate of Drop
3-Point (Category II) Hitch with Sway Bars
Convertible to Category I

Adjustable Drawbar

INSTRUMENTATION:

Electric Fuel Gauge
Tachometer/Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Turn Signal Indicator Light
High Beam Light
PTO Engagement Light
Digital Display - Hour Meter

ELECTRICAL:

12-Volt Electrical System
One Battery - 623 CCA** with 145 Minute Reserve
Capacity

40 Amp Alternator
One Rear Work Light

LIGHTS:

Two Front Halogen Headlights
Two Turn/Flashing Warning Lights
Two Tail Lights

MISCELLANEOUS:

SMV Emblem
Tilt-Up Hood
Toolbox
* Manufacturer's Rating
** Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1726LV	5045E Utility Tractor	19,943.00
--------	-----------------------	-----------

DESTINATION

0202	United States	In Base Price
0184	Canada	Same Price
0205	French Quebec	Same Price

OPERATOR'S MANUAL

0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	Same Price
0437	Spanish Operator's Manual and Decal Kit	Same Price

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5045E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
OPERATOR'S MANUAL ...Continued...			
TRANSMISSION			
1363		9F/3R SyncShuttle Transmission (TSS) 9F/3R Full Top Shaft Synchronized [TSS] Synchronized Speed Shifts Integrated Park Position Right Hand Shifted Speeds Left Hand Shifted Ranges Mechanical PTO engagement Fixed Draft Links	In Base Price
LOADERS			
1725		Loader Prep Package Includes loader mounting frames and hood guard. Compatible with 520M and H240 loader Requires code 3420 (Dual Mid Valves with Joystick Control) Hydraulic hoses and hydraulic connections still need to be ordered with loader.	1,369.00
1799		Less Loader Prep Package Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.	In Base Price
OPERATOR'S STATION			
2000		Open Operator Station Fixed Open Operator Station 2 Post Foldable Roll-Over Protection Structure (ROPS) Deluxe Adjustable Vinyl Seat with Retractable Seat Belt Beverage Holder Single Rear Work Light Floor Mat included when Option Code 1381 - PowrReverser Transmission selected	In Base Price
MID SELECTIVE CONTROL VALVES			
3400		Less Mid Valves Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments. Requires Code 6020 (2WD).	In Base Price
3420		Dual Mid Valves with Joystick Control Recommended for applications WITH front loaders. Requires Code 6040 (MFWD).	1,168.00
REAR WHEELS AND TIRES			
5101		14.9-28 In. 6PR R1 Bias 2WD requires Code 6102. MFWD requires Code 6101.	45.00
5103		22.5LL-16.1 In. 6PR R3 (Turf Special) Bias Requires code 6103.	1,078.00
5113		21.5L-16.1 In. 6PR R3 Bias	-320.00

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5045E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REAR WHEELS AND TIRES ...Continued...			
<i>2WD requires Code 6103. MFWD requires Code 6171.</i>			
5115		13.6-28 In. 6PR R1 Bias <i>2WD requires Code 6102. MFWD requires Code 6101.</i>	In Base Price
5184		16.9-24 In. 6PR R4 Bias <i>2WD requires Code 6113. MFWD requires Code 6133.</i>	-61.00
5185		16.9-28 In. 6PR R1 Bias <i>2WD requires Code 6102. MFWD requires Code 6101.</i>	301.00
5180		420/85R30 (16.9R30) R1W Radial <i>Requires option code 6180.</i>	2,311.00
FRONT WHEELS AND TIRES			
6102		7.50-16 In. 6PR F2 Bias <i>For option code 6020 (2WD)</i>	In Base Price
6103		27/12LL-15 In. 6PR Turf Special Bias <i>For option code 6020 (2WD)</i>	486.00
6113		11LL-15 In. 8PR F3 (Truck Type) Bias <i>For option code 6020 (2WD)</i>	114.00
6101		9.5-24 In. 6PR R1 Bias <i>For option code 6040 (MFWD)</i>	1,052.00
6133		12.5/80-18 In. 6PR I3(R4 Type) Bias <i>For option code 6040 (MFWD)</i>	728.00
6171		9.5-16 In. 6PR R3 Bias <i>For option code 6040 (MFWD)</i>	396.00
6180		280/85R24 (11.2R24) R1W Radial	2,106.00
FRONT AXLE			
6020		Two-Wheel Drive (2WD) <i>Requires Code 1363 (9F/3R SyncShuttle Transmission) Not available on cab models</i>	In Base Price
6040		Mechanical Front Wheel Drive (MFWD) <i>MFWD Mechanical Engagement Engagement Indicator Light on PowrReverser Transmission.</i>	5,322.00
ATTACHMENTS FOR FIELD CONVERSION			
LVB25547		Lighting Equipment Auxiliary Rear Work Light Kit (1 Light) <i>Open Station Only.</i>	63.80

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5045E Utility Tractor

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
		Mid Selective Control Valves	
BSJ10346		Mid-Mount Dual SCV with 3rd Function Joystick Assembly <i>Compatible with 520M loaders only. To be used with loader diverter kit (ordered separately). For 5E 3 cyl tractors with serials ending after HJ100101.</i>	726.00
BSJ10262		Mid-Mount Dual SCV with Joystick Control <i>Compatible with 5E 3 cylinder Cab and OOS Tractors with serials ending after HJ100101.</i>	1,417.90
		Miscellaneous	
LVB25817		Backup Alarm Kit <i>Compatible with open station 5E 3-Cyl configured with 9X3 transmission.</i>	162.80
BSJ10370		Creeper Conversion Kit <i>Compatible with FT4 5E 3 cylinder open operator station (OOS) tractors with 9X3 transmission only.</i>	860.20
R133359		Drawbar - Offset	310.00
RE39830		Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	279.47
RE39829		Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	282.28
BSJ10077		Horizontal Side Exhaust <i>5045E, 5055E, 5065E and 5075E Only.</i>	425.70
SJ11072		Left-Hand Telescopic Draft Link	381.03
AL113087		Lockable Fuel Tank	27.55
SJ11073		Right Hand Telescopic Draft Link	381.03
LVB25926		Single Horn Kit <i>OOS tractors only</i>	51.70
		Miscellaneous	
BLV10921		Backhoe Mounting Kit <i>For use on 485 backhoe in conjunction with FT4 5E 3 cylinder OOS tractors.</i>	2,292.40
LVB25785		Canopy - Deluxe <i>Requires BSJ10341 Canopy Mounting Bracket and Hardware Kit ordered separately. Open Station Tractors Only.</i>	828.30
T12553		Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i>	13.87
R66432		Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	16.72
BRE10151		Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	356.40
BRE10153		Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	123.20

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5045E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
R262449		Front Weight Support, 187 Lbs <i>Requires (4) 19H3405 Cap Screws and (4) 12H236 Washers, ordered separately.</i>	400.58
L154683		Rear Axle 1.2 in. Extension (30 mm) <i>Two required.</i> <i>Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	184.69
L154682		Rear Axle 1.6 in. Extension (40 mm) <i>Two required.</i> <i>Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.</i>	216.57
L154684		Rear Axle 4.4 in. Extension (111 mm) <i>Two required.</i> <i>Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.</i>	305.70
RE244177		Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. OOS Only.</i> <i>Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	33.07
R127764		Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
R213907		Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel. Starter bolts not included in this kit. R183851 bolt, quantity 8, needed</i>	147.40
BSJ10341		Open Operator's Station Canopy Mounting Kit	74.80
LVB25334		Operator's Station Canopy - Standard <i>Requires BSJ10341 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	476.30
BSJ10303		Rear Fenders Rear Fender Extension Kit without Work Lights <i>Open Station Tractors only.</i>	337.70
LVB25976		Rear Hitch iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	365.20
BSJ10287		Rear Selective Control Valves Second Rear SCV with Detented Float and Lever Control <i>Compatible with 5E 3-Cylinder Open Station tractors.</i>	809.60
TY27545		Three-point Hitch Quik-Coupler, Economy, Category 2	580.37

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5045E Utility Tractor
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

Attachments for 5045E, 5055E, 5065E and 5075E, Prior to FT4 models
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Engine	
LVB25900		Horizontal Side Exhaust <i>Compatible on 5E iT4 Open Station Tractors.</i>	193.60
BSJ10021		Horizontal Side Exhaust <i>Compatible with 5E Cab Tractors.</i>	154.21
		Hitch and Drawbar	
TY16042		Quik-Coupler, Economy, Category 2 <i>For use on 5045D, 5055D, 5045E, 5055E, 5065E, 5075E, 5200, 5300, 5400, 5500, 5603, 5210, 5310, 5410, 5510, 5105, 5205, 5083E, 5083EN, 5085E iT4, 5093E, 5093EN, 5100E iT4, 5101E, 5101EN, 5220, 5320, 5420, 5520, 5225, 5325, 5425, 5525, 5325N, 5425N, 5525N, 5065M, 5075M, 5085M, 5085M iT4, 5095M, 5095MH, 5100M iT4, 5100MH, 5105M, 5115M iT4 Tractors.</i>	580.37
		Hydraulics	
LVB25925		Mid-Mount Dual SCV with Joystick Control <i>Compatible with 5045E, 5055E, 5065E and 5075E Series Tractors. Open Station Only.</i>	1,417.90
BLV10347		Mid-Mount Dual SCV with Joystick Control <i>Compatible with 5E Cab Tractors.</i>	1,417.90
LVB25788		Motor Control Kit <i>Compatible with 5003 and 5E Series Tractors. Also order RE251179 if no mid-mount valve installed.</i>	2,096.60
LVB25771		Second Rear SCV with Detented Float and Lever Control <i>For use with 5103, 5203, 5303, 5403 and 5E Series Tractors. Not compatible with 5603 Utility Tractors.</i>	809.60
BLV10431		Second Rear SCV with Detented Float and Lever Control <i>Compatible with 5E Series 3-Cylinder, 12F/12R PowrReverser Transmission tractors. Open Station Only.</i>	809.60
BLV10348		Second rear selective control valve (SCV) with detented float and lever control <i>Compatible with 5E Cab Tractors.</i>	809.60
		Lighting	
BLV10349		Front working lights <i>For use on 5E 3 cylinder cab tractors ONLY.</i>	151.80
		Lighting Equipment	
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>For use on 5D and 5E Series Tractors. Open Station Only.</i>	63.80

**AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS**

Attachments for 5045E, 5055E, 5065E and 5075E, Prior to FT4 models
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
		Miscellaneous	
LVB25728		Backup Alarm Kit <i>For use on 5225, 5325, 5325N, 5425, 5425N, 5525, 5525N, 5083E, 5083EN, 5085E iT4, 5093E, 5093EN, 5100E iT4, 5101E, 5101EN, 5603 tractors. Compatible with 5E 3-Cyl Cab tractors and PR Open Station Tractors.</i>	170.50
LVB25817		Backup Alarm Kit <i>For use on 5103, 5203, 5303, 5403 tractors. Compatible with 5E 3-Cyl TSS open station tractors. Not compatible with 5603 Utility Tractors. NOT compatible with 2WD front axle (Code 1002) or 5D Series.</i>	162.80
R133359		Drawbar - Offset <i>For use on 5045D, 5045E, 5055D, 5055E, 5065E, 5075E, 5200, 5300, 5400, 5400N, 5500, 5500N, 5103, 5203, 5303, 5403, 5210, 5310, 5310N, 5410, 5410N, 5510, 5105, 5205, 5083E, 5083EN, 5085E iT4, 5093E, 5093EN, 5100E iT4, 5101E, 5101EN, 5220, 5320, 5320N, 5420, 5420N, 5520, 5520N, 5225, 5325, 5425, 5525, 5325N, 5425N, 5525N tractors.</i>	310.00
RE39830		Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar <i>For use on 5045D, 5045E, 5055D, 5055E, 5065E, 5075E, 5200, 5300, 5400, 5500, 5603, 5210, 5310, 5310N, 5410, 5510, 5105, 5205, 5083E, 5083EN, 5085E iT4, 5093E, 5093EN, 5100E iT4, 5101E, 5101EN, 5220, 5320, 5320N, 5420, 5420N, 5520, 5520N, 5225, 5325, 5425, 5525, 5325N, 5425N, 5525N tractors.</i>	279.47
RE39829		Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar <i>For use on 5045D, 5045E, 5055D, 5055E, 5065E, 5075E, 5200, 5300, 5400, 5500, 5603, 5210, 5310, 5310N, 5410, 5510, 5105, 5205, 5083E, 5083EN, 5085E iT4, 5093E, 5093EN, 5100E iT4, 5101E, 5101EN, 5220, 5320, 5320N, 5420, 5420N, 5520, 5520N, 5225, 5325, 5425, 5525, 5325N, 5425N, 5525N tractors.</i>	282.28
SJ11072		Left-Hand Telescopic Draft Link <i>For use on 5045D, 5045E, 5055D, 5055E, 5065E, 5075E.</i>	381.03
SJ11073		Right Hand Telescopic Draft Link <i>For use on 5045D, 5045E, 5055D, 5055E, 5065E, 5075E.</i>	381.03
BLV10350		Right-hand door <i>For use on Cab Tractors Only.</i>	292.60
LVB25926		Single Horn Kit <i>Compatible with 5E Series OOS tractors only.</i>	51.70
LVB26096		Single Horn Kit <i>For use on 5083E, 5083EN, 5093E, 5093EN, 5101E, 5101E, 5E 3 cylinder cab tractors, and 5E 4 cylinder iT4 model Cab tractors.</i>	51.70
		Miscellaneous	
SJ10170		Antenna <i>For use on 5055E, 5065E, 5075E, 5083E, 5093E, 5101E, 5085E iT4 and 5100E iT4 tractors. Compatible with MY2012 and MY 2013 Cab Tractors.</i>	29.96
AH104259		Ash Tray <i>For use on 5220, 5320, 5420, 5520, 5225, 5325, 5425, 5525, 5083E, 5093E, 5101E, 5085E iT4, 5100E iT4, 5603 tractors. For 5020 Series, Cab Tractors ABOVE S/N 400,000 ONLY. Not compatible with 5525 Hi-Crop Tractor. For 5E Limited Cab Tractors Only. For use on 5055E, 5065E, 5075E, 5065M, 5075M, 5085M, 5085M iT4, 5095M, 5095MH, 5100M iT4, 5100MH, 5105M, 5115M iT4 Cab Tractors Only.</i>	65.64

**AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS**

Attachments for 5045E, 5055E, 5065E and 5075E, Prior to FT4 models
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
LVB25785		Canopy - Deluxe <i>For use on 5D, 5E, 5003 and 5005 Series. Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	828.30
T12553		Center Link Conversion Bushing, Cat. II to Cat. I <i>For use on 5045D, 5045E, 5055D, 5055E, 5065E, 5075E, 5200, 5300, 5400, 5500, 5210, 5310, 5410, 5510, 5105, 5205, 5083E, 5083EN, 5085E iT4, 5093E, 5093EN, 5100E iT4, 5101E, 5101EN, 5225, 5325, 5425, 5525, 5220, 5320, 5420, 5520, 5325N, 5425N, 5525N, 5065M, 5075M, 5085M, 5085M iT4, 5095M, 5095MH, 5100M iT4, 5100MH, 5105M, 5115M iT4 Tractors. One required.</i>	13.87
AR60937		Cigarette Lighter <i>For use on 5055E, 5065E and 5075E Cab Tractors.</i>	13.94
R66432		Draft Link Conversion Bushing, Cat. II to Cat. I <i>For use on 5045D, 5045E, 5055D, 5055E, 5065E, 5075E, 5200, 5300, 5400, 5500, 5210, 5310, 5410, 5510, 5105, 5205, 5083E, 5083EN, 5085E iT4, 5093E, 5093EN, 5100E iT4, 5101E, 5101EN, 5225, 5325, 5425, 5525, 5220, 5320, 5420, 5520, 5325N, 5425N, 5525N, 5065M, 5075M, 5085M, 5085M iT4, 5095M, 5095MH, 5100M iT4, 5100MH, 5105M, 5115M iT4 Tractors. Two required.</i>	16.72
LV150155		Engine coolant heater Kit (3 cylinder) <i>For use on 5045D, 5055D, 5045E, 5055E, 5065E, 5075E, 5210, 5310, 5410, 5510, 5310N, 5510N, 5320N, 5420N, 5520N, 5220, 5320 tractors. Not compatible with 5603 Utility Tractors.</i>	96.80
BRE10151		Front Utility Box <i>For use on 5D, 5E, 5M iT4 and 5ML iT4 model Tractors. Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	356.40
BRE10153		Front Utility Box Bracket <i>For use on 5D, 5E, 5M iT4 and 5ML iT4 model Tractors. Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights."</i>	123.20
LVB25110		Heavy-duty air intake pre-heater <i>For use on 5045D, 5055D, 5045E, 5055E, 5065E, 5075E, 5210, 5310, 5410, 5510, 5310N, 5510N, 5105, 5205, 5320N, 5420N, 5520N, 5220, 5320, 5420, 5520, 5083E, 5093E, 5101E, 5425, 5525, 5085M, 5095M, 5095MH, 5100MH Tractors. Not compatible with 5225, 5325, 5083EN Tractors. 925 CCA battery recommended for optimum performance. Only compatible with machines built with serial number 340000 and before. For machines built after, see the parts catalog.</i>	123.20
LVB25727		PowrReverser modulation control kit <i>For use on 5055E, 5065E, 5075E, 5225, 5325, 5325N, 5425, 5425N, 5525, 5525N, 5083E, 5083EN, 5085E iT4, 5093E, 5093EN, 5100E iT4, 5101E, 5101EN, 5603, 5065M, 5075M, 5085M, 5085M iT4, 5095M, 5095MH, 5100M iT4, 5100MH, 5105M, 5115M iT4 tractors.</i>	156.20
L154683		Rear Axle 1.2 in. Extension (30 mm) <i>For use on 5220, 5320, 5225, 5325, 5425, 5525, 5625, 5045D, 5055D, 5045E, 5055E, 5065E, 5075E, 5083E, 5085E, 5093E, 5100E, 5065M, 5075M, 5085M, 5095M, 5095MH, 5105M, 5100MH Tractors. Not compatible with 5525 Hi-Crop Utility Tractor. Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), ordered separately.</i>	184.69
L154682		Rear Axle 1.6 in. Extension (40 mm) <i>For use on 5220, 5320, 5225, 5325, 5425, 5525, 5625, 5045D, 5055D, 5045E, 5055E, 5065E, 5075E, 5083E, 5085E, 5093E, 5100E, 5065M, 5075M, 5085M, 5095M, 5095MH, 5105M, 5100MH Tractors. Not compatible with 5525 Hi-Crop Utility Tractor. Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), ordered separately.</i>	216.57

**AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS**

Attachments for 5045E, 5055E, 5065E and 5075E, Prior to FT4 models
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
L154684		Rear Axle 4.4 in. Extension (111 mm) <i>For use on 5220, 5320, 5225, 5325, 5425, 5525, 5625, 5045D, 5055D, 5045E, 5055E, 5065E, 5075E, 5083E, 5085E, 5093E, 5100E, 5065M, 5075M, 5085M, 5095M, 5095MH, 5105M, 5100MH Tractors. Not compatible with 5525 Hi-Crop Utility Tractor. Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), ordered separately.</i>	305.70
RE244177		Rear View Mirror Mounting Kit OOS <i>For use on 5045E, 5055E, 5065E, 5075E, 5083E, 5093E, 5101E, 5E 4 cylinder iT4 tractors. Requires AL80127 and/or AL80126. Kit contains support plates and hardware for one rear view mirror.</i>	33.07
R127764		Weight, front suitcase 43 kg (95 lb) quantity of one	136.40
R213907		Weight, rear wheel - 43.09 kg (95 lb) <i>For use on 5D and 5E Series Tractors. Maximum of 2 per wheel. Not compatible on wheels sized 24" or smaller.</i>	147.40
BLV10173		Wiper and washer, rear <i>5E, 5M, 5MH, and 5ML iT4 or later Cab Tractors ONLY. Cab tractors with wiper mounting location over the LH shoulder of the operator.</i>	345.40
RE343680		Operator's Station Accessory Mounting Bracket	55.81
LVB25334		Canopy - Standard <i>For use on 5D, 5E, 5003 and 5005 Series. Requires LVB25332 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	476.30
LVB25332		Canopy Mounting Bracket and Hardware Kit <i>For use on 5D, 5E, 5003 and 5005 Series Tractors. Requires LVB25334 or LVB25785 Canopy Kit ordered separately.</i>	74.80
BRE10015		Cell Phone Mount Kit <i>For use on 5E 3 cylinder, 5E 4 cylinder iT4, 5M, 5MH, and 5ML iT4 and later models. The RAM X-Grip bracket's four-leg design features great holding power without hiding your phone.</i>	62.70
RE566705		Dual USB Charger <i>For use on 5E, 5M, 5MH, and 5ML iT4 and later. Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices.</i>	25.96
BRE10152		Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only. Keep your favorite beverage within reach and prevent from spilling. 5E, 5M, 5MH, and 5ML iT4 and later Cab models only.</i>	61.60
LVB25714		Rear Fenders Rear fender extension <i>For use on 5220, 5320, 5420, 5520, 5225, 5325, 5425, 5525, 5083E, 5093E, 5101E, 5085E iT4, 5100E iT4, 5603 Tractors and for use on 5055E, 5065E, 5075E, 5065M, 5075M, 5085M, 5085M iT4, 5095M, 5095MH, 5100M iT4, 5100MH, 5105M, 5115M iT4 Cab Tractors ONLY. For 5020 Series, Cab (Code 1510) or Isolated Open Operator Station (Code 1508) Tractors ABOVE S/N 400,000 ONLY. For 5025 Series, Cab (Code 1510 or 1511) or Isolated Open Operator Station (Code 1508) ONLY. Not compatible with 5525 Hi-Crop Utility Tractor.</i>	221.10

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

Attachments for 5045E, 5055E, 5065E and 5075E, Prior to FT4 models
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
		Rear Hitch	
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>For use on 5055D Cab, 5055E, 5065E, 5075E, 5083E, 5083EN, 5093E, 5093EN, 5101E, 5101EN tractors, 5065M, 5075M, 5085M, 5095M, 5095MH, 5M iT4 tractors. Includes one set of Bushings (LVU15507). Not compatible on a 5105M or LVB25941 (Heavy Duty Hitch Kit).</i>	365.20
		Weights	
L58783		Front Weight Support, 147 Lbs <i>Requires (2) 19H3405 Cap Screws, (2) 19H3210 Cap Screws and (4) 12H236 Washers, ordered separately. Compatible with 5E 3 cylinders prior to FT4.</i>	366.57
LVB25889		Weight, Front Support - 100 Lb. <i>For use on 5D and 5E Series (Tier 2) Tractors. Kit includes front weight support and mounting hardware.</i>	188.10

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

Attachments for 5045E, 5055E, 5065E and 5075E, Prior to FT4 models
Continued

THIS PAGE INTENTIONALLY LEFT BLANK
