

**72 In. 7-Iron PRO Side Discharge Deck for Z997R**

Code	Description	List price
034LTC	72 In. 7-Iron PRO Side Discharge Deck for Z997R 72 In. Cutting Width (3) HD Spindles, Blades One Piece Stamped Deck 1.5-5 In. Height of Cut Deep Deck Design Quick Release Belt Shields (2) Rear Adjustable Gauge Wheels Front and Rear Anti-Scalp Wheels Steel Bar Reinforcement Offset Spindles 8 In. Cast Iron Spindle Housing Hinged Side Discharge Chute Greaseable Spindles 7-Iron PRO 7-Gauge (.177 In.) Steel Splined Shaft Drive Baffling System	
	BASE MACHINE	
034LTC	72 In. 7-Iron PRO Side Discharge Deck for Z997R	USD \$4,223.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States/Canada	In Base Price



72 In. 7-Iron PRO Commercial Side Discharge Mower Deck

Code	Description	List price
034NTC	72 In. 7-Iron PRO Commercial Side Discharge Mower Deck 72 In. (182.88 cm) Cutting Width (3) Spindles, Blades (3) 0.25 In. (6.35 mm) High Lift Blades 7-Gauge 0.177 In. (4.49 mm) One Piece Stamped Deck Shell Trim Edge Deck Bumper 1-6 In. (2.54-15.24 cm) Height of Cut Deep Deck Design (2) Semi-Pneumatic Greaseable Caster Wheels Quick Release Belt Shields (4) Double Captured Adjustable Anti-scalp Wheel Locations (2) Rear Anti-scalp Adjustable Wheels Hinged Side Discharge Chute (3) Greaseable Cast-Iron Spindles 1 In. (2.54 cm) Splined Shaft Drive Rotate for Service with Safety Latches	
034NTC	BASE MACHINE <i>(For 1500 TerrainCut Mowers and 1400/1500's Series II and non Series II Front Mowers)</i> <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements</i> 72 In. 7-Iron PRO Commercial Side Discharge Mower Deck	USD \$6,409.00
001A	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION United States and Canada	In Base Price
UC13263	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION WEIGHTS Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	USD \$73.83
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	USD \$153.01

**72 In. 7-Iron PRO Commercial Side Discharge Mower Deck**

Code	Description	List price
MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS		
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	USD \$27.85
MOWER DECK ATTACHMENTS FOR FIELD CONVERSION MULCH KITS		
BTC10670	Mulch Kit 1828.8 mm (72 in.) (7-Iron PRO)	USD \$450.47



72 In. Fastback PRO Commercial Rear Discharge Deck

Code	Description	List price
5500TC	72 In. Fastback PRO Commercial Rear Discharge Deck 72 In. (182.88 cm) Cutting Width (3) Greaseable Cast Iron Spindles (3) 0.25 In. (6.35 mm) Medium Lift Blades 7-Gauge 0.177 In. (4.49 mm) Fabricated Rear Discharge Deck (2) Deck Bumpers 1-6 In. (2.54-15.24 cm) Height of Cut Deep Deck Design Quick Release Belt Shields (2) Rear Deck Deflectors (2) Semi-Pneumatic Greaseable Caster Wheels (2) Double Captured Rear Anti-Scalp Wheels (3) Double Captured Front Anti-Scalp Rollers Vehicle Enclosure Kit 1 In. (2.54 cm) Splined Shaft Drive Rotate for Service with Safety Latches	
	BASE MACHINE	
	<i>(For 1500 TerrainCut Front Mowers and 1400/1500's Series II and Non Series II Front Mowers)</i> <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	
5500TC	72 In. Fastback PRO Commercial Rear Discharge Deck	USD \$6,431.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	WEIGHTS AND BALLASTING	
	ATTACHMENTS FOR FIELD CONVERSION	
	WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	USD \$73.83
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	USD \$153.01
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	



72 In. Fastback PRO Commercial Rear Discharge Deck

Code	Description	List price
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	USD \$27.85
TCA23365	Vehicle Enclosure Kit <i>For 1500 TerrainCut Front Mower, 1400/1500 Series II and Non-Series II.</i>	USD \$1,377.49

**60 In. 7-Gauge FastBack PRO Rear Discharge Deck for Z997R**

Code	Description	List price
051ETC	60 In. 7-Gauge FastBack PRO Rear Discharge Deck for Z997R 60 In. Cutting Width (3) HD Spindles, Blades Fabricated Deck 1.5-5 In. Height of Cut Deep Deck Design Vehicle Enclosure Kit Quick Release Belt Shields Front Anti-Scalp Wheels Steel Bar Reinforcement Offset Spindles 8 In. Cast Iron Spindle Housing Rear Discharge Chute Greaseable Spindles FastBack PRO 7-Gauge (.177 In.) Steel Splined Shaft Drive Baffling System	
	BASE MACHINE <i>For Z997R and 997 Diesel Ztrak</i>	
051ETC	60 In. 7-Gauge FastBack PRO Rear Discharge Deck for Z997R	USD \$4,332.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States/Canada	In Base Price

**60 In. 7-Iron PRO Side Discharge Deck for Z997R**

Code	Description	List price
033MTC	60 In. 7-Iron PRO Side Discharge Deck for Z997R 60 In. Cutting Width (3) HD Spindles, Blades One Piece Stamped Deck 1.5-5.0 In. Height of Cut Deep Deck Design Quick Release Belt Shields (2) Rear Adjustable Gauge Wheel Front and Rear Anti-Scalp Wheels Steel Bar Reinforcement Offset Spindles 8 In. Cast Iron Spindle Housing Hinged Side Discharge Chute Greaseable Spindles 7-Iron PRO 7-Gauge (.177 In.) Steel Splined Shaft Drive Baffling System	
	BASE MACHINE	
033MTC	60 In. 7-Iron PRO Side Discharge Deck for Z997R	USD \$3,570.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States/Canada	In Base Price



60 In. 7-Iron PRO Commercial Side Discharge Deck

Code	Description	List price
033OTC	60 In. 7-Iron PRO Commercial Side Discharge Deck 60 In. (152.4 cm) Cutting Width (3) Spindles, Blade (3) 0.25 In. (6.35 mm) High Lift Blades 7-Gauge (.177 In.) One Piece Stamped Deck Shell Trim Edge Deck Bumper 1-6 In. (2.54-15.24 cm) Height of Cut 5.5 In. (13.97 cm) Deep Deck Design (2) Semi-Pneumatic Greaseable Caster Wheels Quick Release Belt Shields (4) Double Captured Adjustable Anti-scalp Wheel Locations (1) Left Rear Anti-scalp Wheel Hinged Side Discharge Chute Greaseable Cast-Iron Spindles 1 In. (2.54 cm) Splined Shaft Drive Rotate for Service with Safety Latches	
	BASE MACHINE <i>(For 1550/1570/1575 TerrainCut Front mower and 1400 Series II and non Series II)</i> <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements</i>	
033OTC	60 In. 7-Iron PRO Commercial Side Discharge Deck	USD \$5,449.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States and Canada	In Base Price
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	USD \$73.83
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	USD \$153.01
	MISCELLANEOUS	

**60 In. 7-Iron PRO Commercial Side Discharge Deck**

Code	Description	List price
	ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
TCA24048	Service Latch Chain (7 Link) <i>For 1400/1500 Series II and Non-Series II Front Mowers.</i>	USD \$27.85
	MOWER DECK ATTACHMENTS FOR FIELD CONVERSION MULCH KITS	
BTC10669	Mulch Kit (1524-mm (60-in.) 7-Iron PRO)	USD \$444.06

**72" 7-Gauge FastBack PRO Rear Discharge Deck for Z997R**

Code	Description	List price
0556TC	72" 7-Gauge FastBack PRO Rear Discharge Deck for Z997R 72 In. Commercial Rear Discharge Mower Deck 7-Gauge Steel Mower Deck Deep Deck Design (3) HD Spindles / Blade 3.8 - 12.7 cm (1.5 - 5 in) Cutting Heights in 0.6 cm Increments	
	BASE MACHINE	
0556TC	72" 7-Gauge FastBack PRO Rear Discharge Deck for Z997R	USD \$5,095.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States/Canada	In Base Price



14 Bushel Dump From Seat MCS (Z997R)

Code	Description	List price
0776TC	14 Bushel Dump From Seat MCS (Z997R) Low Density Polyethylene Hopper Tubular Steel Frame With Low Density Polyethylene Door 14 Bushel Capacity Electrical Power Dump From Operator Seat Attaching Framework 7-Iron Blower Steel Blower Housing Tilt for Service Feature 14 In. Impeller Diameter 6 In. Diameter Chute Quick Detach Blower Weight Bracket	
	BASE MACHINE <i>For MY15 and newer Z997R with 60/72 In. Side Discharge decks and 60 In. Mulch-On-Demand decks only.</i> WEIGHTS NOT INCLUDED. <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	
0776TC	14 Bushel Dump From Seat MCS (Z997R)	USD \$5,869.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States and Canada	In Base Price
	ATTACHING COMPONENTS Basic Factory Options ATTACHING PARTS	
3405	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i>	In Base Price
3406	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i>	USD \$16.00
3408	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i>	USD \$239.00
3490	Less Attaching Parts	USD (\$362.00)
	ATTACHMENTS FOR FIELD CONVERSION	

**14 Bushel Dump From Seat MCS (Z997R)**

Code	Description	List price
ATTACHING PARTS		
BUC11176	Attaching Parts <i>For all 997 with 60" side discharge decks.</i>	USD \$1,000.46
BLOWERS AND CHUTES		
Basic Factory Options		
BLOWER		
3500	7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520	Less Blower	USD (\$929.00)
WEIGHTS AND BALLASTING		
ATTACHMENTS FOR FIELD CONVERSION		
WEIGHTS		
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4) Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	USD \$73.83
DMA210494	Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i>	USD \$579.82
MISCELLANEOUS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand™ Decks <i>7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.</i>	USD \$1,171.66

**FX726cc Propane Conversion (QuikTrak B/E/R Series and ZTrak Z920M/R)**

Code	Description	List price
9970TC	FX726cc Propane Conversion (QuikTrak B/E/R Series and ZTrak Z920M/R) FX726cc Engine Double Barrel Carburetor Assembly (includes gaskets) Regulator Assembly Hoses Vacuum Actuated Safety Fuel Shutoff Requires Mounting Kit: ZTrak Single Tank Mounting Kit or ZTrak Dual Tank Mounting Kit or QuikTrak Single Tank Mounting Kit or QuikTrak Dual Tank Mounting Kit Conversion Maintains EPA Certification	
	BASE MACHINE <i>Not Available for Sale in Canada.</i> <i>ZTrak compatible models: Z920M/R (Serial # 010001 - 101001) with 54/60 Inch decks</i> <i>Not compatible with 48 Inch decks.</i> <i>QuikTrak compatible models: 648R, 652B/R, 661R (B/R Series, Serial # 010001 -).</i> <i>Not compatible with M-Series or 652R EFI / 661R EFI models.</i> <i>See Sales Manual Supplemental/Compatibility Information for Attachments Restrictions and Ballast Requirements with Propane Kit Installed.</i> <i>Engines converted to propane cannot be converted back to gasoline. Conversion to propane not intended on units with engines over 250 hrs of use.</i> <i>Developed by EnviroGard™ LLC, for Specific John Deere Commercial Mowing Equipment Models.</i> <i>F.O.B. Davenport, Iowa</i>	
9970TC	FX726cc Propane Conversion (QuikTrak B/E/R Series and ZTrak Z920M/R)	USD \$2,499.00
	DESTINATION AND LANGUAGE	

**FX726cc Propane Conversion (QuikTrak B/E/R Series and ZTrak Z920M/R)**

Code	Description	List price
Basic Factory Options		
DESTINATION		
	North America	
0202	United States (50 State)	In Base Price
ATTACHING COMPONENTS		
Basic Factory Options		
ATTACHING PARTS		
3290	ZTrak Single Tank Mounting Kit <i>Single tank left side bracket designed for (1) 33 LB or 43 LB Worthington tank. Tank is not included. Compatible with 3-bag Material Collection System with 60 in., 60 in. MOD, and 72 in. decks only.</i>	USD \$506.00
3291	ZTrak Dual Tank Mounting Kit <i>Dual tank brackets designed for (2) 33 LB Worthington tanks. Tanks are not included. Units with dual tank configurations not compatible with any Material Collection System.</i>	USD \$1,265.00
3292	QuikTrak Single Tank Mounting Kit <i>Single tank right side bracket designed for (1) 33 LB Worthington tank. Tank is not included.</i>	No Added Cost
3293	QuikTrak Dual Tank Mounting Kit <i>Dual tank brackets designed for (2) 20 LB Worthington tanks. Tanks are not included.</i>	USD \$506.00



60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and Non- Series II Front Mowers)

Code	Description	List price
0501TC	60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and Non- Series II Front Mowers) 57 In. (145 cm) Clearing Width Straight 50 In. (127 cm) Clearing Width Fully Angled 0 Degrees Straight, 15-30 Degrees Left or Right Brush Angle 26 In. (66 cm) Diameter Polypropylene Brush Heavy Duty Center Drive Gearbox Storage Stand Less Lift Arms and Drive Shaft Chain and Sprocket Final Drive (2) Caster Wheels Steel Hood The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/ Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject to Change without Notice.	
0501TC	BASE MACHINE <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Hydraulic Angling on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000.</i> <i>*Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Hydraulic Angling.</i> <i>Ballast Required, (R66949) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i> 60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and Non- Series II Front Mowers)	USD \$4,639.00
001A	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION United States and Canada	No Added Cost
	ATTACHING COMPONENTS Basic Factory Options	



60 Heavy-Duty Rotary Broom (For 1500 TerrainCut, 1400/1500 Series II and Non- Series II Front Mowers)

Code	Description	List price
LIFT ARMS AND DRIVE SHAFT		
1000	Lift Arms, Cylinders, Drive Shaft and Hardware	USD \$2,002.00
1010	Less Lift Arms, Cylinders, Drive Shaft and Hardware	In Base Price
WEIGHTS AND BALLASTING		
ATTACHMENTS FOR FIELD CONVERSION		
WEIGHTS		
BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	USD \$159.43
UC13263	Quik-Tatch Weight, 42 lb (19 kg)	USD \$73.83
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	USD \$153.01
BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	USD \$38.51
MISCELLANEOUS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
AM128683	Wafers, steel bristle (pack of 16)	USD \$774.30
TCB10391	60 Rotary Broom Lift Arms, Angle Cylinder, Drive Shaft and Hardware Kit	USD \$2,524.13
TCB10392	Debris Deflector	USD \$568.17
BM20706	Heavy-duty wheel kit (60-in. Heavy-Duty Rotary Broom)	USD \$428.00
AM128682	Wafers, polypropylene bristle (pack of 16)	USD \$410.06
HYDRAULICS		
ATTACHMENTS FOR FIELD CONVERSION		
HYDRAULICS		
TCB11474	Single-Spool Auxiliary Hydraulic Kit <i>For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers.</i>	USD \$1,258.31
BTC10530	Single-Spool Auxiliary Hydraulic Kit	USD \$984.40



47 In. Heavy-Duty Two-Stage Snow Blower

Code	Description	List price
0370TC	47 In. Heavy-Duty Two-Stage Snow Blower Two-Stage Design Hydraulic Lift 47 In. Clearing Width 15.5 In. Diameter Impeller 16 In. Diameter Auger (4) Spare Shear Bolts Mounted to Shell Adjustable Spout Cap Deflector Large, Adjustable Skid Shoes Reversible, Replaceable Scraper Blade Hydraulic Discharge Chute Rotation 90 Degrees Right and Left (180 Degrees Total) HD Auger Bevel Gearbox Drive Less Lift Arms and Drive Shaft	
	BASE MACHINE <i>For 1550/1570 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mowers.</i> <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Chute on 1550/1570 TerrainCut Front Mowers.</i> <i>Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Chute.</i> <i>Ballast Required, (UC13263) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i> <i>Compatibility with F900/F1145 Front Mowers requires additional parts. See Sales Manual for 47 In. Heavy-Duty Snow Blower and Supplemental/Compatibility Information.</i> <i>F.O.B. Davenport, Iowa</i>	
0370TC	47 In. Heavy-Duty Two-Stage Snow Blower	USD \$5,979.00
	ATTACHING COMPONENTS Basic Factory Options LIFT ARMS AND DRIVE SHAFT	
1000	Lift Arms, Drive Shaft and Hardware	USD \$550.00
1010	Less Lift Arms Less Drive Shaft and Hardware. To Attach Snow Blower to F900/ F1145 Front Mowers, See Sales Manual for instruction.	In Base Price



47 In. Heavy-Duty Two-Stage Snow Blower

Code	Description	List price
MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS		
UC13263	Quik-Tatch Weight, 42 lb (19 kg)	USD \$73.83
TY15958	Tire chains (pair) for 26x12-12 tires	USD \$225.89
TCB10448	Two-Stage Snow Blower Lift Arms, Drive Shaft and Hardware Kit	USD \$693.36
M88984	Drift blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts. Requires (4) 19H1914 Bolts and (4) N10217 Lock Nuts. Must also Order: 03H1729-Bolt, 12H302-Lock Washer, 14H786-Hex Nut.</i>	USD \$43.08
TY15956	Tire chains (pair) for 23x10.50-12 tires	USD \$187.51
TY15841	Tire chains (pair) for 23x8.50-12 tires	USD \$157.59
BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>For 23x8.50 and 23x10.50 Tires.</i>	USD \$159.43
BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	USD \$38.51
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	USD \$153.01
HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS		
BTC10530	Single-Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i>	USD \$984.40
TCB11474	Single-Spool Auxiliary Hydraulic Kit <i>Required for MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers.</i>	USD \$1,258.31



14 Bushel 3-Bag Material Collection System

Code	Description	List price
2550TC	14 Bushel 3-Bag Material Collection System 3-Bag Collection Hopper 14 Bushel Capacity Steel Hopper Top Mechanical Hopper Top Lock Horizontal 7-Iron Blower Configuration Steel Blower Housing 5 Blade Commercial Impeller 35.56 cm (14 In.) Impeller Diameter Easy-To-Empty Bags 20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/ Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject to Change without Notice.	
	BASE MACHINE <i>For 54 In./60 In. Z994R Series Mowers including Mulch-On-Demand Decks</i> <i>Not Compatible with Michelin X Tweel Turf Tires</i> WEIGHTS NOT INCLUDED. <i>Refer to Sales Manual for Proper Ballast Requirements</i>	
2550TC	14 Bushel 3-Bag Material Collection System	USD \$4,305.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States and Canada	In Base Price
	ATTACHING COMPONENTS Basic Factory Options ATTACHING PARTS	
3404	Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z994R Series with 54" side discharge decks.</i>	In Base Price
3405	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks	No Added Cost



14 Bushel 3-Bag Material Collection System

Code	Description	List price
3408	<i>For all Z994R Series with 60" side discharge decks.</i> Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks	USD \$154.00
3406	<i>For all Z994R Series with 60" Mulch-on-Demand decks.</i> Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks	USD \$154.00
3490	<i>For all Z994R Series with 72" side discharge decks.</i> Less Attaching Parts	USD (\$1,337.00)
BLOWERS AND CHUTES Basic Factory Options BLOWER		
3500	Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520	Less Blower	USD (\$929.00)
WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION WEIGHTS		
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Requires bracket AUC10059, pin TCU23538 (2), and clips A3581R (4)</i> <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	USD \$73.83
MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS		
BUC10922	BOOT KIT, 48", 54", 60" MOD WITH LA	USD \$1,844.69
BUC10920	BOOT KIT 48" and 54"	USD \$453.69
BUC10921	BOOT KIT 60"	USD \$453.69
TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand™ Decks	USD \$1,171.66



13 Bushel Dump From Seat MCS (Z997)

Code	Description	List price
0775TC	13 Bushel Dump From Seat MCS (Z997) High Density Polyethylene Hopper Tubular Steel Frame With Polypropylene Fabric Door 13 Bushel Capacity Mechanical Dump From Operator Seat Attaching Framework 7-Iron Blower Steel Blower Housing Upper Weight Bracket 35.56 cm (14 In.) Impeller Diameter 20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/ Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject to Change without Notice.	
	BASE MACHINE <i>For 997 with 152.4/182.88 cm (60/72 In.) side discharge decks and 152.4 cm (60 In.) Mulch-On-Demand decks only.</i> WEIGHTS NOT INCLUDED. <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i> <i>Not compatible with MY16 and later Z997R</i>	
0775TC	13 Bushel Dump From Seat MCS (Z997)	USD \$4,788.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States and Canada	In Base Price
001B	Europe	No Added Cost
001D	Other	No Added Cost
	ATTACHING COMPONENTS Basic Factory Options	



13 Bushel Dump From Seat MCS (Z997)

Code	Description	List price
ATTACHING PARTS		
3405	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i>	In Base Price
3406	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i>	USD \$16.00
3408	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i>	USD \$239.00
3490	Less Attaching Parts	USD (\$362.00)
ATTACHMENTS FOR FIELD CONVERSION		
ATTACHING PARTS		
BUC11176	Attaching Parts <i>For all 997 with 60" side discharge decks.</i>	USD \$1,000.46
BLOWERS AND CHUTES		
Basic Factory Options		
BLOWER		
3500	7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520	Less Blower	USD (\$929.00)
WEIGHTS AND BALLASTING		
ATTACHMENTS FOR FIELD CONVERSION		
WEIGHTS		
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4) Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	USD \$73.83
DMA210494	Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i>	USD \$579.82
MISCELLANEOUS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		

**13 Bushel Dump From Seat MCS (Z997)**

Code	Description	List price
TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand™ Decks <i>7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.</i>	USD \$1,171.66



14 Bushel Dump From Seat Material Collection System

Code	Description	List price
2560TC	14 Bushel Dump From Seat Material Collection System High Density Polypropylene Hopper 14 Bushel Capacity Mechanical Dump From Operator Seat Horizontal 7-Iron Blower Configuration Steel Blower Housing 5 Blade Commercial Impeller 35.56 cm (14 In.) Impeller Diameter 20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/ Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject to Change without Notice.	
	BASE MACHINE <i>"For 54 In./60 In./72 In. Z994R Series Mowers including Mulch-On-Demand Decks"</i> <i>Not Compatible with Michelin X Tweel Turf tires</i> WEIGHTS NOT INCLUDED. <i>Refer to Sales Manual for Proper Ballast Requirements.</i>	
2560TC	14 Bushel Dump From Seat Material Collection System	USD \$4,649.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States and Canada	In Base Price
	ATTACHING COMPONENTS Basic Factory Options ATTACHING PARTS	
3404	Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z994R Series with 54" side discharge decks.</i>	In Base Price
3405	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks	No Added Cost



14 Bushel Dump From Seat Material Collection System

Code	Description	List price
3408	<i>For all Z994R Series with 60" side discharge decks.</i> Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks	USD \$154.00
3406	<i>For all Z994R Series with 60" Mulch-on-Demand decks.</i> Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks	USD \$154.00
3490	<i>For all Z994R Series with 72" side discharge decks.</i> Less Attaching Parts	USD (\$1,337.00)
BLOWERS AND CHUTES Basic Factory Options BLOWER		
3500	Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520	Less Blower	USD (\$929.00)
WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION WEIGHTS		
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Requires bracket AUC10059, pin TCU23538 (2), and clips A3581R (4)</i> <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	USD \$73.83
MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS		
BUC10922	BOOT KIT, 48", 54", 60" MOD WITH LA	USD \$1,844.69
BUC10920	BOOT KIT 48" and 54"	USD \$453.69
BUC10921	BOOT KIT 60"	USD \$453.69
TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand™ Decks	USD \$1,171.66



MCS DFS HOPPER, 9.6 Bushel Dump From Seat

Code	Description	List price
0793TC	MCS DFS HOPPER, 9.6 Bushel Dump From Seat Aluminum Hopper 9.6-bu (338-L) Capacity Mechanical Dump From Operator Seat PTO drive controlled by electric clutch Mid-mount, engine-driven power system Cast Aluminum Housing 4 Blade Welded Steel Impeller 29.85 cm (11.75 In.) Impeller Diameter 22.86 cm (9 In.) Diameter Boot to blower hose 15.24 cm (6 In.) Diameter Blower to hopper hose Tool-less access to chutes for easy clog removal Snap fasteners - at mower boot and blower connections The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject to Change without Notice.	
	BASE MACHINE <i>For 48 In./54 In./60 In./72 In. Z900 B/E/M/R Series Gas Mowers including Mulch-On-Demand Decks</i> <i>When installing Dump From Seat MCS on Z900B and Z900E Models, the Rear Anti-Scalp Wheel Kit is required.</i> <i>Not Compatible with Model Year 2012 and Prior Z-Trak Mowers.</i> <i>Not Compatible with Michelin X Tweel Turf tires</i> WEIGHTS NOT INCLUDED. <i>Refer to MCS Ballast Information spreadsheet found on the Value Selling Navigator online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	
0793TC	MCS DFS HOPPER, 9.6 Bushel Dump From Seat	USD \$4,966.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States and Canada	In Base Price
	ATTACHING COMPONENTS Basic Factory Options ATTACHING PARTS	
3542	Boot Kit 48 In. (121cm) & 54 In. (137cm) Side Discharge <i>For all Z900 B/E/M/R Series with 48" & 54" side discharge decks.</i>	In Base Price



MCS DFS HOPPER, 9.6 Bushel Dump From Seat

Code	Description	List price
3543	Boot Kit 60 In. (152 cm) & 72 In. (182 cm) Side Discharge <i>For all Z900 B/E/M/R Series with 60" & 72" side discharge decks.</i>	No Added Cost
3544	Boot Kit Mulch on Demand Decks (48 In., 54 In., 60 In.) <i>For all Z900 M/R Series with 48", 54", & 60" Mulch-on-Demand decks.</i>	USD \$491.00
3541	Less Boot Kit Adapting Parts	USD (\$380.00)
BLOWERS AND CHUTES		
Basic Factory Options		
BLOWER		
2900	Blower, Weight Bracket, and Mounting Frame Kit	In Base Price
2010	Less Blower, Weight Bracket, and Mounting Frame	USD (\$2,524.00)
WEIGHTS AND BALLASTING		
ATTACHMENTS FOR FIELD CONVERSION		
WEIGHTS		
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	USD \$73.83
MISCELLANEOUS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BTC10591	Rear Anti-Scalp Wheel Kit (1524-mm (60-in.) Deck) <i>For 60" 7-Iron II Deck fitted to Z900B and Z900E-Series only. For all Z900B and Z900E Series with 60" 7-Iron II side discharge decks.</i>	USD \$238.61
BTC10442	Rear Anti-Scalp Wheel Kit (1371.6-mm (54-in.) Deck) <i>For 54" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 54" 7-Iron II side discharge decks.</i>	USD \$238.61
BTC10445	Rear Anti-Scalp Wheel Kit (1219.2-mm (48-in.) Deck) <i>For 48" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 48" 7-Iron II side discharge decks.</i>	USD \$238.61

**FX726cc Propane Conversion (ZTrak Z920M, S/N: 101001 -)**

Code	Description	List price
9976TC	FX726cc Propane Conversion (ZTrak Z920M, S/N: 101001 -) FX726cc Engine Single Barrel Carburetor Assembly (includes gaskets) Regulator Assembly Hoses Vacuum Actuated Safety Fuel Shutoff Requires Mounting Kit: ZTrak Single Tank Mounting Kit or ZTrak Dual Tank Mounting Kit or QuikTrak Single Tank Mounting Kit or QuikTrak Dual Tank Mounting Kit Conversion Maintains EPA Certification	
	BASE MACHINE <i>Not Available for Sale in Canada</i> <i>ZTrak compatible models: Z920M (Serial # 101001 -) with 54/60 Inch decks</i> <i>See Sales Manual Supplemental/Compatibility Information for Attachments Restrictions and Ballast Requirements with Propane Kit Installed.</i> <i>Engines converted to propane cannot be converted back to gasoline. Conversion to propane not intended on units with engines over 250 hrs of use.</i> <i>Developed by EnviroGard™ LLC, for Specific John Deere Commercial Mowing Equipment Models.</i> <i>F.O.B. Davenport, Iowa</i>	
9976TC	FX726cc Propane Conversion (ZTrak Z920M, S/N: 101001 -)	USD \$2,499.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION North America	



FX726cc Propane Conversion (ZTrak Z920M, S/N: 101001 -)

Code	Description	List price
0202	United States (50 State)	In Base Price
	ATTACHING COMPONENTS Basic Factory Options ATTACHING PARTS	
3290	ZTrak Single Tank Mounting Kit <i>Single tank left side bracket designed for (1) 33 LB or 43 LB Worthington tank. Tank is not included. Compatible with 3-bag Material Collection System with 60 in., 60 in. MOD, and 72 in. decks only.</i>	USD \$506.00
3291	ZTrak Dual Tank Mounting Kit <i>Dual tank brackets designed for (2) 33 LB Worthington tanks. Tanks are not included. Units with dual tank configurations not compatible with any Material Collection System.</i>	USD \$1,265.00



62 In. Fastback Commercial Rear Discharge Deck

Code	Description	List price
0357TC	62 In. Fastback Commercial Rear Discharge Deck 62 In. (157.48 cm) Cutting Width (3) Spindles, Blades (3) 0.31 In. (7.87 mm) Medium Lift Blades 7-Gauge 0.177 In. (4.49 mm) Fabricated Deck 1-6 In. (2.54-15.24 cm) Height of Cut Vehicle Enclosure Kit (2) Semi-Pneumatic Caster Wheels Quick Release Belt Shields (3) Double Captured Anti-scalp Wheel Locations Greaseable Spindles and Caster Wheels 1 In. (2.54 cm) Splined Shaft Drive Rotate for Service	
	BASE MACHINE <i>(For 1500 TerrainCut Front Mowers and 1400's Series II and Non-Series II Front Mowers)</i> <i>Ballast Required on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	
0357TC	62 In. Fastback Commercial Rear Discharge Deck	USD \$5,654.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States and Canada	In Base Price
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>For Use with TCB10303 Rear Weight Mounting Kit.</i>	USD \$73.83
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.</i>	USD \$153.01
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
TCA24048	Service Latch Chain (7 Link)	USD \$27.85



62 In. Fastback Commercial Rear Discharge Deck

Code	Description	List price
TCB10523	<i>For 1400/1500 Series II and Non-Series II Front Mowers.</i> 1574.8-mm (62-in.) Rear-Discharge Mower Deck Deflector Kit	USD \$357.39
TCA23365	Vehicle Enclosure Kit <i>For 1500 TerrainCut Front Mower, 1400/1500 Series II and Non-Series II.</i>	USD \$1,377.49
	MOWER DECK ATTACHMENTS FOR FIELD CONVERSION MULCH KITS	
BUC11109	62-in. (1574.8-mm) Rear Discharge Mulch Kit <i>Compatible on 62-in. deck with S/N 070001</i>	USD \$912.71
BTC10545	1574.8-mm (62-in.) Rear Discharge Mulching Kit <i>Compatible with 62-in. Rear Discharge deck S/N 010001-069999.</i>	USD \$321.00



60 In. Heavy-Duty Hydraulic Angling Front Blade

Code	Description	List price
0390TC	60 In. Heavy-Duty Hydraulic Angling Front Blade 60 In. Clearing Width "Straight" 52 In. Clearing Width "Fully Angled" 0 Degrees Straight, 15-30 Degrees Left or Right Blade Angle Hydraulic Angling Replaceable Cutting Edge Heavy-Duty, 7-Gauge Steel Reinforced Angle Bar on Back of Blade Spring Breakaway - Lockout Pin (2) 8-Position, Adjustable Skid Shoes Less Lift Arms	
	BASE MACHINE <i>For 1500 TerrainCut Front Mowers, 1400/1500 Series II and Non-Series II Front Mowers.</i> <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Blade Angle Rotation on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000.</i> <i>Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for Blade Angle Rotation on 1400/1500 Series II and Non-Series II Front Mowers.</i> <i>Ballast Required, (UC13263) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i> <i>F.O.B. Davenport, Iowa</i>	
0390TC	60 In. Heavy-Duty Hydraulic Angling Front Blade	USD \$2,464.00
	ATTACHING COMPONENTS Basic Factory Options LIFT ARMS	
1000	Lift Arms and Hardware <i>For the 1550/1570/1575 TerrainCut Front Mowers, 1400 Series II and Non-Series II Front Mower.</i>	USD \$268.00
1001	Lift Arms and Hardware <i>For the 1580/1585 TerrainCut Front Mowers, 1500 Series II and Non-Series II Front Mower.</i>	USD \$268.00
1010	Less Lift Arms	In Base Price
	MISCELLANEOUS	



60 In. Heavy-Duty Hydraulic Angling Front Blade

Code	Description	List price
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
UC13263	Quik-Tatch Weight, 42 lb (19 kg)	USD \$73.83
TY15958	Tire chains (pair) for 26x12-12 tires	USD \$225.89
M142885	Heavy Duty Skid Shoe (1)	USD \$80.73
TY15841	Tire chains (pair) for 23x8.50-12 tires	USD \$157.59
TY15956	Tire chains (pair) for 23x10.50-12 tires	USD \$187.51
TCB10449	Lift Arm Kit <i>(For 1550/1570/1575 TerrainCut Front Mowers and 1400 Series II and non Series II)</i>	USD \$338.11
BTC10608	Lift Arm Kit <i>(For 1580/1585 TerrainCut Front Mowers and 1500 Series II and non Series II)</i>	USD \$338.11
AM119321	Heavy-duty skid shoe (1) <i>For Front Blade. Two required.</i>	USD \$98.88
BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires Mounting Hardware.</i>	USD \$159.43
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	USD \$153.01
BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	USD \$38.51
HYDRAULICS		
ATTACHMENTS FOR FIELD CONVERSION		
HYDRAULICS		
BTC10530	Single-Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i>	USD \$984.40
TCB11474	Single-Spool Auxiliary Hydraulic Kit <i>Required for MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers.</i>	USD \$1,258.31



MCS 3-bag, 12 Bushel Material Collection System

Code	Description	List price
0789TC	MCS 3-bag, 12 Bushel Material Collection System 3-Bag Collection Hopper 12 Bushel Capacity Steel Hopper Frame Plastic enclosure Hopper with mesh screen and 3 removable mesh bags for clippings PTO-X Drive - patented engine-powered drive system Mid-mount, engine-driven power system Cast Aluminum Housing 4 Blade Commercial Steel Impeller 29.85 cm (11.75 In.) Impeller Diameter Easy-To-Empty Bags Fully and Evenly Filled Bags 22.86 cm (9 In.) Diameter Chute Between Deck and Blower 15.24 cm (6 In.) Diameter Chute from Blower to Hopper Tool-less access to chutes for easy clog removal Quick Detach Blower Weight Bracket The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/ Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject to Change without Notice.	
	BASE MACHINE <i>For 48 In./54 In./60 In. Z900 B/E/M/R Series And 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks</i> <i>When installing 3-Bag MCS on Z900B and Z900E Models, Rear Anti-Scalp Wheel Kit is required.</i> <i>Not Compatible with Model Year 2012 and Prior ZTrak Mowers.</i> <i>Not Compatible with Michelin X Tweel Turf Tires</i> WEIGHTS NOT INCLUDED. <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	
0789TC	MCS 3-bag, 12 Bushel Material Collection System	USD \$4,254.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States and Canada	In Base Price
	ATTACHING COMPONENTS Basic Factory Options	



MCS 3-bag, 12 Bushel Material Collection System

Code	Description	List price
ATTACHING PARTS		
3542	Boot Kit 48 In. (121cm) & 54 In. (137cm) Side Discharge <i>For all Z900 B/E/M/R Series with 48" & 54" side discharge decks.</i>	In Base Price
3543	Boot Kit 60 In. (152 cm) & 72 In. (182 cm) Side Discharge <i>For all Z900 B/E/M/R Series with 60" & 72" side discharge decks.</i>	No Added Cost
3544	Boot Kit Mulch on Demand Decks (48 In., 54 In., 60 In.) <i>For all Z900 M/R Series with 48", 54", & 60" Mulch-on-Demand decks.</i>	USD \$491.00
3541	Less Boot Kit Adapting Parts	USD (\$380.00)
BLOWERS AND CHUTES		
Basic Factory Options		
BLOWER		
2900	Blower, Weight Bracket, and Mounting Frame Kit	In Base Price
2010	Less Blower, Weight Bracket, and Mounting Frame	USD (\$2,524.00)
WEIGHTS AND BALLASTING		
ATTACHMENTS FOR FIELD CONVERSION		
WEIGHTS		
UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	USD \$73.83
MISCELLANEOUS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BTC10591	Rear Anti-Scalp Wheel Kit (1524-mm (60-in.) Deck) <i>For 60" 7-Iron II Deck fitted to Z900B and Z900E-Series only. For all Z900B and Z900E Series with 60" 7-Iron II side discharge decks.</i>	USD \$238.61
BTC10442	Rear Anti-Scalp Wheel Kit (1371.6-mm (54-in.) Deck) <i>For 54" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 54" 7-Iron II side discharge decks.</i>	USD \$238.61
BTC10445	Rear Anti-Scalp Wheel Kit (1219.2-mm (48-in.) Deck) <i>For 48" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 48" 7-Iron II side discharge decks.</i>	USD \$238.61



Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)

Code	Description	List price
0228TC	Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers) Modular Design Side Panels with Doors Rear Panel with Window Two Work Lights with Wiring Harness Accoustic Canopy Liner	
0228TC	BASE MACHINE <i>Requires Code 9006 (BTC10293) 4-Post ROPS Conversion Kit with Canopy and Code 9000 (TCB10620) Front Windshield. (Not Compatible with 1500 TerrainCut Models)</i> <i>F.O.B. Davenport, Iowa</i> Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)	USD \$4,051.00
	MISCELLANEOUS Field Installed Options MISCELLANEOUS	
9000	Front Windshield <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i>	USD \$569.00
9001	Single Speed Front Windshield Wiper	USD \$430.00
9002	(1) Exterior Mirror Kit	USD \$260.00
9004	Cab Integrated Heater/Defroster Kit <i>For MY14 and prior 1400/1500 Series II Mowers Only. Must Order (1) of the</i> <i>Following Additional Parts for Specific Models:</i> 1420; M139144, M802329, AM117237, M81353 and 14H785 1435; M139144 1445/1545; TCU19226 1565; M138867	USD \$1,135.00
9005	Cab Integrated Heater/Defroster and Air Conditioner <i>For MY14 and prior 1445/1500 Series II Mowers Only. Compressor Bracket</i> <i>Kit TCB10823 or TCB10824 is Required for AC Installation.</i> <i>Must Order (1) of the Following Additional Parts for Specific Models:</i>	USD \$2,910.00



Hard Cab (For MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers)

Code	Description	List price
9006	<p>1445/1545; TCU19226 1565; M138867</p> <p>4-Post ROPS Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i></p>	USD \$1,968.00
ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS		
TCB10538	<p>Breakaway Beacon Light <i>Hard or Soft Cab with 4-Post ROPS Required.</i></p>	USD \$466.51
TCB10662	<p>Rear Worklight (2) Kit <i>Hard or Soft Cab with 4-Post ROPS Required.</i></p>	USD \$331.70
TCB10981	<p>Single-Speed Front Windshield Wiper</p>	USD \$506.11
BTC10293	<p>4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy <i>Converts Standard 2-Post ROPS to 4-Post with Canopy.</i> <i>*Required for new Hard Cab BTC10295.</i> <i>*Required for new Soft Cab BTC10336.</i> <i>(Not compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023).</i> <i>**Discontinued - 4 Post ROPS Kit TCB10941 only compatible with Old Hard Cab BTC10024 and Old Soft Cab BTC10023.</i></p>	USD \$2,315.49
TCB10325	<p>(1) Exterior Mirror Kit <i>Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.</i> <i>Mounts to 4-Post ROPS.</i></p>	USD \$306.01
TCB10620	<p>Front Windshield <i>Mounts to 4-Post ROPS (For Current TerrainCut FM's and 1400/1500 Series II Front Mowers)</i> <i>Can be Used without Cab for Wind Protection. Mounts to 4-Post ROPS.</i></p>	USD \$669.81



FX852cc Propane Conversion (ZTrak Z930M/R and Z950M/R models, except EFI models)

Code	Description	List price
9971TC	FX852cc Propane Conversion (ZTrak Z930M/R and Z950M/R models, except EFI models) FX852cc Engine Carburetor Assembly (includes gaskets) Regulator Assembly Hoses Vacuum Actuated Safety Fuel Shutoff Requires Mounting Kit: ZTrak Single Tank Mounting Kit or ZTrak Dual Tank Mounting Kit Conversion Maintains EPA Certification	
	BASE MACHINE <i>Not Available for Sale in Canada.</i> <i>ZTrak compatible models: Z930M/R and Z950M/R (Serial # 010001 -) with 54/54MOD/60/60MOD/72 Inch decks.</i> <i>Not compatible with 48 Inch decks or Z930M EFI model.</i> <i>See Sales Manual Supplemental/Compatibility Information for Attachments Restrictions and Ballast Requirements with Propane Kit Installed.</i> <i>Engines converted to propane cannot be converted back to gasoline. Conversion to propane not intended on units with engines over 250 hrs of use.</i> <i>Developed by EnviroGard™ LLC, for Specific John Deere Commercial Mowing Equipment Models.</i> <i>F.O.B. Davenport, Iowa</i>	
9971TC	FX852cc Propane Conversion (ZTrak Z930M/R and Z950M/R models, except EFI models)	USD \$2,799.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION North America United States (50 State)	In Base Price
	ATTACHING COMPONENTS Basic Factory Options ATTACHING PARTS	
3290	ZTrak Single Tank Mounting Kit	No Added Cost

**FX852cc Propane Conversion (ZTrak Z930M/R and Z950M/R models, except EFI models)**

Code	Description	List price
3291	<p><i>Single tank left side bracket designed for (1) 33 LB or 43 LB Worthington tank. Tank is not included.</i></p> <p><i>Compatible with 3-bag Material Collection System with 60 in., 60 in. MOD, and 72 in. decks only.</i></p> <p>ZTrak Dual Tank Mounting Kit</p> <p><i>Dual tank brackets designed for (2) 33 LB Worthington tanks.</i></p> <p><i>Tanks are not included.</i></p> <p><i>Units with dual tank configurations not compatible with any Material Collection System.</i></p>	USD \$759.00



60 In. Heavy-Duty Two-Stage Snow Blower

Code	Description	List price
0381TC	60 In. Heavy-Duty Two-Stage Snow Blower Two-Stage Design Hydraulic Lift 59 In. Clearing Width 60 In. Overall Width 16 In. Diameter Auger Adjustable Spout Cap Deflector Large, Adjustable Skid Shoes Reversible, Replaceable Scraper Blade Hydraulic Discharge Chute Rotation 90 Degrees Right and Left (180 Degrees Total) HD Auger Gearbox Drive Less Lift Arms and Drive Shaft	
	BASE MACHINE <i>For 1500 TerrainCut Front Mowers, 1400/1500 Series II and Non-Series II Front Mowers.</i> <i>Single Spool Auxiliary Hydraulic Kit (BTC10530) is Required for Operation of Chute on All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000.</i> <i>Single Spool Auxiliary Hydraulic Kit (TCB11474) is Required for 1400/1500 Series II and Non-Series II Front Mowers for Operation of Chute.</i> <i>Ballast Required, (UC13263) Quick-Tatch Weight(s) Mounted on Rear Weight Mounting Kit (TCB10303), see Ballast Chart in Sales Manual.</i> <i>F.O.B. Davenport, Iowa</i>	
0381TC	60 In. Heavy-Duty Two-Stage Snow Blower	USD \$6,642.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States and Canada	No Added Cost
	ATTACHING COMPONENTS Basic Factory Options LIFT ARMS AND DRIVE SHAFT	
1000	Lift Arms, Drive Shaft and Hardware	USD \$550.00
1010	Less Lift Arms	In Base Price



60 In. Heavy-Duty Two-Stage Snow Blower

Code	Description	List price
	<i>Less Drive Shaft and Hardware. To Attach Snow Blower to F900/F1145 Front Mowers, See Sales Manual for instruction.</i>	
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg)	USD \$73.83
TY15958	Tire chains (pair) for 26x12-12 tires	USD \$225.89
TCB10448	Two-Stage Snow Blower Lift Arms, Drive Shaft and Hardware Kit	USD \$693.36
M88984	Drift blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts. Requires (4) 19H1914 Bolts and (4) N10217 Lock Nuts. Must also Order: 03H1729-Bolt, 12H302-Lock Washer, 14H786-Hex Nut.</i>	USD \$43.08
TY15841	Tire chains (pair) for 23x8.50-12 tires	USD \$157.59
TY15956	Tire chains (pair) for 23x10.50-12 tires	USD \$187.51
BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire <i>Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.</i>	USD \$38.51
BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>For 23x8.50 and 23x10.50 Tires.</i>	USD \$159.43
TCB10303	Rear Weight Mounting Kit <i>Required for Ballast when Using Certain Implements. See Sales Manual for Instructions.</i>	USD \$153.01
	HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	
BTC10530	Single-Spool Auxiliary Hydraulic Kit <i>(For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial # -015000).</i>	USD \$984.40
TCB11474	Single-Spool Auxiliary Hydraulic Kit	USD \$1,258.31



60 In. Heavy-Duty Two-Stage Snow Blower

Code	Description	List price
	<i>Required for MY14 and prior 1400/1500 Series II and Non-Series II Front Mowers.</i>	

**FS603cc Propane Conversion (Commercial Walk-Behind W36R / W48R / W52R models)**

Code	Description	List price
9975TC	FS603cc Propane Conversion (Commercial Walk-Behind W36R / W48R / W52R models) FS603cc Engine Carburetor Assembly (includes gaskets) Regulator Assembly Hoses Vacuum Actuated Safety Fuel Shutoff Commercial Walk-Behind Single Tank Mounting Kit (tank not included) Conversion Maintains EPA Certification	
9975TC	BASE MACHINE <i>Not Available for Sale in Canada.</i> <i>Commercial Walk-Behind compatible models: W36R / W48R / W52R (Serial # 010001 - 099999).</i> <i>Not compatible with recoil start or EFI engines.</i> <i>Engines converted to propane cannot be converted back to gasoline. Conversion to propane not intended on units with engines over 250 hrs of use.</i> <i>Developed by EnviroGard™ LLC, for Specific John Deere Commercial Mowing Equipment Models.</i> <i>F.O.B. Davenport, Iowa</i> FS603cc Propane Conversion (Commercial Walk-Behind W36R / W48R / W52R models)	USD \$2,499.00
0202	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION North America United States (50 State)	In Base Price
3294	ATTACHING COMPONENTS Basic Factory Options ATTACHING PARTS Commercial Walk-Behind Single Tank Mounting Kit <i>Single tank bracket designed for (1) 20 LB Worthington tank. Tank is not included.</i>	In Base Price