

**Q810E Commercial QuikTrak E Series**

Code	Description	List price
23A0TC	Q810E Commercial QuikTrak E Series ENGINE: 19HP* (14.2-kW) Vertical-Shaft, V-twin Air Cooled Gas Engine 603cc (36.8 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Canister Air Cleaner Dry Replaceable Filter Element FUEL: 5.6 U.S. Gal (21.2 L) Fuel Capacity DRIVETRAIN: 10cc Hydro-Gear Transmission Pumps 12 cu. In / Rev White Drive Wheel Motors Hydraulic Oil Cooler 8 MPH (12.9 km/h) Forward 3.5 MPH (5.6 km/h) Reverse BRAKES: Dual Wheel Parking Brake Hand Lever Activation ELECTRICAL: 12 Volt Battery with 20A Charge System Operator Presence System Platform Digital Hourmeter Electromagnetic PTO Clutch STEERING: Dual Lever Direction/Speed Control with Reverse Bar DECK: 36 In. Floating, Side Discharge 7 Ga. Fabricated Steel Deck 8 In. Cast Aluminum Greaseable Spindle Housing 1.5 - 5 In. (3.8 - 12.7 cm) Cutting Heights	



Q810E Commercial QuikTrak E Series

Code	Description	List price
	in 0.25 In. (0.64 cm) Increments TIRES: 18x8.5-10 In. 4PR Turf Drive Tires 11x4-5 In. Flat-Free Caster Tires MISCELLANEOUS: Cushioned Leaning Pad *@ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 603cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE	
	<i>Not Available in California</i> <i>Base Machine Suggested List Price Does Not Include \$200 USD</i> <i>Destination Charge.</i>	
23A0TC	Q810E Commercial QuikTrak E Series	USD \$11,199.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States/Canada	In Base Price
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
UC18858	Blockoff Plate	USD \$135.16
BUC11757	LED Strobe Light Kit	USD \$358.46
	ENGINE	
	ATTACHMENTS FOR FIELD CONVERSION	
	ENGINE	



Q810E Commercial QuikTrak E Series

Code	Description	List price
AM108146	Spark Arrester Screen for Muffler	USD \$45.25
	MOWER DECK ATTACHMENTS FOR FIELD CONVERSION MULCH KITS	
BUC10042	36 in. (914.4 mm) Mulch Kit	USD \$286.76
	MACHINE CONNECTIVITY ATTACHMENTS FOR FIELD CONVERSION CONNECTIVITY HARDWARE	
BUC11744	Connectivity Mounting Kit (Q800 E/M/R Series QuikTrak) <i>Includes: mounting bracket, harness, and hardware. Compatible with JDLink™ M Modem – 4G. Modem is not included in mounting kit, must be ordered separately through wholegoods.</i> <i>Precision Ag Technology / Information Management / Connectivity / JDLink™ Modem / JDLink™ M Modem – 4G</i>	USD \$248.24
	GRASS- AND LEAF COLLECTION ATTACHMENTS FOR FIELD CONVERSION GRASS- AND LEAF COLLECTION	
LP68164	3.5 bu. Grass Catcher <i>For 600 E/M/R Series QuikTrak SN (045001 - 119999). For Q800 E Series QuikTrak SN (010001 -)</i>	USD \$659.99



Q820E Commercial QuikTrak E Series

Code	Description	List price
23B0TC	Q820E Commercial QuikTrak E Series ENGINE: 23.5HP* (17.5-kW) Vertical-Shaft, V-twin Air Cooled Gas Engine 726cc (44.3 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element FUEL: 5.6 U.S. Gal (21.2 L) Fuel Capacity DRIVETRAIN: 10cc Hydro-Gear Transmission Pumps 12 cu. In / Rev White Drive Wheel Motors Hydraulic Oil Cooler 8 MPH (12.9 km/h) Forward 3.5 MPH (5.6 km/h) Reverse BRAKES: Dual Wheel Parking Brake Hand Lever Activation ELECTRICAL: 12 Volt Battery with 20A Charge System Operator Presence System Platform Digital Hourmeter Electromagnetic PTO Clutch STEERING: Dual Lever Direction/Speed Control with Reverse Bar DECK: 48 In. Floating, Side Discharge 7 Ga. Fabricated Steel Deck 8 In. Cast Aluminum Greaseable Spindle Housing	



Q820E Commercial QuikTrak E Series

Code	Description	List price
	1.5 - 5 In. Cutting Heights in 0.25 In. Increments TIRES: 18x10.50-10 In. 4PR Turf Drive Tires 11x4-5 In. Flat-Free Caster Tires MISCELLANEOUS: Cushioned Leaning Pad *@ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 726cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE	
	<i>Not Available in California</i> <i>Base Machine Suggested List Price Does Not Include \$200 USD</i> <i>Destination Charge.</i>	
23B0TC	Q820E Commercial QuikTrak E Series	USD \$12,229.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States/Canada	In Base Price
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
UC18858	Blockoff Plate	USD \$135.16
BUC11757	LED Strobe Light Kit	USD \$358.46
	ENGINE	
	ATTACHMENTS FOR FIELD CONVERSION	



Q820E Commercial QuikTrak E Series

Code	Description	List price
	ENGINE	
AM108146	Spark Arrester Screen for Muffler	USD \$45.25
	MOWER DECK ATTACHMENTS FOR FIELD CONVERSION MULCH KITS	
BUC10043	48 in. (1219.2 mm) Mulch Kit	USD \$429.07
	MACHINE CONNECTIVITY ATTACHMENTS FOR FIELD CONVERSION CONNECTIVITY HARDWARE	
BUC11744	Connectivity Mounting Kit (Q800 E/M/R Series QuikTrak) <i>Includes: mounting bracket, harness, and hardware. Compatible with JDLink™ M Modem – 4G. Modem is not included in mounting kit, must be ordered separately through wholegoods.</i> <i>Precision Ag Technology / Information Management / Connectivity / JDLink™ Modem / JDLink™ M Modem – 4G</i>	USD \$248.24
	GRASS- AND LEAF COLLECTION ATTACHMENTS FOR FIELD CONVERSION GRASS- AND LEAF COLLECTION	
LP68164	3.5 bu. Grass Catcher <i>For 600 E/M/R Series QuikTrak SN (045001 - 119999). For Q800 E Series QuikTrak SN (010001 -)</i>	USD \$659.99



Q820M Commercial QuikTrak M Series

Code	Description	List price
23C0TC	Q820M Commercial QuikTrak M Series ENGINE:23.5HP* (17.5-kW)Vertical-Shaft, V-twin Air CooledGas Engine 726cc (44.3 cu. in.)Full Pressure LubricationSystem With Replaceable Oil FilterHeavy Duty Canister Air CleanerDry Replaceable Filter Elementwith Secondary Safety Element FUEL:12 U.S. Gal (45.4 L) Fuel Capacity DRIVETRAIN:(2) TZT13 HD Integrated Hydraulic Transaxles13 cc Pumps13 cu. In / rev Wheel Motors(2) 8.5 in. (22cm) Transaxle Fans10 MPH (16.1 km/h) Forward5 MPH (8.1 km/h) Reverse BRAKES:Internal Wet Disc Parking BrakeHand Lever Activation ELECTRICAL:12 Volt Battery with 20A Charge SystemOperator Presence System PlatformDisplay PanelElectromagnetic PTO Clutch INSTRUMENTATION:Hour MeterFuel LevelEngine SpeedSystem VoltageLow Oil-PressureCaution / Stop IndicatorsIndicators for PTO, Operator Presence, and Park Brake STEERING:Dual Lever Direction/SpeedControl with Reverse Bar DECK:48 In. (122 cm) 7-Iron PRO Side Discharge Mower Deck7-Gauge Forged Steel Mower DeckTrim Edge Deck Bumper8 In. Cast Aluminum Greaseable Spindle Housing1.5 - 5 In. Cutting Heightsin 0.25 In. Increments TIRES:22x10.5-12 In. Turf Drive Tires (48 In.)22x12-12 In. Turf Drive Tires (54 In. & 60 In.)4PR Turf Drive Tires13x5-6 In. Flat-Free Caster Tires MISCELLANEOUS:Cushioned Leaning Pad with 3/4 BolsteringMesh Storage BinFolding Foot Platform *@ 3600 RPM engine manufacturercertified gross powertested in accordance with SAE J1995, 726cc.The engine horsepower andtorque information is providedby the engine manufacturerto be used for comparison purposes only.Actual operating horsepowerand torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE <i>Not Available in California</i> <i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i>	
23C0TC	Q820M Commercial QuikTrak M Series	USD \$12,349.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	



Q820M Commercial QuikTrak M Series

Code	Description	List price
001A	United States/Canada	In Base Price
	MOWER DECK	
	Basic Factory Options	
	MOWER DECKS	
1500	48 In. 7-IRON PRO™ Side Discharge Mower Deck	In Base Price
1502	54 In. 7-IRON PRO™ Side Discharge Mower Deck	USD \$300.00
1504	60 In. 7-IRON PRO™ Side Discharge Mower	USD \$600.00
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
TCB11469	Mulch Kit (1371.6-mm (54-in.) 7Iron, 7Iron II, 7Iron PRO and HC)	USD \$249.31
TCB10952	Mulch Kit (1219.2-mm (48-in.) 7Iron, 7Iron II and 7Iron PRO)	USD \$247.17
TCB10953	Mulch Kit (1524-mm (60-in.) 7Iron, 7Iron II and 7Iron PRO)	USD \$263.21
	WHEELS AND TIRES	
	Basic Factory Options	
	DRIVE WHEELS AND TIRES	
1031	22x10.50-12 Pneumatic Tire for 48-in. decks	In Base Price
1032	22x11N12 Michelin X Tweel Tire for 48-in. decks	USD \$1,259.00
1033	22x12-12 Pneumatic Tire for 54 and 60-in. decks	No Added Cost
1034	22x11N12 Michelin X Tweel Tire for 54 and 60-in. decks	USD \$1,259.00
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
BUC11598	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks For 54-in. 7Iron PRO decks on M and R Series QuikTrak models. For 60-in. 7Iron PRO decks on M Series QuikTrak models.	USD \$440.84
UC34360	Blockoff Plate 60-in. 7Iron PRO decks	USD \$155.94
BUC11513	String Trimmer Carrier For Q800M and Q800R Series models.	USD \$101.66



Q820M Commercial QuikTrak M Series

Code	Description	List price
UC35497	Blockoff Plate 48/54-in. 7Iron PRO decks	USD \$65.80
BUC11475	LED Strobe Light Kit	USD \$312.44
BUC11597	Rubber Flap Striping Kit for 1219.2-mm (48-in.) Deck <i>For 48-in. 7Iron PRO deck on M Series QuikTrak</i>	USD \$400.19
	ENGINE ATTACHMENTS FOR FIELD CONVERSION ENGINE	
AM108146	Spark Arrester Screen for Muffler	USD \$45.25
	MACHINE CONNECTIVITY ATTACHMENTS FOR FIELD CONVERSION CONNECTIVITY HARDWARE	
BUC11744	Connectivity Mounting Kit (Q800 E/M/R Series QuikTrak) <i>Includes: mounting bracket, harness, and hardware. Compatible with JDLink™ M Modem – 4G. Modem is not included in mounting kit, must be ordered separately through wholegoods.</i> <i>Precision Ag Technology / Information Management / Connectivity / JDLink™ Modem / JDLink™ M Modem – 4G</i>	USD \$248.24
	GRASS- AND LEAF COLLECTION ATTACHMENTS FOR FIELD CONVERSION GRASS- AND LEAF COLLECTION	
LP85651	3.5 bu. Grass Catcher (7Iron PRO) <i>For Q800 M / R Series, with 48/54-in. 7Iron PRO mower deck sizes.</i>	USD \$759.99



Q850M Commercial QuikTrak M Series

Code	Description	List price
23D0TC	Q850M Commercial QuikTrak M Series ENGINE:27HP* (20.1-kW)Vertical-Shaft, V-twin Air CooledGas Engine 852cc (52 cu. in.)Full Pressure LubricationSystem With Replaceable Oil FilterEngine Oil CoolerHeavy Duty Canister Air CleanerDry Replaceable Filter Elementwith Secondary Safety Element FUEL:12 U.S. Gal (45.4 L) Fuel Capacity DRIVETRAIN:(2) T/ZT13 HD Integrated Hydraulic Transaxles13 cc Pumps13 cu. In / rev Wheel Motors(2) 8.5 in. (22cm) Transaxle Fans10 MPH (16.1 km/h) Forward5 MPH (8.1 km/h) Reverse BRAKES:Internal Wet Disc Parking BrakeHand Lever Activation ELECTRICAL:12 Volt Battery with 20A Charge SystemOperator Presence System PlatformDisplay PanelElectromagnetic PTO Clutch INSTRUMENTATION:Hour MeterFuel LevelEngine SpeedSystem VoltageLow Oil-PressureCaution / Stop IndicatorsIndicators for PTO, Operator Presence, and Park Brake STEERING:Dual Lever Direction/SpeedControl with Reverse Bar DECK:54 In. (137 cm) 7-Iron PRO Side Discharge Mower Deck7-Gauge Forged Steel Mower DeckTrim Edge Deck Bumper8 In. Cast Aluminum Greaseable Spindle Housing1.5 - 5 In. Cutting Heightsin 0.25 In. Increments TIRES:22x12-12 In. Turf Drive Tires4PR Turf Drive Tires13x5-6 In. Flat-Free Caster Tires MISCELLANEOUS:Cushioned Leaning Pad with 3/4 BolsteringMesh Storage BinFolding Foot Platform *@ 3600 RPM engine manufacturercertified gross powertested in accordance with SAE J1995, 852cc.The engine horsepower andtorque information is providedby the engine manufacturerto be used for comparison purposes only.Actual operating horsepowerand torque will be less. Refer to the enginemanufacturer's web site for additional information.	
	BASE MACHINE <i>Not Available in California</i> <i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i>	
23D0TC	Q850M Commercial QuikTrak M Series	USD \$13,249.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States/Canada	In Base Price



Q850M Commercial QuikTrak M Series

Code	Description	List price
MOWER DECK		
Basic Factory Options		
MOWER DECKS		
1502	54 In. 7-IRON PRO™ Side Discharge Mower Deck	In Base Price
1504	60 In. 7-IRON PRO™ Side Discharge Mower	USD \$300.00
ATTACHMENTS FOR FIELD CONVERSION		
MULCH KITS		
TCB11469	Mulch Kit (1371.6-mm (54-in.) 7Iron, 7Iron II, 7Iron PRO and HC)	USD \$249.31
TCB10953	Mulch Kit (1524-mm (60-in.) 7Iron, 7Iron II and 7Iron PRO)	USD \$263.21
WHEELS AND TIRES		
Basic Factory Options		
DRIVE WHEELS AND TIRES		
1033	22x12-12 Pneumatic Tire <i>for 54 and 60-in. decks</i>	In Base Price
1034	22x11N12 Michelin X Tweel Tire <i>for 54 and 60-in. decks</i>	USD \$1,259.00
MISCELLANEOUS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BUC11598	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks <i>For 54-in. 7Iron PRO decks on M and R Series QuikTrak models.</i> <i>For 60-in. 7Iron PRO decks on M Series QuikTrak models.</i>	USD \$440.84
UC35497	Blockoff Plate 48/54-in. 7Iron PRO decks	USD \$65.80
BUC11475	LED Strobe Light Kit	USD \$312.44
BUC11513	String Trimmer Carrier <i>For Q800M and Q800R Series models.</i>	USD \$101.66
UC34360	Blockoff Plate 60-in. 7Iron PRO decks	USD \$155.94
ENGINE		
ATTACHMENTS FOR FIELD CONVERSION		
ENGINE		
AM108146	Spark Arrester Screen for Muffler	USD \$45.25
MACHINE CONNECTIVITY		



Q850M Commercial QuikTrak M Series

Code	Description	List price
	ATTACHMENTS FOR FIELD CONVERSION CONNECTIVITY HARDWARE	
BUC11744	Connectivity Mounting Kit (Q800 E/M/R Series QuikTrak) <i>Includes: mounting bracket, harness, and hardware. Compatible with JDLink™ M Modem – 4G. Modem is not included in mounting kit, must be ordered separately through wholegoods.</i> <i>Precision Ag Technology / Information Management / Connectivity / JDLink™ Modem / JDLink™ M Modem – 4G</i>	USD \$248.24
	GRASS- AND LEAF COLLECTION ATTACHMENTS FOR FIELD CONVERSION GRASS- AND LEAF COLLECTION	
LP85651	3.5 bu. Grass Catcher (7Iron PRO) <i>For Q800 M / R Series, with 48/54-in. 7Iron PRO mower deck sizes.</i>	USD \$759.99



Q850R Commercial QuikTrak R Series

Code	Description	List price
23E0TC	Q850R Commercial QuikTrak R Series ENGINE:27HP* (20.1-kW)Vertical-Shaft, V-twin Air CooledGas Engine 852cc (52 cu. in.)Full Pressure LubricationSystem With Replaceable Oil FilterEngine Oil CoolerHeavy Duty Canister Air CleanerDry Replaceable Filter Elementwith Secondary Safety Element FUEL:12 U.S. Gal (45.4 L) Fuel Capacity DRIVETRAIN:(2) T/ZT13 HD Integrated Hydraulic Transaxles13 cc Pumps13 cu. In / rev Wheel Motors(2) 8.5 in. (22cm) Transaxle Fans12 MPH (19.3 km/h) Forward6 MPH (9.7 km/h) Reverse BRAKES:Internal Wet Disc Parking BrakeHand Lever Activation ELECTRICAL:12 Volt Battery with 20A Charge SystemOperator Presence System PlatformDisplay PanelElectromagnetic PTO Clutch INSTRUMENTATION:Hour MeterFuel LevelEngine SpeedSystem VoltageLow Oil-PressureCaution / Stop IndicatorsIndicators for PTO, Operator Presence, and Park Brake STEERING:Dual Lever Direction/SpeedControl with Reverse Bar DECK:54 In. (137 cm) 7-Iron PRO Side Discharge Mower Deck7-Gauge Forged Steel Mower DeckTrim Edge Deck Bumper8 In. Cast Aluminum Greaseable Spindle Housing1.5 - 5 In. Cutting Heightsin 0.25 In. Increments TIRES:24x12-12 In. Turf Drive Tires4PR Turf Drive Tires13x6.5-6 In. Flat-Free Caster Tires MISCELLANEOUS:Cushioned Leaning Pad with Full BolsteringMesh Storage BinFolding Foot Platform with Rubber MatFenders with Foot Holds *@ 3600 RPM engine manufacturer's certified gross power tested in accordance with SAE J1995, 852cc.The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE <i>Not Available in California</i> <i>Base Machine Suggested List Price Does Not Include \$200 USD</i> <i>Destination Charge.</i>	
23E0TC	Q850R Commercial QuikTrak R Series	USD \$13,999.00
	DESTINATION AND LANGUAGE	



Q850R Commercial QuikTrak R Series

Code	Description	List price
Basic Factory Options		
DESTINATION		
001A	United States/Canada	In Base Price
MOWER DECK		
Basic Factory Options		
MOWER DECKS		
1502	54 In. 7-IRON PRO™ Side Discharge Mower Deck	In Base Price
1504	60 In. 7-IRON PRO™ Side Discharge Mower	USD \$300.00
ATTACHMENTS FOR FIELD CONVERSION		
MULCH KITS		
TCB11469	Mulch Kit (1371.6-mm (54-in.) 7Iron, 7Iron II, 7Iron PRO and HC)	USD \$249.31
TCB10953	Mulch Kit (1524-mm (60-in.) 7Iron, 7Iron II and 7Iron PRO)	USD \$263.21
WHEELS AND TIRES		
Basic Factory Options		
DRIVE WHEELS AND TIRES		
1036	24x12x12 Pneumatic Turf Tire <i>for 54-in. deck</i>	In Base Price
1040	24x12N12 Michelin X Tweel Tire. <i>for 54-in. deck</i>	USD \$1,357.00
1037	24x12-12 Pneumatic Tire <i>for 60 and 72-in. decks</i>	No Added Cost
1041	24x12N12 Michelin X Tweel Tire <i>for 60 and 72-in. decks</i>	USD \$1,357.00
MISCELLANEOUS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BUC11598	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks <i>For 54-in. 7Iron PRO decks on M and R Series QuikTrak models.</i> <i>For 60-in. 7Iron PRO decks on M Series QuikTrak models.</i>	USD \$440.84
UC34360	Blockoff Plate 60-in. 7Iron PRO decks	USD \$155.94
UC35497	Blockoff Plate 48/54-in. 7Iron PRO decks	USD \$65.80
BUC11475	LED Strobe Light Kit	USD \$312.44



Q850R Commercial QuikTrak R Series

Code	Description	List price
BUC11513	String Trimmer Carrier <i>For Q800M and Q800R Series models.</i>	USD \$101.66
BUC11831	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck <i>For 60-in. 7Iron PRO decks on R Series QuikTrak models.</i>	USD \$480.43
	ENGINE ATTACHMENTS FOR FIELD CONVERSION ENGINE	
AM108146	Spark Arrester Screen for Muffler	USD \$45.25
	MACHINE CONNECTIVITY ATTACHMENTS FOR FIELD CONVERSION CONNECTIVITY HARDWARE	
BUC11744	Connectivity Mounting Kit (Q800 E/M/R Series QuikTrak) <i>Includes: mounting bracket, harness, and hardware. Compatible with JDLINK™ M Modem – 4G. Modem is not included in mounting kit, must be ordered separately through wholegoods.</i> <i>Precision Ag Technology / Information Management / Connectivity / JDLINK™ Modem / JDLINK™ M Modem – 4G</i>	USD \$248.24
	GRASS- AND LEAF COLLECTION ATTACHMENTS FOR FIELD CONVERSION GRASS- AND LEAF COLLECTION	
LP85651	3.5 bu. Grass Catcher (7Iron PRO) <i>For Q800 M / R Series, with 48/54-in. 7Iron PRO mower deck sizes.</i>	USD \$759.99

**Q865R EFI Commercial QuikTrak R Series**

Code	Description	List price
23J0TC	Q865R EFI Commercial QuikTrak R Series ENGINE:34.5HP* (25.7-kW)Vertical-Shaft, V-twin Air CooledElectronically Fuel InjectedGas Engine 822cc (50.2 cu. in.)with Electronic Throttle Control SystemFull Pressure LubricationSystem With Replaceable Oil FilterEngine Oil CoolerHeavy Duty Canister Air CleanerDry Replaceable Filter Elementwith Secondary Safety Element FUEL:12 U.S. Gal (45.4 L) Fuel Capacity DRIVETRAIN:(2) TZT13 HD Integrated Hydraulic Transaxles13 cc Pumps13 cu. In / rev Wheel Motors(2) 8.5 in. (22cm) Transaxle Fans12 MPH (19.3 km/h) Forward6 MPH (9.7 km/h) Reverse BRAKES:Internal Wet Disc Parking BrakeHand Lever Activation ELECTRICAL:12 Volt Battery with 30A Charge SystemOperator Presence System PlatformDisplay PanelElectromagnetic PTO Clutch INSTRUMENTATION:Hour MeterFuel LevelEngine SpeedSystem VoltageLow Oil-PressureCaution / Stop IndicatorsIndicators for PTO, Operator Presence, and Park Brake STEERING:Dual Lever Direction/SpeedControl with Reverse Bar DECK:60 In. (152 cm) 7-Iron PRO Side Discharge Mower Deck7-Gauge Forged Steel Mower DeckTrim Edge Deck Bumper8 In. Cast Aluminum Greaseable Spindle Housing1.5 - 5 In. Cutting Heightsin 0.25 In. Increments TIRES:24x12-12 In. Turf Drive Tires4PR Turf Drive Tires13x6.5-6 In. Flat-Free Caster Tires MISCELLANEOUS:Cushioned Leaning Pad with Full BolsteringMesh Storage BinFolding Foot Platform with Rubber MatFenders with Foot Holds *@ 3600 RPM engine manufacturercertified gross powertested in accordance with SAE J1995, 852cc.The engine horsepower andtorque information is providedby the engine manufacturerto be used for comparison purposes only.Actual operating horsepowerand torque will be less. Refer to the enginemanufacturer's web site for additional information.Actual operating horsepower and torque will be less.Refer to the engine manufacturer's web sitefor additional information.	
	BASE MACHINE <i>Not Available in California</i> <i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i>	
23J0TC	Q865R EFI Commercial QuikTrak R Series	USD \$15,589.00



Q865R EFI Commercial QuikTrak R Series

Code	Description	List price
DESTINATION AND LANGUAGE		
Basic Factory Options		
DESTINATION		
001A	United States/Canada	In Base Price
MOWER DECK		
Basic Factory Options		
MOWER DECKS		
1504	60 In. 7-IRON PRO™ Side Discharge Mower	In Base Price
1506	72 In. 7 IRON PRO™ Side Discharge Mower Deck	USD \$600.00
1524	60 In. FastBack PRO Rear Discharge Mower Deck	USD \$900.00
ATTACHMENTS FOR FIELD CONVERSION		
MULCH KITS		
TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	USD \$451.54
TCB10953	Mulch Kit (1524-mm (60-in.) 7Iron, 7Iron II and 7Iron PRO)	USD \$263.21
BUC11932	Mulch Kit (1524-mm (60-in.) Rear Discharge FastBack PRO)	USD \$571.39
WHEELS AND TIRES		
Basic Factory Options		
DRIVE WHEELS AND TIRES		
1037	24x12-12 Pneumatic Tire for 60 and 72-in. decks	In Base Price
1041	24x12N12 Michelin X Tweel Tire for 60 and 72-in. decks	USD \$1,357.00
MISCELLANEOUS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BUC11513	String Trimmer Carrier For Q800M and Q800R Series models.	USD \$101.66
BUC11475	LED Strobe Light Kit	USD \$312.44
UC34360	Blockoff Plate 60-in. 7Iron PRO decks	USD \$155.94
BUC11831	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck For 60-in. 7Iron PRO decks on R Series QuikTrak models.	USD \$480.43
ENGINE		
ATTACHMENTS FOR FIELD CONVERSION		



Q865R EFI Commercial QuikTrak R Series

Code	Description	List price
	ENGINE	
AM108146	Spark Arrester Screen for Muffler	USD \$45.25
	MACHINE CONNECTIVITY ATTACHMENTS FOR FIELD CONVERSION CONNECTIVITY HARDWARE	
BUC11744	Connectivity Mounting Kit (Q800 E/M/R Series QuikTrak) <i>Includes: mounting bracket, harness, and hardware. Compatible with JDLINK™ M Modem – 4G. Modem is not included in mounting kit, must be ordered separately through wholegoods.</i> <i>Precision Ag Technology / Information Management / Connectivity / JDLINK™ Modem / JDLINK™ M Modem – 4G</i>	USD \$248.24