

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**636M 18.5HP\* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck**  
 Equipment for Base Machine

18.5HP*	Cast Iron Spindle Housing	horsepower and
Vertical-Shaft Air Cooled	1.25 - 5 In. Cutting Heights	torque information is provided
Gas Engine 603cc (36.8 cu. in.)	in 0.25 In. Increments	by the engine
Full Pressure Lubrication	Dual Lever Direction/Speed	manufacturer to be used for
System With Replaceable Oil Filter	Control with Reverse Bar	comparison
Dry Replaceable Filter Element with Secondary Safety Element	8.2 MPH Forward / 3.5 MPH Reverse	purposes only. Actual
12 Volt Charge System	5.5 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve	operating horsepower
10cc Hydro-Gear Transmission	18 x 8.5 - 10 In.	and torque will be less. Refer
Pumps	4PR Turf Drive Tires	to the engine
12 cu. In / Rev Hydro-Gear Wheel Motors	11 x 4-5 In. Front Caster Tires	manufacturer's web site for
Hydraulic Oil Cooler	Electric PTO Clutch	additional information.
Dual Wheel Parking Brake	Digital Hourmeter	
Operator Presence System	Thick, Insulated Leaning Pad	
Platform	* @ 3600 RPM engine manufacturer certified	
36 In. Floating, Side Discharge	gross power tested in	
7 Ga. Fabricated Steel Deck	accordance with SAE	
	J1995, 726cc. The engine	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2360TC	636M 18.5HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i>	8,159.00
--------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous</b>	
BUC10061	36 In. (914 mm) Mulch Kit	209.71
	<b>Spark Arrestor</b>	
AM108146	Spark Arrestor Screen for Muffler	25.48

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**648M 22.0HP\* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck**  
Equipment for Base Machine

22.0HP*	Cast Iron Spindle Housing	torque information is provided
Vertical-Shaft Air Cooled	1.25 - 5 In. Cutting Heights	by the engine
Gas Engine 726 cm <sup>3</sup> (44.3cu.	in 0.25 In. Increments	manufacturer to be used for
in.)	Dual Lever Direction/Speed	comparison
Full Pressure Lubrication	Control with Reverse Bar	purposes only. Actual
System With Replaceable Oil	8.2 MPH Forward / 3.5 MPH	operating horsepower
Filter	Reverse	and torque will be less. Refer
Heavy Duty Canister Air Cleaner	5.5 U.S. Gallon Fuel Capacity	to the engine
Dry Replaceable Filter Element	with Fuel Shutoff Valve	manufacturer's web site for
with Secondary Safety Element	18 X 10.50 - 10	additional information.
12 Volt Charge System	4PR Turf Drive Tires	
10cc Hydro-Gear Transmission	11 x 4-5 In. Front Caster Tires	
Pumps	Electric PTO Clutch	
12 cu. In / Rev Hydro-Gear Wheel	Digital Hourmeter	
Motors	Thick, Insulated Leaning Pad	
Hydraulic Oil Cooler	* @ 3600 RPM engine manufacturer	
Dual Wheel Parking Brake	certified	
Operator Presence System	gross power tested in	
Platform	accordance with SAE	
48 In. Floating, Side Discharge	J1995, 726cc. The engine	
7 Ga. Fabricated Steel Deck	horsepower and	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2340TC	648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i>	8,869.00
--------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous</b>	
BUC10059	48 In. (1219 mm) Mulch Kit	251.46
	<b>Spark Arrester</b>	
AM108146	Spark Arrester Screen for Muffler	25.48

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652M 22.0HP\* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck**  
**Equipment for Base Machine**

22.0HP\*  
 Vertical-Shaft Air Cooled  
 Gas Engine 726 cm<sup>3</sup> (44.3cu.  
 in.)  
 Full Pressure Lubrication  
 System With Replaceable Oil  
 Filter  
 Heavy Duty Canister Air Cleaner  
 Dry Replaceable Filter Element  
 with Secondary Safety Element  
 12 Volt Charge System  
 10cc Hydro-Gear Transmission  
 Pumps  
 12 cu. In / Rev Hydro-Gear Wheel  
 Motors  
 Hydraulic Oil Cooler  
 Dual Wheel Parking Brake  
 Operator Presence System  
 Platform  
 52 In. Floating, Side Discharge  
 7 Ga. Fabricated Steel Deck

Cast Iron Spindle Housing  
 1.25 - 5 In. Cutting Heights  
 in 0.25 In. Increments  
 Dual Lever Direction/Speed  
 Control with Reverse Bar  
 8.2 MPH Forward / 3.5 MPH  
 Reverse  
 5.5 U.S. Gallon Fuel Capacity  
 with Fuel Shutoff Valve  
 18 X 10.50 - 10  
 4PR Turf Drive Tires  
 11 x 4-5 In. Front Caster Tires  
 Electric PTO Clutch  
 Digital Hourmeter  
 Thick, Insulated Leaning Pad  
 \* @ 3600 RPM engine manufacturer  
 certified  
 gross power tested in  
 accordance with SAE  
 J1995, 726cc. The engine  
 horsepower and

torque information is provided  
 by the engine  
 manufacturer to be used for  
 comparison  
 purposes only. Actual  
 operating horsepower  
 and torque will be less. Refer  
 to the engine  
 manufacturer's web site for  
 additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2330TC	652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i>	9,179.00
--------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous</b>	
BUC10058	52 In. (1321 mm) Mulch Kit	319.93
	<b>Spark Arrester</b>	
AM108146	Spark Arrester Screen for Muffler	25.48

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z915E Commercial ZTrak Equipment for Base Machine

25 HP\*  
Vertical-Shaft Air Cooled  
Engine (44.2 Cu. In.)  
725cc, 17.8 kW  
Full Pressure Lubrication System  
with Replaceable Oil Filter  
Heavy Duty Canister Air  
Cleaner; Dry Replaceable  
Filter Element with  
Secondary Safety Element  
12 Volt with 15 AMP Regulated  
Charge System  
Dual Hydrostatic Wheel Drive  
TuffTorq Heavy Duty Ground Drive  
Hand Actuated Parking Brake  
Steel Channel Frame  
Operator Presence System  
Folding Two Post ROPS (Roll-  
Over Protective Structure)  
and Seat Belt  
48 In. 7-Iron II Side Discharge  
Mower Deck  
7-Gauge Stamped Steel Mower Deck  
8 In. Aluminum Spindle Housing  
One-Touch Dial and Foot Spring  
Assisted Height of Cut

Adjustment  
Single-Turn Deck Transport Lock  
System  
Full Floating Suspension Deck  
1.0 - 5.5 In. Cutting Heights  
in 0.25 In. Increments  
Dual Lever Direction/Speed  
Control  
Wide Control Lever Bends for  
Increased Operator Comfort  
Quick-Service Removable Foot  
Platform  
10.0 MPH Travel Speed  
11.5 U.S. Gallon Fuel Capacity  
24x9.5-12 In. Square Shoulder  
4PR Turf Drive Tires (48 In.)  
24x12-12 In. Square Shoulder  
4PR Turf Drive Tires (54 In. &  
60 In.)  
13x5-6 Pneumatic Front  
Caster Tires  
Right Hand Control Console  
Cluster  
Cup Holder  
Fuel Gauge  
Electric PTO Clutch

Digital Hourmeter  
\* @ 3600 RPM engine manufacturer  
certified  
gross power tested in accordance  
with SAE  
J1940, 725cc. The engine  
horsepower and  
torque information is provided  
by the engine  
manufacturer to be used for  
comparison  
purposes only. Actual operating  
horsepower  
and torque will be less. Refer  
to the engine  
manufacturer's web site for  
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

2500TC	Z915E Commercial ZTrak	8,379.00
--------	------------------------	----------

#### DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

#### MOWER DECKS

1500	48 In. Side Discharge Mower Deck <i>48 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires &amp; Wheels option code 1035.</i>	In Base Price
1502	54 In. Side Discharge Mower Deck <i>54 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires &amp; Wheels option code 1036.</i>	270.00

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z915E Commercial ZTrak**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1504		<b>MOWER DECKS Continued...</b> 60 In. Side Discharge Mower Deck <i>60 In. 7-Iron II</i> 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. <i>Requires Tires &amp; Wheels option code 1036.</i>	540.00
<b>SEAT</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
<b>DRIVE WHEELS AND TIRES</b>			
1035		24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	Same Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	849.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
	TCB11281	<b>Lighting</b> Front Light (2) Kit	247.17
	TCU31258	<b>Miscellaneous</b> Cast Iron Bumper	363.94
	TCB11531	Hitch Kit	36.39
	BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	258.94
	BTC10906	Jack Kit	219.36
	BTC10908	Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i>	788.59
	TCB11248	Trash Receptacle Kit	99.51
	TCB10952	<b>Mower Deck and Mower Deck Attachments</b> Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
	TCB11469	Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
	BTC10445	Rear Anti-Scalp Wheel Kit (48" Deck)	174.41
	BTC10442	Rear Anti-Scalp Wheel Kit (54" Deck)	174.41
	BTC10591	Rear Anti-Scalp Wheel Kit (60" Deck)	174.41

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z915E Commercial ZTrak**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10285	Rubber Flap Striping Kit for 48" Deck	419.44
	BTC10286	Rubber Flap Striping Kit for 54" & 60" Decks	439.77
		<b>Mulch Kits</b>	
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
		<b>Order Zone</b>	
	LP40112	Beacon Light Kit	251.00
	LPA11548	Sun Canopy	169.00
		<b>Spark Arrester</b>	
	AM115838	Spark Arrester Screen	28.19

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z950M Commercial Ztrak Equipment for Base Machine

27.0 HP*	Assisted Height of Cut Adjustment	Digital Hourmeter
Vertical-Shaft Air Cooled Engine (52.0 Cu. In.) 852cc, 20.1 kW	Single-Turn Deck Transport Lock System	* @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Full Pressure Lubrication System with Replaceable Oil Filter	Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments	
Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element	Dual Lever Direction/Speed Control	
12 Volt with 20 AMP Regulated Charge System	Wide Control Lever Bends for Increased Operator Comfort	
Dual Hydrostatic Wheel Drive	Quick-Service Removable Foot Platform	
TuffTorq Heavy Duty Ground Drive	10 MPH Travel Speed	
Hand Actuated Parking Brake	11.5 U.S. Gallon Fuel Capacity	
Steel Channel Frame	24x12-12 In. Square Shoulder	
Operator Presence System	4PR Turf Drive Tires (60" & 72")	
Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt	13x6.5-6 Semi-Pneumatic Front Caster Tires	
60 In. 7-Iron PRO Side Discharge Mower Deck	Rear Bumper	
7-Gauge Stamped Steel Mower Deck	Right Hand Control Console Cluster	
8 In. Aluminum Spindle Housing	Cup Holder	
Rear Anti-Scalp Wheels	Fuel Gauge	
One-Touch Dial and Foot Spring	Electric PTO Clutch	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Raleigh, North Carolina*

0691TC	Z950M Commercial Ztrak	10,999.00
--------	------------------------	-----------

#### DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires &amp; Wheels option codes 1038 and 1039 not orderable in these locations.</i>	Same Price

#### MOWER DECKS

1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038.</i>	In Base Price
1505	60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires &amp; Wheels option code 1036 or 1038.</i>	870.00
1506	72 In. Side Discharge Mower Deck <i>72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp</i>	540.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### Z950M Commercial Ztrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>MOWER DECKS Continued...</b>			
<i>Wheels. Requires Tires &amp; Wheels option code 1037 or 1039.</i>			
<b>SEAT</b>			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
<b>DRIVE WHEELS AND TIRES</b>			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	849.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	Same Price
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	849.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Lighting</b>	
TCB11281		Front Light (2) Kit	247.17
		<b>Miscellaneous</b>	
TCB11531		Hitch Kit	36.39
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	258.94
BTC10906		Jack Kit	219.36
BTC10908		Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B, E, M, R gas machines.</i>	788.59
TCB11248		Trash Receptacle Kit	99.51
		<b>Mower Deck and Mower Deck Attachments</b>	
BTC10286		Rubber Flap Striping Kit for 54" & 60" Decks	439.77
BTC10287		Rubber Flap Striping Kit for 72" Deck	449.40
		<b>Mulch Kits</b>	



JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Z950M Commercial Ztrak**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
	TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
		<b>Order Zone</b>	
	LP40112	Beacon Light Kit	251.00
	LPA11548	Sun Canopy	169.00
		<b>Spark Arrester</b>	
	AM115838	Spark Arrester Screen	28.19

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**24x12N12 Michelin X TWEEL TURF (2) for 54 In. and 60 In. Decks**  
Equipment for Base Machine

24x12N12 Tire Size for 54 In.  
and 60 In. decks  
Base code contains (2) TWEELS

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

9982TC	24x12N12 Michelin X TWEEL TURF (2) for 54 In. and 60 In. Decks <i>Order code contains two Tweels. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc. For more information, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>.</i>	1,099.00
--------	--	----------

**DESTINATION**

001A	United States/Canada	In Base Price
------	----------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**24x12N12 Michelin X TWEEL TURF (2) for 72 In. Decks**  
Equipment for Base Machine

24x12N12 Tire Size for 72 In.  
decks  
Base code contains (2) TWEELs

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

9983TC	24x12N12 Michelin X TWEEL TURF (2) for 72 In. Decks	1,099.00
<i>Order code contains two Tweels. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc. For more information, visit <a href="http://www.JohnDeere.com/Tweel">www.JohnDeere.com/Tweel</a>.</i>		

**DESTINATION**

001A	United States/Canada	In Base Price
------	----------------------	---------------

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 72 In. Side Discharge 7-Iron PRO Deck**

Equipment for Base Machine

37.4 HP (27.5 kW), gross SAE J1995, PS	(Roll-Over Protective Structure) and Seat Belt	12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve
Rated at 3000 rpm	72 In. 7-Iron PRO Commercial	26x12-12 In. Square Shoulder
Diesel Engine 100.2 cu. in. (1.64 L)	Side Discharge Mower Deck	4PR Turf Drive Tires
Three Cylinder Liquid-Cooled	7-Gauge Stamped Steel Mower Deck	15x6-6 Flat Free Front Caster
Up to B20 Compliant	8 In. Aluminum Spindle Housing	Tires
Full Pressure Lubrication	One-Touch Dial and Electric	Right Hand Control Console
System With Replaceable Oil	Deck Lift Height of Cut	Cluster
Filter	Adjustment	Cup & Tool Holder
Heavy-Duty Canister Air Cleaner;	Full Floating Suspension Deck	Hydraulic PTO Clutch
Dual Element, Dry-Type with	1.5 - 5.0 In. Cutting Heights	Digital Multi-function Display
Safety Element and Air Service	in 0.25 In. Increments	Deluxe Comfort Seat with
Indicator	Dual Lever Direction/Speed	Armrests or Available
1.5 x 3.0 In. Steel Tubular	Control	Suspension Seat
Frame - 7 Gauge	Quick-Service Hinged Foot	
12 Volt with 75 AMP Regulated	Platform	
Charge System	Fully Enclosed Engine	
Dual Hydrostatic Wheel Drive	Compartment	
Tuff Torq Dual Unitized Pump	Ergonomic Operator Contoured	
Dual Wheel Parking Brake	Soft Touch Grips and	
Operator Presence System	Integrated	
Folding Two Post ROPS	Handle Controls	
	11.5 MPH Mowing Speed	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Raleigh, North Carolina*

0911TC	Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 72 In. Side Discharge 7-Iron PRO Deck	23,805.00
--------	---	-----------

**SEATS**

2009	Standard Seat	In Base Price
2011	Comfort Adjust Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	375.00

**DESTINATION**

001A	United States/Canada	In Base Price
------	----------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

TCB11281	<b>Lighting</b> Front Light (2) Kit	247.17
BTC10713	<b>Miscellaneous</b> Front Jack Kit <i>Includes jack and mounting kit.</i>	219.36
BTC10674	Rear Bumper Kit	251.46

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Z997R Commercial L. C. Diesel Max-Frame Z-Trak with 72 In. Side Discharge 7-Iron  
PRO Deck**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Mulch Kits</b>	
	TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
		<b>Seat</b>	
	TCA18513	Deluxe Comfort Seat with Armrest	724.24
		<b>Striping Kits</b>	
	TCB11231	Roller Striping Kit for 72 In. Deck <i>For Model year '11 and Later (Serial # 060000-). Roller Length is 60 In.</i>	448.33

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**60 In. 7-Iron PRO Commercial Mulch-On-Demand Mower Deck**  
Equipment for Base Machine

60 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Cast Iron Spindle Housing
1.5-5.0 In. Height of Cut	Hinged Side Discharge Chute
Mulch On Demand System	Greaseable Spindles
Deep Deck Design	7-Iron PRO 7-Gauge (.177 In.)
Quick Release Belt Shields	Steel
(2) Rear Adjustable	Splined Shaft Drive
Gauge Wheel	Baffling System
Front and Rear Anti-Scalp Wheels	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

035DTC	60 In. 7-Iron PRO Commercial Mulch-On-Demand Mower Deck <i>For 997R and 997 Diesel ZTrak</i>	3,630.00
--------	---	----------

**DESTINATION**

001A	United States/Canada	In Base Price
------	----------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

TCB11230	<b>Striping Kits</b> Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i> <i>For Model Year '11 and Later (Serial # 060000-).</i>	448.33
----------	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**60 In. 7-Iron PRO Commercial Side Discharge Mower Deck**  
Equipment for Base Machine

60 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Cast Iron Spindle Housing
1.5-5.0 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
Quick Release Belt Shields	7-Iron PRO 7-Gauge (.177 In.)
(2) Rear Adjustable	Steel
Gauge Wheel	Splined Shaft Drive
Front and Rear Anti-Scalp Wheels	Baffling System

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

033BTC	60 In. 7-Iron PRO Commercial Side Discharge Mower Deck <i>For Z997R and 997 Diesel ZTrak</i>	2,760.00
--------	---	----------

**DESTINATION**

001A	United States/Canada	In Base Price
------	----------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Mulch Kits</b>		
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
<b>Striping Kits</b>		
TCB11230	Roller Striping Kit for 60 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i> <i>For Model Year '11 and Later (Serial # 060000-).</i>	448.33

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**60 In. 7-Iron PRO Commercial Rear Discharge Mower Deck**  
Equipment for Base Machine

60 In. Cutting Width	Offset Spindles
(3) HD Spindles, Blades	8 In. Cast Iron Spindle Housing
Fabricated Deck	Rear Discharge Chute
1.5-5 In. Height of Cut	Greaseable Spindles
Deep Deck Design	7-Iron PRO 7-Gauge (.177 In.)
Vehicle Enclosure Kit	Steel
Quick Release Belt Shields	Splined Shaft Drive
Front Anti-Scalp Wheels	Baffling System
Steel Bar Reinforcement	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

051ATC	60 In. 7-Iron PRO Commercial Rear Discharge Mower Deck <i>For Z997R and 997 Diesel Ztrak</i>	3,390.00
--------	---	----------

**DESTINATION**

001A	United States/Canada	In Base Price
------	----------------------	---------------



JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**72 In. 7-Iron PRO Commercial Side Discharge Mower Deck**  
Equipment for Base Machine

72 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Cast Iron Spindle Housing
1.5-5 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
Quick Release Belt Shields	7-Iron PRO 7-Gauge (.177 In.)
(2) Rear Adjustable	Steel
Gauge Wheels	Splined Shaft Drive
Front and Rear Anti-Scalp Wheels	Baffling System

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

034ATC	72 In. 7-Iron PRO Commercial Side Discharge Mower Deck <i>For Z997R and 997 Diesel ZTrak</i>	3,180.00
--------	---	----------

**DESTINATION**

001A	United States/Canada	In Base Price
------	----------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Mulch Kits</b>		
TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	331.70
<b>Striping Kits</b>		
TCB11231	Roller Striping Kit for 72 In. Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i>	448.33

# JOHN DEERE TURF & UTILITY PRODUCTS

## ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### 14 Bushel 3-Bag Material Collection System Equipment for Base Machine

3-Bag Collection Hopper 14 Bushel Capacity Steel Hopper Top Mechanical Hopper Top Lock Horizontal 7-Iron Blower Configuration Steel Blower Housing 5 Blade Commercial Impeller 35.56 cm (14 In.) Impeller Diameter Easy-To-Empty Bags	20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket  The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject	to Change without Notice.
---	---	---------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

0788TC	14 Bushel 3-Bag Material Collection System <i>For 48 In./54 In./60 In. Z900 B/E/M/R Series And 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks When installing 3-Bag MCS on Z900B and Z900E Models, Rear Anti-Scalp Wheel Kit is required. Not Compatible with Model Year 2012 and Prior ZTrak Mowers. Not Compatible with Michelin X Tweel Turf Tires Refer to Sales Manual for Proper Ballast Requirements.</i>	2,999.00
--------	--	----------

#### DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price

#### ATTACHING PARTS

1005	Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	In Base Price
1006	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	Same Price
1007	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	Same Price
1008	Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 48" &amp; 54" Mulch-on-Demand decks.</i>	124.00
1009	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 60" Mulch-on-Demand decks.</i>	124.00
1011	Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel 3-Bag Material Collection System**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHING PARTS Continued...</b>			
1010		Less Attaching Parts	-1,079.00
<b>BLOWER</b>			
2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-749.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Material Collection System</b>			
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
BTC10221		Attaching Parts for 48 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	1,239.06
BTC10363		Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	1,239.06
BTC10368		Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	1,213.39
BTC10370		Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	1,239.06
BTC10365		Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 48" &amp; 54" Mulch-on-Demand decks.</i>	1,381.37
BTC10369		Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 60" Mulch-on-Demand decks.</i>	1,381.37
<b>Mower Deck and Mower Deck Attachments</b>			
BTC10445		Rear Anti-Scalp Wheel Kit (48" Deck) <i>For 48" 7-Iron II Deck fitted to Z900B-Series only.</i>	174.41
BTC10442		Rear Anti-Scalp Wheel Kit (54" Deck) <i>For 54" 7-Iron II Deck fitted to Z900B-Series only.</i>	174.41
BTC10591		Rear Anti-Scalp Wheel Kit (60" Deck) <i>For 60" 7-Iron II Deck fitted to Z900B-Series only.</i>	174.41

# JOHN DEERE TURF & UTILITY PRODUCTS

## ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### 14 Bushel 3-Bag Material Collection System Equipment for Base Machine

3-Bag Collection Hopper 14 Bushel Capacity Steel Hopper Top Mechanical Hopper Top Lock Horizontal 7-Iron Blower Configuration Steel Blower Housing 5 Blade Commercial Impeller 35.56 cm (14 In.) Impeller Diameter Easy-To-Empty Bags	20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket  The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject	to Change without Notice.
---	---	---------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

0784TC	14 Bushel 3-Bag Material Collection System <i>For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks          Not Compatible with Model Year 2007 and Prior Z-Trak Mowers.          Not Compatible with Z-Trak Estate Mowers.          Refer to Sales Manual for Proper Ballast Requirements.</i>	2,915.00
--------	---	----------

#### ATTACHING PARTS

1005	Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above.          For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	In Base Price
1006	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	Same Price
1007	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i>	Same Price
1008	Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" &amp; 54" Mulch-on-Demand decks.</i>	124.00
1009	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks.</i>	124.00
1011	Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 54" side discharge decks.</i>	Same Price
1010	Less Attaching Parts	-1,079.00

#### BLOWER

2000	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010	Less Blower	-749.00

#### ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**14 Bushel 3-Bag Material Collection System**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Material Collection System</b>	
	TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
	TCB11705	Attaching Parts for 48 In. 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above.</i> <i>For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	1,239.06
	TCB11704	Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/54" side discharge decks.</i>	1,239.06
	TCB11686	Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	1,213.39
	TCB11707	Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i>	1,239.06
	TCB11703	Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" &amp; 54" Mulch-on-Demand decks.</i>	1,381.37
	TCB11706	Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks</i>	1,381.37

# JOHN DEERE TURF & UTILITY PRODUCTS

## ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### 14 Bushel Dump From Seat Material Collection System Equipment for Base Machine

High Density Polypropylene Hopper 14 Bushel Capacity Mechanical Dump From Operator Seat Horizontal 7-Iron Blower Configuration Steel Blower Housing 5 Blade Commercial Impeller 35.56 cm (14 In.) Impeller Diameter	20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket  The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject	to Change without Notice.
---	---	---------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

0787TC	14 Bushel Dump From Seat Material Collection System <i>For 48 In./54 In./60 In./72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks</i> <i>Not Compatible with Model Year 2012 and Prior Z-Trak Mowers.</i> <i>Not Compatible with Z900B Mowers.</i> <i>No Compatible with Michelin X Tweel Turf tires</i> <i>Refer to Sales Manual for Proper Ballast Requirements.</i>	3,240.00
--------	---	----------

#### DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price

#### ATTACHING PARTS

1005	Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks.</i> <i>DFS MCS for Z900 M &amp; R Series only.</i>	In Base Price
1006	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks.</i> <i>DFS MCS for Z900 M &amp; R Series only.</i>	Same Price
1007	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	Same Price
1008	Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 48" &amp; 54" Mulch-on-Demand decks.</i>	124.00
1009	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 60" Mulch-on-Demand decks.</i>	124.00
1011	Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks.</i> <i>DFS MCS for Z900 M &amp; R Series only.</i>	Same Price
1010	Less Attaching Parts	-1,079.00

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel Dump From Seat Material Collection System**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>BLOWER</b>			
2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-749.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Material Collection System</b>			
	TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
	BTC10221	Attaching Parts for 48 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	1,239.06
	BTC10363	Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	1,239.06
	BTC10368	Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M &amp; R Series only.</i>	1,213.39
	BTC10370	Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	1,239.06
	BTC10365	Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 48" &amp; 54" Mulch-on-Demand decks.</i>	1,381.37
	BTC10369	Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900M/R Series with 60" Mulch-on-Demand decks.</i>	1,381.37

# JOHN DEERE TURF & UTILITY PRODUCTS

## ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

### 14 Bushel Dump From Seat Material Collection System Equipment for Base Machine

High Density Polypropylene Hopper 14 Bushel Capacity Mechanical Dump From Operator Seat Horizontal 7-Iron Blower Configuration Steel Blower Housing 5 Blade Commercial Impeller 35.56 cm (14 In.) Impeller Diameter	20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket  The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject	to Change without Notice.
---	---	---------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

0785TC	14 Bushel Dump From Seat Material Collection System <i>For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks          Not Compatible with Model Year 2007 and Prior Z-Trak Mowers.          Not Compatible with Z-Trak Estate Mowers.          Refer to Sales Manual for Proper Ballast Requirements.</i>	3,160.00
--------	--	----------

#### ATTACHING PARTS

1005	Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above.          For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	In Base Price
1006	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	Same Price
1007	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i>	Same Price
1008	Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" &amp; 54" Mulch-on-Demand decks.</i>	124.00
1009	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks.</i>	124.00
1011	Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 54" side discharge decks.</i>	Same Price
1010	Less Attaching Parts	-1,079.00

#### BLOWER

2000	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010	Less Blower	-749.00

#### ATTACHMENTS FOR FIELD CONVERSION



JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**14 Bushel Dump From Seat Material Collection System**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Material Collection System</b>	
	TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
	TCB11705	Attaching Parts for 48 In. 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above.</i> <i>For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	1,239.06
	TCB11704	Attaching Parts for 54 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/54" side discharge decks.</i>	1,239.06
	TCB11686	Attaching Parts for 60 In. 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	1,213.39
	TCB11707	Attaching Parts for 72 In. 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i>	1,239.06
	TCB11703	Attaching Parts for 48 In. and 54 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" &amp; 54" Mulch-on-Demand decks.</i>	1,381.37
	TCB11706	Attaching Parts for 60 In. 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks</i>	1,381.37

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**13 Bushel Dump From Seat Material Collection System For 997 60/72 In. Z-TRAK Mower**

Equipment for Base Machine

High Density Polyethylene Hopper  
 Tubular Steel Frame With  
 Polypropylene Fabric Door  
 13 Bushel Capacity  
 Mechanical Dump From  
 Operator Seat  
 Attaching Framework  
 7-Iron Blower  
 Steel Blower Housing  
 Upper Weight Bracket  
 35.56 cm (14 In.) Impeller

Diameter  
 20.32 cm (8 In.) Diameter Chute  
 Quick Detach Blower  
 Weight Bracket

Recommended only and are Subject  
 to Change without Notice.

The Above Specifications are  
 Indicative of the Base Feature  
 Machine only and may Differ if  
 Alternative Options/Attachments  
 are Ordered.  
 Pricing and Specifications are

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

0775TC	13 Bushel Dump From Seat Material Collection System For 997 60/72 In. Z-TRAK Mower <i>For 997 with 152.4/182.88 cm (60/72 In.) side discharge decks and 152.4 cm (60 In.) Mulch-On-Demand decks only. Refer to Sales Manual for Proper Ballast Requirements. Not compatible with MY16 and later Z997R</i>	3,499.00
--------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
001B	Europe	Same Price
001D	Other	Same Price

**ATTACHING PARTS**

3405	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i>	In Base Price
3406	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i>	14.00
3408	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i>	194.00
3490	Less Attaching Parts	-292.00

**BLOWER**

3500	7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520	Less Blower	-736.00

**ATTACHMENTS FOR FIELD CONVERSION**

TCB11690	<b>Material Collection System</b> 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
----------	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**13 Bushel Dump From Seat Material Collection System For 997 60/72 In. Z-TRAK  
Mower**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10264	Attaching Parts for Blower <i>For all 997 with 72" side discharge decks.</i>	350.96
	BTC10265	Attaching Parts for Blower <i>For all 997 with 60" Mulch-On-Demand decks.</i>	556.40
	BTC10266	Attaching Parts for Blower <i>For all 997 with 60" side discharge decks.</i>	335.99
		<b>Weights</b>	
	DMA210494	Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i>	292.90

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**14 Bushel Dump From Seat Material Collection System for Z997R Diesel ZTrak Mowers**

Equipment for Base Machine

Low Density Polyethylene Hopper  
Tubular Steel Frame With Low  
Density Polyethylene Door  
14 Bushel Capacity  
Electrical Power Dump From  
Operator Seat  
Attaching Framework  
7-Iron Blower

Steel Blower Housing  
Tilt for Service Feature  
14 In. Impeller Diameter  
6 In. Diameter Chute  
Quick Detach Blower  
Weight Bracket

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

0776TC	14 Bushel Dump From Seat Material Collection System for Z997R Diesel ZTrak Mowers <i>For MY15 and newer Z997R with 60/72 In. Side Discharge decks and 60 In. Mulch-On-Demand decks only. Refer to Sales Manual for Proper Ballast Requirements</i>	4,289.00
--------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHING PARTS**

3405	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i>	In Base Price
3406	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i>	13.00
3408	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i>	188.00
3490	Less Attaching Parts	-284.00

**BLOWER**

3500	7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520	Less Blower	-715.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Material Collection System</b>	
TCB11690	7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
BTC10264	Attaching Parts for Blower <i>For all 997 with 72" side discharge decks.</i>	350.96
BTC10265	Attaching Parts for Blower <i>For all 997 with 60" Mulch-On-Demand decks.</i>	556.40

JOHN DEERE TURF & UTILITY PRODUCTS  
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**14 Bushel Dump From Seat Material Collection System for Z997R Diesel ZTrak  
Mowers**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BTC10266	Attaching Parts for Blower <i>For all 997 with 60" side discharge decks.</i>	335.99
		<b>Weights</b>	
	DMA210494	Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i>	292.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

**Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and Equipment**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Lighting</b>	
TCB11281		Front Light (2) Kit	247.17
		<b>Material Collection System</b>	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	861.36
TCB11732		Attaching Parts for 48 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A &amp; Z900A with 48" side discharge decks.</i>	891.31
TCB11735		Attaching Parts for 48 In. and 54 In 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A &amp; Z900A with 48" &amp; 54" Mulch-on-Demand decks.</i>	1,145.97
TCB11075		Attaching Parts for 48 In. and 54 In. 7-Iron and 7-Iron II Decks (717A, 727A)	488.99
TCB11736		Attaching Parts for 54 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A &amp; Z900A with 54" side discharge decks.</i>	891.31
TCB11074		Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757)	503.97
TCB11088		Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Deck (757)	503.97
TCB11734		Attaching Parts for 60 In. Z-Trak Estate <i>For Z520A.</i>	891.31
TCB11234		Chute	161.57
		<b>Miscellaneous</b>	
TCA17208		Bumper Kit <i>Requires (2) 19M7817.</i>	136.10
TCB11673		Bumper Kit <i>Z700A Mowers.</i>	107.00
		<b>Mower Deck and Mower Deck Attachments</b>	
TCB10801		Cloth Grass Catcher (3.5 Bushel)	439.77
TCB10952		Mulch Kit (48 In. 7-Iron, 7-Iron II and 7-Iron PRO)	298.53
TCB11469		Mulch Kit (54 In. 7-Iron, 7-Iron II, 7-Iron PRO and HC)	309.23
TCB11228		Rear Anti-Scalp Wheel Kit <i>For Z710 and Z720.</i>	173.34
TCB11266		Roller Striping Kit for 48 In. Deck <i>For Z710.</i>	448.33
TCB11229		Roller Striping Kit for 54 In. Deck <i>For Z710.</i>	448.33
		<b>Mulch Kits</b>	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	326.36

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

---

**Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and Equipment**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Striping Kits</b>	
	TCB11230	Roller Striping Kit for 60 In. Deck <i>For Z720. For Model Year '11 and Later (Serial # 060000-).</i>	448.33
		<b>Weights</b>	
	TCB10900	(1) Caster Wheel Weight <i>For 717A, 727A Mini-Frame Z-TRAK Mowers. Requires Additional Attaching Hardware: (1) N231578 (2) E54809, (2) 24M7180.</i>	136.96
	TCB11099	Lower Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i>	156.21