

**AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series**

Code	Description	List price
2091XF	AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier Cutting Width: 6 Ft. Loader Series: 300, 400, and 500 Dimensions: W72 In. x H23 In. x D34 In. Operational Weight: 400 lbs. Shipping Weight: 430 lbs. Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.	
2091XF	BASE MACHINE <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier	USD \$3,114.00
9200	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
9020	EDGE Field Installed Options RUBBER EDGE KIT Rubber Edge Kit For 6 Ft. AF11E	USD \$602.00
9000	HYDRAULICS Additional Factory Options HYDRAULICS Hydraulic angle Kit for 6 Ft. and 7 Ft. AF11E	USD \$713.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION	

**AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series**

Code	Description	List price
MISCELLANEOUS		
5FP10726	Hydraulic Angle Kit for 6 Ft. and 7 Ft. AF11E	USD \$921.17
5FPLAF6486	Rubber Edge Kit for 6 Ft. AF11E	USD \$776.42
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	USD \$133.52

**AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series**

Code	Description	List price
2093XF	AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier Cutting Width: 7 Ft. Loader Series: 300, 400, and 500 Dimensions: W84 In. x H23 In. x D34 In. Operational Weight: 450 lbs. Shipping Weight: 480 lbs. Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.	
2093XF	BASE MACHINE <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier	USD \$3,161.00
9200	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
9020	EDGE Field Installed Options RUBBER EDGE KIT Rubber Edge Kit For 7 Ft. AF11E	USD \$645.00
9000	HYDRAULICS Additional Factory Options HYDRAULICS Hydraulic angle Kit for 6 Ft. and 7 Ft. AF11E	USD \$713.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION	

**AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series**

Code	Description	List price
MISCELLANEOUS		
5FP10726	Hydraulic Angle Kit for 6 Ft. and 7 Ft. AF11E	USD \$921.17
5FPLAF6487	Rubber Edge Kit for 7 Ft. AF11E	USD \$832.52
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	USD \$133.52

**AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global**

Code	Description	List price
2094XF	AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Cutting Width: 7 Ft. Loader Series: Global Carrier on 6000 Series Tractors Dimensions: W84 In. x H32 In. x D48 In. Operational Weight: 710 lbs. Shipping Weight: 760 lbs. Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.	
2094XF	BASE MACHINE <i>ONLY 6000 series tractors and smaller.</i> <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier	USD \$5,537.00
9200	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
9020	EDGE Field Installed Options RUBBER EDGE KIT Rubber Edge Kit	USD \$755.00
5MP43052	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS FRENCH OM/DECAL-LDR ATTACHMENTS	USD \$133.52

**AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global**

Code	Description	List price
2096XF	AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Cutting Width: 8 Ft. Loader Series: Global Carrier on 6000 Series Tractors Dimensions: W96 In. x H32 In. x D54 In. Operational Weight: 1175 lbs. Shipping Weight: 1225 lbs. Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.	
2096XF	BASE MACHINE <i>ONLY 6000 series tractors and smaller.</i> <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier	USD \$6,069.00
9200	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
9020	EDGE Field Installed Options RUBBER EDGE KIT Rubber Edge Kit	USD \$838.00
5FPLAF1552	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	USD \$1,080.49
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	USD \$133.52

**AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier**

Code	Description	List price
2103XF	AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier Cutting Width: 9 Ft. Loader Series: 600 and 700 Dimensions: W96 In. x H32 In. x D54 In. Operational Weight: 1195 lbs. Shipping Weight: 1245 lbs. Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.	
2103XF	BASE MACHINE <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier	USD \$8,974.00
9200	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
9020	EDGE Field Installed Options RUBBER EDGE KIT Rubber Edge Kit	USD \$914.00
5MP43052	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS FRENCH OM/DECAL-LDR ATTACHMENTS	USD \$133.52

**AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global**

Code	Description	List price
2104XF	AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Cutting Width: 9 Ft. Loader Series: Global Carrier Dimensions: W96 In. x H32 In. x D54 In. Operational Weight: 1175 lbs. Shipping Weight: 1225 lbs. Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.	
2104XF	BASE MACHINE <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier	USD \$8,080.00
9200	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
9020	EDGE Field Installed Options RUBBER EDGE KIT Rubber Edge Kit	USD \$914.00
5MP43052	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS FRENCH OM/DECAL-LDR ATTACHMENTS	USD \$133.52

**AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global**

Code	Description	List price
2106XF	AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Cutting Width: 10 Ft. Loader Series: Global Carrier Dimensions: W96 In. x H32 In. x D54 In. Operational Weight: 1175 lbs. Shipping Weight: 1225 lbs. Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.	
2106XF	BASE MACHINE <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier	USD \$8,317.00
9200	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
9020	EDGE Field Installed Options RUBBER EDGE KIT Rubber Edge Kit For 10 Ft. AF12D and AF12G	USD \$995.00
5FPLAF1554 5FPLAF6495	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS Rubber Edge Kit for 10 Ft. AF12D and AF12G Rubber Top Flap Kit for 10 Ft. AF12D and AF12G	USD \$1,283.56 USD \$389.34



AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global

Code	Description	List price
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	USD \$133.52

**AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders**

Code	Description	List price
2401XF	AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders Cutting Width 59.6 Moldboard Height 21 Moldboard Thickness 12 GA Overall Depth 26.5 Weight 168 lbs Ship Weight 180 lbs Cutting Edge 1/4 x 6 Reversible Angle Adjustments 5, up to 30° Loader Compatibility 120R, 220R, H120, H130 Tractor Compatibility 1 & 2 Series Optional Equipment Rubber Deflector, Plow Guides, Urethane Cutting Edge & Urethane Skid Shoes	
	BASE MACHINE	
2401XF	<i>Serial Numbers ending up to 006486 not compatible with Mechanical Self-Leveling (MSL) Loader</i> AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders	USD \$2,156.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	United States	In Base Price
0184	Canada	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	English Operator's Manual	In Base Price
0413	French Operator's Manual	No Added Cost
0437	Spanish Operator's Manual	No Added Cost
	EDGE	
	Field Installed Options	
	URETHANE CUTTING EDGE KIT	
9862	Urethane Cutting Edge Kit	USD \$601.00
	RUBBER DEFLECTOR KIT	
9860	Rubber Deflector Kit	USD \$124.00
	MISCELLANEOUS	

**AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders**

Code	Description	List price
Field Installed Options		
PLOW GUIDE KIT		
9861	Plow Guide Kit	USD \$164.00
URETHANE SKID SHOE KIT		
9863	Urethane Skid Shoe Kit	USD \$348.00
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
5WD1044513	Urethane Cutting Edge Kit	USD \$760.11
5WD1044515	French Operator's Manual and Decal Kit	USD \$178.20
5WD1044516	Spanish Operator's Manual and Decal Kit	USD \$178.20
5WD1044511	AF10 Rubber Deflector Kit	USD \$158.40
5WD1044517	HYDRAULIC ANGLE KIT	USD \$1,083.51
5WD1044512	AF10 Plow Guide Kit	USD \$206.80
5WD1044514	Urethane Skid Shoe Kit	USD \$441.11
HYDRAULICS		
Additional Factory Options		
HYDRAULICS		
9561	HYDRAULIC ANGLE KIT <i>Requires loader 3rd function hydraulics</i>	USD \$857.00



SA20F Skid Steer Carrier Adapter

Code	Description	List price
8001XF	SA20F Skid Steer Carrier Adapter Loader Compatibility: 120R, 220R, 300E Effective Dimensions: W49.4 In. x H18.2 In. x D3.4 In. Weight capacity: 1,500 lbs. Operational Weight: 78 lbs. Shipping Weight: 87 lbs. Warranty: 1 Year	
	BASE MACHINE	
8001XF	SA20F Skid Steer Carrier Adapter	USD \$885.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	SA20F English OM	No Added Cost
0413	SA20F French OM/Decals	No Added Cost
0437	SA20F Spanish OM/Decals	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105017	FRONTIER ADAPTER FRENCH OM/DECAL KIT	USD \$114.08
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	USD \$114.08



SA21E SKID STEER CARRIER ADAPTER

Code	Description	List price
8081XF	SA21E SKID STEER CARRIER ADAPTER Loader Compatibility: 300R, 320R, 400E, 440R (NSL/MSL), 512, 520M (NSL/MSL), 540M (NSL/MSL), 540R (MSL) Effective Dimensions: W49.4 In. x H22.5 In. x D5.6 In. Weight capacity: 4,000 lbs. Operational Weight: 118 lbs. Shipping Weight: 168 lbs. Warranty: 1 Year	
	BASE MACHINE	
8081XF	SA21E SKID STEER CARRIER ADAPTER	USD \$1,135.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	SA20F English OM	No Added Cost
0413	SA20F French OM/Decals	No Added Cost
0437	SA20F Spanish OM/Decals	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105017	FRONTIER ADAPTER FRENCH OM/DECAL KIT	USD \$114.08
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	USD \$114.08



SA21G SKID STEER CARRIER ADAPTER

Code	Description	List price
8091XF	SA21G SKID STEER CARRIER ADAPTER Loader Compatibility: 520M (NSL/MSL), 540M (NSL/MSL), 540R (MSL), H310 (NSL/MSL) Effective Dimensions: W44.0 In. x H17.3 In. x D5.9 In. Weight capacity: 4,000 lbs. Operational Weight: 110 lbs. Shipping Weight: 160 lbs. Warranty: 1 Year	
8091XF	BASE MACHINE SA21G SKID STEER CARRIER ADAPTER	USD \$1,098.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	SA20F English OM	No Added Cost
0413	SA20F French OM/Decals	No Added Cost
0437	SA20F Spanish OM/Decals	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S MANUAL AND DECALS	
5WS105017	FRONTIER ADAPTER FRENCH OM/DECAL KIT	USD \$114.08
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	USD \$114.08



SA22D SKID STEER CARRIER ADAPTER

Code	Description	List price
8101XF	SA22D SKID STEER CARRIER ADAPTER Loader Compatibility: JD 600 Style Loader Effective Dimensions: W49.4 In. x H23.1 In. x D5.0 In. Weight capacity: 5,000 lbs. Operational Weight: 140 lbs. Shipping Weight: 190 lbs. Warranty: 1 Year	
	BASE MACHINE	
8101XF	SA22D SKID STEER CARRIER ADAPTER	USD \$1,220.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	SA20F English OM	No Added Cost
0413	SA20F French OM/Decals	No Added Cost
0437	SA20F Spanish OM/Decals	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105017	FRONTIER ADAPTER FRENCH OM/DECAL KIT	USD \$114.08
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	USD \$114.08



DA21G QUICK ATTACH CARRIER ADAPTER

Code	Description	List price
8111XF	DA21G QUICK ATTACH CARRIER ADAPTER Loader Compatibility: 520M (NSL/MSL), 540M (NSL/MSL), 540R (MSL), H310 (NSL/MSL) Effective Dimensions: W49.4 In. x H20.2 In. x D4.4 In. Weight capacity: 4,000 lbs. Operational Weight: 102 lbs. Shipping Weight: 152 lbs. Warranty: 1 Year	
	BASE MACHINE	
8111XF	DA21G QUICK ATTACH CARRIER ADAPTER	USD \$903.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	SA20F English OM	No Added Cost
0413	SA20F French OM/Decals	No Added Cost
0437	SA20F Spanish OM/Decals	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105017	FRONTIER ADAPTER FRENCH OM/DECAL KIT	USD \$114.08
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	USD \$114.08



GA21E GLOBAL CARRIER ADAPTER

Code	Description	List price
8121XF	GA21E GLOBAL CARRIER ADAPTER Loader Compatibility: 440R (NSL/MSL), 512, 520M (NSL/MSL), 540M (NSL/MSL), 540R (NSL/MSL), H310 (NSL/MSL) Effective Dimensions: W49.4 In. x H21.1 In. x D4.3 In. Weight capacity: 4,000 lbs. Operational Weight: 140 lbs. Shipping Weight: 190 lbs. Warranty: 1 Year	
	BASE MACHINE	
8121XF	GA21E GLOBAL CARRIER ADAPTER	USD \$1,690.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	SA20F English OM	No Added Cost
0413	SA20F French OM/Decals	No Added Cost
0437	SA20F Spanish OM/Decals	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105017	FRONTIER ADAPTER FRENCH OM/DECAL KIT	USD \$114.08
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	USD \$114.08



GA22D GLOBAL CARRIER ADAPTER

Code	Description	List price
8131XF	GA22D GLOBAL CARRIER ADAPTER Loader Compatibility: JD 600 Style Loader Effective Dimensions: W49.9 In. x H21.2 In. x D4.1 In. Weight capacity: 5,000 lbs. Operational Weight: 174 lbs. Shipping Weight: 224 lbs. Warranty: 1 Year	
	BASE MACHINE	
8131XF	GA22D GLOBAL CARRIER ADAPTER	USD \$1,885.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	SA20F English OM	No Added Cost
0413	SA20F French OM/Decals	No Added Cost
0437	SA20F Spanish OM/Decals	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105017	FRONTIER ADAPTER FRENCH OM/DECAL KIT	USD \$114.08
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	USD \$114.08



AM20F - 50 in. Manure Fork

Code	Description	List price
2361XF	AM20F - 50 in. Manure Fork Operating Width: 50 In. Loader Series: 120/H120/220R/D160 (Check Compatibility Chart For Complete Loader List) Dimensions: W50 In. x H21.13 In. x D25 In. 7 tines at 1.25 In. diameter solid round steel Operational Weight: 141 lbs. Shipping Weight: 178 lbs.	
	BASE MACHINE	
2361XF	AM20F - 50 in. Manure Fork	USD \$990.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	United States	In Base Price
0184	Canada	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	English Operator's Manual	In Base Price
0413	French Operator's Manual	No Added Cost
0437	Spanish Operator's Manual	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105009	English Operator's Manual - AM20F Manure Fork	USD \$67.32
5WS101364	French Operator's Manual	USD \$67.32
5WS101375	Spanish Operator's Manual	USD \$67.32



AM20F - 60 in. Manure Fork

Code	Description	List price
2362XF	AM20F - 60 in. Manure Fork Operating Width: 60 In. Loader Series: 120/H120/220R/D160 (Check Compatibility Chart For Complete Loader List) Dimensions: W60 In. x H21.13 In. x D25 In. 8 tines at 1.25 In. diameter solid round steel Operational Weight: 167 lbs. Shipping Weight: 204 lbs.	
	BASE MACHINE	
2362XF	AM20F - 60 in. Manure Fork	USD \$1,300.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	United States	In Base Price
0184	Canada	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	English Operator's Manual	In Base Price
0413	French Operator's Manual	No Added Cost
0437	Spanish Operator's Manual	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105009	English Operator's Manual - AM20F Manure Fork	USD \$67.32
5WS101364	French Operator's Manual	USD \$67.32
5WS101375	Spanish Operator's Manual	USD \$67.32



PG11 Pallet Fork Grapple

Code	Description	List price
8061XF	PG11 Pallet Fork Grapple Attaches to AP10 & AP11 Pallet Forks Requires 3rd Hydraulic Loader Function Dimensions: Grapple Clamp Length: 36 in Grapple Clamp Width: 5.35 in Product Weight: 62 lbs. Shipping Weight: 71 lbs. Warranty: 1 Year	
	BASE MACHINE	
8061XF	PG11 Pallet Fork Grapple	USD \$791.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC, CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	English	No Added Cost
0413	French	No Added Cost
0437	Spanish	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105028	FRENCH OM/DECAL KIT - PG11	USD \$53.85
5WS105030	SPANISH OM/DECAL KIT - PG11	USD \$53.85



PG12 PALLET FORK GRAPPLE

Code	Description	List price
8071XF	PG12 PALLET FORK GRAPPLE Attaches to AP12F and AP12G Pallet Forks Requires 3rd Hydraulic Loader Function (Ordered separately) Optional 1/4" Hydraulic Coupler Kit for 200, 300, and 400 series loader 3rd function hydraulic kits Dimensions: Grapple Clamp Length: 39 in Grapple Clamp Width: 9.5 in Operational Weight: 110 lbs. Shipping Weight: 132 lbs. Warranty: 1 Year	
8071XF	BASE MACHINE PG12 PALLET FORK GRAPPLE	USD \$1,082.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC, CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	PG12 ENGLISH OM	No Added Cost
0413	PG12 FRENCH OM/DECAL KIT	No Added Cost
0437	PG12 SPANISH OM/DECAL KIT	No Added Cost
	ATTACHMENTS - ORDER AS DESIRED Field Installed Options ATTACHMENTS - ORDER AS DESIRED	
9845	1/4" Hydraulic Coupler Kit for CUT Loader 3rd Function	USD \$58.00
9846	Adapter Kit for 3rd Function Multi-Coupler	USD \$40.00
	ATTACHMENTS FOR FIELD CONVERSION ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP43053	French Operator's Manual and Decal Kit	USD \$58.34
5MP43127	Spanish Operator's Manual and Decal Kit	USD \$53.85
5MP125683	1/4" Hydraulic Coupler Kit for CUT Loader 3rd Function	USD \$75.18



PG12 PALLET FORK GRAPPLE

Code	Description	List price
5MP125684	Adapter Kit for 3rd Function Multi-Coupler	USD \$51.61

**AP12D Fixed Pallet Fork for Current 600/700 Series Carrier**

Code	Description	List price
2152XF	AP12D Fixed Pallet Fork for Current 600/700 Series Carrier Pallet Forks (42 In. or 48 In. in Length): Two - 1.57 In. x 5.12 In. (600, 700, Global, and 800 Series Loaders) Load Rating: 5500 lbs. (600, 700, Global, and 800 Series Loaders) Dimensions (42 In. Forks or 48 In. Forks): 34H x 50W x 54L or 60L Operational Weight (42 In. Forks or 48 In. Forks): 445 or 465 lbs.	
	BASE MACHINE <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. A Single Order is a QTY of 2</i>	
2152XF	AP12D Fixed Pallet Fork for Current 600/700 Series Carrier	USD \$1,681.00
	PALLET TINE LENGTH Basic Factory Options PALLET TINE	
1000	42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	No Added Cost
1010	48 In. Pallet Tine (QTY of 1 equals a complete set of tines. (2)) Ordering a QTY of 2 would equal a total of 4 tines. <i>Rated for 5500 lbs.</i>	USD \$68.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP43053	French Operator's Manual and Decal Kit	USD \$58.34

**AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier**

Code	Description	List price
2153XF	AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier Pallet Forks (42 In. or 48 In. in Length): Two - 1.38 In. x 4.72 In. (200, 300, 400, and 500 Series Loaders) Load Rating: 3750 lbs. (200, 300, 400, and 500 Series Loaders) Dimensions (42 In. Forks or 48 In. Forks): 34H x 50W x 51L or 57L Operational Weight (42 In. Forks or 48 In. Forks): 380 or 395 lbs.	
2153XF	BASE MACHINE <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier	USD \$1,198.00
1000	PALLET TINE LENGTH Basic Factory Options PALLET TINE 42 In. Pallet Tine <i>Rated for 3750 lbs.</i>	No Added Cost
1010	48 In. Pallet Tine (QTY of 1 equals a complete set of tines. (2)) Ordering a QTY of 2 would equal a total of 4 tines. <i>Rated for 3750 lbs.</i>	USD \$44.00
9200	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
5MP43053	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS French Operator's Manual and Decal Kit	USD \$58.34

**AP12G Fixed Pallet Fork for Current Loaders with Global Carrier**

Code	Description	List price
2154XF	AP12G Fixed Pallet Fork for Current Loaders with Global Carrier Pallet Forks (42 In. or 48 In. in Length): Two - 1.57 In. x 5.12 In. (600, 700, Global, and 800 Series Loaders) Load Rating: 5500 lbs. (600, 700, Global, and 800 Series Loaders) Dimensions (42 In. Forks or 48 In. Forks): 37H x 60W x 54L or 60L Operational Weight (42 In. Forks or 48 In. Forks): 456 or 476 lbs.	
	BASE MACHINE <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	
2154XF	AP12G Fixed Pallet Fork for Current Loaders with Global Carrier	USD \$1,425.00
	PALLET TINE LENGTH Basic Factory Options PALLET TINE	
1000	42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	No Added Cost
1010	48 In. Pallet Tine (QTY of 1 equals a complete set of tines. (2)) Ordering a QTY of 2 would equal a total of 4 tines. <i>Rated for 5500 lbs.</i>	USD \$60.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP43053	French Operator's Manual and Decal Kit	USD \$58.34

**AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)**

Code	Description	List price
2155XF	AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only) Pallet Forks (48 In. in Length):Two - 2.00 In. x 5.00 In. (Global Category 2, Loader Carrier) Load Rating: 10,000 lbs. (Global Category 2 Carrier, H480 Loader) Dimensions (48 In. Forks):43H x 59W x 60L Operational Weight(48 In. Forks):812 lbs.	
2155XF	BASE MACHINE <i>Note: 48 In Pallet Forks Included as Standard Equipment. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)	USD \$4,071.00
5MP43053	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS French Operator's Manual and Decal Kit	USD \$58.34

**AP13D Floating Pallet Fork for Current 600/700 Series Carrier**

Code	Description	List price
2161XF	AP13D Floating Pallet Fork for Current 600/700 Series Carrier Pallet Forks (42 In. or 48 In. in Length): Two - 1.57 In. x 5.12 In. Load Rating: 5500 lbs. Dimensions (42 In. Forks or 48 In. Forks): 34H x 50W x 54L or 60L Operational Weight (42 In. Forks or 48 In. Forks): 425 or 445 lbs.	
2161XF	BASE MACHINE <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AP13D Floating Pallet Fork for Current 600/700 Series Carrier	USD \$1,617.00
1000	PALLET TINE LENGTH Basic Factory Options PALLET TINE 42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	No Added Cost
1010	48 In. Pallet Tine (QTY of 1 equals a complete set of tines. (2)) Ordering a QTY of 2 would equal a total of 4 tines. <i>Rated for 5500 lbs.</i>	USD \$111.00
9200	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
5MP43053	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS French Operator's Manual and Decal Kit	USD \$58.34

**AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier**

Code	Description	List price
2162XF	AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier Pallet Forks (42 In. or 48 In. in Length): Two - 1.38 In. x 4.72 In. Load Rating: 3750 lbs. Dimensions (42 In. Forks or 48 In. Forks): 31H x 50W x 51L or 57L Operational Weight (42 In. Forks or 48 In. Forks): 360 or 375 lbs.	
2162XF	BASE MACHINE <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier	USD \$1,421.00
	PALLET TINE LENGTH Basic Factory Options PALLET TINE	
1000	42 In. Pallet Tine <i>Rated for 3750 lbs.</i>	No Added Cost
1010	48 In. Pallet Tine (QTY of 1 equals a complete set of tines. (2)) Ordering a QTY of 2 would equal a total of 4 tines. <i>Rated for 3750 lbs.</i>	USD \$88.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP43053	French Operator's Manual and Decal Kit	USD \$58.34

AP13G Floating Pallet Fork for Current Loaders with Global Carrier

Code	Description	List price
2163XF	AP13G Floating Pallet Fork for Current Loaders with Global Carrier Pallet Forks (42 In. or 48 In. in Length): Two - 1.57 In. x 5.12 In. Load Rating: 5500 lbs. Dimensions (42 In. Forks or 48 In. Forks): 32H x 49W x 52L or 58L Operational Weight (42 In. Forks or 48 In. Forks): 440 or 460 lbs.	
2163XF	BASE MACHINE <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AP13G Floating Pallet Fork for Current Loaders with Global Carrier	USD \$1,545.00
1000	PALLET TINE LENGTH Basic Factory Options PALLET TINE 42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	No Added Cost
1010	48 In. Pallet Tine (QTY of 1 equals a complete set of tines. (2)) Ordering a QTY of 2 would equal a total of 4 tines. <i>Rated for 5500 lbs.</i>	USD \$111.00
9200	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
5MP43053	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS French Operator's Manual and Decal Kit	USD \$58.34



AP10F Pallet Fork Fixed Tines

Code	Description	List price
2342XF	AP10F Pallet Fork Fixed Tines Pallet Forks (36 In. or 42 In. in Length): Two - Class I Solid Tines: 36 In. Tines [1.0 In. x 3.0] - or - 42 In. Tines [1.18 x 3.13 In.] D120, 120R Series Loaders (Check Compatibility Chart For Complete Loader List) Frame Load Rating: 1250 lbs. Dimensions: 36 In. Forks [24.5H x 49.25W x 45L] - or - 42 In. Forks [24.5H x 49.25W x 51L] Operational Weight: 36 In Forks [170 lbs.] - or - 42 In. Forks [198 lbs.]	
	BASE MACHINE <i>Orders come with 5 pallet fork frames and 5 fork tine pairs</i>	
2342XF	AP10F Pallet Fork Fixed Tines	USD \$852.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0202	United States	No Added Cost
0184	Canada	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	English Operator's Manual	No Added Cost
0413	French Operator's Manual	No Added Cost
0437	Spanish Operator's Manual	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S MANUAL AND DECALS	
5WS105008	English Operator's Manual	USD \$66.20
5WS101364	French Operator's Manual	USD \$67.32
5WS101375	Spanish Operator's Manual	USD \$67.32
	PALLET TINE LENGTH Basic Factory Options PALLET TINE <i>Orders come with 5 fork tine pairs</i>	
2401	36 in. tines (900 lbs)	No Added Cost
2400	42 in. tines (2000 lbs)	USD \$95.00



AP11F Pallet Fork Fixed Tines

Code	Description	List price
2352XF	AP11F Pallet Fork Fixed Tines Pallet Forks 42 In. in Length Two - Class I Solid Tines: 42 In. Tines [1.18 x 3.13 In.] D120, 120R, 220R, 300E Series Loaders (Check Compatibility Chart For Complete Loader List) Frame Load Rating: 2000 lbs. Dimensions: 24.5H x 49.25W x 50L Operational Weight: 198 lbs.	
	BASE MACHINE <i>Orders come with 5 pallet fork frames and 5 fork tine pairs</i>	
2352XF	AP11F Pallet Fork Fixed Tines	USD \$1,086.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0202	United States	No Added Cost
0184	Canada	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	English Operator's Manual	No Added Cost
0413	French Operator's Manual	No Added Cost
0437	Spanish Operator's Manual	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S MANUAL AND DECALS	
5WS105008	English Operator's Manual	USD \$66.20
5WS101364	French Operator's Manual	USD \$67.32
5WS101375	Spanish Operator's Manual	USD \$67.32

**AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier**

Code	Description	List price
2171XF	AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier Cutting Width: 55 In. Loader Series: 300 and 400 Only (Not 500 Series) Dimensions: W54.8 In. x H22 In. x D23 In. Capacity: 0.32 Cubic Foot Tine Diameter: 1-1/8 In. Tine Length: 22 In. Operational Weight: 282 lbs. Shipping Weight: 352 lbs.	
	BASE MACHINE <i>Tine spacing is 2 In. on 55 In. model.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	
2171XF	AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier	USD \$2,238.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost

**AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier**

Code	Description	List price
2172XF	AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier Cutting Width: 60 In. Loader Series: 300, 400, and 500 Dimensions: W68.4 In. (W65.9 In.) x H21.7 In. x D45 In. Capacity: 0.82 Cubic Foot Optional Hydraulic Grapple - Opening: 60 In. Optional Hydraulic Grapple - Weight: 375 lbs. Tine Diameter: 1-1/8 In. Tine Length: 39 In. Operational Weight: 585 lbs. (458 lbs.) Shipping Weight: 670 lbs. (550 lbs.) Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.	
2172XF	BASE MACHINE <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier	USD \$3,103.00
	FINISHING COMPONENTS Basic Factory Options TINE SPACING	
1000	2 In. Tine Spacing	In Base Price
1010	3 In. Tine Spacing	USD (\$249.00)
	APPLICATIONS Field Installed Options GRAPPLES	
9050	Grapple Attachment for Rock Bucket	USD \$3,445.00

**AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier**

Code	Description	List price
	<i>Fits AR10E models with 66 In. and 75 In. working widths and used on 300/400/500 series loaders. Includes Grapple Attachment and Hydraulic Kit.</i>	
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	USD \$176.16
5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.</i> <i>No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.</i>	USD \$3,846.21
5MP106524	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fittings compatible with 300 and 400 series loaders.</i>	USD \$152.59

**AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier**

Code	Description	List price
2174XF	AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier Cutting Width: 75 In. Loader Series: 300, 400, and 500 Dimensions: W74.7 In. (W74.4 In.) x H21.7 In. x D45 In. Capacity: 0.89 Cubic Foot Optional Hydraulic Grapple - Opening: 60 In. Optional Hydraulic Grapple - Weight: 375 lbs. Tine Diameter: 1-1/8 In. Tine Length: 39 In. Operational Weight: 632 lbs. (528 lbs.) Shipping Weight: 707 lbs. (603 lbs.) Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.	
2174XF	BASE MACHINE <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier	USD \$3,385.00
	FINISHING COMPONENTS Basic Factory Options TINE SPACING	
1000	2 In. Tine Spacing	In Base Price
1010	3 In. Tine Spacing	USD (\$339.00)
	APPLICATIONS Field Installed Options GRAPPLES	
9050	Grapple Attachment for Rock Bucket	USD \$3,445.00

**AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier**

Code	Description	List price
	<i>Fits AR10E models with 66 In. and 75 In. working widths and used on 300/400/500 series loaders. Includes Grapple Attachment and Hydraulic Kit.</i>	
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	USD \$176.16
5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.</i> <i>No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.</i>	USD \$3,846.21
5MP106524	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fittings compatible with 300 and 400 series loaders.</i>	USD \$152.59

**AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier**

Code	Description	List price
2175XF	AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier Cutting Width: 75 In. Loader Series: Global Carrier Dimensions: W74.7 In. (W74.4 In.) x H21.7 In. x D45 In. Capacity: 0.89 Cubic Foot Optional Hydraulic Grapple - Opening: 60 In. Optional Hydraulic Grapple - Weight: 375 lbs. Tine Diameter: 1-1/8 In. Tine Length: 39 In. Operational Weight: 739 lbs. (619 lbs.) Shipping Weight: 814 lbs. (694 lbs.) Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.	
2175XF	BASE MACHINE <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier	USD \$3,837.00
	FINISHING COMPONENTS Basic Factory Options TINE SPACING	
1000	2 In. Tine Spacing	In Base Price
1010	3 In. Tine Spacing	USD (\$203.00)
	APPLICATIONS Field Installed Options GRAPPLES	
9060	Grapple Attachment for Rock Bucket	USD \$3,463.00

**AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier**

Code	Description	List price
	<i>Fits AR10D, and AR10G models with 66 In. and 75 In. working widths and used on 600/700 series loaders as well as loaders with global carriers. Includes Grapple Attachment and Hydraulic Kit.</i>	
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	USD \$176.16
5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.</i> <i>No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.</i>	USD \$3,846.21