

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

180SL PrecisionCut Walk Greens Mower
Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Gas Engine

Dual Aluminum Drive Rear Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.182 (4.62mm) Frequency of Clip
18 In. (45.7 cm) 11 Blade Reel
5 In. Reel Diameter
2.0 mm Ultra Low BedKnife
Speed Link Height of Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable Handle Bar
Machined Grooved Solid Front Roller With Solid End Caps
Meets Carb Standards

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5512M		180SL PrecisionCut Walk Greens Mower	9,815.00
-------	--	--------------------------------------	----------

DESTINATION

001A		US/Canada	In Base Price
001B		Europe	Same Price
001C		Australia/New Zealand	Same Price
001D		All Other Countries	Same Price
0195		Mexico	Same Price

REEL FRONT ROLLERS

1308		(1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps	In Base Price
1309		(1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	-12.00
1321		(1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	-48.00
1390		Less Front Rollers	-217.00

REEL CUTTING UNITS

9781		180SL Rotary Brush <i>Can not be used with GTC. Also need order Gear Drive</i>	245.00
9783		Push Brush Kit <i>For mowing this brush is lowered in front of grass catcher</i>	521.00
9801		180SL DT Rotary Turf Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	245.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

180SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...			
9780		Rotary Brush/Greens Tender Conditioner Drive <i>Rotary Brush or Greens Tender Conditioner Not Included</i>	1,244.00
9782		Greens Tender Conditioner	487.00
MISCELLANEOUS			
9766		Light Kit	384.00
9779		Transport Wheels and Stand	492.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
MT7350		Bedknife, 2.0 mm Ultra Low-Cut	38.71
MT4846		Bedknife, 2.5 mm Tournament	38.92
Miscellaneous			
TCA23624		14 Blade Reel	339.87
AMT2865		Frequency Speed Up Kit <i>Increases Clip Frequency to .160</i>	135.33
BM24731		Front Rotary DT Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	262.16
BM20568		Greens Tender Conditioner	508.26
BM20579		Light Kit	410.89
BM25531		Push Brush	557.47
AMT2859		Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	317.05
BM20569		Rotary Brush	262.16
BM20578		Transport Wheels and Stand	526.44
Rollers			
BM24204		(1) 18 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	180.83
BM20562		(1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller With Solid End Caps	232.19
BM20561		(1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	219.36
BM24203		(1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller	180.83

**JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS**

**180 E-Cut Hybrid Walk Greens Mower
Equipment for Base Machine**

3.5 hp (2.6 kW) at 3600 rpm,
Engine Manufacturer Net Power,
Tested in accordance with SAE
J1349. The engine horsepower
and torque information are
provided by the engine
manufacturer to be used for
comparison purposes only.
Actual operating horsepower
and torque will be less.
Refer to the engine
manufacturer's web site for
additional information.
Gas Engine

Traction Drum
2.7 Qts. (2.5L) Fuel Tank
QA5 18 In. (45.7 cm) 11
Blade Reel
5 In. Reel Diameter
2.0 mm Standard BedKnife
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher
Foam Wrapped Adjustable Handle
Bar
Machined Grooved Solid Front
Roller with Solid End Caps
Hollow Smooth rear rollers
Electric Drive Motor for Cutting

Unit
On Board Backlapping
On Board Electrical Diagnostic
Light
Adjustable Frequency of Clip

Dual Aluminum Drive Rear

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5541M		180 E-Cut Hybrid Walk Greens Mower	12,739.00
-------	--	------------------------------------	-----------

DESTINATION

001A	US/Canada		In Base Price
001B	Europe		180.00
001C	Australia/New Zealand		Same Price
001D	All Other Countries		Same Price

REEL CUTTING UNITS

1200		(1) Quick Adjust 5 (QA5) Seven Blade 18 In. Heavy Section Standard CuttingUnits with 4.8 mm bedknife <i>Direct Mount Grass Catcher, less Front and Rear Rollers, Motors and Counter Weights</i>	-258.00
1202		(1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with 2.0mm bedknife <i>Direct Mount Grass Catcher, less Front and Rear Rollers, Motors and Counter Weight</i>	In Base Price
1213		(1) Quick Adjust 5 (QA5) Fourteen Blade 18 In. Cutting Units with 2.0mm hardened tool steel bedknife <i>Direct Mount Grass Catcher, less Front and Rear Rollers, Motors and Counter Weight</i>	115.00
1293		(1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with 2.0mm bedknife <i>Large Paddle Clip Grass Catcher, side plate inserts, less Front and Rear Rollers, Motors and Counter Weight</i>	-4.00
1294		(1) Quick Adjust 5 (QA5) Fourteen Blade 18 In. Cutting Units with 2.0mm hardened tool steel bedknife <i>Large Paddle Clip Grass Catcher, side plate inserts, less Front and Rear Rollers, Motors and Counter Weight</i>	111.00
1290		Less Cutting Unit	-2,729.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

180 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...			
REEL FRONT ROLLERS			
1308		(1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps	In Base Price
1309		(1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	-12.00
1321		(1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	-48.00
1390		Less Front Rollers	-217.00
REEL REAR ROLLERS			
1622		(1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	In Base Price
1690		Less Rear Rollers	-169.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing GTC Kit.</i>	In Base Price
1407		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if installing GTC/Rotary Turf Brush on cutting unit.</i>	Same Price
1490		Less Counter Weight Kit	-63.00
GRASS CATCHERS			
9812		(1) Grass Catcher with large paddle clip	191.00
9813		(1) QA5 Grass Catcher Side Plate Insert	48.00
REEL CUTTING UNITS			
9819		(1) QA5 18 In. Rotary Turf Brush	208.00
9823		(1) QA5 18 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC. also need to order Gear Drive</i>	208.00
9783		Push Brush Kit <i>During operation brush is lowered in front of grass catcher</i>	521.00
9782		Greens Tender Conditioner	265.00
9743		GTC Gear Drive <i>Rotary Brush or Greens Tender Conditioner Not Included.</i>	1,276.00
9803		QA5 11 Blade cutting unit less rollers <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	2,486.00
9818		QA5 14 blade cutting unit less rollers <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	2,601.00
MISCELLANEOUS			
9766		Light Kit	384.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

180 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MISCELLANEOUS Continued...			
9779		Transport Wheels and Stand	492.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
MT7350		Bedknife, 2.0 mm Ultra Low-Cut	38.71
MT4846		Bedknife, 2.5 mm Tournament	38.92
Cutting Units			
BM25126		(1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with Yokes, less Front and Rear Rollers, Motors and Counter Weight	2,660.01
BM25337		(1) Quick Adjust 5 (QA5) Fourteen Blade 18 In. Cutting Units <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	2,783.07
BM25125		(1) Quick Adjust 5 (QA5) Seven Blade 18 In. Heavy Section Standard Cutting Units with 4.8mm bedknife, Less Front and Rear Rollers, Motors and Counter Weights	2,383.96
Miscellaneous			
BM24374		(1) 18 In. Front Rotary Turf Brush <i>Requires GTC/FTC Gear Drive.</i>	222.56
BTC10716		(1) 18 In. Rear Grass Catcher with large paddle clip <i>1 Needed for 180 E-Cut Hybrid Walk Greens Mowers. 2 Needed for 8000 E-Cut Hybrid Fairway Mower. Not compatible with with rear bail system BTC10405.</i>	204.37
BM22469		(1) GTC/FTC Gear Drive <i>Requires FTC or GTC.</i>	1,365.31
BM24732		(1) QA5 18 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	222.56
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
TCA23622		14 Blade Reel	380.81
BTC10629		Direct Mount Grass Catcher (18")	187.26
BM24900		Direct Mount QA5 Grass Catcher Brackets	72.76
BM24358		Greens Tender Conditioner	283.56
BM22615		Light Kit	410.89
BM25531		Push Brush	557.47
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 1 Needed for front center location for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i>	51.36
BM22616		Transport Wheels and Stand	526.44

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

180 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
		Rollers	
BM24204		(1) 18 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	180.83
BM20562		(1) 18 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller With Solid End Caps	232.19
BM20561		(1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	219.36
BM24203		(1) 18 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller	180.83

**JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS**

**220SL PrecisionCut Walk Greens Mower
Equipment for Base Machine**

3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Gas Engine

Dual Aluminum Drive Rear Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.182 (4.62mm) Frequency of Clip
22 In. (55.9 cm) 11 Blade Reel
5 In. Reel Diameter
2.5mm Tournament BedKnife
Speed Link Height of Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable Handle Bar
Machined Grooved Solid Front Roller With Solid End Caps
Meets Carb Standards

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5522M		220SL PrecisionCut Walk Greens Mower	9,509.00
-------	--	--------------------------------------	----------

DESTINATION

001A		US/Canada	In Base Price
001B		Europe	Same Price
001C		Australia/New Zealand	Same Price
001D		All Other Countries	Same Price
0195		Mexico	Same Price

REEL FRONT ROLLERS

1300		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Roller with Solid End Caps	In Base Price
1301		(1) 22 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	-13.00
1302		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	-68.00
1390		Less Front Rollers	-237.00

REEL CUTTING UNITS

9780		Rotary Brush/Greens Tender Conditioner Drive <i>Rotary Brush or Greens Tender Conditioner Not Included</i>	1,244.00
9820		220SL Rotary Brush <i>Cannot be used with GTC. Requires GTC drive kit.</i>	245.00
9824		220SL DT Front Rotary Turf Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	245.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

220SL PrecisionCut Walk Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...			
9783		Push Brush Kit <i>For mowing this brush is lowered in front of grass catcher</i>	521.00
9782		Greens Tender Conditioner	498.00
MISCELLANEOUS			
9766		Light Kit	384.00
9779		Transport Wheels and Stand	492.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
	ET17532	Bedknife, 4.8mm Fairway	33.35
	MT7351	Bedknife, 2.0mm Ultra Low Cut	39.40
	ET17534	Bedknife, 2.5mm Tournament	34.67
	ET17533	Bedknife, 3.2 mm	34.00
	ET11066	Bedknife, 3.2 mm with Hardened Insert	33.25
Miscellaneous			
	TCA23623	14 Blade Reel	318.45
	AMT2865	Frequency Speed Up Kit <i>Increases Clip Frequency to .160</i>	135.33
	BM24729	Front Rotary DT Brush <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	262.16
	BM20566	Greens Tender Conditioner	532.86
	BM20579	Light Kit	410.89
	BM25531	Push Brush	557.47
	AMT2859	Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	317.05
	BM20567	Rotary Brush	262.16
	BM23443	Rotary Brush/Greens Tender Conditioner Drive (Rotary Brush or Greens Tender Conditioner Not Included).	1,331.09
	TCU29767	Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with kit.</i>	158.61
	BM20578	Transport Wheels and Stand	526.44
Miscellaneous			
	TCU23674	John Deere Golf Operator Videos and All Products Safety Video DVD Set	50.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

220SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Rollers	
BM24202		(1) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	180.83
BM18712		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps	253.59
BM18711		(1) 22 In. 2 In. (5 cm) Diameter Machined Smooth Solid Front Roller	239.69
BM18480		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i>	180.83

**JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS**

**220 E-Cut Hybrid Walk Greens Mower
Equipment for Base Machine**

3.5 hp (2.6 kW) at 3600 rpm,
Engine Manufacturer Net Power,
Tested in accordance with SAE
J1349. The engine horsepower
and torque information are
provided by the engine
manufacturer to be used for
comparison purposes only.
Actual operating horsepower
and torque will be less.
Refer to the engine
manufacturer's web site for
additional information.
Gas Engine

Traction Drum
2.7 Qts. (2.5L) Fuel Tank
QA5 22 In. (55.9 cm) 11
Blade Reel
5 In. Reel Diameter
3.2 mm Standard BedKnife
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher
Foam Wrapped Adjustable Handle
Bar
Machined Grooved Solid Front
Roller with Solid End Caps
Hollow Smooth rear rollers
Electric Drive Motor for Cutting

Unit
On Board Backlapping
On Board Electrical Diagnostic
Light
Adjustable Frequency of Clip

Dual Aluminum Drive Rear

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5504M	220 E-Cut Hybrid Walk Greens Mower	12,685.00
-------	------------------------------------	-----------

DESTINATION

001A	US/Canada	In Base Price
001B	Europe	180.00
001C	Australia/New Zealand	Same Price
001D	All Other Countries	Same Price
0195	Mexico	Same Price

REEL FRONT ROLLERS

1390	Less Front Rollers	-237.00
1300	(1) 22 In. 2 In. (5 cm) Diameter Machined GroovedSolid Roller with Solid End Caps	In Base Price
1301	(1) 22 In. 2 In. (5 cm) Diameter Machined SmoothSolid Roller	-13.00

REEL REAR ROLLERS

1602	(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	In Base Price
1690	Less Rear Rollers	-169.00

REEL CUTTING UNITS

1201	(1) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm)Cutting Units with Adjustable 4.8mm Bedknife <i>5 In. (12.7 cm) Diameter Reels and Direct Mount Grass Catcher, Less Front and Rear Rollers, Motor and counter weight.</i>	-87.00
------	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

220 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...			
1203		(1) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm)Cutting Units with Adjustable 2.0mm Bedknife <i>5 In. (12.7 cm) Diameter Reels and Direct Mount Grass Catcher, Less Front and Rear Rollers, Motor and counter weight.</i>	In Base Price
1214		(1) Quick Adjust 5 (QA5) Fourteen Blade 22 In.(55.9 cm) Cutting Units with Adjustable 2.0mm hardened tool steel Bedknife <i>5 In. (12.7 cm) Diameter Reel and Direct Mount Grass Catcher, Less Front and Rear Rollers, Motor and counter weight.</i>	229.00
1215		(1) Quick Adjust 5 (QA5) Eleven Blade 22 In. Cutting Units with 2.0mm bedknife <i>Large Paddle Clip Grass Catcher, side plate inserts, less Front and Rear Rollers, Motors and Counter Weight</i>	-20.00
1216		(1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. Cutting Units with 2.0mm hardened tool steel bedknife <i>Large Paddle Clip Grass Catcher, side plate inserts, less Front and Rear Rollers, Motors and Counter Weight</i>	209.00
1290		Less Cutting Unit	-2,615.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing GTC Kit.</i>	In Base Price
1407		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if installing GTC/Rotary Turf Brush on cutting unit.</i>	Same Price
1490		Less Counter Weight Kit	-63.00
GRASS CATCHERS			
9812		(1) Grass Catcher with large paddle clip	175.00
9813		(1) QA5 Grass Catcher Side Plate Insert	48.00
REEL CUTTING UNITS			
9782		Greens Tender Conditioner	287.00
9743		Brush / GTC Gear Drive <i>Rotary Brush or Greens Tender Conditioner Not Included.</i>	1,276.00
9783		Push Brush Kit <i>During operation brush is lowered in front of grass catcher</i>	521.00
9821		(1) QA5 22 In. Rotary Turf Brush	208.00
9825		(1) QA5 22In. DT Front Rotary Turf Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC. also need to order Gear Drive</i>	208.00
9803		QA5 Eleven Blade Cutting Unit <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	2,372.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

220 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
9818		REEL CUTTING UNITS Continued... QA5 Fourteen Blade Cutting Unit <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	2,601.00
		MISCELLANEOUS	
9766		Light Kit	384.00
9779		Transport Wheels and Stand	492.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
ET17532		Bedknife, 4.8mm Fairway	33.35
MT7351		Bedknife, 2.0mm Ultra Low Cut	39.40
ET17534		Bedknife, 2.5mm Tournament	34.67
ET17533		Bedknife, 3.2 mm	34.00
ET11066		Bedknife, 3.2 mm with Hardened Insert	33.25
		Cutting Units	
BM25128		(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,538.04
BM25127		(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,444.96
BM25338		(1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	2,783.07
		Miscellaneous	
BM22761		(1) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC. Requires GTC/FTC Gear Drive.</i>	222.56
BM22471		(1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i>	307.09
BM22469		(1) GTC/FTC Gear Drive <i>Requires FTC or GTC.</i>	1,365.31
BM24730		(1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	222.56
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
TCA23621		14 Blade Reel	386.63
BTC10726		Direct Mount Front Grass Catcher <i>2 needed for complete machine for 2500#s. 1 needed for 220 E-Cut Hybrid Walk Greens Mower.</i>	187.26

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

220 E-Cut Hybrid Walk Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM24900		Direct Mount QA5 Grass Catcher Brackets	72.76
BTC10718		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers 7700/8700. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	187.26
BM22615		Light Kit	410.89
BM25531		Push Brush	557.47
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 1 Needed for front center location for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i>	51.36
TCU29767		Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with kit.</i>	158.61
BM22616		Transport Wheels and Stand	526.44
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
		Rollers	
BM24202		(1) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	180.83
BM18712		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps	253.59
BM18711		(1) 22 In. 2 In. (5 cm) Diameter Machined Smooth Solid Front Roller	239.69
BM18480		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i>	180.83

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

260SL PrecisionCut Walk Greens Mower
Equipment for Base Machine

3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.
Gas Engine

Dual Aluminum Drive Rear Traction Drum
2.7 Qts. (2.5L) Fuel Tank
0.286 (7.26mm) Frequency of Clip (7-Blade)
26 In. (66.0 cm) 7 Blade Reel
5 In. Reel Diameter
3.2 mm Standard BedKnife
Speed Link Hieght of Cut Adjustment System
Operator Presence System
Enclosed Roller Drive
Differential
Grass Catcher

Foam Wrapped Adjustable Handle Bar
Machined Grooved Solid Front Roller with Solid End Caps
Meets Carb Standards

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5532M		260SL PrecisionCut Walk Greens Mower	10,825.00
-------	--	--------------------------------------	-----------

DESTINATION

001A		US/Canada	In Base Price
001B		Europe	Same Price
001C		Australia/New Zealand	Same Price
001D		All Other Countries	Same Price
0195		Mexico	Same Price

REEL FRONT ROLLERS

1313		(1) 26 In. 2 In. (5 cm) Diameter Machined GroovedSolid Roller with Solid End Caps	In Base Price
1314		(1) 26 In. 2 In. (5 cm) Diameter Machined SmoothSolid Roller	-9.00
1390		Less Front Rollers	-258.00

REEL CUTTING UNITS

1211		(1) 26 In. 7-Blade Reel	In Base Price
1210		(1) 26 In. 11-Blade Reel	Same Price

REEL CUTTING UNITS

9780		Rotary Brush/Greens Tender conditioner Drive <i>Rotary Brush or GTC not included</i>	1,244.00
9822		260SL Rotary Brush	256.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

260SL PrecisionCut Walk Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
9782		REEL CUTTING UNITS Continued... Greens Tender Conditioner (GTC)	521.00
		MISCELLANEOUS	
9779		Transport Wheels and Stand	492.00
9766		Light Kit	384.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
MT6947		Bedknife, 3.2 mm	42.04
MT6946		Bedknife, Long-Life Fairway	42.92
		Miscellaneous	
AMT2865		Frequency Speed Up Kit <i>Increases Clip Frequency to .160</i>	135.33
BM20570		Greens Tender Conditioner	557.47
BM20579		Light Kit	410.89
AMT2859		Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	317.05
BM20571		Rotary Brush	273.91
BM20578		Transport Wheels and Stand	526.44
		Miscellaneous	
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	50.00
		Rollers	
BM20564		(1) 26 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller with Solid End Caps	276.06
BM20563		(1) 26 In. 2 In. (5 cm) Diameter Machined Smooth Solid Front Roller	266.43
BM25318		(1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	260.50
BM17671		(1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller	359.51
BM19818		(1) 26 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	488.99

**JOHN DEERE TURF & UTILITY PRODUCTS
GREENSMOWER TRAILER**

22B Walk Greens Mower Trailer
Equipment for Base Machine

Carries 2 Walk Greens Mowers
Compatible with A, B, C and SL
Models 180 and 220 E-Cut Hybrid
Walk Greens Mower
Multiple angle location ramp
with stainless steel latch
system
Spray-On Bedliner on floor
of trailer bed and ramp
Welded storage holders for
retaining bar when not in
use
Box Capacity: 12.7 Cu. Ft.
(0.36 cu. m)

Maximum Load: 1000 Lbs.
(454 kg)
Maximum Payload: 700 Lbs.
(318 kg)
Pneumatic Turf Tires 2 Ply
22.5x10.00-8
Ball Bearing, Double Sealed
Wheel Bearings
1-7/8 In. Dia. (4.8 cm)
Hitch Coupler
Inside Box 60"L X 40"W
Outside Box 62"L x46"W
Box Side Panels 8.5" Tall
Front Wall 13" Tall

Outside to Outside Tire is 66"
Ramp Down Position 27" L X 46"
W down
Trailer Tongue 43" L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0521TC		22B Walk Greens Mower Trailer <i>Must be Ordered in Quantities of Two. Requires Utility Vehicles to be Equipment With 1-7/8 In. (4.8cm) Ball Hitch.</i>	2,555.00
--------	--	--	----------

EUROPEAN CE KIT

9100		European CE Conversion Kit for 22B Greensmower Trailer <i>Must Be Ordered to Receive a 22B Walk Greensmower Trailer Which Meets CE Mark Requirements. Kit Includes Pictorial Decals and Operator's Manual in English, French, German, Spanish and Italian.</i>	No Charge
------	--	---	-----------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with kit.</i>	158.61
		Miscellaneous John Deere Golf Operator Videos and All Products Safety Video DVD Set	50.00

**JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS**

2500B PrecisionCut Riding Greens Mower - Gas
Equipment for Base Machine

21.0 hp (15.7 kW) at 3600 rpm,
Engine Manufacturer Gross
Power,
Tested in accordance with SAE
J1995. The engine horsepower
and torque information are
provided by the engine
manufacturer to be used for
comparison purposes only.
Actual operating horsepower
and torque will be less. Refer
to the engine manufacturer's
web site for additional
information.
Foot Actuated Adjustable Tilt
Steering Wheel
2-Post SAE J21294 Roll Over
Protection Structure with Seat

Belts
Command Arm Operator Controls
Four Function LED Warning
Monitor with Hour Meter
One Touch Hand Lift Lever
Hand Operated Mow/Transport
Lever
Direct Mounted Pumps
Power Steering
Hydrostatic Drive
Single Reel Pump
Hydraulic Reel Motors
Offset Reel Design
Sit on Seat Diagnostics
White Box Controller
Micro-Lap Backlapping Valve and
Reel Speed Control
Disk Brakes

Hydraulic Oil Cooler
Single Fuel Tank, 7.9 Gallon
(30L) Fuel Capacity
BCI Group 40 Maintenance Free
Battery
John Deere Golf Operator Videos
and All Products Safety Video
DVD Set

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1207TC	2500B PrecisionCut Riding Greens Mower - Gas	35,809.00
--------	--	-----------

DESTINATION

001A	North America US/Canada	In Base Price
001C	Oceania Aust/NZ	Same Price
0212	South America Brazil	Same Price

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1212	(3) Vertical Cutting Units With <i>Front AND Rear Rollers</i>	-75.00
1201	(3) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm) <i>Heavy Section Cutting Units With Adjustable 4.8 mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers.</i>	-261.00
1203	(3) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) <i>Cutting Units With Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers</i>	In Base Price
1214	(3) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) <i>Cutting Units with Adjustable 2.0mm hardened tool steel Bedknife, 5 In. (12.7 cm) Diameter Reel, Less Front and Rear Rollers</i>	687.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...			
1290		Less Cutting Units	-7,116.00
REEL FRONT ROLLERS			
1302		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Front Rollers	-204.00
1300		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Rollers With Solid End Caps	In Base Price
1307		(3) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	531.00
1304		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Rollers	Same Price
1324		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	363.00
1325		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	363.00
1327		(3) 22 In. 2.5 In. (6.35 cm) Heavy Duty Grooved Disc Front Rollers <i>This roller can be used with FTC/GTC kit installed on QA5 cutting unit.</i>	24.00
1390		Less Front Rollers	-711.00
REEL REAR ROLLERS			
1602		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	In Base Price
1618		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	567.00
1620		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	567.00
1690		Less Rear Rollers	-507.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(3) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
1403		(3) QA5 Cutting Unit Brush Only <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	234.00
1408		(3) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
1490		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit Installed.</i>	-189.00

**JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS**

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS			
3200		(3) 22 Inch Cutting Unit Attaching Yokes and Molded One-Piece Grass Catchers <i>With large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system.</i>	In Base Price
3201		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke for FAIRWAYS and Molded One-Piece Grass Catchers <i>With large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system. These yokes attach at the rear of the cutting unit like a fairway mower and are recommended for use in fairways, surrounds or tees. Not recommended for greens.</i>	810.00
3202		(3) 22 Inch Cutting Unit Attaching Yokes and direct mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Rear grass catcher and bail system. These yokes are required with the direct mounted (bullhorn) style grass catchers.</i>	-117.00
3210		Less Cutting Yokes and Grass Catchers	-1,475.00
WHEELS AND TIRES			
1021		(3) Smooth Floatation Tires and Wheels (18x10.50-10) 2 ply	In Base Price
1022		(3) Smooth Tires and Wheels (20x10.00-10) 2 ply	12.00
1023		(3) Turf Guard Traction Tires and Wheels (20x10.00-10) 4 ply	43.00
1024		(3) Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	12.00
1040		(3) Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	12.00
1149		Less Wheels with Tires	-465.00
SEAT			
2010		Deluxe Suspension Seat with Armrest	813.00
2009		Standard Seat	448.00
2090		Less Seat	In Base Price
REEL CUTTING UNITS			
9121		(3) QA5 22 In. Vertical Cutting Unit With FrontRoller Less Motor	7,041.00
9818		(3) Quick Adjust 5 (QA5) Fourteen Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight	7,803.00
9803		(3) Quick Adjust 5 (QA5) Eleven Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight	7,116.00
9804		(3) Quick Adjust 5 (QA5) Seven Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight	6,855.00
MISCELLANEOUS			
9738		(3) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades	1,488.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MISCELLANEOUS Continued...			
<i>Requires order code 9743.</i>			
9743		(3) GTC/FTC Gear Drive <i>Requires Order Code (9738 or 9742).</i>	3,828.00
9791		(3) 22 In. Rear Roller Power Brushes <i>Requires order code 9750.</i>	432.00
9750		(3) Rear Roller Power Brush Drive <i>Requires order code 9791.</i>	1,179.00
9751		(3) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9738 or 9742. Also need order code 9743.</i>	624.00
9742		(3) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires order code 9743.</i>	861.00
9756		(3) Smooth Roller Scrapers	45.00
9770		Leak Detector Kit <i>For Serial No. TC250BG010001-.</i>	1,416.00
9801		(3) 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	624.00
9805		Cutting Unit Top Shield Extension (Set of 3)	86.00
9840		Third Wheel Assist Kit (GRIP All-Wheel Drive) <i>Adds GRIP All-Wheel Drive Traction System to 2WD 2500s. More aggressive than traditional TCB11167 Parallel Third Wheel Assist Kit.</i>	2,599.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
ET17532		Bedknife, 4.8mm Fairway	33.35
MT7351		Bedknife, 2.0mm Ultra Low Cut	39.40
ET17534		Bedknife, 2.5mm Tournament	34.67
ET17533		Bedknife, 3.2 mm	34.00
ET11066		Bedknife, 3.2 mm with Hardened Insert	33.25
ET17767		Bedknife, Hi-cut Fairway 7.6 mm	35.64
Cutting Units			
BM25129		(1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	2,511.29
BM25128		(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,538.04
BM25127		(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,444.96

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25338		(1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	2,783.07
		Miscellaneous	
BM22671		(1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i>	530.71
BM22761		(1) 22 In. Front Rotary Turf Brush	222.56
BM22471		(1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i>	307.09
BM22668		(1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	154.09
BM22995		(1) 22 In. Smooth Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,365.31
BM24730		(1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	222.56
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	420.51
BTC10122		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine.</i>	1,489.44
TCA19547		2"x 22" Machine Grooved Roller Scraper	29.79
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	159.43
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	137.98
BM23080		Cutting Unit Top Shield Extension (Set of 3)	92.01
TCB11356		Cutting Unit Yokes Kit (22") for MY1998-2008	889.17
TCB11341		Cutting Unit Yokes Kit for MY 2009 # Current or QA5 Cutting Units	622.74
BTC10686		Dew Whip with end support bracket <i>Fits 2014 - Current Model Year Gas and All Model Year Diesel.</i>	143.39
BTC10655		Direct Mount Cutting Unit Yoke Kit for MY 2009 # Current or QA5 Cutting Units <i>1 Required for front cutting units to install Direct Mount Grass Catchers.</i>	610.97

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
BTC10726		Direct Mount Front Grass Catcher <i>2 needed for complete machine for 2500#s. 1 needed for 220 E-Cut Hybrid Walk Greens Mower.</i>	187.26
BM24900		Direct Mount QA5 Grass Catcher Brackets <i>2 Needed for complete machine 2500's.</i>	72.76
TCB11721		Grass Catcher Mounting Kit <i>Set of 3 Mounting Hardware for weight transfer system grass catcher.</i>	148.73
BTC10718		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s Weight Transfer System.</i>	187.26
AMT2978		Height of Cut Gauge Bar	75.20
TCB11165		Leak Detector Kit	1,515.11
BM19746		Light Kit, Front	266.43
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	57.79
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System. 1 Needed for front center location for 7500A Fairway Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i>	51.36
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	166.91
BTC10408		Rear Grass Catcher with Handles <i>1 needed for 2500's, 2 needed for complete machine 7500A.</i>	155.16
BTC11007		Third Wheel Assist Kit (GRIP All-Wheel Drive) <i>Adds GRIP All-Wheel Drive Traction System to 2WD 2500s. More aggressive than TCB11167 Parallel Third Wheel Assist Kit.</i>	2,780.93
TCB11167		Third Wheel Assist Kit (Parallel Circuit) <i>Adds traditional Parallel Circuit Third Wheel Assist to 2WD 2500s. Less aggressive than BTC11007 GRIP All Wheel Drive Third Wheel Assist Kit.</i>	2,670.71
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth Floatation	497.56
BTC10841		Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	510.39
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth	510.39
BTC10071		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	510.39
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	543.56
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	156.21

Reel Cutting Unit Counter Weights

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Gas
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
		Rollers	
BM18712		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps	253.59
BM18481		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller	253.59
BE23416		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	253.59
BM18480		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i>	180.83
BTC10267		(1) 22 In. 2 In. (5cm) MT Grooved Roller	383.06
BM25317		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	262.11
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	442.99
BM23566		(1) 2X22" MT SPIRAL Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel
Equipment for Base Machine

19.6 hp (14.6 kW) per SAE J1995
Engine hp is provided by the
engine manufacturer to be used
for comparison purposes only.
Actual operating hp will be
less. Refer to the engine
manufacturer's web site for
additional information.
Meets EPA Tier 4
Foot Actuated Adjustable Tilt
Steering Wheel
2-Post SAE J21294 Roll Over
Protection Structure with Seat
Belts
Command Arm Operator Controls
Four Function LED Warning

Monitor with Hour Meter
One Touch Hand Lift Lever
Hand Operated Mow/Transport
Lever
Direct Mounted Pumps
Power Steering
Hydrostatic Drive
Single Reel Pump
Hydraulic Reel Motors
Offset Reel Design
Sit on Seat Diagnostics
White Box Controller
Micro-Lap Backlapping Valve and
Reel Speed Control
Disk Brakes
Hydraulic Oil Cooler

Single Fuel Tank, 7.9 Gallon
(30L) Fuel Capacity
BCI Group 40 Maintenance Free
Battery
John Deere Golf Operator Videos
and All Products Safety Video
DVD Set

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1186TC	2500B PrecisionCut Riding Greens Mower - Diesel	42,339.00
--------	---	-----------

DESTINATION

001D	Other Countries	Same Price
001B	Europe Europe	70.00
001A	North America US/Canada	In Base Price
0195	Mexico	Same Price
001C	Oceania Aust/NZ	Same Price
0212	South America Brazil	Same Price

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1212	(3) Vertical Cutting Units With <i>Front AND Rear Rollers</i>	-75.00
1201	(3) Quick Adjust 5 (QA5) Seven Blade 22 In. (55.9 cm) <i>Heavy Section Cutting Units With Adjustable 4.8 mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers.</i>	-261.00
1203	(3) Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) <i>Cutting Units With Adjustable 2.0mm Bedknife, 5 In. (12.7 cm) Diameter Reels. Less Front and Rear Rollers</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1214		REEL CUTTING UNITS Continued... (3) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) <i>Cutting Units with Adjustable 2.0mm hardened tool steel Bedknife, 5 In. (12.7 cm) Diameter Reel, Less Front and Rear Rollers</i>	687.00
1290		Less Cutting Units	-7,116.00
REEL FRONT ROLLERS			
1302		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Front Rollers	-204.00
1300		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Rollers With Solid End Caps	In Base Price
1307		(3) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	531.00
1304		(3) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Rollers	Same Price
1324		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	363.00
1325		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	363.00
1327		(3) 22 In. 2.5 In. (6.35 cm) Heavy Duty Grooved Disc Front Rollers <i>This roller can be used with FTC/GTC kit installed on QA5 cutting unit.</i>	24.00
1390		Less Front Rollers	-711.00
REEL REAR ROLLERS			
1602		(3) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Rollers	In Base Price
1618		(3) 22 In. 2 In. (5cm) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	567.00
1620		(3) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	567.00
1690		Less Rear Rollers	-507.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(3) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
1403		(3) QA5 Cutting Unit Brush Only <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	234.00
1408		(3) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1490		REEL CUTTING UNIT COUNTER WEIGHTS Continued... Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit Installed.</i>	-189.00
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS			
3200		(3) 22 Inch Cutting Unit Attaching Yokes and Molded One-Piece Grass Catchers <i>With large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system.</i>	In Base Price
3201		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke for FAIRWAYS and Molded One-Piece Grass Catchers <i>With large paddle clip and Grass Catcher Side Plate Insert, Rear catcher and bail system. These yokes attach at the rear of the cutting unit like a fairway mower and are recommended for use in fairways, surrounds or tees. Not recommended for greens.</i>	810.00
3202		(3) 22 Inch Cutting Unit Attaching Yokes and direct mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Rear grass catcher and bail system. These yokes are required with the direct mounted (bullhorn) style grass catchers.</i>	-117.00
3210		Less Cutting Yokes and Grass Catchers	-1,475.00
WHEELS AND TIRES			
1021		(3) Smooth Floatation Tires and Wheels (18x10.50-10) 2 ply	In Base Price
1022		(3) Smooth Tires and Wheels (20x10.00-10) 2 ply	12.00
1023		(3) Turf Guard Traction Tires and Wheels (20x10.00-10) 4 ply	43.00
1024		(3) Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	12.00
1040		(3) Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10) 4 Ply Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	12.00
1149		Less Wheels with Tires	-465.00
SEAT			
2010		Deluxe Suspension Seat with Armrest	813.00
2009		Standard Seat	448.00
2090		Less Seat	In Base Price
REEL CUTTING UNITS			
9121		(3) QA5 22 In. Vertical Cutting Unit With FrontRoller Less Motor	7,041.00
9818		(3) Quick Adjust 5 (QA5) Fourteen Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight	7,803.00
9803		(3) Quick Adjust 5 (QA5) Eleven Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight	7,116.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
9804		REEL CUTTING UNITS Continued... (3) Quick Adjust 5 (QA5) Seven Blade Cutting Units Less Front and Rear Rollers, Motor and counter weight	6,855.00
		MISCELLANEOUS	
9738		(3) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires order code 9743.</i>	1,488.00
9743		(3) GTC/FTC Gear Drive <i>Requires Order Code (9738 or 9742).</i>	3,828.00
9791		(3) 22 In. Rear Roller Power Brushes <i>Requires order code 9750.</i>	432.00
9750		(3) Rear Roller Power Brush Drive <i>Requires order code 9791.</i>	1,179.00
9751		(3) 22 In. Front Rotary Turf Brush <i>Can not be used with FTC/GTC 9738 or 9742. Also need order code 9743.</i>	624.00
9742		(3) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires order code 9743.</i>	861.00
9756		(3) Smooth Roller Scrapers	45.00
9770		Leak Detector Kit <i>For Serial No. TC250BG010001-.</i>	1,416.00
9801		(3) 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	624.00
9805		Cutting Unit Top Shield Extension (Set of 3)	86.00
9769		Greens Mower Convenience Kit <i>Contains Storage Area Pad and Elastic Storage Retainer.</i>	81.00
9840		Third Wheel Assist Kit (GRIP All-Wheel Drive) <i>Adds GRIP All-Wheel Drive Traction System to 2WD 2500s. More aggressive than traditional TCB11167 Parallel Third Wheel Assist Kit.</i>	2,599.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Bedknives	
ET17532		Bedknife, 4.8mm Fairway	33.35
MT7351		Bedknife, 2.0mm Ultra Low Cut	39.40
ET17534		Bedknife, 2.5mm Tournament	34.67
ET17533		Bedknife, 3.2 mm	34.00
ET11066		Bedknife, 3.2 mm with Hardened Insert	33.25
ET17767		Bedknife, Hi-cut Fairway 7.6 mm	35.64

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Cutting Units			
BM25129		(1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	2,511.29
BM25128		(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,538.04
BM25127		(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,444.96
BM25338		(1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	2,783.07
Engine			
TCA19916		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	206.93
Miscellaneous			
BM22671		(1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i>	530.71
BM22761		(1) 22 In. Front Rotary Turf Brush	222.56
BM22471		(1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i>	307.09
BM22668		(1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	154.09
BM22995		(1) 22 In. Smooth Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,365.31
BM24730		(1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	222.56
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	420.51
BTC10122		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine.</i>	1,489.44
TCA19547		2"x 22" Machine Grooved Roller Scraper	29.79
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	159.43
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	137.98

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23080		Cutting Unit Top Shield Extension (Set of 3)	92.01
TCB11356		Cutting Unit Yokes Kit (22") for MY1998-2008	889.17
TCB11341		Cutting Unit Yokes Kit for MY 2009 # Current or QA5 Cutting Units	622.74
BM19744		Dew Whip Holder Bracket <i>Fits Diesel RGM ONLY.</i>	68.49
BTC10686		Dew Whip with end support bracket <i>Fits 2014 - Current Model Year Gas and All Model Year Diesel.</i>	143.39
BTC10655		Direct Mount Cutting Unit Yoke Kit for MY 2009 # Current or QA5 Cutting Units <i>1 Required for front cutting units to install Direct Mount Grass Catchers.</i>	610.97
BTC10726		Direct Mount Front Grass Catcher <i>2 needed for complete machine for 2500#s. 1 needed for 220 E-Cut Hybrid Walk Greens Mower.</i>	187.26
BM24900		Direct Mount QA5 Grass Catcher Brackets <i>2 Needed for complete machine 2500's.</i>	72.76
TCB11721		Grass Catcher Mounting Kit <i>Set of 3 Mounting Hardware for weight transfer system grass catcher.</i>	148.73
BTC10718		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s Weight Transfer System.</i>	187.26
BM19739		Greens Mower Convenience Kit <i>For Diesel Models ONLY; Contains Storage Area Pad and Elastic Storage Retainer.</i>	86.67
AMT2978		Height of Cut Gauge Bar	75.20
TCB11165		Leak Detector Kit	1,515.11
BM19746		Light Kit, Front	266.43
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	57.79
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System. 1 Needed for front center location for 7500A Fairway Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i>	51.36
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	166.91
BTC10408		Rear Grass Catcher with Handles <i>1 needed for 2500's, 2 needed for complete machine 7500A.</i>	155.16
BTC11007		Third Wheel Assist Kit (GRIP All-Wheel Drive) <i>Adds GRIP All-Wheel Drive Traction System to 2WD 2500s. More aggressive than TCB11167 Parallel Third Wheel Assist Kit.</i>	2,780.93
TCB11167		Third Wheel Assist Kit (Parallel Circuit) <i>Adds traditional Parallel Circuit Third Wheel Assist to 2WD 2500s. Less aggressive than BTC11007 GRIP All Wheel Drive Third Wheel Assist Kit.</i>	2,670.71

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth Floatation	497.56
BTC10841		Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	510.39
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth	510.39
BTC10071		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	510.39
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	543.56
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	156.21
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
		Rollers	
BM18712		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps	253.59
BM18481		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller	253.59
BE23416		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	253.59
BM18480		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i>	180.83
BTC10267		(1) 22 In. 2 In. (5cm) MT Grooved Roller	383.06
BM25317		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	262.11
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	442.99

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500B PrecisionCut Riding Greens Mower - Diesel
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23566	(1) 2X22" MT SPIRAL Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06

**JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS**

**2500E E-Cut Hybrid Gas Riding Greens Mower
Equipment for Base Machine**

ENGINE:
21.0 HP (15.7 kW). Tested in accordance with SAE J1995. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.
Twin cylinder Gas with Overhead Valves
Full Pressure Lubrication
Liquid Cooled
Single Fuel Tank with 7.9 US gallon (30 L) capacity
Up to 30% Fuel Savings at reduced engine throttle (2250 rpm)

Units
Storage Compartment behind Operator

HYDRAULICS:
Directed mounted hydraulic pumps
Hydrostatic traction drive
U-Shaped Hydraulic Reservoir
Hydraulic Oil Cooler

ELECTRICAL:
White Box controller
Sit-on-Seat Diagnostics
On-Board Reel Circuit Diagnostics
BCI Group 40 Maintenance Free Battery
Brushless Electric Reel Motors
48-Volt, 100-amp Alternator
Reel Switch Box for Reel Speed and Direction Control

Four Function LED Warning Monitor with Hour Meter
Hand Operated Mow / Transport Lever
Hand Operated Engine Throttle Lever
Reduced Engine RPM notch
Dual Traction Pedals
Foot actuated 5-Position Adjustable Tilt Steering Column
Integrated Cup Holder and Radio Holder

STEERING AND BRAKES:
Hydrostatic Power Steering
Disc Brakes
Foot Operated Parking Brake

CHASSIS:
Offset Cutting Unit Design
2-post SAE J21294 ROPS with seat belts
Double Upstops for Front Cutting

OPERATOR STATION:
Command Arm Operator Controls
One Touch Hand Operated Lift / Lower Joystick

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, NC

1218TC	2500E E-Cut Hybrid Gas Riding Greens Mower	38,259.00
--------	--	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

OPERATOR'S MANUAL

0443	All Other Countries (English / Spanish)	In Base Price
------	---	---------------

WHEELS AND TIRES

1021	Smooth Tires and Wheels (18x10.5-10, 2-ply)	In Base Price
1022	Smooth Tires and Wheels (20x10.00-10, 2 ply)	12.00
1023	Turf Guard Traction Tires and Wheels (20x10.00-10, 2 ply)	43.00
1024	Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	12.00
1040	Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	12.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
WHEELS AND TIRES Continued...			
1149		Less Wheels and Tires	-465.00
DRIVE SYSTEM			
1190		Two-Wheel Drive (2WD) <i>Dealer installed</i>	In Base Price
1192		Rear Wheel Assist - Traditional Parallel System <i>Less aggressive on fine turf, especially during turns</i> <i>Parallel circuit design</i> <i>Dealer installed</i>	2,496.00
1193		Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i> <i>Dealer installed</i>	2,599.00
REEL CUTTING UNITS			
<i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units</i> <i>22-in. (55.9 cm) Cutting Width per Cutting Unit</i> <i>62-in. (157.5 cm) Total Width of Cut</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>			
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	-261.00
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	In Base Price
1212		Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i>	-75.00
1214		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	687.00
1290		Less Cutting Units	-7,116.00
REEL FRONT ROLLERS			
<i>55.9 cm (22-in.) Standard Width Rollers</i>			
1300		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	In Base Price
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	-204.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	Same Price

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...			
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	531.00
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	363.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	363.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	24.00
1390		Less Front Rollers	-711.00
<hr/>			
REEL REAR ROLLERS			
<i>55.9 cm (22-in.) Standard Width Rollers</i>			
1601		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	165.00
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	In Base Price
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	567.00
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	567.00
1690		Less Rear Rollers	-507.00
<hr/>			
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	In Base Price
1403		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	234.00
1408		Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	Same Price
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	-189.00
<hr/>			
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS			
3200		Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS Continued...			
3201		Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches. Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	810.00
3202		Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System. 50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	-117.00
3210		Less Cutting Unit Yokes and Grass Catchers	-1,475.00
<hr/>			
SEAT			
2009		Standard Seat	In Base Price
2010		Deluxe Suspension Seat with Left Side Armrest	365.00
2090		Less Seat	-448.00
<hr/>			
REEL CUTTING UNITS			
9803		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>Complete Set of 3 0.078-in (2 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	7,116.00
9804		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>Complete Set of 3 0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	6,855.00
9818		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>Complete Set of 3 0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers, Motors, and Counterweights</i>	7,803.00
<hr/>			
VERTICAL CUTTING UNITS			
9121		Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3 27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm). Less Motors and Counterweights.</i>	7,041.00

FAIRWAY TENDER CONDITIONER

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FAIRWAY TENDER CONDITIONER Continued...			
9738		Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	1,488.00
9743		FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	3,828.00
GREENS TENDER CONDITIONER			
9742		Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	861.00
FRONT TURF BRUSHES			
9751		Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	624.00
9801		Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	624.00
REAR ROLLER POWER BRUSHES			
9750		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	1,179.00
9791		Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	432.00
ROLLER SCRAPERS			
9756		Smooth Roller Scrapers <i>Set of 3 for either Front or Rear Rollers.</i>	45.00
MISCELLANEOUS			
9805		Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	86.00
MISCELLANEOUS			
9770		Hydraulic Oil Leak Detector	1,416.00
ATTACHMENTS FOR FIELD CONVERSION			
		Bedknives	
	ET17532	Bedknife, 4.8mm Fairway	33.35
	MT7351	Bedknife, 2.0mm Ultra Low Cut	39.40
	ET17534	Bedknife, 2.5mm Tournament	34.67

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
ET17533		Bedknife, 3.2 mm	34.00
ET11066		Bedknife, 3.2 mm with Hardened Insert	33.25
ET17767		Bedknife, Hi-cut Fairway 7.6 mm	35.64
		Cutting Units	
BM25129		(1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	2,511.29
BM25128		(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,538.04
BM25127		(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,444.96
BM25338		(1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	2,783.07
		Miscellaneous	
BM22671		(1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i>	530.71
BM22761		(1) 22 In. Front Rotary Turf Brush	222.56
BM22471		(1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i>	307.09
BM22668		(1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	154.09
BM22995		(1) 22 In. Smooth Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,365.31
BM24730		(1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	222.56
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	420.51
BTC10122		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine.</i>	1,489.44
TCA19547		2"x 22" Machine Grooved Roller Scraper	29.79
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	159.43

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	137.98
BM23080		Cutting Unit Top Shield Extension (Set of 3)	92.01
TCB11356		Cutting Unit Yokes Kit (22") for MY1998-2008	889.17
BUC10223		Cutting Unit Yokes Kit for MY 2009 # Current or QA5 Cutting Units	622.74
BTC10686		Dew Whip with end support bracket <i>Fits 2014 - Current Model Year Gas and All Model Year Diesel.</i>	143.39
BUC10224		Direct Mount Cutting Unit Yoke Kit for MY 2009 # Current or QA5 Cutting Units <i>1 Required for front cutting units to install Direct Mount Grass Catchers.</i>	610.97
BTC10726		Direct Mount Front Grass Catcher <i>2 needed for complete machine for 2500#s. 1 needed for 220 E-Cut Hybrid Walk Greens Mower.</i>	187.26
BM24900		Direct Mount QA5 Grass Catcher Brackets <i>2 Needed for complete machine 2500's.</i>	72.76
TCB11721		Grass Catcher Mounting Kit <i>Set of 3 Mounting Hardware for weight transfer system grass catcher.</i>	148.73
BTC10718		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s Weight Transfer System.</i>	187.26
AMT2978		Height of Cut Gauge Bar	75.20
BUC10429		Leak Detector Kit	1,515.11
BM19746		Light Kit, Front	266.43
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	57.79
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System. 1 Needed for front center location for 7500A Fairway Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i>	51.36
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	166.91
BTC10408		Rear Grass Catcher with Handles <i>1 needed for 2500's, 2 needed for complete machine 7500A.</i>	155.16
BTC11007		Third Wheel Assist Kit (GRIP All-Wheel Drive) <i>MY 17 and prior machines.</i>	2,780.93
BUC10272		Third Wheel Assist Kit (GRIP All-Wheel Drive) <i>MY 18 and later machines.</i>	2,780.93
TCB11167		Third Wheel Assist Kit (Parallel Circuit) <i>MY 17 and prior machines.</i>	2,670.71
BUC10269		Third Wheel Assist Kit (Parallel Circuit) <i>MY 18 and later machines.</i>	2,670.71

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth Floatation	497.56
BTC10841		Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	510.39
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth	510.39
BTC10071		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	510.39
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	543.56
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	156.21
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
		Rollers	
BM18712		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps	253.59
BM18481		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller	253.59
BE23416		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	253.59
BM18480		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i>	180.83
BTC10267		(1) 22 In. 2 In. (5cm) MT Grooved Roller	383.06
BM25317		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	262.11
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	442.99

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Gas Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23566	(1) 2X22" MT SPIRAL Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower
Equipment for Base Machine

<p>ENGINE: 19.6 HP (14.6kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information. 3-cylinder Diesel Liquid Cooled EPA Tier 4 Compliant Single Fuel Tank with 7.9 US gallon (30 L) capacity Up to 30% Fuel Savings at reduced engine throttle (2250 rpm)</p> <p>CHASSIS: Offset Cutting Unit Design 2-post SAE J21294 ROPS with seat belts Double Upstops for Front Cutting Units</p> <p>HYDRAULICS:</p>	<p>Directed mounted hydraulic pumps Hydrostatic traction drive U-Shaped Hydraulic Reservoir Hydraulic Oil Cooler</p> <p>ELECTRICAL: White Box controller Sit-on-Seat Diagnostics On-Board Reel Circuit Diagnostics BCI Group 40 Maintenance Free Battery Brushless Electric Reel Motors 48-Volt, 100-amp Alternator Reel Switch Box for Reel Speed and Direction Control</p> <p>OPERATOR STATION: Command Arm Operator Controls One Touch Hand Operated Lift / Lower Joystick Four Function LED Warning Monitor with Hour Meter Hand Operated Mow / Transport Lever Hand Operated Engine Throttle</p>	<p>Lever Reduced Engine RPM notch Dual Traction Pedals Foot actuated 5-Position Adjustable Tilt Steering Column Integrated Cup Holder and Radio Holder Storage Compartment built into Fuel tank</p> <p>STEERING AND BRAKES: Hydrostatic Power Steering Disc Brakes Foot Operated Parking Brake</p>
---	---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, NC

1197TC	2500E E-Cut Hybrid Diesel Riding Greens Mower	44,775.00
--------	---	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

OPERATOR'S MANUAL

0443	All Other Countries (English / Spanish)	In Base Price
------	---	---------------

WHEELS AND TIRES

1021	Smooth Tires and Wheels (18x10.5-10, 2-ply)	In Base Price
1022	Smooth Tires and Wheels (20x10.00-10, 2 ply)	12.00
1023	Turf Guard Traction Tires and Wheels (20x10.00-10, 2 ply)	43.00
1024	Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	12.00
1040	Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	12.00
1149	Less Wheels and Tires	-465.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
WHEELS AND TIRES Continued...			
DRIVE SYSTEM			
1190		Two-Wheel Drive (2WD) <i>Dealer installed</i>	In Base Price
1192		Rear Wheel Assist - Traditional Parallel System <i>Less aggressive on fine turf, especially during turns</i> <i>Parallel circuit design</i> <i>Dealer installed</i>	2,496.00
1193		Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i> <i>Dealer installed</i>	2,599.00
REEL CUTTING UNITS			
<i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units</i> <i>22-in. (55.9 cm) Cutting Width per Cutting Unit</i> <i>62-in. (157.5 cm) Total Width of Cut</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>			
1201		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	-261.00
1203		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	In Base Price
1212		Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i>	-75.00
1214		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers</i>	687.00
1290		Less Cutting Units	-7,116.00
REEL FRONT ROLLERS			
<i>55.9 cm (22-in.) Standard Width Rollers</i>			
1300		50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	In Base Price
1302		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	-204.00
1304		50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	Same Price
1307		76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps	531.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...			
<i>Not compatible with FTCs / GTCs.</i>			
1324		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1618) on the rear of the cutting unit.</i>	363.00
1325		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1620) on the rear of the cutting unit.</i>	363.00
1327		63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	24.00
1390		Less Front Rollers	-711.00
<hr/>			
REEL REAR ROLLERS			
<i>55.9 cm (22-in.) Standard Width Rollers</i>			
1601		50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	165.00
1602		50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	In Base Price
1618		50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1324) on the front of the cutting unit.</i>	567.00
1620		50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with the same roller (Code 1325) on the front of the cutting unit.</i>	567.00
1690		Less Rear Rollers	-507.00
<hr/>			
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	In Base Price
1403		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	234.00
1408		Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	Same Price
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	-189.00
<hr/>			
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS			
3200		Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	In Base Price
3201		Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded	810.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS Continued...			
One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches.</i> <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>			
3202		Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers <i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System.</i> <i>50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	-117.00
3210		Less Cutting Unit Yokes and Grass Catchers	-1,475.00
SEAT			
2009		Standard Seat	In Base Price
2010		Deluxe Suspension Seat with Left Side Armrest	365.00
2090		Less Seat	-448.00
REEL CUTTING UNITS			
9803		Quick Adjust 5 (QA5) 11-blade Cutting Units <i>Complete Set of 3</i> <i>0.078-in (2 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	7,116.00
9804		Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>Complete Set of 3</i> <i>0.189-in (4.8 mm) adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	6,855.00
9818		Quick Adjust 5 (QA5) 14-blade Cutting Units <i>Complete Set of 3</i> <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i> <i>Less Front and Rear Rollers, Motors, and Counterweights</i>	7,803.00
VERTICAL CUTTING UNITS			
9121		Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3</i> <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i> <i>Less Motors and Counterweights.</i>	7,041.00

FAIRWAY TENDER CONDITIONER

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
9738		FAIRWAY TENDER CONDITIONER Continued... Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	1,488.00
9743		FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	3,828.00
GREENS TENDER CONDITIONER			
9742		Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	861.00
FRONT TURF BRUSHES			
9751		Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	624.00
9801		Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	624.00
REAR ROLLER POWER BRUSHES			
9750		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	1,179.00
9791		Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	432.00
ROLLER SCRAPERS			
9756		Smooth Roller Scrapers <i>Set of 3 for either Front or Rear Rollers.</i>	45.00
MISCELLANEOUS			
9805		Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	86.00
MISCELLANEOUS			
9769		Greens Mower Storage and Convenience Kit <i>Contains Storage Area Pad and Elastic Storage Retainer.</i>	81.00
9770		Hydraulic Oil Leak Detector	1,416.00
ATTACHMENTS FOR FIELD CONVERSION			
		Bedknives	
ET17532		Bedknife, 4.8mm Fairway	33.35

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
MT7351		Bedknife, 2.0mm Ultra Low Cut	39.40
ET17534		Bedknife, 2.5mm Tournament	34.67
ET17533		Bedknife, 3.2 mm	34.00
ET11066		Bedknife, 3.2 mm with Hardened Insert	33.25
ET17767		Bedknife, Hi-cut Fairway 7.6 mm	35.64
Cutting Units			
BM25129		(1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	2,511.29
BM25128		(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,538.04
BM25127		(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,444.96
BM25338		(1) Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with Adjustable 2.0mm Bedknife <i>Front and Rear Rollers, Motors and Counter Weight not included.</i>	2,783.07
Engine			
TCA19916		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	206.93
Miscellaneous			
BM22671		(1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i>	530.71
BM22761		(1) 22 In. Front Rotary Turf Brush	222.56
BM22471		(1) 22 In. Greens Tender Conditioner (GTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive.</i>	307.09
BM22668		(1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	154.09
BM22995		(1) 22 In. Smooth Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,365.31
BM24730		(1) QA5 22 In. Front Rotary DT Brush <i>Brush with helix design and increased bristles; Cannot be used with GTC/FTC. Also need to order Gear Drive.</i>	222.56
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	420.51
BTC10122		(3) 22 Inch Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine.</i>	1,489.44

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCA19547		2"x 22" Machine Grooved Roller Scraper	29.79
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	159.43
AMT2477		Arm Rest Kit (Includes One Arm Rest and Hardware)	137.98
BM23080		Cutting Unit Top Shield Extension (Set of 3)	92.01
TCB11356		Cutting Unit Yokes Kit (22") for MY1998-2008	889.17
BUC10223		Cutting Unit Yokes Kit for MY 2009 # Current or QA5 Cutting Units	622.74
BM19744		Dew Whip Holder Bracket <i>Fits Diesel RGM ONLY.</i>	68.49
BTC10686		Dew Whip with end support bracket <i>Fits 2014 - Current Model Year Gas and All Model Year Diesel.</i>	143.39
BUC10224		Direct Mount Cutting Unit Yoke Kit for MY 2009 # Current or QA5 Cutting Units <i>1 Required for front cutting units to install Direct Mount Grass Catchers.</i>	610.97
BTC10726		Direct Mount Front Grass Catcher <i>2 needed for complete machine for 2500#s. 1 needed for 220 E-Cut Hybrid Walk Greens Mower.</i>	187.26
BM24900		Direct Mount QA5 Grass Catcher Brackets <i>2 Needed for complete machine 2500's.</i>	72.76
TCB11721		Grass Catcher Mounting Kit <i>Set of 3 Mounting Hardware for weight transfer system grass catcher.</i>	148.73
BTC10718		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s Weight Transfer System.</i>	187.26
BM19739		Greens Mower Convenience Kit <i>For Diesel Models ONLY; Contains Storage Area Pad and Elastic Storage Retainer.</i>	86.67
AMT2978		Height of Cut Gauge Bar	75.20
BUC10429		Leak Detector Kit	1,515.11
BM19746		Light Kit, Front	266.43
BM19852		Light Kit, Rear Grass Catcher <i>Mounting Hardware and Wiring with One Light.</i>	57.79
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System. 1 Needed for front center location for 7500A Fairway Mowers. 3 Needed for front 8000 E-Cut Hybrid Fairway Mower.</i>	51.36
BTC10407		Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	166.91

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10408		Rear Grass Catcher with Handles <i>1 needed for 2500's, 2 needed for complete machine 7500A.</i>	155.16
BTC11007		Third Wheel Assist Kit (GRIP All-Wheel Drive) <i>MY 17 and prior machines.</i>	2,780.93
BUC10272		Third Wheel Assist Kit (GRIP All-Wheel Drive) <i>MY 18 and later machines.</i>	2,780.93
TCB11167		Third Wheel Assist Kit (Parallel Circuit) <i>MY 17 and prior machines.</i>	2,670.71
BUC10269		Third Wheel Assist Kit (Parallel Circuit) <i>MY 18 and later machines.</i>	2,670.71
BM19750		Tires and Wheels (18x10.50-10), (3) Smooth Floatation	497.56
BTC10841		Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	510.39
BM19748		Tires and Wheels (20x10.00-10), (3) Smooth	510.39
BTC10071		Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	510.39
BM19749		Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	543.56
BTC10914		Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	156.21
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
		Rollers	
BM18712		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller With Solid End Caps	253.59
BM18481		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller	253.59
BE23416		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	253.59
BM18480		(1) 22 In. 2 In. (5 cm) Diameter Wide Tube/Hollow Smooth Roller <i>For use on Greens.</i>	180.83

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2500E E-Cut Hybrid Diesel Riding Greens Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10267	(1) 22 In. 2 In. (5cm) MT Grooved Roller	383.06
	BM25317	(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	262.11
	BM19817	(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	442.99
	BM23566	(1) 2X22" MT SPIRAL Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06

**JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS**

2653B PrecisionCut Trim and Surrounds Mower
Equipment for Base Machine

ENGINE:
19.6 HP (14.6 kW) per SAE J1995
- Engine hp is provided by the engine manufacturer for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.
3-cylinder IDI Diesel Engine
Liquid Cooled
7.4 US Gallon (28 L) Fuel Capacity

CHASSIS:
2-post SAE J21294 ROPS with Seat Belts

HYDRAULICS:
U-shaped Hydraulic Reservoir

Hydrostatic Traction Drive
Hydraulic Reel Motors
Single Reel Pump
Micro-lap Backlapping Valves with Reel Speed Control and Pressure Compensation
Oil Cooler
GRIP All-Wheel Drive Traction System

ELECTRICAL:
White Box controller with On Board Diagnostics
Sit-On-Seat Diagnostics
BCI Group 40 Maintenance Free Battery

OPERATOR STATION:
Dual traction pedals
Four Function LED Warning

Monitor with Hour Meter
One Touch Hand Operated Lift / Lower Joystick
Hand Operated Engine Throttle Lever
Hand Operated Mow / Transport Lever

STEERING AND BRAKES:
Hydrostatic Power Steering
Hand Operated Parking Brake

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1225TC	2653B PrecisionCut Trim and Surrounds Mower	26,335.00
--------	---	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

OPERATOR'S MANUAL

0443	All Other Countries (English / Spanish)	In Base Price
------	---	---------------

WHEELS AND TIRES

1145	20x10-10 Multi Trac Front Tires with 20x10-8 Turf Trac Rear Tire	275.00
1146	20x12-10 Multi Trac Front Tires with 20x10-8 Turf Trac Rear Tire	375.00
1147	20x10-10 Ribbed Front Tires with 20x10-8 Turf Trac Rear Tire	375.00
1149	Less Front Wheels and Tires <i>20x10-8 Turf Trac Rear Tire will still be included in crate with machine.</i>	In Base Price

REEL CUTTING UNITS

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNITS Continued...			
26 Inch QA7 Cutting Units			
<i>66 cm (26-in.) Width per cutting unit</i>			
<i>182.9 cm (72-in.) Total Width of Cut</i>			
<i>17.8 cm (7-in.) Diameter Cutting Units</i>			
<i>6.3 mm (0.248-in.) Tournament Bedknife</i>			
<i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>			
<i>Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments</i>			
<i>Includes Lift Arms and Yokes</i>			
1204		Quick Adjust 7 (QA7) 5-blade 66 cm (26-in.) Cutting Units	7,867.00
1206		Quick Adjust 7 (QA7) 8-blade 66 cm (26-in.) Cutting Units	8,335.00
1218		Quick Adjust 7 (QA7) 10-blade 66 cm (26-in.) Cutting Units	8,500.00
30 Inch QA7 Cutting Units			
<i>76.2 cm (30-in.) Width per cutting unit</i>			
<i>213.4 cm (84-in.) Total Width of Cut</i>			
<i>17.8 cm (7-in.) Diameter Cutting Units</i>			
<i>15.8 mm (0.622-in.) Standard Bedknife</i>			
<i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>			
<i>Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments</i>			
<i>Includes Lift Arms and Yokes</i>			
1205		Quick Adjust 7 (QA7) 5-blade 76.2 cm (30-in.) Cutting Units	9,154.00
1207		Quick Adjust 7 (QA7) 8-blade 76.2 cm (30-in.) Cutting Units	9,742.00
1290		Less Cutting Units, Front Lift Arms, and Yokes	In Base Price
<hr/>			
REEL FRONT ROLLERS			
26 Inch Front Rollers			
1315		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	1,008.00
1316		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	1,164.00
1317		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	1,371.00
30 Inch Front Rollers			
1318		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	1,434.00
1319		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	1,590.00
1320		76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	1,797.00
1390		Less Front Rollers	In Base Price
<hr/>			
REEL CUTTING UNIT COUNTER WEIGHTS			
1402		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i> <i>Required for all 76.2 cm (30-in.) cutting units.</i>	189.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS Continued...			
1404		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</i>	423.00
1409		Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</i>	189.00
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</i>	In Base Price
<hr/>			
SEAT			
2009		Standard Seat	448.00
2010		Deluxe Suspension Seat with Armrest	813.00
2090		Less Seat	In Base Price
<hr/>			
GRASS CATCHERS			
9736		Grass Catchers and Mounting Hardware for 66 cm (26-in.) QA7 Cutting Units <i>Front mounted grass catchers for front cutting units, rear mounted grass catcher for rear cutting unit. Not compatible with Rear Roller Power Brush. Not compatible with 76.2 cm (30-in.) cutting units.</i>	1,274.00
<hr/>			
FAIRWAY TENDER CONDITIONER			
9741		Fairway Tender Conditioner Shaft and Blades, 66 cm (26-in.) <i>Set of 3. Requires code 9744 (FTC Gear Drive). Not compatible with 76.2 cm (30-in.) cutting units.</i>	1,590.00
9744		FTC Gear Drive <i>Set of 3. Requires code 9741 (Fairway Tender Conditioner Shaft and Blades). Not compatible with 76.2 cm (30-in.) cutting units.</i>	3,828.00
<hr/>			
REAR ROLLER POWER BRUSHES			
9747		Rear Roller Power Brushes <i>Set of 3. Requires Code 9749 (Rear Roller Power Brush Drive). Not compatible with Grass Catchers. Not compatible with 76.2 cm (30-in.) cutting units.</i>	537.00
9749		Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9747 (Rear Roller Power Brushes). Not compatible with Grass Catchers. Not compatible with 76.2 cm (30-in.) cutting units.</i>	1,179.00
<hr/>			
ROLLER SCRAPERS			
9757		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts.</i>	144.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ROLLER SCRAPERS Continued...			
<i>Not compatible with Rear Roller Power Brushes.</i>			
9759		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts.</i>	447.00
9760		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts. Not compatible with FTCs.</i>	411.00
9762		76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts.</i>	195.00
9835		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers for Vertical Cutting Units <i>Set of 3, Front and Rear.</i>	360.00
REEL CUTTING UNITS			
9807		66 cm (26-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	7,323.00
9808		76.2 cm (30-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	8,409.00
9832		66 cm (26-in.) Quick Adjust 7 (QA7) Vertical Cutting Units <i>Complete set of 3. Includes Front Rollers and Yokes. Less Motors and Counterweights.</i>	6,387.00
9844		66 cm (26-in.) Quick Adjust 7 (QA7) 10-blade Cutting Units <i>Complete set of 3. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	7,488.00
ATTACHMENTS FOR FIELD CONVERSION			
Cutting Units			
BUC10072		(1) 26 Inch (66.04 cm) Vertical Cutting Unit with Front and Rear Rollers Less Motors, Cutting unit Yokes and Roller scrapers	2,064.03
BM24124		(1) QA7 Eight Blade 26 In. Cutting Unit with 6.3mm bedknife	2,611.87
BM24126		(1) QA7 Eight Blade 30 In. Cutting Unit	2,999.21
BM24123		(1) QA7 Five Blade 26 In. Cutting Unit with 6.3mm bedknife	2,444.96
BM24125		(1) QA7 Five Blade 30 In. Cutting Unit	2,789.49
BUC10070		(1) QA7 Ten Blade 26 In. Cutting Unit with 6.3mm bedknife	2,670.71
Miscellaneous			
BM22759		(1) 26 In Grass Catcher (3 needed for complete machine) <i>Requires BM18185 Orifice Kit.</i>	349.89

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23005		(1) 26 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i>	146.59
BM22763		(1) Conversion Mounting Kit old Machine to New QA7 Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	77.04
BM22672		(1) QA7 26 In. Fairway Tender Conditioners Shaft and Blades <i>Also need order code 9016 (BM22673).</i>	567.10
BM22669		(1) QA7 26 In. Rear Roller Power Brush <i>Also need order code 9018 (BM22674). NOT Compatible with Grass Catchers.</i>	191.53
BM22674		(1) QA7 26 In. Rear Roller Power Brush Drive	420.51
BM22673		(1) QA7 FTC Gear Drive	1,365.31
BM22764		1) Conversion Mounting Kit 2009 Machine to Old Cutting ESP Cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	74.90
BM17683		26 In. Smooth Roller Scrapers (Set of 3)	154.09
BM18440		30 In. Smooth Roller Scrapers (Set of 3)	208.66
AM117680		Arm Rest Kit	252.02
ET17752		Bedknife Hi-Cut, 26-in 15.8 mm	39.76
BM18185		Grass Catcher Orifice <i>1) Kit Required for installation of Grass Catchers on 2653B, Not required for 7200.</i>	39.59
TCU13823		Height of Cut Gauge Bar	90.82
TCB11353		Lift Arms, Front (26 In. Right Hand and Left Hand)	440.84
TCB11355		Lift Arms, Front (30 In. Right Hand and Left Hand)	613.11
TCB11065		Light Bracket Kit, Front <i>Required to Mount BM19746 Front Light Kit.</i>	96.30
BM19746		Light Kit, Front	266.43
BM22760		Mounting Hardware for 26 In Grass Catcher (set of 3)	273.91
TCB11107		Seat, Deluxe Suspension with Armrests	869.91
TCB11106		Seat, Standard	479.36
TCB11374		Yokes, Front (26 In. Right Hand and Left Hand)	642.00
TCB11373		Yokes, Front (30 In. Right Hand and Left Hand)	813.20
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

2653B PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
BM22721		(1) QA7 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i>	150.87
		Rollers	
BM25318		(1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	260.50
BM17671		(1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller	359.51
BM19818		(1) 26 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	488.99
BM25319		(1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	567.10
BM18439		(1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller	511.46
BM19819		(1) 30 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	640.93

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower
Equipment for Base Machine

3-Cylinder 21.2 HP (15.8 kw)
Diesel Engine eHydro Electronic
Controlled Hydrostatic Drive
(Three) Independent Wheel Motors
GRIP All-Wheel Drive (AWD) Width
On Demand 68-in (173 cm) ; 72-In
(183 cm) Reach Trimming System
with Maximum 14 in. (38 cm) or
20 in. (50.8 cm) Shift Outside
Front Tire with 26 in. (66 cm)
or 30 in. (76 cm) Power Steering
with Straight Track Steering
Cylinder Internal Wet Disc

Brakes (Two) 24x12-12 Turf Trac
Front Drive Tires (One) 24x12-12
Multi Trac Rear Drive Tire
Deluxe Suspension Seat with
Retractable Seatbelt TechControl
Display with built in Machine
Settings Controls and Electrical
Diagnostics One-Touch Lift and
Lower Joystick Control Foot
Activated Tilt Steering Column
(Three) Hydraulic Motors (Three)
QA7 26 in. Cutting Units 2-Post
Roll Over Protection Structure

Command Arm Operator Controls 12
gal. Fuel Capacity John Deere
Golf Operator Videos and All
Products Safety Video DVD Set

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1761TC	7200A PrecisionCut Trim and Surrounds Mower	40,895.00
--------	---	-----------

DESTINATION

001A	United States and Canada	In Base Price
0195	Mexico	Same Price

OPERATOR'S MANUAL

0443	All Other Countries	In Base Price
------	---------------------	---------------

REEL CUTTING UNITS

26 Inch QA7 Cutting Units
Includes Front Lift Arms and Yokes.

1204	(3) QA7 Five Blade 26 in. Cutting Units <i>QA7 7 in. (17.8 cm) Diameter Reels including 26 in. Lift arms and 26 in. Yokes.</i>	-468.00
1206	(3) QA7 Eight Blade 26 in. Cutting Units with 6.3 mm bedknife <i>QA7 7 in. (17.8 cm) Diameter Reels including 26 in. Lift arms and 26 in. Yokes.</i>	In Base Price
1218	(3) QA7 Ten Blade 26 in. Cutting Units with 6.3 mm bedknife <i>QA7 7 in. (17.8 cm) Diameter Reels including 26 in. Lift arms and 26 in. Yokes</i>	165.00

30 Inch QA7 Cutting Units
Includes Front Lift Arms and Yokes.

1205	(3) QA7 Five Blade 30 in. Cutting Units <i>QA7 7 in. (17.8 cm) Diameter Reels including 30 in. Lift arms and 30 in. Yokes.</i>	836.00
1207	(3) QA7 Eight Blade 30 in. Cutting Units <i>QA7 7 in. (17.8 cm) Diameter Reels including 30 in. Lift arms and 30 in. Yokes.</i>	1,424.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1290		REEL CUTTING UNITS Continued... Less Cutting Units, Front Lift Arms, and Yokes	-8,434.00
REEL FRONT ROLLERS			
1315		26 Inch Front Rollers (3) 3 in. (7.6 cm) Diameter Heavy-Duty Smooth Solid Front Rollers	-156.00
1316		(3) 3 in. (7.6 cm) Diameter Heavy-Duty Grooved Disc Front Rollers	In Base Price
1317		(3) 3 in. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps	207.00
1318		30 Inch Front Rollers (3) 3 in. (7.6 cm) Diameter Heavy-Duty Smooth Solid Front Rollers	270.00
1319		(3) 3 in. (7.6 cm) Diameter Heavy-Duty Grooved Disc Front Rollers	426.00
1390		Less Front Rollers	-1,164.00
1320		(3) 3 in. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End	633.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1402		(3) Cutting Unit only Counter Weight Kit <i>Needed for all 30 in. Cutting units and if not installing Rear Roller Power Brush or Greens Tender Conditioner (GTC) Kits on 26 in. Cutting Unit.</i>	In Base Price
1404		(3) Cutting Unit Brush only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26 in. Cutting Unit.</i>	234.00
1409		(3) Fairway Tender Conditioner (FTC) and Greens Tender Conditioner (GTC) only Counter Weight Kit <i>Needed if only installing FTC on 26 in. Cutting Unit.</i>	Same Price
1490		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and Fairway Tender Conditioner (FTC) Kit installed on 26 in. Cutting Unit.</i>	-189.00
GRASS CATCHERS			
9736		Grass Catchers with Mounting Hardware for 26 in. Cutting Unit (Set of Three) <i>Not Compatible if Rear Roller Power Brush Installed.</i>	1,237.00
FAIRWAY TENDER CONDITIONER			
9741		(3) QA7 26 in. Fairway Tender Conditioner Shaft and Blades <i>Requires FTC gear drive.</i>	1,590.00
9744		(3) QA7 FTC Gear Drive <i>Requires FTC shaft and blades</i>	3,828.00
REAR ROLLER POWER BRUSHES			
9747		(3) QA7 26 in. Rear Roller Power Brush	537.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REAR ROLLER POWER BRUSHES Continued...			
<i>Requires order rear roller power brush drive. Not Compatible with Grass Catchers.</i>			
9749		(3) QA7 26 in. Rear Roller Power Brush Drive <i>Requires order Rear roller Power Brush. Not compatible with Grass Catchers.</i>	1,179.00
ROLLER SCRAPERS			
9759		(3) 30 in. 3 in. Diameter Heavy-Duty Grooved Roller Scrapers	447.00
9757		26 in. Smooth Roller Scrapers (Set of Three) <i>Requires (Three) TCA19587 from parts. Not compatible if Rear Roller Power Brush installed.</i>	144.00
9760		(3) 26 in. 3 in. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i>	411.00
9762		30 in. Smooth Roller Scrapers (Set of Three) <i>Requires (Three) TCA19587 from Parts.</i>	195.00
9835		26 In. (66 cm) Smooth Roller Scrapers for Vertical Cutting Units (Set of Three, Front and Rear)	360.00
REEL CUTTING UNITS			
9807		(3) 26 in. 8 Blade QA7 less front rollers	7,323.00
9808		(3) 30 in. 8 Blade QA7 less front rollers	8,409.00
9832		(3) 26 In. (66 cm) Vertical Cutting Units with Front Rollers, Rear Rollers and Yokes, Less Motor	6,387.00
9844		(3) 26 in. 10 Blade QA7 less front rollers	7,488.00
LIGHTING			
9766		Light Kit	292.00
MISCELLANEOUS			
9767		Joystick Kit	1,038.00
9764		Canopy	572.00
ATTACHMENTS FOR FIELD CONVERSION			
Cutting Units			
BM24124		(1) QA7 Eight Blade 26 In. Cutting Unit with 6.3mm bedknife	2,611.87
BM24126		(1) QA7 Eight Blade 30 In. Cutting Unit	2,999.21
BM24123		(1) QA7 Five Blade 26 In. Cutting Unit with 6.3mm bedknife	2,444.96
BM24125		(1) QA7 Five Blade 30 In. Cutting Unit	2,789.49
Miscellaneous			
BM22759		(1) 26 In Grass Catcher (3 needed for complete machine) <i>Requires BM18185 Orifice Kit.</i>	349.89

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23005		(1) 26 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC).</i>	146.59
BM22672		(1) QA7 26 In. Fairway Tender Conditioners Shaft and Blades <i>Also need order code 9016 (BM22673).</i>	567.10
BM22669		(1) QA7 26 In. Rear Roller Power Brush <i>Also need order code 9018 (BM22674). NOT Compatible with Grass Catchers.</i>	191.53
BM22674		(1) QA7 26 In. Rear Roller Power Brush Drive	420.51
BM22673		(1) QA7 FTC Gear Drive	1,365.31
BM17683		26 In. Smooth Roller Scrapers (Set of 3)	154.09
BM18440		30 In. Smooth Roller Scrapers (Set of 3)	208.66
ET17752		Bedknife Hi-Cut, 26-in 15.8 mm	39.76
BTC10338		Canopy	612.04
TCU13823		Height of Cut Gauge Bar	90.82
BTC10393		Joystick Kit	1,110.66
TCB11476		Lift Arms, Front (26 In. Right Hand and Left Hand)	546.77
TCB11477		Lift Arms, Front (30 In. Right Hand and Left Hand)	737.23
BTC10347		Light Kit	312.44
BM22760		Mounting Hardware for 26 In Grass Catcher (set of 3)	273.91
TCB11374		Yokes, Front (26 In. Right Hand and Left Hand)	642.00
TCB11373		Yokes, Front (30 In. Right Hand and Left Hand)	813.20
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
BM22721		(1) QA7 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i>	150.87
		Rollers	
BM25318		(1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	260.50
BM17671		(1) 26 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller	359.51

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7200A PrecisionCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM19818		(1) 26 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	488.99
BM25319		(1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	567.10
BM18439		(1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller	511.46
BM19819		(1) 30 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	640.93

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Equipment for Base Machine

<p>ENGINE: Gross Engine HP 41.6 (31 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control</p>	<p>Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL: 3 Front Work Lights CUTTING UNITS: 100 In. (2.54 m) Cutting Width (5) QA5 7 Blade 22 In. (55.9 cm) Cutting Units with SpeedLink Height of Cut Adjustment System 5 In. (12.7 cm) Diameter Reels with Heavy Section Reel Blades</p>	<p>Adjustable Bedknife with Notch System 2 In. (5.1 cm) Diameter Machined Grooved Solid Front rollers 2 In. (5.1 cm) Diameter Hollow Smooth Rear rollers Rear Cutting Unit Attaching Point Quick-Tatch Cutting Units WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
---	--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1513TC	7500A PrecisionCut Fairway Mower	66,595.00
--------	----------------------------------	-----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other Countries	Same Price

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1201	(5) Quick Adjust 5 (QA5) Seven Blade 22 In. Heavy Section Standard Cutting Units <i>With Adjustable 4.8 mm Bedknife, Less Front And Rear Rollers</i>	In Base Price
1203	(5) Quick Adjust 5 (QA5) Eleven Blade 22 In. Heavy Section Standard Cutting Units <i>With Adjustable 2.0 mm Bedknife, Less Front And Rear Rollers</i>	435.00
1290	Less Cutting Units	-11,425.00

REEL FRONT ROLLERS

1302	(5) 22 In. 2 In. (5cm) Diameter Hollow Smooth Roller	-340.00
1303	(5) 22 In. 2 In. (5cm) Diameter Spiral Grooved Front Rollers	305.00
1304	(5) 22 In. 2 In. (5cm) Diameter Machined Grooved Solid Front Rollers	In Base Price

**JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS**

**7500A PrecisionCut Fairway Mower
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...			
1305		(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	520.00
1307		(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	885.00
1324		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	605.00
1325		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	605.00
1327		(5) 22 In. 2.5 In. (6.35 cm) Heavy Duty Grooved Disc Roller <i>This roller can be used with FTC/GTC kit installed on QA5 cutting unit.</i>	40.00
1390		Less Front Rollers	-1,185.00
REEL REAR ROLLERS			
1602		(5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller	In Base Price
1618		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	945.00
1620		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	945.00
1690		Less Rear Rollers	-845.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(5) QA5 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
1402		(5) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	390.00
1404		(5) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
1408		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i>	-315.00
FAIRWAY TENDER CONDITIONER			
9737		(5) QA5 22" Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	2,480.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
9743		FAIRWAY TENDER CONDITIONER Continued... (5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	6,380.00
GRASS CATCHERS			
9827		(3) FRONT Grass Catchers and Mounting Brackets <i>Note: Order code is for FRONT 3 cutting units only; Must also order Code 9828 OR 9829 for complete machine.</i>	1,014.00
9828		(2) REAR Grass Catchers and Mounting Brackets <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	676.00
9829		(2) REAR Grass Catcher Bail Kit and Grass Catchers <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	654.00
REAR ROLLER POWER BRUSHES			
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	1,965.00
9791		(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	720.00
FRONT TURF BRUSHES			
9751		(5) 22 In. Front Rotary Turf Brush <i>Brush can be used in place of using FTC/GTC Shaft and Blades Kit.</i>	1,040.00
MISCELLANEOUS			
9752		Hydraulic Down Pressure Kit <i>Additional valve added to machine to increase down pressure cutting units.</i>	941.00
ROLLER SCRAPERS			
9756		(5) 22 In. Smooth Roller Scrapers	75.00
VERTICAL CUTTING UNITS			
9122		(5) Vertical Cutting Units with Front and Rear Rollers Less Motors	11,735.00
REEL CUTTING UNITS			
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	11,860.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	11,425.00
TRACTION DRIVE UNIT			
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	4,707.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MISCELLANEOUS			
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	572.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	785.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
ET17532		Bedknife, 4.8mm Fairway	33.35
MT7351		Bedknife, 2.0mm Ultra Low Cut	39.40
ET17534		Bedknife, 2.5mm Tournament	34.67
ET17533		Bedknife, 3.2 mm	34.00
ET11066		Bedknife, 3.2 mm with Hardened Insert	33.25
ET17767		Bedknife, Hi-cut Fairway 7.6 mm	35.64
Cutting Units			
BM25129		(1) QA5 22 In. Vertical Cutting Unit With Front Roller Less Motor	2,511.29
BM25128		(1) QA5 Eleven Blade 22 In. Cutting Unit w/Adjustable 2.0 mm Bedknife, Less Front and Rear Roller & Motor	2,538.04
BM25127		(1) QA5 Seven Blade 22 In. Heavy Section Blade Cutting Unit With Adjustable 4.8 mm Bedknife, Less Yokes, Front and Rear Roller & Motor	2,444.96
Engine			
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	174.07
Miscellaneous			
BM22671		(1) 22 In. Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires GTC/FTC Gear Drive (BM22469).</i>	530.71
BTC10909		(1) 22 In. Front Grass Catcher <i>3 needed for front on 7500A,7500A E-Cut when using Latch kit BTC11010 and BTC11011.</i>	191.53
BM22761		(1) 22 In. Front Rotary Turf Brush	222.56
BTC11038		(1) 22 In. Rear Grass Catcher <i>2 needed for rear locations 7500A,7500A E-Cut when using Latch kit BTC11010 and BTC11011.</i>	191.53
BM22668		(1) 22 In. Rear Roller Power Brush <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	154.09
BM22995		(1) 22 In. Smooth Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,365.31

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	420.51
TCA19547		2"x 22" Machine Grooved Roller Scraper	29.79
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	159.43
BTC10391		4WD Conversion Kit	5,036.49
BTC10338		Canopy	612.04
BTC10217		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	195.81
BTC10719		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	195.81
BTC10605		Grass Catcher Mounting Kit (set of 3) 1 needed per machine <i>Needed for front 3 cutting unit; rear units use rear grass catcher bail kit and catcher.</i>	118.77
BTC10216		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	187.26
BTC10718		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	187.26
TCU13823		Height of Cut Gauge Bar	90.82
BTC10346		Hydraulic Down Pressure Kit	1,006.87
BTC11011		Left Hand Latch Catcher <i>2 needed for front grass catchers; 1 needed for rear grass catcher for 7500A,7500A E-Cut. The 8000A E-Cut requires 2 for front grass catcher and not compatible for rear locations.</i>	170.13
BM24199		QA5 Grass Catcher Side Plate Insert <i>3 Needed for complete machine 2500's. 3 Needed for rear and front center locations for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 5 Needed for 8000 E-Cut Hybrid Fairway Mower.</i>	51.36
BM24372		QA5 Slope Leveling Kit <i>1 per cutting unit.</i>	69.56
BTC10501		Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catcher BTC10408.</i>	200.09

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10408		Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	155.16
BTC11010		Right Hand Latch Catcher <i>1 needed for front grass catchers; 1 needed for rear grass catcher for 7500A,7500A E-Cut. The 8000A E-Cut requires 1 for front grass catcher and not compatible for rear locations.</i>	170.13
BTC10194		Wing Latch Kit <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i>	307.09
		Miscellaneous	
BTC10392		Air-Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	839.96
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	50.00
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
		Rollers	
BM24202		(1) 22 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	180.83
BM18481		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Wide Solid Front Roller	253.59
BE23416		(1) 22 In. 2 In. (5 cm) Diameter Machined Grooved Solid Front Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	253.59
BM19821		(1) 22 In. 2 In. (5 cm) Diameter Spiral Grooved Front Roller	318.86
BTC10267		(1) 22 In. 2 In. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06
BM25317		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	262.11
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	442.99

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23566	(1) 2X22" MT SPIRAL Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	383.06

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower
Equipment for Base Machine

<p>ENGINE: Gross Engine HP 41.6 (31 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control</p>	<p>Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL: 3 Front Work Lights On-Board Electric Backlapping with Adjustable Reel Speed control Five Electric Reel Motors CUTTING UNITS: 100 In. (2.54 m) Cutting Width (5) QA5 7 Blade 22 In. (55.9 cm) Cutting Units with SpeedLink Height of Cut Adjustment System 5 In. (12.7 cm) Diameter Reels with Heavy Section Reel Blades</p>	<p>Adjustable Bedknife with Notch System 2 In. (5.1 cm) Diameter Machined Grooved Solid Front rollers 2 In. (5.1 cm) Diameter Hollow Smooth Rear rollers Rear Cutting Unit Attaching Point Quick-Tatch Cutting Units WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
---	---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1783TC	7500A E-Cut Hybrid Fairway Mower	69,979.00
--------	----------------------------------	-----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other Countries	Same Price

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1201	(5) Quick Adjust 5 (QA5) Seven Blade 22 In. Heavy Section Standard Cutting Units <i>With Adjustable 4.8 mm Bedknife, Less Front And Rear Rollers</i>	In Base Price
1203	(5) Quick Adjust 5 (QA5) Eleven Blade 22 In. Heavy Section Standard Cutting Units <i>With Adjustable 2.0 mm Bedknife, Less Front And Rear Rollers</i>	435.00
1290	Less Cutting Units	-11,425.00

REEL FRONT ROLLERS

1302	(5) 22 In. 2 In. (5cm) Diameter Hollow Smooth Roller	-340.00
1303	(5) 22 In. 2 In. (5cm) Diameter Spiral Grooved Front Rollers	305.00
1304	(5) 22 In. 2 In. (5cm) Diameter Machined Grooved Solid Front Rollers	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...			
1305		(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	520.00
1307		(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	885.00
1324		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	605.00
1325		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	605.00
1327		(5) 22 In. 2.5 In. (6.35 cm) Heavy Duty Grooved Disc Roller <i>This roller can be used with FTC/GTC kit installed on QA5 cutting unit.</i>	40.00
1390		Less Front Rollers	-1,185.00
REEL REAR ROLLERS			
1602		(5) 22 In. 2 In (5cm) Diameter Hollow Smooth Roller	In Base Price
1618		(5) 22 In. 2 In. (5cm) MT Spiral Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	945.00
1620		(5) 22 In. 2 In. (5cm) MT Grooved Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	945.00
1690		Less Rear Rollers	-845.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(5) QA5 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
1402		(5) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	390.00
1404		(5) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
1408		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i>	-315.00
FAIRWAY TENDER CONDITIONER			
9737		(5) QA5 22" Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	2,480.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
9743		FAIRWAY TENDER CONDITIONER Continued... (5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	6,380.00
GRASS CATCHERS			
9827		(3) FRONT Grass Catchers and Mounting Brackets <i>Note: Order code is for FRONT 3 cutting units only; Must also order Code 9828 OR 9829 for complete machine.</i>	1,014.00
9828		(2) REAR Grass Catchers and Mounting Brackets <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	676.00
9829		(2) REAR Grass Catcher Bail Kit and Grass Catchers <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	654.00
REAR ROLLER POWER BRUSHES			
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	1,965.00
9791		(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	720.00
FRONT TURF BRUSHES			
9751		(5) 22 In. Front Rotary Turf Brush <i>Brush can be used in place of using FTC/GTC Shaft and Blades Kit.</i>	1,040.00
MISCELLANEOUS			
9752		Hydraulic Down Pressure Kit <i>Additional valve added to machine to increase down pressure cutting units.</i>	941.00
ROLLER SCRAPERS			
9756		(5) 22 In. Smooth Roller Scrapers	75.00
REEL CUTTING UNITS			
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	11,860.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	11,425.00
TRACTION DRIVE UNIT			
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit. E-Cut Hybrid ONLY Serial numbers below 010126 order and install Harnesses TCA25300 and TCA25301 from parts per DTAC Solution 99986.</i>	4,707.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7500A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		MISCELLANEOUS	
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	572.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	785.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Equipment for Base Machine

<p>ENGINE: Gross Engine HP 41.6 (31 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control</p>	<p>Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL: 3 Front Work Lights CUTTING UNITS: 100 In. (2.54 m) Cutting Width (5) QA7 8 Blade 22 In. (55.9 cm)Cutting Units with SpeedLink Height of Cut Adjustment System 7 In. (17.8 cm) Diameter Reels Reel to Bedknife Adjustment</p>	<p>with Notch System 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Roller 3 In. (7.6 cm) Diameter Smooth Rear Roller Rear Cutting Unit Attaching Point Quick-Tatch Cutting Units WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
---	--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1423TC	7700A PrecisionCut Fairway Mower	70,319.00
--------	----------------------------------	-----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other Countries	Same Price

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1208	(5) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units <i>With 6.3 mm Bedknife Less Front Rollers</i>	In Base Price
1209	(5) Quick Adjust 7 (QA7) Ten Blade 22 In. Cutting Units <i>With 6.3 mm Bedknife, Less Front Rollers</i>	275.00
1290	Less Cutting Units	-13,880.00

REEL FRONT ROLLERS

1305	(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers	In Base Price
1307	(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps	365.00
1390	Less Front Rollers	-1,705.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...			
REEL CUTTING UNIT COUNTER WEIGHTS			
1401		(5) QA7 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
1403		(5) QA7 Reel Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	390.00
1406		(5) QA7 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
1408		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i>	-315.00
TRACTION DRIVE UNIT			
1190		2WD Traction Unit	In Base Price
1191		Factory Installed 4WD Traction Unit	4,592.00
FAIRWAY TENDER CONDITIONER			
9739		(5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires QA7 FTC Gear Drive.</i>	2,700.00
9744		(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	6,380.00
GRASS CATCHERS			
9734		(5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch	1,330.00
REAR ROLLER POWER BRUSHES			
9746		(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	720.00
9749		(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	1,965.00
ROLLER SCRAPERS			
9754		(5) 22 In. 3 In. Diameter Heavy Duty Grooved Disc Roller Scrapers	745.00
9756		(5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i>	215.00
VERTICAL CUTTING UNITS			
9123		(5) QA7 Vertical Cutting Units with Front and Rear Rollers Less Motors	9,620.00
REEL CUTTING UNITS			

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REEL CUTTING UNITS Continued...	
9806		(5) 10-blade QA7 Cutting Units LESS Front Roller	14,155.00
9807		(5) 8-blade QA7 Cutting Units LESS Front Roller	13,880.00
		TRACTION DRIVE UNIT	
9753		4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	4,707.00
		MISCELLANEOUS	
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	572.00
9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	785.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Cutting Units	
BM22461		(1) QA7 Vertical Cutting Units with Front Rollers Less Motors	2,058.69
BM22463		(1) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units Less Front Rollers and Motors	2,970.31
BM24121		(1) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units with 6.3 mm bedknife Less Front Rollers, Motors and counter weight	2,970.31
BM22464		(1) Quick Adjust 7 (QA7) Ten Blade 22 In. Cutting Units Less Front Rollers and Motors	3,029.17
BM24122		(1) Quick Adjust 7 (QA7) Ten Blade 22 In. Cutting Units with 6.3 mm bedknife, Less Front Rollers, Motors and counter weights	3,029.17
		Engine	
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	174.07
		Miscellaneous	
BM22763		(1) Conversion Mounting Kit old Machine to New QA7 Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	77.04
BM22693		(1) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Also need order code 9016 (BM22673).</i>	577.80
BM22712		(1) QA7 22" Rear Roller Power Brush <i>Also need order code 9018 (BM22674).</i>	154.09
BM22674		(1) QA7 26 In. Rear Roller Power Brush Drive	420.51
BM22673		(1) QA7 FTC Gear Drive <i>Also need order code 9015 (BM22693).</i>	1,365.31

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM17684		(5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i>	230.06
BM22764		1) Conversion Mounting Kit 2009 Machine to Old Cutting ESP Cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	74.90
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	159.43
BTC10391		4WD Conversion Kit	5,036.49
AMT663		Bar Gauge Kit	59.37
MT1928		Bedknife, Low-Cut Fairway	40.51
BTC10338		Canopy	612.04
BTC10217		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	195.81
BTC10719		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	195.81
TCB11414		Front Wing Latch Kit (Set of 2) 1 per machine <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i>	238.61
BM22756		Grass Catcher Mounting Kit (set of 5) 1 needed per machine	222.56
BTC10216		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	187.26
BTC10718		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	187.26
TCU13823		Height of Cut Guage Bar	90.82
		Miscellaneous	
BTC10392		Air-Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	839.96
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	50.00
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

7700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM22721	(1) QA7 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i>	150.87
		Rollers	
	BM25317	(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	262.11
	BM19817	(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	442.99

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower
Equipment for Base Machine

ENGINE:
Gross Engine HP 41.6 (31 kW)
Three Cylinder Turbo Tier 4
Diesel Engine
B20 Compatible
TRANSMISSION:
eHydro Electronic controlled
Servo Hydrostatic Drive with
AutoPedal
Three Wheel Drive
Internal Wet Disc Brakes
OPERATOR STATION:
Command Arm with Operator
Controls
Full Suspension Seat with
Armrest and Retractable Seat
Belt
TechControl Display with built
in Machine Settings, Controls,
and Electrical Diagnostics
One-Touch Lift/Lower cutting
unit Joystick control
Rear Cutting Unit Attaching

Point
Foot Activated Tilt Steering
Column
2-Post Roll Over Protection
Structure
HYDRAULICS:
Power Steering with Double
acting steering cylinder
Hydraulic Down Pressure with
mechanical On/Off adjustability
CUTTING UNITS:
80 In. (2.03 m) Cutting Width
(5) QA5 11 Blade 18 In. (45.7
cm) Cutting Units with SpeedLink
Height of Cut Adjustment System
5 In. (12.7 cm) Diameter Reels
with Heavy Section Reel Blades
Adjustable Bedknife with Notch
System
2 In. (5.1 cm) Diameter Machined
Grooved Solid Front Rollers
2 In. (5.1 cm) Diameter Hollow
Smooth Rear Rollers

Quick-Tatch Cutting Units
ELECTRICAL:
3 Front Work Lights
On-Board Electric Backlapping
with Adjustable Reel Speed
control
Five Electric Reel Motors

WHEELS AND TIRES:
24x13 -12 Smooth Front Drive
Tires
24x13 -12 Smooth Rear Steer Tire

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1773TC	8000A E-Cut Hybrid Fairway Mower	65,019.00
--------	----------------------------------	-----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other Countries	Same Price

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1200	(5) Quick Adjust 5 (QA5) Seven Blade 18 In. Heavy Section Standard CuttingUnits <i>With 4.8 mm Bedknife, less Front and Rear Rollers</i>	-1,290.00
1202	(5) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units <i>With 2.0 mm Bedknife, less Front and Rear Rollers</i>	In Base Price
1290	Less Cutting Units	-12,430.00

REEL FRONT ROLLERS

1309	(5) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Front Roller	Same Price
1310	(5) 18 In. 2 In. (5cm) Diameter Grooved Front Rollers	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...			
1311		(5) 18 In. 2 In. (5cm) Spiral Grooved Front Rollers with Spiral end Caps	845.00
1312		(5) 18 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	845.00
1321		(5) 18 In. 2 In. (5 cm) MT Grooved Roller	845.00
1322		(5) 18 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	-180.00
1326		(5) 18 In. 2 In. (5 cm) MT Spiral Roller	465.00
1390		Less Front Rollers	-1,025.00
REEL REAR ROLLERS			
1619		(5) 18 In. 2 In. (5cm) MT Spiral Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	645.00
1621		(5) 18 In. 2 In. (5cm) MT Grooved Roller <i>Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	1,025.00
1622		(5) 18 In 2 In (5cm) Diameter Hollow Smooth Roller	In Base Price
1690		Less Rear Rollers	-845.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1400		(5) QA5 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
1402		(5) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	390.00
1404		(5) QA5 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
1408		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i>	-315.00
FAIRWAY TENDER CONDITIONER			
9740		(5) QA5 18" Fairway Tender Conditioners Shaft (FTC) and Blades <i>Requires QA5 GTC/FTC Gear Drive. Not compatible with 3 In roller option.</i>	2,480.00
9743		(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	6,380.00
GRASS CATCHERS			
9834		(3) FRONT Grass Catchers and Mounting Brackets (2) REAR Grass Catcher Bail Kits and Grass Catchers <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i>	1,798.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REAR ROLLER POWER BRUSHES			
9745		(5) QA5 18 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	720.00
9748		(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	1,965.00
ROLLER SCRAPERS			
9755		(5) 18 In. Smooth Roller Scrapers	75.00
9758		(5) 18 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers <i>Not compatible with Fairway Tender Conditioner option 9740.</i>	655.00
REEL CUTTING UNITS			
9803		(5) 11-blade QA5 Cutting Units LESS Front and Rear Rollers	12,430.00
9804		(5) 7-blade QA5 Cutting Units LESS Front and Rear Rollers	11,140.00
MISCELLANEOUS			
9764		Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	572.00
ATTACHMENTS FOR FIELD CONVERSION			
Bedknives			
MT7350		Bedknife, 2.0 mm Ultra Low-Cut	38.71
MT4846		Bedknife, 2.5 mm Tournament	38.92
ET17751		Bedknife, Hi-cut Fairway 12 mm	39.53
TCU31422		Bedknife, Hi-cut Fairway 7.6 mm	70.11
TCU252299		Bedknife, Lo-cut Fairway 4.8 mm	See Parts
MT3883		Bedknife, Ultra Lo-cut Fairway 6.3 mm	4.40
Cutting Units			
BM25126		(1) Quick Adjust 5 (QA5) Eleven Blade 18 In. Cutting Units with Yokes, less Front and Rear Rollers, Motors and Counter Weight	2,660.01
BM25125		(1) Quick Adjust 5 (QA5) Seven Blade 18 In. Heavy Section Standard Cutting Units with 4.8mm bedknife, Less Front and Rear Rollers, Motors and Counter Weights	2,383.96
Miscellaneous			
TCA19585		(1) 18 In 2 In Grooved Roller Scraper <i>Need to order 5 for completed machine.</i>	10.34
BM23014		(1) 18 In. 3 In. Diameter Heavy Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioner option 9015 (BM22670).</i>	140.17

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC11039		(1) 18 In. Front Grass Catcher <i>3 needed for front on 8000A E-Cut when using Latch kit BTC11010 and BTC11011.</i>	191.53
BTC10717		(1) 18 In. Front Grass Catcher with large paddle clip	204.37
BTC10405		(1) 18 In. Rear Grass Catcher Bail System <i>Requires 2 for complete machine & rear grass catcher.</i>	256.80
BTC10406		(1) 18 In. Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system.</i>	162.64
BTC10214		(1) 18 In. Rear Grass Catcher with large paddle clip	204.37
BM23015		(1) 18 In. Smooth Rear Roller Scraper	16.06
BM22469		(1) GTC/FTC Gear Drive	1,365.31
BM22670		(1) QA5 18 In. Fairway Tender Conditioners Shaft (FTC) and Blades <i>Requires GTC/FTC Gear Drive (BM22469). Not compatible with 3 In roller option 2001 (BM23016).</i>	530.71
BM22667		(1) QA5 18 In. Rear Roller Power Brushes <i>Requires Rear Roller Power Brush Drive (BM22527).</i>	154.09
BM23910		(1) QA5 Grass Catcher Lip Extension <i>This kit extends the front lip of the grass catcher closer to the reel.</i>	9.63
BM22527		(1) Rear Roller Power Brush Drive <i>Requires 22 In. Rear Roller Power Brush (BM22668).</i>	420.51
BTC10338		Canopy	612.04
BTC10605		Grass Catcher Mounting Kit (set of 3) 1 needed per machine <i>Needed for front 3 cutting unit; rear units use rear grass catcher bail kit and catcher.</i>	118.77
TCU13823		Height of Cut Gauge Bar	90.82
BTC11011		Left Hand Latch Catcher <i>2 needed for front grass catchers; 1 needed for rear grass catcher for 7500A,7500A E-Cut. The 8000A E-Cut requires 2 for front grass catcher and not compatible for rear locations.</i>	170.13
BM24199		QA5 Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's. 3 Needed for rear and front center locations for 7500/8500 Fairway Mowers. 1 Needed for 180 & 220 E-Cut Hybrid Walk Greens Mowers. 5 Needed for 8000 E-Cut Hybrid Fairway Mower.</i>	51.36
BM24372		QA5 Slope Leveling Kit <i>1 per cutting unit.</i>	69.56
BTC11010		Right Hand Latch Catcher <i>1 needed for front grass catchers; 1 needed for rear grass catcher for 7500A,7500A E-Cut. The 8000A E-Cut requires 1 for front grass catcher and not compatible for rear locations.</i>	170.13
		Miscellaneous	
TCU25388		UltraTrac Fairway Mower Tire	386.24

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8000A E-Cut Hybrid Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22705		(1) QA5 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	150.87
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
Rollers			
BM24204		(1) 18 In. 2 In. (5 cm) Diameter Hollow Smooth Roller	180.83
BM20561		(1) 18 In. 2 In. (5 cm) Diameter Machined Smooth Solid Roller	219.36
BM22868		(1) 18 In. 2 In. (5cm) Diameter Grooved Front Rollers	219.36
BM22879		(1) 18 In. 2 In. (5cm) Spiral Grooved Front Roller with Spiral end Cap	400.19
TCA19509		(1) 18 In. 3 In (7.6 cm) Diameter Smooth Front or Rear Roller (Hollow) <i>Not compatible with Fairway Tender Conditioners (FTC).</i>	257.22
BM23016		(1) 18 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers <i>Not compatible if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	390.56
BTC10281		(1) 18 in. 2 in. (5cm) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	400.19
BM23567		(1) 2X18" MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	318.86

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower
Equipment for Base Machine

<p>ENGINE: Gross Engine HP 55.6 (41.6 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control</p>	<p>Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability ELECTRICAL: 3 Front Work Lights CUTTING UNITS: 100 In. (2.54 m) Cutting Width (5) QA7 8 Blade 22 In. (55.9 cm)Cutting Units with SpeedLink Height of Cut Adjustment System 7 In. (17.8 cm) Diameter Reels Reel to Bedknife Adjustment</p>	<p>with Notch System 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Roller 3 In. (7.6 cm) Diameter Smooth Rear Roller Rear Cutting Unit Attaching Point Quick-Tatch Cutting Units WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>
---	--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1523TC	8700A PrecisionCut Fairway Mower	75,649.00
--------	----------------------------------	-----------

DESTINATION

001A	United States and Canada	In Base Price
001D	Other Countries	Same Price

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1208	(5) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units <i>With 6.3 mm Bedknife Less Front Rollers</i>	In Base Price
1209	(5) Quick Adjust 7 (QA7) Ten Blade 22 In. Cutting Units <i>With 6.3 mm Bedknife, Less Front Rollers</i>	275.00
1290	Less Cutting Units	-13,880.00

REEL FRONT ROLLERS

1305	(5) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers	In Base Price
1307	(5) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers with Spiral End Caps	365.00
1390	Less Front Rollers	-1,705.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL FRONT ROLLERS Continued...			
REEL CUTTING UNIT COUNTER WEIGHTS			
1401		(5) QA7 Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC/FTC Kits.</i>	In Base Price
1403		(5) QA7 Reel Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on Cutting Unit.</i>	390.00
1406		(5) QA7 Cutting Unit FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	Same Price
1408		Less Counter Weight kit <i>Ordered if Both Rear Roller Power Brush and FTC/GTC Kit installed.</i>	-315.00
FAIRWAY TENDER CONDITIONER			
9739		(5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires QA7 FTC Gear Drive.</i>	2,700.00
9744		(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	6,380.00
GRASS CATCHERS			
9734		(5) Grass Catchers with large paddle clip Mounting Hardware for QA7 Cutting Units and Wing Latch	1,330.00
REAR ROLLER POWER BRUSHES			
9746		(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	720.00
9749		(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	1,965.00
ROLLER SCRAPERS			
9754		(5) 22 In. 3 In. Diameter Heavy Duty Grooved Disc Roller Scrapers	745.00
9756		(5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i>	215.00
VERTICAL CUTTING UNITS			
9123		(5) QA7 Vertical Cutting Units with Front and Rear Rollers Less Motors	9,620.00
REEL CUTTING UNITS			
9806		(5) 10-blade QA7 Cutting Units LESS Front Roller	14,155.00
9807		(5) 8-blade QA7 Cutting Units LESS Front Roller	13,880.00
TRACTION DRIVE UNIT			

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
9753		TRACTION DRIVE UNIT Continued... 4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	4,707.00
9764		MISCELLANEOUS Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	572.00
ATTACHMENTS FOR FIELD CONVERSION			
		Bedknives	
ET17751		Bedknife, Hi-cut Fairway 12 mm	39.53
MT3883		Bedknife, Ultra Lo-cut Fairway 6.3 mm	4.40
		Cutting Units	
BM22461		(1) QA7 Vertical Cutting Units with Front Rollers Less Motors	2,058.69
BM22463		(1) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units Less Front Rollers and Motors	2,970.31
BM24121		(1) Quick Adjust 7 (QA7) Eight Blade 22 In. Cutting Units with 6.3 mm bedknife Less Front Rollers, Motors and counter weight	2,970.31
BM22464		(1) Quick Adjust 7 (QA7) Ten Blade 22 In. Cutting Units Less Front Rollers and Motors	3,029.17
BM24122		(1) Quick Adjust 7 (QA7) Ten Blade 22 In. Cutting Units with 6.3 mm bedknife, Less Front Rollers, Motors and counter weights	3,029.17
		Engine	
TCA19917		B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	174.07
		Miscellaneous	
BM22763		(1) Conversion Mounting Kit old Machine to New QA7 Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	77.04
BM22693		(1) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Also need order code 9016 (BM22673).</i>	577.80
BM22712		(1) QA7 22" Rear Roller Power Brush <i>Also need order code 9018 (BM22674).</i>	154.09
BM22674		(1) QA7 26 In. Rear Roller Power Brush Drive	420.51
BM22673		(1) QA7 FTC Gear Drive <i>Also need order code 9015 (BM22693).</i>	1,365.31
BM17684		(5) 22 In. Smooth Roller Scrapers <i>Requires (5) TCA19587 from parts.</i>	230.06
BM22764		1) Conversion Mounting Kit 2009 Machine to Old Cutting ESP Cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	74.90

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23002		3"X22" GROOVE ROLLER SCRAPER <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's and 5 for Fairway mowers.</i>	159.43
BTC10391		4WD Conversion Kit	5,036.49
AMT663		Bar Gauge Kit	59.37
MT1928		Bedknife, Low-Cut Fairway	40.51
BTC10338		Canopy	612.04
BTC10217		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	195.81
BTC10719		Front High Capacity Catcher with large paddle clip <i>3 needed for front location on Fairway Mowers.</i>	195.81
TCB11414		Front Wing Latch Kit (Set of 2) 1 per machine <i>Needed to Secure Wing Grass Catchers when in Transport Position.</i>	238.61
BM22756		Grass Catcher Mounting Kit (set of 5) 1 needed per machine	222.56
BTC10216		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	187.26
BTC10718		Grass Catcher with large paddle clip (22 Low Profile) <i>2 needed for complete machine for 2500#s. 2 needed for rear locations for Fairway Mowers. 1 needed for 180 & 220 E-Cut Hybrid Walk Greens Mower.</i>	187.26
TCU13823		Height of Cut Gauge Bar	90.82
		Miscellaneous	
BTC10392		Air-Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	839.96
TCU23674		John Deere Golf Operator Videos and All Products Safety Video DVD Set	50.00
		Reel Cutting Unit Counter Weights	
BM22762		(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	67.41
BM22704		(1) QA5 FTC/GTC ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	67.41
BM22721		(1) QA7 Cutting Unit Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 26" Cutting Unit.</i>	150.87

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8700A PrecisionCut Fairway Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Rollers	
BM25317		(1) 22 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller <i>Not compatible if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	262.11
BM19817		(1) 22 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	442.99

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (US/Canada) 130 Inch (3.3 m)
Equipment for Base Machine

Gross Engine HP 55.6 (41.6 kW) Four Cylinder Tier 4 Turbo Diesel Engine B20 Compatible eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Grip Traction 4WD Wheel Drive Power Steering with Double acting steering cylinder Internal Wet Disc Brakes 114 In. (2.90 m) Cutting Width 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires Air Ride Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings Controls and	Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Rear Cutting Unit Attaching Point Foot Activated Tilt Steering Column On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature (5) QA7 30 In. (76 cm) Eight Blade Cutting Units 7 In. (17.8 cm) Diameter Reel to Bedknife with Notch Adjustments and SpeedLink Hieght of Cut System 30 In. (76 cm) 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc	Roller 30 In. (76 cm) 3 In. (7.6 cm) Diameter Smooth Rear Roller 2-Post Roll Over Protection Structure 3 Front Work Lights Command Arm with Operator Controls with Power Charging Port
---	---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1551TC	8900A PrecisionCut Large Area Reel Mower (US/Canada) 130 Inch (3.3 m)	96,995.00
--------	---	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

	30 Inch QA7 Cutting Units	
1205	(5) QA7 Five Blade 30 In. (76.2 cm) Cutting Units <i>Includes cutting unit yokes</i>	-980.00
1207	(5) QA7 Eight Blade 30 In. (76.2 cm) Cutting Units <i>Includes cutting unit yokes</i>	In Base Price
1290	Less Cutting Units <i>Less cutting units and rear yokes. Includes yokes for front 3 cutting units</i>	-14,345.00

REEL FRONT ROLLERS

	30 Inch Front Rollers	
1318	(5) 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Rollers	-260.00
1319	(5) 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Rollers	In Base Price
1329	(5) 3 In. (7.6 cm) Diameter Spiral Grooved Front Rollers With Spiral End Caps	345.00
1390	Less Front Rollers	-2,650.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (US/Canada) 130 Inch (3.3 m)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL CUTTING UNIT COUNTER WEIGHTS			
1402		(5) Cutting Unit ONLY Counter Weight Kit <i>Needed for ALL 30" (76.2 cm) Cutting units and if NOT installing Rear Roller Power Brush or GTC Kits on 26" (66.04 cm) Cutting Unit.</i>	In Base Price
REEL CUTTING UNITS			
9808		(5) 30 In. (76.2 cm) 8 Blade QA7 less front rollers	14,015.00
ROLLER SCRAPERS			
9759		(5) 30 In. (76.2 cm) 3 In. Diameter Heavy Duty Grooved Roller Scrapers	745.00
9762		(6) 30 In. (76.2 cm) Smooth Roller Scrapers <i>Compatible with QA7 Reel. Common kit with 7200A and 2653B. This code provides 2 of kit BM18440 (sets of 3) scraper for a total of 6. Requires TCA19587 from parts for each scraper.</i>	390.00
MISCELLANEOUS			
9833		(5) 30 Inch (76.2 cm) Vertical Cutting Units with Front and Rear Rollers and Cutting Unit Yokes Less Motors	11,900.00
9836		(5) 30 In. (76.2 cm) Smooth Roller Scrapers for Verticut <i>Compatible with 30 In. (76.2 cm) Verticut Only</i>	650.00
MISCELLANEOUS			
9764		(1) Canopy	572.00
ATTACHMENTS FOR FIELD CONVERSION			
Cutting Units			
BUC10077		(1) 30 In. (76.2 cm) Verticut Smooth Roller Scrapers (Front)	69.56
BUC10111		(1) 30 In. (76.2 cm) Verticut Smooth Roller Scrapers (Rear)	69.56
BUC10073		(1) 30 Inch (76.2 cm) Vertical Cutting Unit with Front and Rear Rollers Less Motors, Cutting Unit Yokes and Scrapers	2,370.06
BM24126		(1) QA7 Eight Blade 30 In. Cutting Unit	2,999.21
BM24125		(1) QA7 Five Blade 30 In. Cutting Unit	2,789.49
Miscellaneous			
BM18440		30 In. Smooth Roller Scrapers (Set of 3)	208.66
BTC10338		Canopy	612.04
Reel Cutting Unit Counter Weights			
BM22762		(1) Cutting Unit ONLY Counter Weight Kit	67.41
Rollers			
BM25319		(1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Grooved Disc Front Roller	567.10

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (US/Canada) 130 Inch (3.3 m)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM18439	(1) 30 In. 3 In. (7.6 cm) Diameter Heavy Duty Smooth Solid Front Roller	511.46
	BM19819	(1) 30 In. 3 In. (7.6 cm) Diameter Spiral Grooved Front Roller With Spiral End Caps	640.93

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)
Equipment for Base Machine

ENGINE:
55.6 HP (41.6 kW) - Engine hp is provided by the engine manufacturer for comparison purposes only. Actual operating hp will be less. Refer to engine manufacturer's website for additional information.
Four Cylinder, Turbo-Charged Diesel Engine
EPA Tier 4 Compliant
B20 Compatible

CHASSIS:
2-Post SAE J21294 ROPS with seat belts
Rear Cutting Unit Attaching Point

HYDRAULICS:
eHydro Electronic controlled Servo Hydrostatic Drive with

AutoPedal
GRIP All-Wheel Drive Traction System (4WD)
Five Hydraulic Reel Motors with Quick Removal Feature
On-Board Backlapping with Pressure Compensation and Adjustable Reel Speed control

OPERATOR STATION:
Command Arm with Operator Controls with Power Charging Port
TechControl Display with built in Machine Setting Controls and Electrical Diagnostics
Foot Activated Tilt Steering Column
One-Touch Lift/Lower cutting unit Joystick control
Air Ride Suspension Seat with Armrest and Retractable Seat

Belt
3 Front Work Lights
STEERING AND BRAKES:
Power Steering with Double acting steering cylinder
Internal Wet Disc Brakes
Electronically Actuated Parking Brake

WHEELS AND TIRES:
26.5x14-12 Turf Drive Tires
20x10-8 Turf Steer Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1555TC	8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)	94,815.00
--------	---	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

OPERATOR'S MANUAL

0443	All Other countries (English/Spanish)	In Base Price
------	---------------------------------------	---------------

REEL CUTTING UNITS

1290	Less Cutting Units and Rear Yokes <i>Includes Yokes for Front 3 Cutting Units</i>	-12,485.00
------	--	------------

26 Inch QA7 Cutting Units
66 cm (26-in.) Width per Cutting Unit
2.9 m (114-in.) Width of Cut
17.8 cm (7-in.) Diameter Cutting Units
6.3 mm (0.248-in.) Tournament Bedknife
Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution
Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments
Includes Cutting Unit Yokes

1204	Quick Adjust 7 (QA7) 5-blade 66 cm (26-in.) Cutting Units	-780.00
1206	Quick Adjust 7 (QA7) 8-blade 66 cm (26-in.) Cutting Units	In Base Price
1218	Quick Adjust 7 (QA7) 10-blade 66 cm (26-in.) Cutting Units	275.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REEL FRONT ROLLERS			
1390		Less Front Rollers	-1,940.00
		26 Inch Front Rollers	
1315		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	-260.00
1316		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	In Base Price
1317		66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	345.00
REEL CUTTING UNIT COUNTER WEIGHTS			
1402		Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i>	In Base Price
1404		Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i>	390.00
1409		Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTCs on 66 cm (26-in.) cutting units.</i>	Same Price
1490		Less Cutting Unit Counterweights <i>Select if installing BOTH FTCs and Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i>	-315.00
FAIRWAY TENDER CONDITIONER			
9741		Fairway Tender Conditioner Shaft and Blades, 66 cm (26-in.) <i>Set of 5. Requires code 9744 (FTC Gear Drive).</i>	2,650.00
9744		FTC Gear Drive <i>Set of 5. Requires code 9741 (Fairway Tender Conditioner Shaft and Blades).</i>	6,380.00
GRASS CATCHERS			
9736		Grass Catchers with Mounting Hardware for QA7 26 In. (66.04 cm) Cutting Units <i>Includes Grass catchers, mounting hardware and wing latch kit</i>	1,718.00
REAR ROLLER POWER BRUSHES			
9747		Rear Roller Power Brushes <i>Set of 5. Requires Code 9749 (Rear Roller Power Brush Drive).</i>	895.00
9749		Rear Roller Power Brush Drive <i>Set of 5. Requires Code 9747 (Rear Roller Power Brushes).</i>	1,965.00
REEL CUTTING UNITS			
9807		66 cm (26-in.) Quick Adjust 7 (QA7) 8-blade Cutting Units <i>Complete set of 5. Less Front Rollers, Motors, Counterweights, and Yokes.</i>	12,205.00
9844		66 cm (26-in.) Quick Adjust 7 (QA7) 10-blade Cutting Units <i>Complete set of 5.</i>	12,480.00

JOHN DEERE TURF & UTILITY PRODUCTS
REEL MOWERS

8900A PrecisionCut Large Area Reel Mower (Tier 4) 2.9 m (114-in.)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		REEL CUTTING UNITS Continued... <i>Less Front Rollers, Motors, Counterweights, and Yokes.</i>	
		ROLLER SCRAPERS	
9760		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 5. Requires (5) TCA19587 from parts. Not compatible with FTCs.</i>	685.00
9757		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Provides 2 of kit BM17383 (sets of 3 scrapers) for a total of 6. Requires TCA19587 from parts for each individual scraper. Not compatible with Rear Roller Power Brush installed.</i>	288.00
		MISCELLANEOUS	
9832		66 cm (26-in.) Quick Adjust 7 (QA7) Vertical Cutting Units <i>Complete set of 5. Includes Front Rollers and Yokes. Less Motors and Counterweights.</i>	10,345.00
9835		66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers for Vertical Cutting Units <i>Set of 5, Front and Rear.</i>	600.00
		MISCELLANEOUS	
9764		Canopy	572.00