

JOHN DEERE TURF & UTILITY PRODUCTS

GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck Equipment for Base Machine

POWER SYSTEM
Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with
Replaceable Oil Filter
*24 HP
48 IN. EDGE XTRA CUTTING SYSTEM
Three .79 In. Greaseable
Spindles
Two Front and Two Rear 2.6 In.
Wide Rotatable Anti-Scalp Wheels
No Tools Anti-Scalp Wheel Cut
Height Adjustment
Two, 2.9 In Wide Front
Anti-Scalp Rollers
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
27 In. Uncut Circle Radius
TIRES
16x6.5-8 Front Turf Tires
24x12-12 Rear Turf Tires
STEERING
2 Wheel Low Effort Steering
System

22 In. Turning Radius
Cast Iron Front Axle with
Replaceable Metal Bushings
.75 In. Front Spindles
AUTOMATIC (HYDROSTATIC)
TRANSMISSION
Twin Touch Foot control
Tuff-Torque K72 Transaxle
Internal Wet Disk Brakes
Tow valve
Traction Assist
7.2 mph (11.6 km/h) Forward, 4
mph
(6.4 km/h) Reverse Travel Speed
Cruise Control
OPERATOR STATION
14 In. steering wheel
15 In. Open Back Seat with
Access Grasp, 7 In. Fore-Aft
Adjustment and Adjustable
Suspension
Cup holder
Two Fender Handles
12 Volt Outlet
ELECTRICAL SYSTEM
500 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with
Headlight Switch
Hour Meter
Oil Pressure Indicator
Mower/PTO Light

Seat/PTO Interlock Switches
Reverse Implement Option
Electronic Dash Mounted Fuel
Gauge
MISCELLANEOUS
4.4 US Gallon Fuel Tank Capacity
Welded C-Channel Frame
Rear Hitch Accepts 4 Quik-Tatch
Weights
Electric Mower/Implement PTO
Drive Clutch
Foot Pedal Deck and Implement
Lift System
Adjustable Lift Assist Spring
Heavy Duty Cargo Mount System
*Engine HP is Provided by the
Engine Manufacturer to be Used
for Comparison Purposes Only,
Actual Operating HP will be
Less. Refer to the Engine
Manufacturer's Web Site for
Additional Information

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck

F.O.B. Janesville, WI

480CM	Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck <i>Not Available for Sale in California.</i>	5,899.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

SKU23048	Blades: 48 in Front Blade (X500 M-T) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	780.00
----------	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23448	Manual Angling Kit (48 in Blade X500 M-T)	257.87
	M42868	Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	66.21
		Carts / Hitches:	
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
		Engine:	
	AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
		FRONT MOUNTED THATCHERS:	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21680	14 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	934.11
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-), MY2008- X500 (Serial 030001-), and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
	BM22144	48X HP Power Flow Blower Assembly for 48X Mower with Non-Rotateable Anti-Scalp Wheels (X300/X500 M-T) <i>For use with MY2007 X320 (Serial 040001-085000), X324 (Serial 040001-085000), and the Model X500 M-T Tractor (Serial 020001-030000). Also for use with non-current SKU22194 (48X with Non-Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21682	Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
		Miscellaneous:	
	BM17981	12 Volt Work Light Kit	52.43

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	AM119321	Heavy Duty Skid Shoe (1) <i>For Front Blade. Two required.</i>	57.37
	LG249	Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial -060000).</i>	47.52
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 060001-).</i>	44.27
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
	SKU24195	Mower Deck and Mower Deck Attachments: 48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	M127673	Blade (48C/48X, Mulching)	18.29
	M145476	Blade (48C/48X, Side Discharge)	12.98
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20007	Mulch Kit (48C/48X)	160.50
	LP3301	Order Zone: 125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	399.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP22834	MC542 Material Collection System <i>Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.</i>	1,599.00
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) <i>Requires separate material collection system.</i>	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36741	X500 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY24328	Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520) <i>Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.</i>	1,555.00
	AM136645	Lift Assist Spring	26.62
	AM136692	Winter Grill Cover <i>Used on MY2006 Model X500 (Serial -020000), X520, and MY2006-2010 X534 (serial 010001-060000).</i>	84.58
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
		Spanish North American Kit:	
	BM25362	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X500,X530,X534,X590).</i>	42.80
	BM24927	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X500,X530,X534,X540)</i>	42.80

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor with 48X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Tillers:	
	SKU23030	30 in Mechanical Tiller (X500, X520, X530, X540, X590) <i>See Sales Manual for Ballast Requirements.</i>	1,759.00
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		Wheels and Tires Rear:	
	BM18434	23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	378.79
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

JOHN DEERE TURF & UTILITY PRODUCTS

GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck Equipment for Base Machine

POWER SYSTEM	22 In. Turning Radius	Seat/PTO Interlock Switches
Exclusive Air Intake System	Cast Iron Front Axle with	Reverse Implement Option
V-Twin Engine	Replaceable Metal Bushings	Electronic Dash Mounted Fuel
Overhead Valves	.75 In. Front Spindles	Gauge
Hemispheric Cylinder Head	AUTOMATIC (HYDROSTATIC)	MISCELLANEOUS
V-Valve Technology	TRANSMISSION	4.4 US Gallon Fuel Tank Capacity
Cast Iron Cylinder Liners	Twin Touch Foot control	Welded C-Channel Frame
Full Pressure Lubrication with	Tuff-Torque K72 Transaxle	Rear Hitch Accepts 4 Quik-Tatch
Replaceable Oil Filter	Internal Wet Disk Brakes	Weights
*24 HP	Tow valve	Electric Mower/Implement PTO
54 IN. EDGE XTRA CUTTING SYSTEM	Traction Assist	Drive Clutch
Three .79 In. Greaseable	7.2 mph (11.6 km/h) Forward, 4	Foot Pedal Deck and Implement
Spindles	mph	Lift System
Two Front and Two Rear 2.6 In.	(6.4 km/h) Reverse Travel Speed	Adjustable Lift Assist Spring
Wide Rotatable Anti-Scalp Wheels	Cruise Control	Heavy Duty Cargo Mount System
No Tools Anti-Scalp Wheel	OPERATOR STATION	*Engine HP is Provided by the
Cut Height Adjustment	14 In. steering wheel	Engine Manufacturer to be Used
Two, 2.9 In Wide Front	15 In. Open Back Seat with	for Comparison Purposes Only,
Anti-Scalp Rollers	Access Grasp, 7 In. Fore-Aft	Actual Operating HP will be
4 Point Mounting	Adjustment and Adjustable	Less. Refer to the Engine
Adjustable Down Stop	Suspension	Manufacturer's Web Site for
.25 In. Cut Height Increments	Cup holder	Additional Information.
1 to 4 In. Cutting Heights	Two Fender Handles	
On Board Leveling Gauge	12 Volt Outlet	
Exact Adjust Leveling Ports	ELECTRICAL SYSTEM	
24 In. Uncut Circle Radius	500 CCA Battery	
TIRES	15 Amp Regulated Charging System	
16x6.5-8 Front Turf Tires	Four-Position Key Switch with	
24x12-12 Rear Turf Tires	Headlight Switch	
STEERING	Hour Meter	
2 Wheel Low Effort Steering	Oil Pressure Indicator	
System	Mower/PTO Light	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck

F.O.B. Janesville, WI

480DM	Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck <i>Not Available for Sale in California.</i>	6,199.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

SKU23048	Blades: 48 in Front Blade (X500 M-T) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	780.00
----------	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23448	Manual Angling Kit (48 in Blade X500 M-T)	257.87
	M42868	Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	66.21
		Carts / Hitches:	
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
		Engine:	
	AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
		FRONT MOUNTED THATCHERS:	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21680	14 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	934.11
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-), MY2008- X500 (Serial 030001-), and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
	BM22144	48X HP Power Flow Blower Assembly for 48X Mower with Non-Rotateable Anti-Scalp Wheels (X300/X500 M-T) <i>For use with MY2007 X320 (Serial 040001-085000), X324 (Serial 040001-085000), and the Model X500 M-T Tractor (Serial 020001-030000). Also for use with non-current SKU22194 (48X with Non-Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21682	Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Miscellaneous:	
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	AM119321	Heavy Duty Skid Shoe (1) <i>For Front Blade. Two required.</i>	57.37
	LG249	Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial -060000).</i>	47.52
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 060001-).</i>	44.27
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
		Mower Deck and Mower Deck Attachments:	
	SKU21897	54 in Edge Xtra Deck (54X)	1,300.00
	M152726	Blade (54C/54X, High Lift)	19.59
	M145516	Blade (54C/54X, Mulching)	19.77
	M143520	Blade (54C/54X, Side Discharge)	16.77
	BM20985	Leaf Bagging Kit (54C/54X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	126.26
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20827	Mulch Kit (54C/54D/54X)	217.21
		Order Zone:	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	399.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP22834	MC542 Material Collection System <i>Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.</i>	1,599.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) <i>Requires separate material collection system.</i>	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36741	X500 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY24328	Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520) <i>Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.</i>	1,555.00
	AM136645	Lift Assist Spring	26.62
	AM136692	Winter Grill Cover <i>Used on MY2006 Model X500 (Serial -020000), X520, and MY2006-2010 X534 (serial 010001-060000).</i>	84.58

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor with 54X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
	BM25362	Spanish North American Kit: Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X500,X530,X534,X590).</i>	42.80
	BM24927	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X500,X530,X534,X540)</i>	42.80
	SKU23030	Tillers: 30 in Mechanical Tiller (X500, X520, X530, X540, X590) <i>See Sales Manual for Ballast Requirements.</i>	1,759.00
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	378.79
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

JOHN DEERE TURF & UTILITY PRODUCTS

GARDEN TRACTORS

Select Series X530 Multi-Terrain Tractor with 54X Edge Xtra Deck Equipment for Base Machine

POWER SYSTEM
Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with Replaceable Oil Filter
*24 HP
54 IN. EDGE XTRA CUTTING SYSTEM
Three .79 In. Greaseable Spindles
Two Front and Two Rear 2.6 In. Wide Rotatable Anti-Scalp Wheels
No Tools Anti-Scalp Wheel Cut Height Adjustment
Two, 2.9 In Wide Front Anti-Scalp Rollers
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
24 In. Uncut Circle Radius
TIRES
16x6.5-8 Front Turf Tires
24x12-12 Rear HDAP Tires
STEERING
2 Wheel Low Effort Steering

System
Hydraulic Power Steering
22 In. Turning Radius
Cast Iron Front Axle with Replaceable Metal Bushings
1 In. Front Spindles
AUTOMATIC (HYDROSTATIC)
TRANSMISSION
Twin Touch Foot control
Tuff-Torque K72 Transaxle
Internal Wet Disk Brakes
Tow valve
Traction Assist
7.2 mph (11.6 km/h) Forward, 4 mph (6.4 km/h) Reverse Travel Speed
Cruise Control
OPERATOR STATION
14 In. steering wheel
15 In. Open Back Seat with Access Grasp, 7 In. Fore-Aft Adjustment and Adjustable Suspension
Cup holder
Two Fender Handles
12 Volt Outlet
ELECTRICAL SYSTEM
500 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with Headlight Switch
Hour Meter

Oil Pressure Indicator
Mower/PTO Light
Seat/PTO Interlock Switches
Reverse Implement Option
Electronic Dash Mounted Fuel Gauge
MISCELLANEOUS
4.4 US Gallon Fuel Tank Capacity
Welded C-Channel Frame
Rear Hitch Accepts 4 Quik-Tatch Weights
Electric Mower/Implement PTO Drive Clutch
Hydraulic Power Deck and Implement Lift System
Heavy Duty Cargo Mount System
*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X530 Multi-Terrain Tractor with 54X Edge Xtra Deck

F.O.B. Janesville, WI

4843M	Select Series X530 Multi-Terrain Tractor with 54X Edge Xtra Deck <i>Not Available for Sale in California.</i>	6,999.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

SKU23048	Blades: 48 in Front Blade (X500 M-T) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	780.00
----------	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X530 Multi-Terrain Tractor with 54X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23448	Manual Angling Kit (48 in Blade X500 M-T)	257.87
	M42868	Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	66.21
		Carts / Hitches:	
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
		Engine:	
	AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
		FRONT MOUNTED THATCHERS:	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21680	14 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	934.11
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	541.41
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21682	Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
		Miscellaneous:	
	BM17981	12 Volt Work Light Kit	52.43
	BM19406	Adjustable Skid Shoes <i>For 42 In. Hydraulic Tiller</i>	228.99
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X530 Multi-Terrain Tractor with 54X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	AM119321	Heavy Duty Skid Shoe (1) <i>For Front Blade. Two required.</i>	57.37
	LG249	Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial -060000).</i>	47.52
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 060001-).</i>	44.27
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
		Mower Deck and Mower Deck Attachments:	
	SKU21897	54 in Edge Xtra Deck (54X)	1,300.00
	M152726	Blade (54C/54X, High Lift)	19.59
	M145516	Blade (54C/54X, Mulching)	19.77
	M143520	Blade (54C/54X, Side Discharge)	16.77
	BM20985	Leaf Bagging Kit (54C/54X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	126.26
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20827	Mulch Kit (54C/54D/54X)	217.21
		Order Zone:	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X530 Multi-Terrain Tractor with 54X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP22835	Integral Hitch, Power	399.00
	LP22834	MC542 Material Collection System <i>Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.</i>	1,599.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) <i>Requires separate material collection system.</i>	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36741	X500 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY24328	Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
		Snow Blowers:	
	SKU23047	47 In. Snow Blower (X530, X534, X540, X590) <i>Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.</i>	1,755.00
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
		Spanish North American Kit:	
	BM25362	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X500,X530,X534,X590).</i>	42.80
	BM24927	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X500,X530,X534,X540)</i>	42.80
		Tillers:	
	SKU23030	30 in Mechanical Tiller (X500, X520, X530, X540, X590) <i>See Sales Manual for Ballast Requirements.</i>	1,759.00
	SKU23042	42 In. Hydraulic Tiller (X530, X540, X590) <i>See Sales Manual for Ballast Requirements.</i>	2,599.00

Weights:

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X530 Multi-Terrain Tractor with 54X Edge Xtra Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		Wheels and Tires Rear:	
	BM18434	23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	378.79
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

JOHN DEERE TURF & UTILITY PRODUCTS

GARDEN TRACTORS

Select Series X534 Multi-Terrain Tractor Less Deck Equipment for Base Machine

JOHN DEERE iTORQUE POWER SYSTEM
Exclusive Air Intake System
V-Twin Engine
Overhead Valves
Hemispheric Cylinder Head
V-Valve Technology
Cast Iron Cylinder Liners
Full Pressure Lubrication with Replaceable Oil Filter
*24 HP
LESS MOWER STANDARD
OPTIONAL 48 IN. or 54 IN. EDGE XTRA CUTTING SYSTEM
Three .79 In. Greaseable Spindles
Two Front and Two Rear 2.6 In. Wide Anti-Scalp Wheels
No Tools Anti-Scalp Wheel Cut Height Adjustment
Two, 2.9 In Wide Front Anti-Scalp Rollers
4 Point Mounting
Adjustable Down Stop
.25 In. Cut Height Increments
1 to 4 In. Cutting Heights
On Board Leveling Gauge
Exact Adjust Leveling Ports
14 In. Uncut Circle Radius with 48 In. Mower
13 In. Uncut Circle Radius with 54 In. Mower
TIRES
16x6.5-8 Front Turf Tires

24x9.5-12 Rear Turf Tires
STEERING
4 Wheel Low Effort Steering System
Hydraulic Power Steering
27 In. Turning Radius
Cast Iron Front Axle with Replaceable Metal Bushings
1 In. Front Spindles
AUTOMATIC (HYDROSTATIC) TRANSMISSION
Twin Touch Foot control
Tuff-Torque K72 Transaxle
Internal Wet Disk Brakes
Tow valve
Traction Assist
7.2 mph (11.6 km/h) Forward, 4 mph (6.4 km/h) Reverse Travel Speed
Cruise Control
OPERATOR STATION
14 In. steering wheel
5-Position Tilt Steering Wheel
21 In. High Back Seat with 7 In. Fore-Aft Adjustment and Adjustable Suspension
Cup holder
Two Fender Handles
12 Volt Outlet
ELECTRICAL SYSTEM
500 CCA Battery
15 Amp Regulated Charging System
Four-Position Key Switch with

Headlight Switch
Hour Meter
Oil Pressure Indicator
Mower/PTO Light
Seat/PTO Interlock Switches
Reverse Implement Option
Electronic Dash Mounted Fuel Gauge
MISCELLANEOUS
4.5 US Gallon Fuel Tank Capacity
Welded C-Channel Frame
Optional Rear Weight Bracket
Accepts 4 Quick Tatch Weights
Electric Mower/Implement PTO Drive Clutch
Hydraulic Power Deck and Implement Lift System
Heavy Duty Cargo Mount System
*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less. Refer to the Engine Manufacturer's Web Site for Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X534 Multi-Terrain Tractor Less Deck

F.O.B. Janesville, WI

4827M	Select Series X534 Multi-Terrain Tractor Less Deck <i>Not Available for Sale in California.</i>	6,499.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
0195	Mexico	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X534 Multi-Terrain Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Blades:	
	SKU23048	48 in Front Blade (X500 M-T) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	780.00
	BM23448	Manual Angling Kit (48 in Blade X500 M-T)	257.87
	M42868	Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	66.21
		Carts / Hitches:	
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
		Engine:	
	AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
		FRONT MOUNTED THATCHERS:	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21680	14 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	934.11
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-), MY2008- X500 (Serial 030001-), and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21682	Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
		Miscellaneous:	
	BM17981	12 Volt Work Light Kit	52.43

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X534 Multi-Terrain Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23761	Adjustment Armrest Kit <i>For use with MY2011- (SN 060001-) X534 and X540).</i>	77.04
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	AM119321	Heavy Duty Skid Shoe (1) <i>For Front Blade. Two required.</i>	57.37
	LG249	Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial -060000).</i>	47.52
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 060001-).</i>	44.27
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
		Mower Deck and Mower Deck Attachments:	
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	SKU21897	54 in Edge Xtra Deck (54X)	1,300.00
	M127673	Blade (48C/48X, Mulching)	18.29
	M145476	Blade (48C/48X, Side Discharge)	12.98
	M152726	Blade (54C/54X, High Lift)	19.59
	M145516	Blade (54C/54X, Mulching)	19.77
	M143520	Blade (54C/54X, Side Discharge)	16.77
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	BM20985	Leaf Bagging Kit (54C/54X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	126.26
	AM130907	Mower Deck Leveling Gauge	6.95

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X534 Multi-Terrain Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM20007	Mulch Kit (48C/48X)	160.50
	BM20827	Mulch Kit (54C/54D/54X)	217.21
		Order Zone:	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP22835	Integral Hitch, Power	399.00
	LP22834	MC542 Material Collection System <i>Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.</i>	1,599.00
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) <i>Requires separate material collection system.</i>	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36741	X500 Series Weather Enclosure	426.99
		Seats / Wheels / Tires:	
	TY26227	Tire Chains (Pair) for 23x9.5-12 or 24x9.5-12 tires on X534	90.48
		Snow Blowers:	
	SKU23047	47 In. Snow Blower (X530, X534, X540, X590) <i>Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.</i>	1,755.00
	AM136692	Winter Grill Cover <i>Used on MY2006 Model X500 (Serial -020000), X520, and MY2006-2010 X534 (serial 010001-060000).</i>	84.58

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X534 Multi-Terrain Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
	BM25362	Spanish North American Kit: Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X500,X530,X534,X590).</i>	42.80
	BM24927	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X500,X530,X534,X540)</i>	42.80
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM24011	Weight Bracket, Rear (X304, X324, X534) <i>Allows installation of R66949 Quik-Tatch Weights</i>	89.89
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

GARDEN TRACTORS

Select Series X590 Multi-Terrain Tractor with 54X Edge Xtra Deck Equipment for Base Machine

POWER SYSTEM	Hydraulic Power Steering	Seat/PTO Interlock Switches
Exclusive Air Intake System	22 In. Turning Radius	Reverse Implement Option
V-Twin EFI Engine	Cast Iron Front Axle with	Electronic Dash Mounted Fuel
Constant Speed Governor	Replaceable Metal Bushings	Gauge
Overhead Valves	1 In. Front Spindles	MISCELLANEOUS
Hemispheric Cylinder Head	AUTOMATIC (HYDROSTATIC)	4.4 US Gallon Fuel Tank Capacity
V-Valve Technology	TRANSMISSION	Welded C-Channel Frame
Cast Iron Cylinder Liners	Twin Touch Foot control	Rear Hitch Accepts 4 Quik-Tatch
Full Pressure Lubrication with	Tuff-Torque K72 Transaxle	Weights
Replaceable Oil Filter	Internal Wet Disk Brakes	Front Bumper Accepts 4
*25.5 HP	Tow valve	Quik-Tatch Weights
54 IN. EDGE XTRA CUTTING SYSTEM	Traction Assist	Electric Mower/Implement PTO
Three .79 In. Greaseable	7.2 mph (11.6 km/h) Forward, 4	Drive Clutch
Spindles	mph	Hydraulic Power Deck and
Two Front and Two Rear 2.6 In.	(6.4 km/h) Reverse Travel Speed	Implement Lift System
Wide Rotatable Anti-Scalp	Cruise Control	Heavy Duty Cargo Mount System
Wheels	OPERATOR STATION	*Engine HP is Provided by the
No Tools Anti-Scalp Wheel Cut	14 In. steering wheel	Engine Manufacturer to be Used
Height Adjustment	5-Position Tilt Steering Wheel	for Comparison Purposes Only,
Two, 2.9 In Wide Front	21 In. High Back Seat with	Actual Operating HP will be
Anti-Scalp Rollers	7 In. Fore-Aft	Less. Refer to the Engine
4 Point Mounting	Adjustment and Adjustable	Manufacturer's Web Site for
Adjustable Down Stop	Suspension	Additional Information.
.25 In. Cut Height Increments	Cup holder	
1 to 4 In. Cutting Heights	Two Fender Handles	
On Board Leveling Gauge	12 Volt Outlet	
Exact Adjust Leveling Ports	ELECTRICAL SYSTEM	
24 In. Uncut Circle Radius	500 CCA Battery	
TIRES	15 Amp Regulated Charging System	
16x6.5-8 Front Turf Tires	Four-Position Key Switch with	
24x12-12 Rear HDAP Tires	Headlight Switch	
STEERING	Hour Meter	
2 Wheel Low Effort Steering	Oil Pressure Indicator	
System	Mower/PTO Light	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X590 Multi-Terrain Tractor with 54X Edge Xtra Deck

F.O.B. Janesville, WI

4860M	Select Series X590 Multi-Terrain Tractor with 54X Edge Xtra Deck <i>Not Available for Sale in California.</i>	7,799.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Blades:

SKU23048	48 in Front Blade (X500 M-T) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	780.00
BM23448	Manual Angling Kit (48 in Blade X500 M-T)	257.87

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X590 Multi-Terrain Tractor with 54X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	M42868	Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	66.21
		Carts / Hitches:	
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
		Engine:	
	AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
		FRONT MOUNTED THATCHERS:	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21680	14 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	934.11
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	541.41
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21682	Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
		Miscellaneous:	
	BM17981	12 Volt Work Light Kit	52.43
	BM19406	Adjustable Skid Shoes <i>For 42 In. Hydraulic Tiller</i>	228.99
	BM23761	Adjustment Armrest Kit <i>For use with MY2011- (SN 060001-) X534 and X540).</i>	77.04
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X590 Multi-Terrain Tractor with 54X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	AM119321	Heavy Duty Skid Shoe (1) <i>For Front Blade. Two required.</i>	57.37
	LG265	Home Maintenance Kit	44.27
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
		Mower Deck and Mower Deck Attachments:	
	SKU21897	54 in Edge Xtra Deck (54X)	1,300.00
	M152726	Blade (54C/54X, High Lift)	19.59
	M145516	Blade (54C/54X, Mulching)	19.77
	M143520	Blade (54C/54X, Side Discharge)	16.77
	BM20985	Leaf Bagging Kit (54C/54X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	126.26
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20827	Mulch Kit (54C/54D/54X)	217.21
		Order Zone:	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP31357	Integral Hitch, Mechanical	320.00

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X590 Multi-Terrain Tractor with 54X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP22835	Integral Hitch, Power	399.00
	LP22834	MC542 Material Collection System <i>Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.</i>	1,599.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) <i>Requires separate material collection system.</i>	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36741	X500 Series Weather Enclosure	426.99
		Seats / Wheels / Tires:	
	TY24328	Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
		Snow Blowers:	
	SKU23047	47 In. Snow Blower (X530, X534, X540, X590) <i>Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent intake icing. Also order M158756 Spring and M174506 belt when used on model X590.</i>	1,755.00
	AM145350	Winter Grill Cover	91.38
		Spanish North American Kit:	
	BM25362	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X500,X530,X534,X590).</i>	42.80
		Tillers:	
	SKU23030	30 in Mechanical Tiller (X500, X520, X530, X540, X590) <i>See Sales Manual for Ballast Requirements.</i>	1,759.00
	SKU23042	42 In. Hydraulic Tiller (X530, X540, X590) <i>See Sales Manual for Ballast Requirements.</i>	2,599.00
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X590 Multi-Terrain Tractor with 54X Edge Xtra Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Wheels and Tires Rear:	
	BM18434	23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	378.79
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

JOHN DEERE TURF & UTILITY PRODUCTS

GARDEN TRACTORS

Select Series X590 Multi-Terrain Tractor Less Deck Equipment for Base Machine

POWER SYSTEM	24x12-12 Rear Turf Tires	Hour Meter
Exclusive Air Intake System	STEERING	Oil Pressure Indicator
V-Twin EFI Engine	2 Wheel Low Effort Steering	Mower/PTO Light
Constant Speed Governor	System	Seat/PTO Interlock Switches
Overhead Valves	Hydraulic Power Steering	Reverse Implement Option
Hemispheric Cylinder Head	22 In. Turning Radius	Electronic Dash Mounted Fuel
V-Valve Technology	Cast Iron Front Axle with	Gauge
Cast Iron Cylinder Liners	Replaceable Metal Bushings	MISCELLANEOUS
Full Pressure Lubrication with	1 In. Front Spindles	4.4 US Gallon Fuel Tank Capacity
Replaceable Oil Filter	AUTOMATIC (HYDROSTATIC)	Welded C-Channel Frame
*25.5 HP	TRANSMISSION	Rear Hitch Accepts 4 Quik-Tatch
LESS MOWER STANDARD	Twin Touch Foot control	Weights
OPTIONAL 48 IN. or 54 IN. EDGE	Tuff-Torque K72 Transaxle	Front Bumper Accepts 4
XTRA CUTTING SYSTEM	Internal Wet Disk Brakes	Quik-Tatch Weights
Three .79 In. Greaseable	Tow valve	Electric Mower/Implement PTO
Spindles	Traction Assist	Drive Clutch
Two Front and Two Rear 2.6 In.	7.2 mph (11.6 km/h) Forward, 4	Hydraulic Power Deck and
Wide Rotatable Anti-Scalp	mph	Implement Lift System
Wheels	(6.4 km/h) Reverse Travel Speed	Heavy Duty Cargo Mount System
No Tools Anti-Scalp Wheel Cut	Cruise Control	*Engine HP is Provided by the
Height Adjustment	OPERATOR STATION	Engine Manufacturer to be Used
Two, 2.9 In Wide Front	14 In. steering wheel	for Comparison Purposes Only,
Anti-Scalp Rollers	5-Position Tilt Steering Wheel	Actual Operating HP will be
4 Point Mounting	21 In. High Back Seat with	Less. Refer to the Engine
Adjustable Down Stop	7 In. Fore-Aft	Manufacturer's Web Site for
.25 In. Cut Height Increments	Adjustment and Adjustable	Additional Information.
1 to 4 In. Cutting Heights	Suspension	
On Board Leveling Gauge	Cup holder	
Exact Adjust Leveling Ports	Two Fender Handles	
24 In. Uncut Circle Radius	12 Volt Outlet	
with 54X Mower	ELECTRICAL SYSTEM	
27 In. Uncut Circle Radius	500 CCA Battery	
with 48X Mower	15 Amp Regulated Charging System	
TIRES	Four-Position Key Switch with	
16x6.5-8 Front Turf Tires	Headlight Switch	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Select Series X590 Multi-Terrain Tractor Less Deck

F.O.B. Janesville, WI

4861M	Select Series X590 Multi-Terrain Tractor Less Deck <i>Not Available for Sale in California.</i>	6,599.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Blades:		
SKU23048	48 in Front Blade (X500 M-T) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	780.00
BM23448	Manual Angling Kit (48 in Blade X500 M-T)	257.87
M42868	Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	66.21

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X590 Multi-Terrain Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Carts / Hitches:	
	PM05101	Ball Mount - 1.875 in. (48mm)	11.03
		Engine:	
	AM135845	Spark Arrester Muffler Screen (X300s, X500 M-Ts)	48.95
		FRONT MOUNTED THATCHERS:	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21680	14 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	934.11
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	541.41
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21682	Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
		Miscellaneous:	
	BM17981	12 Volt Work Light Kit	52.43
	BM19406	Adjustable Skid Shoes <i>For 42 In. Hydraulic Tiller</i>	228.99
	BM23761	Adjustment Armrest Kit <i>For use with MY2011- (SN 060001-) X534 and X540).</i>	77.04
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X590 Multi-Terrain Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM119321	Heavy Duty Skid Shoe (1) <i>For Front Blade. Two required.</i>	57.37
	LG265	Home Maintenance Kit	44.27
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
		Mower Deck and Mower Deck Attachments:	
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	SKU21897	54 in Edge Xtra Deck (54X)	1,300.00
	M127673	Blade (48C/48X, Mulching)	18.29
	M145476	Blade (48C/48X, Side Discharge)	12.98
	M152726	Blade (54C/54X, High Lift)	19.59
	M145516	Blade (54C/54X, Mulching)	19.77
	M143520	Blade (54C/54X, Side Discharge)	16.77
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	BM20985	Leaf Bagging Kit (54C/54X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	126.26
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20007	Mulch Kit (48C/48X)	160.50
	BM20827	Mulch Kit (54C/54D/54X)	217.21
		Order Zone:	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X590 Multi-Terrain Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP22835	Integral Hitch, Power	399.00
	LP22834	MC542 Material Collection System <i>Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.</i>	1,599.00
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) <i>Requires separate material collection system.</i>	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36741	X500 Series Weather Enclosure	426.99
		Seats / Wheels / Tires:	
	TY24328	Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
		Snow Blowers:	
	SKU23047	47 In. Snow Blower (X530, X534, X540, X590) <i>Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent intake icing. Also order M158756 Spring and M174506 belt when used on model X590.</i>	1,755.00
	AM145350	Winter Grill Cover	91.38
		Spanish North American Kit:	
	BM25362	Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X500,X530,X534,X590).</i>	42.80
		Tillers:	
	SKU23030	30 in Mechanical Tiller (X500, X520, X530, X540, X590) <i>See Sales Manual for Ballast Requirements.</i>	1,759.00
	SKU23042	42 In. Hydraulic Tiller (X530, X540, X590) <i>See Sales Manual for Ballast Requirements.</i>	2,599.00
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X590 Multi-Terrain Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		Wheels and Tires Rear:	
	BM18434	23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	378.79
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

JOHN DEERE TURF & UTILITY PRODUCTS

GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor Less Deck, California Model

Equipment for Base Machine

JOHN DEERE iTORQUE POWER SYSTEM
 Exclusive Air Intake System
 V-Twin Engine
 Overhead Valves
 Hemispheric Cylinder Head
 V-Valve Technology
 Cast Iron Cylinder Liners
 Full Pressure Lubrication with
 Replaceable Oil Filter
 *24 HP
 LESS MOWER STANDARD
 OPTIONAL 48 IN. or 54 IN. EDGE
 XTRA CUTTING SYSTEM
 Three .79 In. Greaseable
 Spindles
 Two Front and Two Rear 2.6 In.
 Wide Anti-Scalp Wheels
 No Tools Anti-Scalp Wheel Cut
 Height Adjustment
 Two, 2.9 In Wide Front
 Anti-Scalp Rollers
 4 Point Mounting
 Adjustable Down Stop
 .25 In. Cut Height Increments
 1 to 4 In. Cutting Heights
 On Board Leveling Gauge
 Exact Adjust Leveling Ports
 24 In. Uncut Circle Radius
 with 54X Mower
 27 In. Uncut Circle Radius
 with 48X Mower
 TIRES
 16x6.5-8 Front Turf Tires
 24x12-12 Rear Turf Tires

STEERING
 2 Wheel Low Effort Steering
 System
 22 In. Turning Radius
 Cast Iron Front Axle with
 Replaceable Metal Bushings
 .75 In. Front Spindles
 AUTOMATIC (HYDROSTATIC)
 TRANSMISSION
 Twin Touch Foot control
 Tuff-Torque K72 Transaxle
 Internal Wet Disk Brakes
 Tow valve
 Traction Assist
 7.2 mph (11.6 km/h) Forward, 4
 mph
 (6.4 km/h) Reverse Travel Speed
 Cruise Control
 OPERATOR STATION
 14 In. steering wheel
 15 In. Open Back Seat with
 Access Grasp, 7 In. Fore-Aft
 Adjustment and Adjustable
 Suspension
 Cup holder
 Two Fender Handles
 12 Volt Outlet
 ELECTRICAL SYSTEM
 500 CCA Battery
 15 Amp Regulated Charging System
 Four-Position Key Switch with
 Headlight Switch
 Hour Meter
 Oil Pressure Indicator

Mower/PTO Light
 Seat/PTO Interlock Switches
 Reverse Implement Option
 Electronic Dash Mounted Fuel
 Gauge
 MISCELLANEOUS
 4.5 US Gallon Fuel Tank Capacity
 Welded C-Channel Frame
 Rear Hitch Accepts 4 Quik-Tatch
 Weights
 Electric Mower/Implement PTO
 Drive Clutch
 Foot Pedal Deck and Implement
 Lift System
 Adjustable Lift Assist Spring
 Heavy Duty Cargo Mount System
 *Engine HP is Provided by the
 Engine Manufacturer to be Used
 for Comparison Purposes Only,
 Actual Operating HP will be
 Less. Refer to the Engine
 Manufacturer's Web Site for
 Additional Information.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

Select Series X500 Multi-Terrain Tractor Less Deck, California Model

F.O.B. Janesville, WI

480FM	Select Series X500 Multi-Terrain Tractor Less Deck, California Model	4,999.00
-------	--	----------

ATTACHMENTS FOR FIELD CONVERSION

Blades:		
SKU23048	48 in Front Blade (X500 M-T) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	780.00
BM23448	Manual Angling Kit (48 in Blade X500 M-T)	257.87
M42868	Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	66.21
Carts / Hitches:		
PM05101	Ball Mount - 1.875 in. (48mm)	11.03

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Engine:	
	AM135845	Spark Arrestor Muffler Screen (X300s, X500 M-Ts)	48.95
		FRONT MOUNTED THATCHERS:	
	TY13056	38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
	TY13036	8 In. Front Thatcher (Extension) <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
	BM24000	Thatcher Mounting Frame (X300, X500 M-T)	207.59
		Material Collection System Hoppers:	
	BM21680	14 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	934.11
	BM21679	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute Front. Ballast Recommended, Especially on Hills or Inclines.</i>	441.91
	AM135486	Loose knit bags for 7 bu. Hopper	41.70
		Material Collection System Power Flow Blowers:	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010001-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008- X320 (Serial 085001-), MY2008- X324 (Serial 085001-), MY2008- X500 (Serial 030001-), and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
	BM22144	48X HP Power Flow Blower Assembly for 48X Mower with Non-Rotateable Anti-Scalp Wheels (X300/X500 M-T) <i>For use with MY2007 X320 (Serial 040001-085000), X324 (Serial 040001-085000), and the Model X500 M-T Tractor (Serial 020001-030000). Also for use with non-current SKU22194 (48X with Non-Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, 2025R, 2320, 2210 and 4115)	541.41
		Material Collection System Power Flow/Rear Bagger Chutes:	
	BM21682	Power Flow Chute (14 bu)	141.24
	BM21681	Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
	BM20855	Power Flow Chute (MC519/C or X Series Blowers)	87.74
		Miscellaneous:	
	BM17981	12 Volt Work Light Kit	52.43
	TY25866	Battery Charger and Maintainer	37.68
	BM23057	Brush Guard (X300, X500 M-T)	126.26

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM23056	Bumper (X300s, X500, X530, X534)	64.20
	M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.52
	TY27534	Fuel Protect for Gasoline Engines (8 oz.)	4.49
	AM119321	Heavy Duty Skid Shoe (1) <i>For Front Blade. Two required.</i>	57.37
	LG249	Home Maintenance Kit <i>Fits 2010 and earlier models only (Serial -060000).</i>	47.52
	LG265	Home Maintenance Kit <i>For use with MY2011- (Serial 060001-).</i>	44.27
	AM136046	Seat Net Kit	31.25
	AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
	AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	19.13
	BM23054	Sun Shade (X300/X500 M-T)	164.79
		Mower Deck and Mower Deck Attachments:	
	SKU24195	48 in Edge Xtra Deck with Rotateable Anti-Scalp Wheels (48X)	1,000.00
	SKU21897	54 in Edge Xtra Deck (54X)	1,300.00
	M127673	Blade (48C/48X, Mulching)	18.29
	M145476	Blade (48C/48X, Side Discharge)	12.98
	M152726	Blade (54C/54X, High Lift)	19.59
	M145516	Blade (54C/54X, Mulching)	19.77
	M143520	Blade (54C/54X, Side Discharge)	16.77
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
	BM20985	Leaf Bagging Kit (54C/54X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	126.26
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20007	Mulch Kit (48C/48X)	160.50
	BM20827	Mulch Kit (54C/54D/54X)	217.21

Order Zone:

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor Less Deck, California Model

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP22861	25-gal. Mounted Sprayer <i>Tractors equipped with this sprayer require installation of the mid-mount mower, a front attachment, four front suitcase weights, or two front wheel weights.</i>	449.95
	LP40000	40-In. Tractor Shovel	899.95
	LP1002	48-In. / 54-In. Tractor Grass Groomer	109.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LPJD100	Bucket Holder (Single)	39.95
	LP33711	Electric Lift Kit <i>For Snow Blower and Front Blade.</i>	399.95
	LP31357	Integral Hitch, Mechanical	320.00
	LP22834	MC542 Material Collection System <i>Requires 17P Utility Cart, Appropriate Mower Deck Boot Kit, Rear Ballast Recommended, Especially on Hills or Inclines.</i>	1,599.00
	LP23080	MC542 Mower Deck Boot Kit (48X)	91.00
	LP23081	MC542 Mower Deck Boot Kit (54X)	91.00
	LP47170	MCS 14 Dump From Seat Hopper (X500 and X700 with 14 Bushel Hopper) <i>Requires separate material collection system.</i>	574.95
	LP47169	MCS 8 Dump From Seat Hopper (X500 and X700 with 7 Bushel Hopper) <i>Requires separate material collection system.</i>	499.95
	LP93647	Protective Cover (Large Deluxe)	99.99
	LP93917	Riding Mower Standard Cover	69.99
	LP36741	X500 Series Weather Enclosure	426.99
		Protection:	
	LP92624	Seat Cover (Deluxe Medium) - Yellow	42.99
	LP92324	Seat Cover - Yellow	26.99
		Seats / Wheels / Tires:	
	TY24328	Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
		Snow Blowers:	
	SKU23045	44 In. Snow Blower (X300's, X500, X520) <i>Rear weights and tire chains are recommended for additional traction. Winter grill cover recommended on air-cooled engines to prevent carburetor icing.</i>	1,555.00

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Select Series X500 Multi-Terrain Tractor Less Deck, California Model
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM136645	Lift Assist Spring <i>Tractors built prior to September 2006 (See sales manual link for tractor serial number breaks.) and shipped with a 48X or 54X Mower Deck require that the original M151924 Lift Assist Spring be replaced with AM136645 Lift Assist Spring for use with a 44-in. snow blower.</i>	26.62
	AM136692	Winter Grill Cover <i>Used on MY2006 Model X500 (Serial -020000), X520, and MY2006-2010 X534 (serial 010001-060000).</i>	84.58
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	91.38
	BM25362	Spanish North American Kit: Spanish Label & Owner's Manual Kit <i>For Model Year 2015 (X500,X530,X534,X590).</i>	42.80
	BM24927	Spanish Label & Owner's Manual Kit <i>For Model Year 2014 (X500,X530,X534,X540)</i>	42.80
	SKU23030	Tillers: 30 in Mechanical Tiller (X500, X520, X530, X540, X590) <i>See Sales Manual for Ballast Requirements.</i>	1,759.00
	BM17972	Weights: 50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM23621	Weight Bracket, Front (X300/X500 M-T) <i>Allows installation of R66949 Quik-Tatch Weights. Used on X300s, MY2007- Model X500 (serial 020001-), X530, and MY2011- X534 (serial 060001-).</i>	60.99
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
	BM18434	Wheels and Tires Rear: 23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
	BM21977	24X12.00-12 In. 2PR HDAP Tires (Rear Pair)	378.79
	BM21516	24X12.00-12 In. Turf Tires 2PR (Rear)	339.19

JOHN DEERE TURF & UTILITY PRODUCTS

GARDEN TRACTORS

Signature Series X710 Tractor Less Deck

Equipment for Base Machine

Signature Series X710 Tractor
POWER SYSTEM:
 22 HP *(16.4 kw)
 V-Twin Liquid Cooled
 Overhead Valves
 Full Pressure Lubrication
 System with Replaceable Oil
 Filter
 Rubber Mounted Isolated Engine
 Dry Type Air Filter and
 Precleaner
 5.2 Gallon (19.7 L) Fuel
 Tank Capacity
INTEGRATED TRANSAXLE:
 2 Pedal Foot Controlled
 Hydrostatic Transmission
 Internal Wet Disk Brakes
 Internal Hydraulic PTO Clutch
 with Modulated PTO Engagement
 Traction Assist
 2-wheel drive
STEERING:
 Hydraulic Power Steering
 6 Position Tilt Steering Wheel
OPERATOR STATION:
 Illuminated Dash with Gauges

and Lights
 Hourmeter
 Coolant Temperature
 Fuel Level
 Oil Pressure Light
 Battery Charge Light
 Park Brake Light
 21-in. High Back Seat with
 Coil Spring Suspension
 7 In. Slide Rail Seat Adjustment
 14 Position Adjustable Seat
 Cruise Control
 Reverse Implement Option (RIO)
ELECTRICAL:
 12V Electric Start
 20 Amp Regulated Alternator
 340 CCA Battery
 Halogen Headlights, Tail Lights
 Rear Work and Backup Lights
 Seat, PTO and Brake
 Interlock Switch
IMPLEMENT LIFT:
 "From the Seat" Mower Cut Height
 Adjustment
 Hydraulic with 2 Spool Control
 Valve

FRAME AND FRONT AXLE:
 Robotic MIG Welded Frame
 Frame Sides .18 In. (4.6 mm)
 Thick
 Built-In Front Bumper Accepts
 Four "Quik-Tatch" Weights
 Nodular Cast Iron Front Axle
 1 In. (25 mm) Front Spindles
 Built-In Front Receiver Hitch
 18x8.50-8 4 PR Front Turf Tires
 26x12.00-12 2 PR Rear Turf
 Tires
 *Engine HP is Provided by the
 Engine Manufacturer to be Used
 for Comparison Purposes Only,
 Actual Operating HP will be
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

Signature Series X710 Tractor Less Deck

F.O.B. Janesville, Wisconsin

5801M	Signature Series X710 Tractor Less Deck <i>Not Available for Sale in California.</i>	8,699.00
-------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

BM23989	Carts / Hitches: Drawbar, 1.25 In. (38mm)	37.46
AM108146	Engine: Spark Arrester Screen for Muffler	25.48
BM24429	Fenders: Front Fender Kit (X710, X730, X750) <i>Not compatible with 60HC mower deck.</i>	155.16

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X710 Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Front Hitch:	
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		Front PTO:	
BM24361		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
		Hitch:	
BM17327		3-Point Hitch (Category 0)	647.36
BM23882		3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
BM23883		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
BM20877		Rear Receiver Hitch Kit	44.94
LVU12858		iMatch Quick Hitch Bushings	22.10
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hydraulics:	
BM25609		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20761		Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
AM134625		Hydraulic Cylinder Lockout Valve	111.24
BM20896		Hydraulic Retro Kit	28.89
		Miscellaneous:	
BM23588		540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11
BM24426		Arm Rest kit	193.67
BM21332		Attaching Parts for Deluxe High-Back Seat	149.80
BM24425		Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
TY25866		Battery Charger and Maintainer	37.68
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X710 Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM21490	Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	254.66
	BM20753	Front Light Kit	211.86
	LG245	Home Maintenance Kit	83.19
	M150364	Wheel Cover, 12 In. (Chrome)	84.38
	M114663	Wheel Cover, 12 In. (Yellow Plastic)	22.64
	M150362	Wheel Cover, 8 In. (Chrome)	41.07
		Order Zone:	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
		Seats / Wheels / Tires:	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		Spanish North American Kit:	
	BM25303	Spanish Label & Owner's Manual Kit	141.24
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM24363	9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X710 Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		Wheels and Tires Rear:	
	BM18369	26X12.00-12 In. 4PR Bar Tires (Rear) <i>Use with Two Wheel Steer Only.</i>	640.93
	BM22425	26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
	BM18370	26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

JOHN DEERE TURF & UTILITY PRODUCTS

GARDEN TRACTORS

Signature Series X730 Tractor Less Deck Equipment for Base Machine

Signature Series X730 Tractor
POWER SYSTEM:
 25.5 HP *(19 kw)
 V-Twin Liquid Cooled
 Electronic Fuel Injection
 Overhead Valves
 Full Pressure Lubrication
 System with Replaceable Oil
 Filter
 Rubber Mounted Isolated Engine
 Dry Type Air Filter and
 Precleaner
 5.2 Gallon (19.7 L) Fuel
 Tank Capacity
INTEGRATED TRANSAXLE:
 2 Pedal Foot Controlled
 Hydrostatic Transmission
 Internal Wet Disk Brakes
 Internal Hydraulic PTO Clutch
 with Modulated PTO Engagement
 Traction Assist
 2-wheel drive
STEERING:
 Hydraulic Power Steering
 6 Position Tilt Steering Wheel
OPERATOR STATION:
 Illuminated Dash with Gauges

and Lights
 Hourmeter
 Coolant Temperature
 Fuel Level
 Oil Pressure Light
 Battery Charge Light
 Park Brake Light
 21-In. Professional High Back
 Seat with 4-Bar suspension
 7 In. Slide Rail Seat Adjustment
 14 Position Adjustable Seat
 Cruise Control
 Reverse Implement Option (RIO)
ELECTRICAL:
 12V Electric Start
 20 Amp Regulated Alternator
 340 CCA Battery
 Halogen Headlights, Tail Lights
 Rear Work and Backup Lights
 Seat, PTO and Brake
 Interlock Switch
IMPLEMENT LIFT:
 "From the Seat" Mower Cut Height
 Adjustment
 Hydraulic with 2 Spool Control
 Valve
 4 Hydraulic Outlet Couplers

FRAME AND FRONT AXLE:
 Robotic MIG Welded Frame
 Frame Sides .18 In. (4.6 mm)
 Thick
 Built-In Front Bumper Accepts
 Four "Quik-Tatch" Weights
 Nodular Cast Iron Front Axle
 1 In. (25 mm) Front Spindles
 Built-In Front Receiver Hitch
 18x8.50-8 4 PR Front Turf Tires
 26x12.00-12 2 PR Rear Turf
 Tires
 *Engine HP is Provided by the
 Engine Manufacturer to be Used
 for Comparison Purposes Only,
 Actual Operating HP will be
 Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

Signature Series X730 Tractors Less Deck

F.O.B. Janesville, Wisconsin

5811M	Signature Series X730 Tractor Less Deck <i>Not Available for Sale in California.</i>	9,299.00
-------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Carts / Hitches: BM23989 Drawbar, 1.25 In. (38mm)	37.46
	Engine: AM108146 Spark Arrester Screen for Muffler	25.48
	Fenders: BM24429 Front Fender Kit (X710, X730, X750) <i>Not compatible with 60HC mower deck.</i>	155.16

Front Hitch:

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X730 Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM19782	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		Front PTO:	
	BM24361	2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
		Hitch:	
	BM17327	3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.10
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hydraulics:	
	BM25609	Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
	AM134625	Hydraulic Cylinder Lockout Valve	111.24
	BM20896	Hydraulic Retro Kit	28.89
		Miscellaneous:	
	BM23588	540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11
	BM24426	Arm Rest kit	193.67
	BM21332	Attaching Parts for Deluxe High-Back Seat	149.80
	BM24425	Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X730 Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM21490	Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	254.66
	BM20753	Front Light Kit	211.86
	LG244	Home Maintenance Kit	88.32
	M150363	Wheel Cover, 10 In. (Chrome)	66.36
	M150364	Wheel Cover, 12 In. (Chrome)	84.38
	M114663	Wheel Cover, 12 In. (Yellow Plastic)	22.64
	M150362	Wheel Cover, 8 In. (Chrome)	41.07
		Order Zone:	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
		Seats / Wheels / Tires:	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		Spanish North American Kit:	
	BM25303	Spanish Label & Owner's Manual Kit	141.24
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM24363	9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X730 Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		Wheels and Tires Rear:	
	BM18369	26X12.00-12 In. 4PR Bar Tires (Rear) <i>Use with Two Wheel Steer Only.</i>	640.93
	BM22425	26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
	BM18370	26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X734 4-Wheel Steer Tractor Less Deck
Equipment for Base Machine

Signature Series X734 4-Wheel Steer Tractor POWER SYSTEM: 25.5 HP *(19 kw) V-Twin Liquid Cooled Electronic Fuel Injection Overhead Valves Full Pressure Lubrication System with Replaceable Oil Filter Rubber Mounted Isolated Engine Dry Type Air Filter and Precleaner 5.2 Gallon (19.7 L) Fuel Tank Capacity INTEGRATED TRANSAXLE: 2 Pedal Foot Controlled Hydrostatic Transmission Internal Wet Disk Brakes Internal Hydraulic PTO Clutch with Modulated PTO Engagement Traction Assist 2-wheel drive STEERING: Hydraulic Power Steering 6 Position Tilt Steering Wheel OPERATOR STATION:	Illuminated Dash with Gauges and Lights Hourmeter Coolant Temperature Fuel Level Oil Pressure Light Battery Charge Light Park Brake Light 21-In. Professional High Back Seat with 4-Bar suspension 7 In. Slide Rail Seat Adjustment 14 Position Adjustable Seat Cruise Control Reverse Implement Option (RIO) ELECTRICAL: 12V Electric Start 20 Amp Regulated Alternator 340 CCA Battery Halogen Headlights, Tail Lights Rear Work and Backup Lights Seat, PTO and Brake Interlock Switch IMPLEMENT LIFT: "From the Seat" Mower Cut Height Adjustment Hydraulic with 2 Spool Control	Valve 4 Hydraulic Outlet Couplers FRAME AND FRONT AXLE: Robotic MIG Welded Frame Frame Sides .18 In. (4.6 mm) Thick Built-In Front Bumper Accepts Four "Quik-Tatch" Weights Nodular Cast Iron Front Axle 1 In. (25 mm) Front Spindles Built-In Front Receiver Hitch 18x7.00-8 4 PR Front Turf Tires 26x10.50-12 2 PR Rear Turf Tires *Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less.
--	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Signature Series X734 Tractors Less Deck

F.O.B. Janesville, Wisconsin

5821M	Signature Series X734 4-Wheel Steer Tractor Less Deck <i>Not Available for Sale in California.</i>	10,299.00
-------	---	-----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

BM23989	Carts / Hitches: Drawbar, 1.25 In. (38mm)	37.46
AM108146	Engine: Spark Arrester Screen for Muffler	25.48
BM19782	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X734 4-Wheel Steer Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Front PTO:	
BM24361		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
		Hitch:	
BM17327		3-Point Hitch (Category 0)	647.36
BM23882		3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
BM23883		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
BM20877		Rear Receiver Hitch Kit	44.94
LVU12858		iMatch Quick Hitch Bushings	22.10
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hydraulics:	
BM25609		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20761		Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
BM20896		Hydraulic Retro Kit	28.89
		Miscellaneous:	
BM23588		540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11
BM24426		Arm Rest kit	193.67
BM21332		Attaching Parts for Deluxe High-Back Seat	149.80
BM24425		Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
TY25866		Battery Charger and Maintainer	37.68
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
BM21490		Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
BM20880		Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X734 4-Wheel Steer Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	254.66
	BM20753	Front Light Kit	211.86
	LG244	Home Maintenance Kit	88.32
	TY25326	Tire Chains for 26x10.50-12 Turf Drive Tires <i>For all Wheel Steer Tractors.</i>	89.40
	M150364	Wheel Cover, 12 In. (Chrome)	84.38
	M114663	Wheel Cover, 12 In. (Yellow Plastic)	22.64
	M150362	Wheel Cover, 8 In. (Chrome)	41.07
		Order Zone:	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	744.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
		Spanish North American Kit:	
	BM25303	Spanish Label & Owner's Manual Kit	141.24
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM24363	9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	BM18094	Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X734 4-Wheel Steer Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
	BM20955	Wheels and Tires Rear: 26x10.50-12 In. 2 PR Turf Tires (Rear) (4-Wheel Steer Only)	486.86

**JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS**

Signature Series X738 Full Time 4-Wheel Drive Tractor Less Deck
Equipment for Base Machine

Signature Series X738 Tractor
with HDAP Tires
POWER SYSTEM:
25.5 HP *(19 kw)
V-Twin Liquid Cooled
Electronic Fuel Injection
Overhead Valves
Full Pressure Lubrication
System with Replaceable Oil
Filter
Rubber Mounted Isolated Engine
Dry Type Air Filter and
Precleaner
5.2 Gallon (19.7 L) Fuel
INTEGRATED TRANSAXLE:
2 Pedal Foot Controlled
Hydrostatic Transmission
Internal Wet Disk Brakes
Internal Hydraulic PTO Clutch
with Modulated PTO Engagement
Traction Assist
Full Time 4-Wheel Drive
STEERING:
Hydraulic Power Steering
6 Position Tilt Steering Wheel
OPERATOR STATION:
Illuminated Dash with

Gauges and Lights
Hourmeter
Coolant Temperature
Fuel Level
Oil Pressure Light
Battery Charge Light
Park Brake Light
21-In. Professional High Back
Seat with 4-Bar suspension
7 In. Slide Rail Seat Adjustment
14 Position Adjustable Seat
Cruise Control
Reverse Implement Option (RIO)
ELECTRICAL:
12V Electric Start
20 Amp Regulated Alternator
340 CCA Battery
Halogen Headlights, Tail Lights
Rear Work and Backup Lights
Seat, PTO and Brake
Interlock Switch
IMPLEMENT LIFT:
"From the Seat" Mower Cut Height
Adjustment
Hydraulic with 2 Spool Control
Valve
4 Hydraulic Outlet Couplers

FRAME AND FRONT AXLE:
Robotic MIG Welded Frame
Frame Sides .18 In. (4.6 mm)
Thick
Built-In Front Bumper Accepts
Four "Quik-Tatch" Weights
Nodular Cast Iron Front Axle
1 In. (25 mm) Front Spindles
Built-In Front Receiver Hitch
18x8.50-10 4 PR Front HDAP Tires
26x12.00-12 2 PR Rear HDAP Tires
*Engine HP is Provided by the
Engine Manufacturer to be Used
for Comparison Purposes Only,
Actual Operating HP will be
Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

Signature Series X738 Tractor with HDAP Tires Less Deck

F.O.B. Janesville, Wisconsin

5831M	Signature Series X738 Full Time 4-Wheel Drive Tractor Less Deck <i>Not Available for Sale in California.</i>	10,899.00
-------	---	-----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

BM23989	Carts / Hitches: Drawbar, 1.25 In. (38mm)	37.46
AM108146	Engine: Spark Arrester Screen for Muffler	25.48
BM24430	Fenders: Front Fender Kit (X738, X739, X758)	155.16

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X738 Full Time 4-Wheel Drive Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Front Hitch:	
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		Front PTO:	
BM24362		4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
		Hitch:	
BM17327		3-Point Hitch (Category 0)	647.36
BM23882		3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
BM23883		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
BM20877		Rear Receiver Hitch Kit	44.94
LVU12858		iMatch Quick Hitch Bushings	22.10
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hydraulics:	
BM25609		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20761		Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
AM134625		Hydraulic Cylinder Lockout Valve	111.24
BM20896		Hydraulic Retro Kit	28.89
		Miscellaneous:	
BM23588		540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11
BM24426		Arm Rest kit	193.67
BM21332		Attaching Parts for Deluxe High-Back Seat	149.80
BM24425		Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
TY25866		Battery Charger and Maintainer	37.68
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X738 Full Time 4-Wheel Drive Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM21490	Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	254.66
	BM20753	Front Light Kit	211.86
	LG244	Home Maintenance Kit	88.32
	M150363	Wheel Cover, 10 In. (Chrome)	66.36
	M150364	Wheel Cover, 12 In. (Chrome)	84.38
	M114663	Wheel Cover, 12 In. (Yellow Plastic)	22.64
		Order Zone:	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
		Seats / Wheels / Tires:	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		Spanish North American Kit:	
	BM25303	Spanish Label & Owner's Manual Kit	141.24
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM24363	9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X738 Full Time 4-Wheel Drive Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
	BM21497	Special Edition Weight Adapter <i>Two Required.</i>	32.10
		Wheels and Tires Front:	
	BM20954	18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires	330.00
	BM20952	18x8.50-10 In. 4PR HDAP Tires	334.91
		Wheels and Tires Rear:	
	BM18369	26X12.00-12 In. 4PR Bar Tires (Rear) <i>Use with Two Wheel Steer Only.</i>	640.93
	BM22425	26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
	BM18370	26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

**JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS**

Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck
Equipment for Base Machine

Signature Series X739 4-Wheel Steer 4 Wheel Drive Tractor	Illuminated Dash with Gauges and Lights	Valve
POWER SYSTEM:	Hourmeter	4 Hydraulic Outlet Couplers
25.5 HP *(19 kw)	Coolant Temperature	FRAME AND FRONT AXLE:
V-Twin Liquid Cooled	Fuel Level	Robotic MIG Welded Frame
Electronic Fuel Injection	Oil Pressure Light	Frame Sides .18 In. (4.6 mm) Thick
Overhead Valves	Battery Charge Light	Built-In Front Bumper Accepts Four "Quik-Tatch" Weights
Full Pressure Lubrication System with Replaceable Oil Filter	Park Brake Light	Nodular Cast Iron Front Axle 1 In. (25 mm) Front Spindles
Rubber Mounted Isolated Engine	21-In. Professional High Back Seat	Built-In Front Receiver Hitch
Dry Type Air Filter and Precleaner	with 4-Bar suspension	18x8.50-10 4 PR Front HDAP Tires
5.2 Gallon (19.7 L) Fuel Tank Capacity	7 In. Slide Rail Seat Adjustment	26x12.00-12 2 PR Rear HDAP Tires
INTEGRATED TRANSAXLE:	14 Position Adjustable Seat	*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less.
2 Pedal Foot Controlled Hydrostatic Transmission	Cruise Control	
Internal Wet Disk Brakes	Reverse Implement Option (RIO)	
Internal Hydraulic PTO Clutch with Modulated PTO Engagement	ELECTRICAL:	
Traction Assist	12V Electric Start	
Full-Time 4-Wheel Drive	20 Amp Regulated Alternator	
STEERING:	340 CCA Battery	
Hydraulic Power Steering	Halogen Headlights, Tail Lights	
6 Position Tilt Steering Wheel	Rear Work and Backup Lights	
OPERATOR STATION:	Seat, PTO and Brake Interlock Switch	
	IMPLEMENT LIFT:	
	"From the Seat" Mower Cut Height Adjustment	
	Hydraulic with 2 Spool Control	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck

F.O.B. Janesville, Wisconsin

5841M	Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck <i>Not Available for Sale in California.</i>	11,549.00
-------	---	-----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price
0195	Mexico	Same Price

ATTACHMENTS FOR FIELD CONVERSION

BM23989	Carts / Hitches: Drawbar, 1.25 In. (38mm)	37.46
AM108146	Engine: Spark Arrester Screen for Muffler	25.48

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Fenders:	
BM24430		Front Fender Kit (X738, X739, X758)	155.16
		Front Hitch:	
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		Front PTO:	
BM24362		4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
		Hitch:	
BM17327		3-Point Hitch (Category 0)	647.36
BM23882		3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
BM23883		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
BM20877		Rear Receiver Hitch Kit	44.94
LVU12858		iMatch Quick Hitch Bushings	22.10
LVB25976		iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hydraulics:	
BM25609		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20761		Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
AM134625		Hydraulic Cylinder Lockout Valve	111.24
BM20896		Hydraulic Retro Kit	28.89
		Miscellaneous:	
BM23588		540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
BM21914		540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11
BM24426		Arm Rest kit	193.67
BM21332		Attaching Parts for Deluxe High-Back Seat	149.80
BM24425		Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
TY25866		Battery Charger and Maintainer	37.68

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
	BM21490	Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	254.66
	BM20753	Front Light Kit	211.86
	LG244	Home Maintenance Kit	88.32
	M150363	Wheel Cover, 10 In. (Chrome)	66.36
	M150364	Wheel Cover, 12 In. (Chrome)	84.38
	M114663	Wheel Cover, 12 In. (Yellow Plastic)	22.64
	BM22725	Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	160.50
		Order Zone:	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
		Seats / Wheels / Tires:	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires <i>X739 requires BM22725 wheelspacer kit when installing chains.</i>	97.67
		Spanish North American Kit:	
	BM25303	Spanish Label & Owner's Manual Kit	141.24
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM24363	9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X739 4-Wheel Steer 4-Wheel Drive Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM18094	Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
	BM21497	Special Edition Weight Adapter <i>Two Required.</i>	32.10
		Wheels and Tires Front:	
	BM20954	18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires	330.00
	BM20952	18x8.50-10 In. 4PR HDAP Tires	334.91
		Wheels and Tires Rear:	
	BM22554	26X12.0-12 In. 2PR HDAP Tires (Rear X729, X739, X749)	622.74

JOHN DEERE TURF & UTILITY PRODUCTS

GARDEN TRACTORS

Signature Series X750 Tractor Less Deck

Equipment for Base Machine

Signature Series X750 Tractor	Illuminated Dash with Gauges and Lights	Valve
POWER SYSTEM:	Hourmeter	4 Hydraulic Outlet Couplers
24 HP *(17.9 kw)	Coolant Temperature	FRAME AND FRONT AXLE:
Final Tier IV Emission Compliant	Fuel Level	Robotic MIG Welded Frame
3-Cylinder Liquid Cooled Diesel	Oil Pressure Light	Frame Sides .18 In. (4.6 mm) Thick
Overhead Valves	Battery Charge Light	Built-In Front Bumper Accepts Four "Quik-Tatch" Weights
Full Pressure Lubrication System with Replaceable Oil Filter	Park Brake Light	Nodular Cast Iron Front Axle
Rubber Mounted Isolated Engine	Restricted Air Filter Light	1 In. (25 mm) Front Spindles
Dry Type Two Element Heavy Duty Air Filter with Air Restriction Indicator	Glow Plug Wait Light	Built-In Front Receiver Hitch
6.5 Gallon (24.6 L) Fuel Tank Capacity	21-In. Professional High Back Seat with 4-Bar suspension	18x8.50-8 4 PR Front Turf Tires
INTEGRATED TRANSAXLE:	7 In. Slide Rail Seat Adjustment	26x12.00-12 2 PR Rear Turf Tires
2 Pedal Foot Controlled Hydrostatic Transmission	14 Position Adjustable Seat	*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less.
Internal Wet Disk Brakes	Cruise Control	
Internal Hydraulic PTO Clutch with Modulated PTO Engagement	Reverse Implement Option (RIO)	
Traction Assist	ELECTRICAL:	
2-wheel drive	12V Electric Start	
STEERING:	40 Amp Regulated Alternator	
Hydraulic Power Steering	500 CCA Battery	
6 Position Tilt Steering Wheel	Halogen Headlights, Tail Lights	
OPERATOR STATION:	Rear Work and Backup Lights	
	Seat, PTO and Brake Interlock Switch	
	IMPLEMENT LIFT:	
	"From the Seat" Mower Cut Height Adjustment	
	Hydraulic with 2 Spool Control	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Signature Series X750 Tractor Less Deck

F.O.B. Janesville, Wisconsin

5851M	Signature Series X750 Tractor Less Deck	10,499.00
-------	---	-----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price
0195	Mexico	Same Price

ATTACHMENTS FOR FIELD CONVERSION

Carts / Hitches:		
BM23989	Drawbar, 1.25 In. (38mm)	37.46
Engine:		
AM134805	Engine Block Heater Adapter	66.04
MIA881629	Engine Block Heater Adapter	33.41

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X750 Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AR87167	Engine Coolant Heater (110 Volt) <i>X740 (serial -060000), X744 (serial -060000), and X748 (serial -060000) require AM134805 Engine Block Heater Adapter. X740 (serial 060001-), X744 (serial 060001-), X748 (serial 060001-), X750, X754, and X758 require MIA881629 Engine Block Heater Adapter, (2) 19M7868 Bolts and (1) M87940 Spacer.</i>	80.55
	AM108146	Spark Arrester Screen for Muffler	25.48
	BM24429	Fenders: Front Fender Kit (X710, X730, X750) <i>Not compatible with 60HC mower deck.</i>	155.16
	BM19782	Front Hitch: Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
	BM24361	Front PTO: 2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
	BM17327	Hitch: 3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.10
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	357.50
	BM25609	Hydraulics: Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
	AM134625	Hydraulic Cylinder Lockout Valve	111.24
	BM20896	Hydraulic Retro Kit	28.89
	BM23588	Miscellaneous: 540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X750 Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25015	55 Amp Alternator <i>Replaces standard 40 amp alternator on X750, X754, and X758 Tractors. Model year 2013-2015 tractors (serial 010001-040000) also require BM25347 55 Amp Alternator Harness Kit.</i>	313.50
	BM25347	55 Amp Alternator Harness Kit	48.16
	BM20990	Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) <i>Replaces standard 20 Amp Alternator on X495, X595, and model year 2006 (serial 010001-020000) X740, X744, and X748 Tractors. Standard equipment model year 2007- (serial 020001-). Recommended with Heated Cab.</i>	499.69
	BM24426	Arm Rest kit	193.67
	BM21332	Attaching Parts for Deluxe High-Back Seat	149.80
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
	BM21490	Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	254.66
	BM20753	Front Light Kit	211.86
	LG260	Home Maintenance Kit	77.63
	M150364	Wheel Cover, 12 In. (Chrome)	84.38
	M114663	Wheel Cover, 12 In. (Yellow Plastic)	22.64
	M150362	Wheel Cover, 8 In. (Chrome)	41.07
		Order Zone:	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
		Seats / Wheels / Tires:	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		Spanish North American Kit:	
	BM25303	Spanish Label & Owner's Manual Kit	141.24

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X750 Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BM24363		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
BW14313		Ballast Box (Category 1, 3-Pt. Hitch)	331.70
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		Wheels and Tires Rear:	
BM18369		26X12.00-12 In. 4PR Bar Tires (Rear) <i>Use with Two Wheel Steer Only.</i>	640.93
BM22425		26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
BM18370		26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X754 4-Wheel Steer Tractor Less Deck
Equipment for Base Machine

Signature Series X754 4-Wheel Steer Tractor
POWER SYSTEM:
24 HP *(17.9 kw)
Final Tier IV Emission Compliant
Yanmar 3-Cylinder Liquid Cooled Diesel
Overhead Valves
Full Pressure Lubrication
System with Replaceable Oil Filter
Rubber Mounted Isolated Engine
Dry Type Two Element Heavy Duty Air Filter with Air Restriction Indicator
6.5 Gallon (24.6 L) Fuel Tank Capacity
INTEGRATED TRANSAXLE:
2 Pedal Foot Controlled
Hydrostatic Transmission
Internal Wet Disk Brakes
Internal Hydraulic PTO Clutch with Modulated PTO Engagement
Traction Assist
2-Wheel Drive
STEERING:
Hydraulic Power Steering
6 Position Tilt Steering Wheel
OPERATOR STATION:

Illuminated Dash with Gauges and Lights
Hourmeter
Coolant Temperature
Fuel Level
Oil Pressure Light
Battery Charge Light
Park Brake Light
Restricted Air Filter Light
Glow Plug Wait Light
21-In. Professional High Back Seat
with 4-Bar suspension
7 In. Slide Rail Seat Adjustment
14 Position Adjustable Seat
Cruise Control
Reverse Implement Option (RIO)
ELECTRICAL:
12V Electric Start
40 Amp Regulated Alternator
500 CCA Battery
Halogen Headlights, Tail Lights
Rear Work and Backup Lights
Seat, PTO and Brake Interlock Switch
IMPLEMENT LIFT:
"From the Seat" Mower Cut Height Adjustment
Hydraulic with 2 Spool Control

Valve
4 Hydraulic Outlet Couplers
FRAME AND FRONT AXLE:
Robotic MIG Welded Frame
Frame Sides .18 In. (4.6 mm) Thick
Built-In Front Bumper Accepts Four "Quik-Tatch" Weight
Nodular Cast Iron Front Axle
1 In. (25 mm) Front Spindles
Built-In Front Receiver Hitch
18x7.00-8 4 PR Front Turf Tires
26x10.50-12 2 PR Rear Turf Tires
*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Signature Series X754 4-Wheel Steer Tractor Less Deck

F.O.B. Janesville, Wisconsin

5861M	Signature Series X754 4-Wheel Steer Tractor Less Deck	11,499.00
-------	---	-----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Carts / Hitches: BM23989 Drawbar, 1.25 In. (38mm)	37.46
	Engine: AM134805 Engine Block Heater Adapter	66.04
	MIA881629 Engine Block Heater Adapter	33.41

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X754 4-Wheel Steer Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AR87167	Engine Coolant Heater (110 Volt) <i>X740 (serial -060000), X744 (serial -060000), and X748 (serial -060000) require AM134805 Engine Block Heater Adapter. X740 (serial 060001-), X744 (serial 060001-), X748 (serial 060001-), X750, X754, and X758 require MIA881629 Engine Block Heater Adapter, (2) 19M7868 Bolts and (1) M87940 Spacer.</i>	80.55
	AM108146	Spark Arrester Screen for Muffler	25.48
		Front Hitch:	
	BM19782	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		Front PTO:	
	BM24361	2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700's) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
		Hitch:	
	BM17327	3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.10
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hydraulics:	
	BM25609	Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
	AM134625	Hydraulic Cylinder Lockout Valve	111.24
	BM20896	Hydraulic Retro Kit	28.89
		Miscellaneous:	
	BM23588	540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11
	LVB25015	55 Amp Alternator <i>Replaces standard 40 amp alternator on X750, X754, and X758 Tractors. Model year 2013-2015 tractors (serial 010001-040000) also require BM25347 55 Amp Alternator Harness Kit.</i>	313.50

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X754 4-Wheel Steer Tractor Less Deck

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM25347	55 Amp Alternator Harness Kit	48.16
	BM20990	Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) <i>Replaces standard 20 Amp Alternator on X495, X595, and model year 2006 (serial 010001-020000) X740, X744, and X748 Tractors. Standard equipment model year 2007- (serial 020001-). Recommended with Heated Cab.</i>	499.69
	BM24426	Arm Rest kit	193.67
	BM21332	Attaching Parts for Deluxe High-Back Seat	149.80
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
	BM21490	Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	254.66
	BM20753	Front Light Kit	211.86
	LG260	Home Maintenance Kit	77.63
	TY25326	Tire Chains for 26x10.50-12 Turf Drive Tires <i>For all Wheel Steer Tractors.</i>	89.40
	M150364	Wheel Cover, 12 In. (Chrome)	84.38
	M114663	Wheel Cover, 12 In. (Yellow Plastic)	22.64
	M150362	Wheel Cover, 8 In. (Chrome)	41.07
		Order Zone:	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
		Spanish North American Kit:	
	BM25303	Spanish Label & Owner's Manual Kit	141.24
		Weights:	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X754 4-Wheel Steer Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM24363	9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
	BW14313	Ballast Box (Category 1, 3-Pt. Hitch)	331.70
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
	BM18094	Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
	R66949	Quik-Tatch Weight, 42 Lb.	63.13
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		Wheels and Tires Rear:	
	BM20955	26x10.50-12 In. 2 PR Turf Tires (Rear) (4-Wheel Steer Only)	486.86

**JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS**

Signature Series X758 Full Time 4-Wheel Drive Tractor Less Deck
Equipment for Base Machine

Signature Series X758 4 Wheel Drive Tractor with HDAP Tires
POWER SYSTEM:
24 HP *(17.9 kw)
Interim Tier IV Emission Compliant
3-Cylinder Liquid Cooled Diesel Overhead Valves
Full Pressure Lubrication System with Replaceable Oil Filter
Rubber Mounted Isolated Engine Dry Type Two Element Heavy Duty Air Filter with Air Restriction Indicator
6.5 Gallon (24.6 L) Fuel Tank Capacity
INTEGRATED TRANSAXLE:
2 Pedal Foot Controlled Hydrostatic Transmission
Internal Wet Disk Brakes
Internal Hydraulic PTO Clutch with Modulated PTO Engagement
Traction Assist
Full Time 4-wheel drive
STEERING:
Hydraulic Power Steering
6 Position Tilt Steering Wheel

OPERATOR STATION:
Illuminated Dash with Gauges and Lights
Hourmeter
Coolant Temperature Fuel Level
Oil Pressure Light
Battery Charge Light
Park Brake Light
Restricted Air Filter Light
Glow Plug Wait Light
21-In. Professional High Back Seat with 4-Bar suspension
7 In. Slide Rail Seat Adjustment
14 Position Adjustable Seat
Cruise Control
Reverse Implement Option (RIO)
ELECTRICAL:
12V Electric Start
40 Amp Regulated Alternator
500 CCA Battery
Halogen Headlights, Tail Lights
Rear Work and Backup Lights
Seat, PTO and Brak
Interlock Switch
IMPLEMENT LIFT:
"From the Seat" Mower Cut Height Adjustment
Hydraulic with 2 Spool Control

Valve
4 Hydraulic Outlet Couplers
FRAME AND FRONT AXLE:
Robotic MIG Welded Frame
Frame Sides .18 In. (4.6 mm) Thick
Built-In Front Bumper Accepts Four "Quik-Tatch" Weights
Nodular Cast Iron Front Axle
1 In. (25 mm) Front Spindles
Built-In Front Receiver Hitch
18x8.50-10 4 PR Front HDAP Tires
26x12.00-12 2 PR Rear HDAP Tires
*Engine HP is Provided by the Engine Manufacturer to be Used for Comparison Purposes Only, Actual Operating HP will be Less.

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

Signature Series X758 Full Time 4-Wheel Drive Tractor Less Deck

F.O.B. Janesville, Wisconsin

5871M	Signature Series X758 Full Time 4-Wheel Drive Tractor Less Deck	12,099.00
-------	---	-----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	Same Price
001D	Other	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Carts / Hitches: BM23989 Drawbar, 1.25 In. (38mm)	37.46
	Engine: AM134805 Engine Block Heater Adapter	66.04
	MIA881629 Engine Block Heater Adapter	33.41

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X758 Full Time 4-Wheel Drive Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AR87167	Engine Coolant Heater (110 Volt) <i>X740 (serial -060000), X744 (serial -060000), and X748 (serial -060000) require AM134805 Engine Block Heater Adapter. X740 (serial 060001-), X744 (serial 060001-), X748 (serial 060001-), X750, X754, and X758 require MIA881629 Engine Block Heater Adapter, (2) 19M7868 Bolts and (1) M87940 Spacer.</i>	80.55
	AM108146	Spark Arrester Screen for Muffler	25.48
		Fenders:	
	BM24430	Front Fender Kit (X738, X739, X758)	155.16
		Front Hitch:	
	BM19782	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		Front PTO:	
	BM24362	4WD 2000 RPM Front PTO (X500 HDGT's, X700's) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	298.53
		Hitch:	
	BM17327	3-Point Hitch (Category 0)	647.36
	BM23882	3-Pt. Hitch, Category 1 (X400/X500 HDGT's, X700's)	647.36
	BM23883	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts a BM21263 (X400/X500 Cat 1) or BM17327 (Cat 0) for use on X700s.</i>	80.26
	BM20877	Rear Receiver Hitch Kit	44.94
	LVU12858	iMatch Quick Hitch Bushings	22.10
	LVB25976	iMatch Quick Hitch Category 1 with adjustable top hook	357.50
		Hydraulics:	
	BM25609	Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20761	Hydraulic Coupler Kit <i>Required on X700, X710, X465, X475 and 425 Tractors.</i>	55.64
	AM134625	Hydraulic Cylinder Lockout Valve	111.24
	BM20896	Hydraulic Retro Kit	28.89
		Miscellaneous:	
	BM23588	540 RPM Rear PTO Drive (X700's Starting June 2010 production and beyond-) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See sales manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	980.11
	BM21914	540 RPM Rear PTO Drive (X400/X500 HDGTs, X700's -June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on MY2005 and older X400 and X500 HDGTs, also order AM120840 Module.</i>	980.11

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X758 Full Time 4-Wheel Drive Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB25015	55 Amp Alternator <i>Replaces standard 40 amp alternator on X750, X754, and X758 Tractors. Model year 2013-2015 tractors (serial 010001-040000) also require BM25347 55 Amp Alternator Harness Kit.</i>	313.50
	BM25347	55 Amp Alternator Harness Kit	48.16
	BM20990	Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) <i>Replaces standard 20 Amp Alternator on X495, X595, and model year 2006 (serial 010001-020000) X740, X744, and X748 Tractors. Standard equipment model year 2007- (serial 020001-). Recommended with Heated Cab.</i>	499.69
	BM24426	Arm Rest kit	193.67
	BM21332	Attaching Parts for Deluxe High-Back Seat	149.80
	TY25866	Battery Charger and Maintainer	37.68
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	114.49
	BM21490	Deluxe High-Back Seat <i>Requires BM21332, Attaching Parts when Installing on a Non-Special Edition Tractor.</i>	564.96
	BM20880	Front Brush Guard Kit (X700, X720, X724, X728, X729, X740, X744, X748, X749)	254.66
	BM24375	Front Brush Guard Kit (X710, X730, X734, X738, X739, X750, X754, X758)	254.66
	BM20753	Front Light Kit	211.86
	LG260	Home Maintenance Kit	77.63
	M150363	Wheel Cover, 10 In. (Chrome)	66.36
	M150364	Wheel Cover, 12 In. (Chrome)	84.38
	M114663	Wheel Cover, 12 In. (Yellow Plastic)	22.64
		Order Zone:	
	LP3301	125 lb. Select Series Mounted Electric Broadcast Spreader	399.00
	LP54000	54 In. Tractor Shovel <i>Requires 54 In. Front Blade. Go to Order Zone for Specific Requirements.</i>	744.95
	LPJD400	Bucket (5 gallon)	8.95
	LPJD301	Bucket Holder (Double)	74.95
	LP47913	X700 Signature Series Seat Cover	69.99
	LP41114	X700 Signature Series Weather Enclosure	549.99
		Seats / Wheels / Tires:	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		Spanish North American Kit:	
	BM25303	Spanish Label & Owner's Manual Kit	141.24

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Signature Series X758 Full Time 4-Wheel Drive Tractor Less Deck
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
BM24363		9-Weight Front Weight Bracket <i>For X400/X500 HDGT's, X700's</i>	192.60
BW14313		Ballast Box (Category 1, 3-Pt. Hitch)	331.70
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
BM21497		Special Edition Weight Adapter <i>Two Required.</i>	32.10
		Wheels and Tires Front:	
BM20954		18x8.50-10 (4PR, R3 Turf) Front Wheels & Tires	330.00
BM20952		18x8.50-10 In. 4PR HDAP Tires	334.91
		Wheels and Tires Rear:	
BM18369		26X12.00-12 In. 4PR Bar Tires (Rear) <i>Use with Two Wheel Steer Only.</i>	640.93
BM22425		26x12.0-12 In. 2PR HDAP Tires (Rear)	622.74
BM18370		26x12.00-12 In. 2 PR Turf Tires (Rear)	486.86

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Current Attachments for Non-Current G110 Garden Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
BG20020		Miscellaneous:	
		46 In. Snow Blade	339.19
		<i>Requires Rear Ballast and Tire Chains.</i>	
BG20260		Sun Canopy <i>Fits all 100 Series Tractors.</i>	99.00
BG20304		Mower Deck and Mower Deck Attachments:	
		54 In. Mulch Kit	226.84
		<i>Fits G110, 190C.</i>	
R66949		Weights:	
		Quik-Tatch Weight, 42 Lb. <i>Two Required.</i>	63.13
BG20029		Quik-Tatch Weight, 42 Lb. (Boxed) <i>Two Required.</i>	64.20

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Current Attachments for Non-Current GT Garden Tractors (GT235 and GT245)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Miscellaneous:	
BM17981		12 Volt Work Light Kit	52.43
BM21289		Halogen Headlight Kit	58.86
		Mower Deck and Mower Deck Attachments:	
SKU21354		48 In. Convertible Mower (48C)	1,080.00
SKU21394		54 In. Convertible Mower (54C)	1,320.00
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM19511		Front Weight Bracket/Bumper <i>For GT225, GT235, GT235E, GT245 and GX255 Tractors. French Canada Dealers must order M139913, Warning Decal.</i>	138.03
BM17985		Mounting Hardware (1) for Attaching One Wheel Weight	12.84
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		Wheels and Tires Rear:	
BM18434		23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
BM21516		24X12.00-12 In. Turf Tires 2PR (Rear) <i>Not for Use on 2003 and Prior Model Year Tractors</i>	339.19

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Current Attachments for Non-Current GX255 Garden Tractors

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Miscellaneous:	
BM17981		12 Volt Work Light Kit	52.43
BM21289		Halogen Headlight Kit	58.86
		Mower Deck and Mower Deck Attachments:	
SKU21354		48 In. Convertible Mower (48C)	1,080.00
SKU21394		54 In. Convertible Mower (54C)	1,320.00
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	101.66
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM19511		Front Weight Bracket/Bumper <i>For GT225, GT235, GT235E, GT245 and GX255 Tractors. French Canada Dealers must order M139913, Warning Decal.</i>	138.03
BM17985		Mounting Hardware (1) for Attaching One Wheel Weight	12.84
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
R66949		Quik-Tatch Weight, 42 Lb.	63.13
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>For Use on Steered Wheel.</i>	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		Wheels and Tires Rear:	
BM18434		23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
BM21516		24X12.00-12 In. Turf Tires 2PR (Rear) <i>Not for Use on 2003 and Prior Model Year Tractors</i>	339.19

JOHN DEERE TURF & UTILITY PRODUCTS
GARDEN TRACTORS

Current Attachments for Non-Current GX Garden Tractors (GX335, GX345 and GX355)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Miscellaneous:	
BM17981		12 Volt Work Light Kit	52.43
BM21289		Halogen Headlight Kit	58.86
		Mower Deck and Mower Deck Attachments:	
		<i>The appropriate front draft arm assembly will be included with tractors shipped "Less Mower", but NOT with the following mowers. Order as PARTS if needed.</i>	
		<i>(GX355): The 48C and 54C In. Mower shipped with GX355's have heavier duty parts. If swapping a mower from a gas tractor or using a cartoned mower on a GX355, order the following from Parts: M143019 Primary Belt and AM130728 Belt Tension Assembly.</i>	
SKU21354		48 In. Convertible Mower (48C)	1,080.00
SKU21394		54 In. Convertible Mower (54C)	1,320.00
		Weights:	
BM17972		50 Lb. Cast Iron Wheel Weight (1)	133.76
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
BM17985		Mounting Hardware (1) for Attaching One Wheel Weight	12.84
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire	21.40
R66949		Quik-Tatch Weight, 42 Lb. <i>Two Required.</i>	63.13
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	103.79
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77
		Wheels and Tires Rear:	
BM18434		23x10.50-12 In. 4 PR Bar Tires (Rear Pair)	362.73
BM21516		24X12.00-12 In. Turf Tires 2PR (Rear) <i>Not for Use on 2003 and Prior Model Year Tractors</i>	339.19